BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL
DEVOTED TO FUNDAMENTAL RESEARCH IN THE
BRAIN SCIENCES

CUMULATIVE AUTHOR AND SUBJECT INDEXES

Volumes 258–287 (1983)
and Additional Volumes 229 and 230 (1981)

Sa

U.I.C.
JUN 18 1985
LIBRARY

ELSEVIER

EDITOR-IN-CHIEF – D. P. PURPURA

SCOPE AND PURPOSE

BRAIN RESEARCH provides a medium for prompt publication of articles in the fields of neuroanatomy, neurochemistry, neurophysiology, neuroendocrinology, neuropharmacology, neurocommunications, behavioural sciences, molecular neurology and biocybernetics. Clinical studies that are of fundamental importance and have a direct bearing on the knowledge of the structure and function of the brain, the spinal cord, and the peripheral nerves will also be published.

TYPE OF PAPERS

1. **Full-length papers** reporting results of original fundamental research in any branch in the brain sciences. It is expected that these papers will be published about six months after acceptance.
2. **Short Communications** reporting on research which has progressed to the stage when it is considered that the results should be made known quickly to other workers in the field. The maximum length allowed will be 1500 words or equivalent space in tables and illustrations. It is expected that short communications will be published about three months after acceptance.
3. **Review articles.** A supplementary volume entitled Brain Research Reviews will be published bimonthly which will be devoted to Review articles and occasionally long research papers with extensive review components, giving a survey, an evaluating and critical interpretation of recent research data and conceptions in a particular field of brain research or on a specific problem or topic of interest to workers in the brain sciences.

INSTRUCTIONS TO AUTHORS

Manuscript should be submitted *in quadruplicate* and be complete in all respects (including four copies of all illustrations), and deal with original research not previously published, or being considered for publication elsewhere.

The Publishers and Editor-in-Chief regret that they are unable to return copies of submitted manuscripts except in the case of rejected articles, where only the original manuscript and figures are returned to the author.

Full length papers, short communications and review articles should be sent to:

Professor Dr. D. P. PURPURA
Brain Research
Office of the Dean
Albert Einstein College of Medicine
1300 Morris Park Avenue
Bronx, NY 10461, U.S.A. Telephone: (212) 430-2387

Correspondence. All questions arising **after acceptance** of a manuscript by the editor, as well as relating to proofs and reprints, should be directed to the publishers, Elsevier Science Publishers B.V., P.O. Box 1527, 1000 BM, Amsterdam, The Netherlands. Telephone: (20) 5803 467.

Page charge. For full-length papers longer than 14 printed pages a charge of $ 60.00 will be levied for each page in excess of 14. Upon receipt of each typescript of a full-length paper its size in printed pages is estimated by the Publisher. If the estimate is higher than 14 printed pages, the authors are advised that they may expect a page charge, the exact amount of which is fixed after the definite length of their paper is known. As an approximate guide to authors for judging the length of their paper, the following estimations may be used:

2.5 type-written pages = 1 printed page; 2 'average' figures + legends = 1 printed page; 3 'average' tables = 1 printed page; 30 references = 1 printed page.

Manuscripts. Manuscripts should be written in English and be accompanied by a list of 6-8 **key words** and a **summary** of about 200 words for **Research Reports** and 50-70 words for **Short Communications,** on a separate page. Manuscripts must be submitted in four copies in **double-spaced** typing with at least a 4 cm margin on pages of uniform size. As a rule full length papers and review articles should be **divided into sections** headed by a caption (Summary, Introduction, Materials and Methods, Results, Discussion, Acknowledgements, References). Short Communications should contain no section headings. In order to ensure rapid publication, no revisions or up-datings will be incorporated into a Short Communication after the manuscript has been accepted and sent to the Publisher.

Authors' full names, academic or professional affiliations, and **complete addresses** should be included on a separate title page. The name and address of the author to whom proofs and correspondence are to be sent should be given.

Literature references. Citation of literature reference in the text should be given at the appropriate places by numbers as superscripts without parentheses. All references cited in the text should be listed at the end of the paper on a separate page (also double-spaced) arranged in alphabetical order of first author and numbered consecutively. All items in the list of references should be cited in the text and, conversely, all references cited in the text must be presented in the list. Literature references must be complete, including initials of the authors cited, title of paper referred to, abbreviated title, volume, year, and first and last page numbers of the article, in a periodical. The abbreviations of journal titles should conform to those adopted by World Medical Periodicals, latest edition. (See example 2.)

The form of literature references to books should be: author, initials, title of book, publisher and city, year and page number referred to. (See example 1.) References to authors contributing to multi-author books or to proceedings printed in book-form should be similar to those for books. (See example 3.)

Examples:

1 Bureš, J., Burešová, O. and Huston, J. P., *Techniques and Basic Experiments for the Study of Brain and Behavior*, 2nd edn., Elsevier, Amsterdam, 1983, 326 pp.
2 Droge, M. H. and Leonard, R. B., Organization of spinal motor nuclei in the stingray, *Dayatis sabina, Brain Research,* 276 (1983) 201–211.
3 Sofroniew, M. V., Morphology of vasopressin and oxytocin neurones and their central and vascular projections. In B. A. Cross and G. Leng (Eds.), *The Neurohypophysis: Structure, Function and Control, Progress in Brain Research, Vol. 60,* Elsevier, Amsterdam, 1983, pp. 101–114.

This journal should be cited in list of references as *Brain Research.*

(continued on inside back cover)

Advertisement rates are available from the Publisher upon request. It should be noted that all advertisements are subject to approval by the Editors of the Journal.

BRAIN RESEARCH

AUTHOR AND SUBJECT INDEXES

VOLUMES 258–280 (1983)
(Including Developmental Brain Research and Brain Research Reviews)

and Additional Volumes 229 and 230 (1981)

BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL DEVOTED TO FUNDAMENTAL RESEARCH IN THE BRAIN SCIENCES

EDITORIAL BOARD

G. K. Aghajanian (New Haven, CT, U.S.A.)
B. W. Agranoff (Ann Arbor, MI, U.S.A.)
A. Aguayo (Montreal, Que., Canada)
P. Andersen (Oslo, Norway)
R. Balázs (London, U.K.)
G. Bartholini (Paris, France)
M. V. L. Bennett (Bronx, NY, U.S.A.)
A. Björklund (Lund, Sweden)
F. E. Bloom (La Jolla, CA, U.S.A.)
A. G. Brown (Edinburgh, U.K.)
P. Buser (Paris, France)
B. Cohen (New York, NY, U.S.A.)
H. Collewijn (Rotterdam, The Netherlands)
W. M. Cowan (San Diego, CA, U.S.A.)
A. C. Cuello (Oxford, U.K.)
J. E. Desmedt (Brussels, Belgium)
J. E. Dowling (Cambridge, MA, U.S.A.)
J. J. Dreifuss (Geneva, Switzerland)
B. Droz (Lausanne, Switzerland)
P. Emson (Cambridge, U.K.)
S. J. Enna (Houston, TX, U.S.A.)
H. L. Fields (San Francisco, CA, U.S.A.)
B. Flerkó (Pecs, Hungary)
H. M. Gerschenfeld (Paris, France)
J. Glowinski (Paris, France)
M. H. Goldstein Jr. (Baltimore, MD, U.S.A.)
S. Grillner (Stockholm, Sweden)
A. Hamberger (Göteborg, Sweden)
K. P. Hoffmann (Ulm, F.R.G.)
T. G. M. Hökfelt (Stockholm, Sweden)
J. Hughes (Cambridge, U.K.)
D. H. Ingvar (Lund, Sweden)
M. Ito (Tokyo, Japan)
S. D. Iversen (Hoddesdon, U.K.)
E. Jankowska (Göteborg, Sweden)
G. A. R. Johnston (Sydney, Australia)
E. G. Jones (Irvine, CA, U.S.A.)
J. S. Kelly (London, U.K.)
C. Kennedy (Bethesda, MD, U.S.A.)
M. J. Kuhar (Baltimore, MD, U.S.A.)
H. G. J. M. Kuypers (Rotterdam, The Netherlands)
J. LaVail (San Francisco, CA, U.S.A.)
J. Liebeskind (Los Angeles, CA, U.S.A.)
H. D. Lux (Munich, F.R.G.)
B. S. McEwen (New York, NY, U.S.A.)
E. G. McGeer (Vancouver, B.C., Canada)
R. Y. Moore (Stony Brook, NY, U.S.A.)
P. Morell (Chapel Hill, NC, U.S.A.)
W. T. Norton (Bronx, NY, U.S.A.)
S. Ozawa (Tochigi-ken, Japan)
M. Palkovits (Budapest, Hungary)
K. H. Pfenninger (New York, NY, U.S.A.)
T. P. S. Powell (Oxford, U.K.)
W. Precht (Zürich, Switzerland)
D. P. Purpura (Stanford, CA, U.S.A.)
C. Raine (Bronx, NY, U.S.A.)
G. Raisman (London, U.K.)
P. Rakic (New Haven, CT, U.S.A.)
S. I. Rapoport (Bethesda, MD, U.S.A.)
E. Roberts (Duarte, CA, U.S.A.)
P. Rudomín (Mexico D.F., Mexico)
R. W. Ryall (Cambridge, U.K.)
P. Siekevitz (New York, NY, U.S.A.)
E. J. Simon (New York, NY, U.S.A.)
S. H. Snyder (Baltimore, MD, U.S.A.)
C. Sotelo (Suresnes, France)
J. Stone (Kensington, Australia)
L. Terenius (Uppsala, Sweden)
H. Thoenen (Munich, F.R.G.)
S. Waxman (Palo Alto, CA, U.S.A.)
R. Werman (Jerusalem, Israel)
V. J. Wilson (New York, NY, U.S.A.)
C.-P. Wu (Shanghai, China)
R. Wurtman (Cambridge, MA, U.S.A.)
W. Zieglgänsberger (Munich, F.R.G.)

AUTHOR AND SUBJECT INDEXES – VOLUMES 258–280 (1983) and 229–230 (1981)

ELSEVIER SCIENCE PUBLISHERS B.V. – AMSTERDAM

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1981 may be copied for a per-copy fee of US$2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Electronic data processing
Büro für Satztechnik W. Meyer KG
Weissenberg
F.R.G.

COPYRIGHT © 1985 BY ELSEVIER SCIENCE PUBLISHERS B.V.
PRINTED IN THE NETHERLANDS

All rights reserved. No part of this publication may by reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without permission in writing from the publisher.
Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

INTRODUCTION

The 1983 Cumulative Author and Subject Index comprises six separate indexes: the Author and Subject Index of *Brain Research, Developmental Brain Research* and *Brain Research Reviews*. Please note that Brain Research Vols. 281–285, and Vols. 286 and 287 are indexed according to their Developmental Brain Research (Vols. 5–9 plus additional Volumes 10–11) and Brain Research Reviews (Vols. 5 and 6) citations.

In this Index is also to be found the Author and Subject Index for Brain Research Vols. 229 and 230 which were additional volumes published in 1981.

Readers should note that American spelling is used throughout the Subject Indexes.

The Editor and Publishers welcome any comments on the usefulness of this index, as well as suggestions for improvements.

AUTHOR AND SUBJECT INDEXES

CONTENTS

Introduction ....

Brain Research Author Index (Vols. 258–280 — 1983) 1

Brain Research Subject Index (Vols. 258–280 — 1983) 73

Developmental Brain Research Author Index (Vols. 5–11 — 1983) 277

Developmental Brain Research Subject Index (Vols. 5–11 — 1983) 295

Brain Research Reviews Author Index (Vols. 5–6 — 1983) 343

Brain Research Reviews Subject Index (Vols. 5–6 — 1983) 349

Brain Research Author Index (Vols. 229–230 — 1981) 359

Brain Research Subject Index (Vols. 229–230 — 1981) 369

BRAIN RESEARCH
AUTHOR INDEX
1983
VOLUMES 258–280

A

Aarons, E., see Christofides, N.D., **264**, 359
Abe, H., see Uyama, O., **259**, 344
Abe, K., Yoshida, S., Watson, B.D., Busto, R., Kogure, K. and Ginsberg, M.D. α-Tocopherol and ubiquinones in rat brain subjected to decapitation ischemia, **273**, 166
Abeles, M., see Frostig, R.D., **272**, 211
Abramsky, O., see Lubetzki-Korn, I., **267**, 151
Acheson, A.L., see Chiodo, L.A., **264**, 123
Achilli, G., see Ponzio, F., **273**, 45
Ackerson, L.M. and Bruce, E.N. Bilaterally synchronized oscillations in human diaphragm and intercostal EMGs during spontaneous breathing, **271**, 346
Ádám, G., see Toldi, J., **262**, 323
Adamec, R., see Tuff, L.P., **277**, 79
Adams, R.N., see Oke, A., **269**, 180
Adams, R.N., see Schenk, J.O., **277**, 1
Adcock, L.H., see Billings-Gagliardi, S., **268**, 255
Adcock, L.H., see Wolf, M.K., **271**, 121
Addison, P.D., see Moore, D.R., **269**, 69
Aghajanian, G.K., Vandermaelen, C.P. and Andrade, R. Intracellular studies on the role of calcium in regulating the activity and reactivity of locus coeruleus neurons in vivo, **273**, 237
Aghajanian, G.K., see Menkes, D.B., **272**, 1
Aghajanian, G.K., see Vandermaelen, C.P., **289**, 109
Agid, Y., see Dubois, B., **288**, 213
Agid, Y., see Epelbaum, J., **278**, 376
Agid, Y., see Mauborgne, A., **268**, 167
Agid, Y., see Scatton, B., **275**, 321
Agid, Y., see Taquet, H., **280**, 379
Agnati, L.F., see Toffano, G., **261**, 163
Agranoff, B.W., see Williams, L.R., **259**, 207
Agrawal, H.C., see Mithen, F.A., **262**, 63
Agrawal, H.C., see Seil, F.J., **288**, 384
Aguera, M., see Belin, M.F., **275**, 329
Ahn, H.S., see Barr, G.A., **277**, 299
Aitkin, L.M. and Rawson, J.A. Frontal sound source location is represented in the cat cerebellum, **265**, 317
Akaike, A., see Satoh, M., **261**, 361
Akaike, T Electrophysiological analysis of cerebellar corticovestibular and fastigiovestibular projections to the lateral vestibular nucleus in the cat, **272**, 223
Akaike, T. Neuronal organization of the vestibulospinal system in the cat, **259**, 217
Akaishi, T. and Ellendorff, F. Electrical properties of paraventricular neurosecretory neurons with and without recurrent inhibition, **262**, 151
Akasu, T., Hirai, K. and Koketsu, K. Modulatory actions of ATP on membrane potentials of bullfrog sympathetic ganglion cells, **258**, 313
Akasu, T., Kojima, M. and Koketsu, K. Luteinizing hormone-releasing hormone modulates nicotinic ACh-receptor sensitivity in amphibian cholinergic transmission, **279**, 347
Akasu, T., Nishimura, T. and Koketsu, K. Modulation of action potential during the late slow excitatory postsynaptic potential in bullfrog sympathetic ganglia, **280**, 349
Albe-Fessard, D., see Willer, J.-C., **278**, 318
Albert, V.R., see Jaeger, C.B., **276**, 362
Aldenhoff, J.B., Hofmeier, G., Lux, H.D. and Swandulla, D. Stimulation of a sodium influx by cAMP in *Helix* neurons, **276**, 289
Alderson, R.F., see Sze, P.Y., **268**, 129
Aldskogius, H. and Risling, M. Preferential loss of unmyelinated L7 dorsal root axons following sciatic nerve resection in kittens, **289**, 358
Alexander, N., see Saavedra, J.M., **274**, 388
Alger, B.E., McCarren, M. and Fisher, R.S. On the possibility of simultaneously recording from two cells with a single microelectrode in the hippocampal slice, **270**, 137
Algeri, S., see Ponzio, F., **273**, 45
Ali, S.F., Hong, J.-S. and Bondy, S.C. Alterations in retinal neurotransmitter receptors and neuropeptides of the chick by kainic acid and acrylamide, **274**, 115
Allen, D.L., Reith, M.E.A., Sershen, H. and Lajtha, A. Imipramine does not act as a false transmitter in the rat hypothalamus, **267**, 161
Allen, G.S., see Peroutka, S.J., **259**, 327
Allen, Y., see Roberts, G.W., **263**, 151
Allison, Y., see Yates, C.M., **280**, 119
Alloway, K.D. and Rebec, G.V. Shift from inhibition to excitation in the neostriatum but not in the nucleus accumbens following long-term amphetamine, **273**, 71
Alloway, K.D., see Ewing, V.G., **261**, 101
Allsop, D., Landon, M. and Kidd, M. The isolation and amino acid composition of senile plaque core protein, **259**, 348
Allum, J.H.J. Organization of stabilizing reflex responses in tibialis anterior muscles following ankle flexion perturbations of standing man, **264**, 297
Almazan, G., see Ginalski-Winkelmann, H., **277**, 386
Alstermark, B., Pinter, M. and Sasaki, S. Brainstem relay of disynaptic pyramidal EPSPs to neck motoneurons in the cat, **259**, 147
Alstermark, B., Pinter, M. and Sasaki, S. Convergence on reticulospinal neurons mediating contralateral pyramidal disynaptic EPSPs to neck motoneurons, **259**, 151

Alstermark, B. and Sasaki, S.
Electromyographic activity in fast and slow elbow extensors during a visually guided forelimb movement in cats, **259**, 155
Altar, A., Neve, K.A., Loughlin, s.E., Marshall, J.F. and Fallon, J.H.
The crossed mesostriatal projection: neurochemistry and developmental response to lesion, **279**, 1
Altman, H.J., see Barraco, R.A., **272**, 392
Altman, I.M. and Corcoran, M.E.
Facilitation of neocortical kindling by depletion of forebrain noradrenaline, **270**, 174
Amano, T., see Ogura, A., **258**, 243
Amaral, D.G., Insausti, R. and Cowan, W.M.
Evidence for a direct projection from the superior temporal gyrus to the entorhinal cortex in the monkey, **275**, 263
Amaral, D.G., see Avendaño, C., **264**, 111
Amat, J.
Interaction between signals from vestibular and forelimb receptors in Purkinje cells of the frog vestibulocerebellum, **278**, 287
Amemiya, F., see Kusunoki, T., **262**, 295
Amir, S.
Antianaphylactic effect of naloxone in mice is mediated by increased central sympathetic outflow to sympathetic nerve endings and adrenal medulla, **274**, 180
Amir, S., see Simantov, R., **262**, 168
Amoroso, S., see Schettini, G., **261**, 349
Anders, J.J., Blessing, P.M. and Brightman, M.W.
Freeze-fracture analysis of plasma membranes of isolated astrocytes from rat brain, **278**, 81
Andersen, E. and Dafny, N.
An ascending serotonergic pain modulation pathway from the dorsal raphe nucleus to the parafascicularis nucleus of the thalamus, **269**, 57
Anderson, E.G., see Wessendorf, M.W., **279**, 93
Anderson, J., see Hojvat, S., **265**, 259
Andersson Forsman, C. and Elfvin, L.-G.
An ultrastructural study of presynaptic membrane specializations in sympathetic ganglia of 4-aminopyridine treated guinea pigs and rats, **280**, 355
Ando, M., Nanba, T., Okuya, M. and Nagata, Y.
Effect of axotomy on the cyclic GMP increase induced by preganglionic stimulation and high extracellular K^+ concentration in superior cervical sympathetic ganglion of the rat, **267**, 313
Andrade, R., see Aghajanian, G.K., **273**, 237
Andry, M.L., see Bass, A.H., **263**, 201
Angelbeck, J.H. and DuBrul, E.F.
The effect of neonatal testosterone on specific male and female patterns of phosphorylated cytosolic proteins in the rat preoptic-hypothalamus, cortex and amygdala, **264**, 277
Angevine, J.B. Jr., see McConnell, J., **272**, 150
Annunziatio, L., see Schettini, G., **261**, 349
Annunziato, L., see Iovino, M., **258**, 123
Anson, J., see Collins, G.G.S., **265**, 157
Antelman, S.M., see Lace, J.W., **278**, 359
Antkiewicz-Michaluk, L., see Vetulani, J., **275**, 392
Anwyl, R. and Ling, L.W.
Modification by temperature and external calcium of the increase in spontaneous transmitter release induced by a metabolic inhibitor at the neuromuscular junction, **270**, 355
Aou, S., Oomura, Y. and Nishino, H.
Influence of acetylcholine on neuronal activity in monkey orbitofrontal cortex during bar press feeding task, **275**, 178
Aou, S., Oomura, Y., Nishino, H., Inokuchi, A. and Mizuno, Y.
Influence of catecholamines on reward-related neuronal activity in monkey orbitofrontal cortex, **267**, 165
Aou, S., Oomura, Y., Nishino, H., Ono, T., Yamabe, K., Sikdar, S.K., Noda, T. and Inoue, M.
Functional heterogeneity of single neuronal activity in the monkey dorsolateral prefrontal cortex, **260**, 121
Aou, S., see Inoue, M., **278**, 185
Aou, S., see Oomura, Y., **266**, 340
Apkarian, A.V., see Hodge, C.J. Jr., **288**, 325
Apkarian, A.V., see Stevens, R.T., **261**, 151
Appenzeller, O., see Rosenberg, G.A., **270**, 231
Applegate, C.D., see Kuczenski, R., **258**, 333
Arango, V., see Scalia, F., **266**, 121
Aratani, S., see Kuraishi, Y., **273**, 245
Aréchiga, H., see Glantz, R.M., **265**, 307
Argentieri, T.M. and McArdle, J.J.
Interaction of the opiate antagonist, naltrexone methyl bromide, with the acetylcholine receptor system of the motor end-plate, **277**, 377
Ariano, M.A. and Tress, E.L.
Co-localization of cyclic GMP in superior cervical ganglion with peptide neurotransmitters, **289**, 362
Arkin, M.S., see Bromberg, M.B., **276**, 154
Armstrong, D.M., see Campbell, N.C., **275**, 215, **275**, 235
Armstrong, R.B. and Laughlin, M.H.
Is rat soleus muscle recruited during swimming?, **258**, 173
Aronin, N., see Maciewicz, R., **270**, 217
Artman, H.G., see Reppert, S.M., **261**, 341
Asbury, A., see Sobue, G., **280**, 263
Ascher, P., see Chesnoy-Marchais, D., **259**, 57
Ashida, H., see Mori-Okamoto, J., **258**, 318
Asin, K.E. and Fibiger, H.C.
An analysis of neuronal elements within the median nucleus of the raphe that mediate lesion-induced increases in locomotor activity, **268**, 211
Assouline, J.G., Bosch, E.P. and Lim, R.
Purification of rat Schwann cells from cultures of peripheral nerve: an immunoselective method using surfaces

coated with anti-immunoglobulin antibodies, **277**, 389
Aston-Jones, G., see Segal, M., **274**, 381
Aston-Jones, G., see Valentino, R.J., **270**, 363
Astrachan, D.I., Davis, M. and Gallager, D.W.
  Behavior and binding: correlations between $_{\alpha 1}$-adrenergic stimulation of acoustic startle and $_{\alpha}$-adrenoceptor occupancy and number in rat lumbar spinal cord, **260**, 81
Astrachan, D.I., Gallager, D.W. and Davis, M.
  Behavior and binding: desensitization to α_1-adrenergic stimulation of acoustic startle is associated with a decrease in α_1-adrenoceptor binding sites, **276**, 183
Atzori, M.G., see Del Fiacco, M., **264**, 142
Aubineau, P.-F., see Reynier-Rebuffel, A.-M., **269**, 91
Aulakh, C.S., Cohen, R.M., Pradhan, S.N. and Murphy, D.L.
  Self-stimulation responses are altered following long-term but not short-term treatment with clorgyline, **270**, 383
Autilio-Gambetti, L., see Papasozomenos, S.C., **278**, 232
Autilio-Gambetti, L., see Phillips, L.L., **278**, 219
Avendaño, C.
  Suppression of reactive glial proliferation in the denervated dentate gyrus of the rat: effects on the pattern of acetylcholinesterase staining in the molecular layer, **265**, 160
Avendaño, C., Price, J.L. and Amaral, D.G.
  Evidence for an amygdaloid projection to premotor cortex but not to motor cortex in the monkey, **264**, 111
Avoli, M., see Kostopoulos, G., **267**, 101, **278**, 207
Axelson, M., see Corpéchot, C., **270**, 119
Ayers, J., see Currie, S.N., **279**, 238
Azami, J., see Llewelyn, M.B., **258**, 59
Azmitia, E., see Frankfurt, M., **261**, 91
Azmitia, E., see Luine, V.N., **264**, 344
Azmitia, E.C., see Koevary, S.B., **265**, 328, **280**, 368
Azzaroni, A., see Parmeggiani, P.L., **269**, 382

B

Babb, T.L., see Finch, D.M., **271**, 201
Babila, T., see Sampson, S.R., **289**, 338
Bablanian, G.M. and Treistman, S.N.
  Seawater osmolarity influences bursting pacemaker activity in intact *Aplysia californica*, **271**, 342
Bacarese-Hamilton, A.J., see Roberts, G.W., **288**, 199
Backman, S.B. and Henry, J.L.
  Effects of GABA and glycine on sympathetic preganglionic neurons in the upper thoracic intermediolateral nucleus of the cat, **277**, 365
Backman, S.B. and Henry, J.L.
  Effects of glutamate and aspartate on sympathetic preganglionic neurons in the upper thoracic intermediolateral nucleus of the cat, **277**, 370
Baethman, A., see Kempski, O., **279**, 217
Bailey, C.H., Hawkins, R.D. and Chen, M.C.
  Uptake of [^{3}H]serotonin in the abdominal ganglion of *Aplysia californica*. Further studies on the morphological and biochemical basis of presynaptic facilitation, **272**, 71
Baimbridge, K.G., see Miller, J.J., **278**, 322
Baird, A., see Bloch, B., **263**, 251
Baker, G., see Hojvat, S., **265**, 259
Baker, J., Gibson, A., Mower, G., Robinson, F. and Glickstein, M.
  Cat visual corticopontine cells project to the superior colliculus, **265**, 227
Balda, M.S., see Pirola, C.J., **273**, 387
Baldessarini, R.J., see Finklestein, S., **271**, 279
Baldissera, F., Campadelli, P., Fava, E. and Piccinelli, L.
  Properties of the spike afterhyperpolarization in pyramidal tract neurons, **259**, 143
Baldwin, B.A., see Maddison, S., **278**, 195
Ball, M.J., see Rylett, R.J., **289**, 169
Ball, P., see Ghraf, R., **258**, 133
Ball, P., see Kirchhoff, J., **268**, 382
Balthazart, J., see Schumacher, M., **278**, 337
Bałuk, P., Jessen, K.R., Saffrey, M.J. and Burnstock, G.
  The enteric nervous system in tissue culture. II. Ultrastructural studies of cell types and their, **262**, 37
Bałuk, P., see Jessen, K.R., **262**, 49
Bando, T., see Tsukahara, N., **274**, 249
Bangma, G.C., see Ten Donkelaar, H.J., **279**, 229
Bannatyne, B.A., see Maxwell, D.J., **288**, 297
Barakat, I., Massarelli, R., Courageot, J., Devilliers, G. and Sensenbrenner, M.
  Development of cholinergic properties in nerve cell cultures in the presence of brain extract, **279**, 207
Baraldi, M., Caselgrandi, E., Borella, P. and Zeneroli, M.L.
  Decrease of brain zinc in experimental hepatic encephalopathy, **258**, 170
Baranyi, A. and Chase, M.H.
  Effects of juxta- and intracellular microinjection of ethanol on trigeminal motoneurons in the chronic cat, **269**, 159
Barber, R.P., see Houser, C.R., **266**, 97
Barberis, C., see Charriere, B., **271**, 386
Barbin, G., see Manthorpe, M., **267**, 47
Barchas, J.D., see Weber, E., **260**, 166
Bardin, J.M., Batini, C., Buisseret-Delmas, C. and Serviere, J.
  Decrease of [^{14}C]2-deoxyglucose uptake at

the intracerebellar nuclei during cerebellar cortex stimulation, **272**, 171

Bardo, M.T., Bhatnagar, R.K. and Gebhart, G.F.
Chronic naltrexone increases opiate binding in brain and produces supersensitivity to morphine in the locus coeruleus of the rat, **289**, 223

Barker, J.L., see Rogawski, M.A., **280**, 180

Barker, J.L., see Sher, P.K., **268**, 171

Barnabei, O., see Contestabile, A., **262**, 339

Barnes, C.D., see Lutherer, L.O., **269**, 251

Barnes, C.L., see Chen, L.-L., **272**, 354

Barolet, A., see Morris, M.E., **278**, 127

Barr, G.A., Ahn, H.S. and Makman, M.H.
Dopamine-stimulated adenylate cyclase in hypothalamus: influence of estrous cycle in female and castration in male rats, **277**, 299

Barraco, R.A., Coffin, V.L., Altman, H.J. and Phillis, J.W.
Central effects of adenosine analogs on locomotor activity in mice and antagonism of caffeine, **272**, 392

Basbaum, A.I., see Moss, M.S., **289**, 27

Basile, A., Hoffer, B. and Dunwiddie, T.
Differential sensitivity of cerebellar Purkinje neurons of ethanol in selectively outbred lines of mice: maintenance in vitro independent of synaptic transmission, **264**, 69

Basler, V., see Probst, A., **268**, 249

Bass, A.H., Andry, M.L. and Northcutt, R.G.
Visual activity in the telencephalon of the painted turtle, *Chrysemys picta*, **263**, 201

Batini, C., see Bardin, J.M., **272**, 171

Battaglini, P.P., see Galletti, C., **260**, 128

Battaglini, P.P., see Maioli, M.G., **265**, 294

Baudry, M., Kramer, K. and Lynch, G.
Irreversibility and time course of calcium stimulated $[^3H]$glutamate binding to rat hippocampal membranes, **270**, 142

Baudry, M., see Fagni, L., **261**, 167

Baulieu, E.-E., see Corpéchot, C., **270**, 119

Baumann, T.K., Emonet-Dénand, F. and Hulliger, M.
Temporal characteristics of the sensitivity-enhancing after-effects of fusimotor activity on spindle Ia afferents, **258**, 139

Baumgarten, H.-G., see Sievers, H., **275**, 23

Bava, A., Grimm, R.J. and Rushmer, D.S.
Fastigial unit activity during voluntary movement in primates, **288**, 371

Bawa, P., Mekjavic, I.B. and Calancie, B.
Effect of core cooling on short and long latency reflex responses, **264**, 320

Baxendale, R.H. and Ferrell, W.R.
Discharge characteristics of the elbow joint nerve of the cat, **261**, 195

Beadle, D.J., see Lees, G., **288**, 49

Beal, M.F., Domesick, V.B. and Martin, J.B.
Regional somatostatin distribution in the rat striatum, **278**, 103

Beal, M.F. and Martin, J.B.
Effects of lesions on somatostatin-like immunoreactivity in the rat striatum, **266**, 67

Beart, P.M., see Gundlach, A.L., **278**, 155

Beattie, M.S., see Liuzzi, F.J., **262**, 299

Beaubaton, D., see Viallet, F., **279**, 193

Beazley, L.D., see Humphrey, M.F., **269**, 153

Beck, D.W., Vinters, H.V., Hart, M.N., Henn, F.A. and Cancilla, P.A.
Uptake of adenosine into cultured cerebral endothelium, **271**, 180

Beck, M.M., Kuenzel, W.J. and Switzer, R.C.
Auditory and vestibular pathology of seizure-prone chicks, **260**, 11

Beckenstein, K., see Moskowitz, N., **263**, 243

Becker, J.B., see Robinson, T.E., **264**, 127

Beckstead, R.M.
A reciprocal axonal connection between the subthalamic nucleus and the neostriatum in the cat, **275**, 137

Bédard, P., see Savard, P., **277**, 263

Begley, D.J., see Zlokovic, B.V., **271**, 65

Behrends, T., Schomburg, E.D. and Steffens, H.
Facilitatory interaction between cutaneous afferents from low threshold mechanoreceptors and nociceptors in segmental reflex pathways to α-motoneurons, **260**, 131

Behrends, T., Schomburg, E.D. and Steffens, H.
Group II muscle afferents and low threshold mechanoreceptive skin afferents converging onto interneurons in a common reflex pathway to α-motoneurons, **265**, 125

Beinfeld, M.C., Trubatch, J.R. and Brownstein, M.J.
Cholecystokinin peptides in the brain and pituitary of the bullfrog *Rana catesbiana*: distribution and characterization, **268**, 192

Beitz, A.J., Mullett, M.A. and Weiner, L.L.
The periaqueductal gray projections to the rat spinal trigeminal, raphe magnus, gigantocellular pars alpha and paragigantocellular nuclei arise from separate neurons, **288**, 307

Beitz, A.J., Shepard, R.D. and Wells, W.E.
The periaqueductal gray-raphe magnus projection contains somatostatin, neurotensin and serotonin but not cholecystokinin, **261**, 132

Beitz, A.J., Wells, W.E. and Shepard, R.D.
The location of brainstem neurons which project bilaterally to the spinal trigeminal nuclei as demonstrated by the double fluorescent retrograde tracer technique, **258**, 305

Belardetti, F., Biondi, C., Brunelli, M., Fabri, M. and Trevisani, A.
Heterosynaptic facilitation and behavioral sensitization are inhibited by lowering endogenous cAMP in *Aplysia*, **288**, 95

Belin, M.F., Nanopoulos, D., Didier, M., Aguera, M., Steinbusch, H., Verhofstad, A., Maitre, M. and Pujol, J.F.
Immunohistochemical evidence for the

presence of γ-aminobutyric acid and serotonin in one nerve cell. A study on the raphe nuclei of the rat using antibodies to glutamate decarboxylase and serotonin, **275**, 329
Bell, W.O., see Kessler, J.A., **258**, 144
Belmaker, R.H., see Newman, M., **278**, 380
Bembry, J., see Spatz, M., **280**, 387
Benabid, A.L., Henriksen, S.J., McGinty, J.F. and Bloom, F.E.
  Thalamic nucleus ventro-postero-lateralis inhibits nucleus parafascicularis response to noxious stimuli through a non-opioid pathway, **280**, 217
Bender, D.B.
  Visual activation of neurons in the primate pulvinar depends on cortex but not colliculus, **279**, 258
Benevento, L.A., see Felsten, G., **288**, 363
Benevento, L.A., see Standage, G.P., **262**, 288
Benoist, J.M., see Kayser, V., **267**, 187
Benoit, R., see Bloch, B., **263**, 251
Benoit, R., see Morrison, J.H., **262**, 344
Benowitz, N., see Levine, J., **289**, 391
Berardi, N., see Sillito, A.M., **280**, 299
Berge, O.-G., Hole, K. and Ögren, S.-O.
  Attenuation of morphine-induced analgesia by *p*-chlorophenylalanine and *p*-chloramphetamine: test-dependent effects and evidence for brainstem 5-hydroxytryptamine involvement, **271**, 51
Bergstrom, L., Hammond, D.L., Go, V.L.W. and Yaksh, T.L.
  Concurrent measurement of substance P and serotonin in spinal superfusates: failure of capsaicin and *p*-chloroamphetamine to co-release, **270**, 181
Berman, N.E. and Payne, B.R.
  Alterations in connections of the corpus callosum following convergent and divergent strabismus, **274**, 201
Bernal Pedraza, J.G., see Drucker-Colín, R., **272**, 387
Bernal-Pedraza, J., see Drucker-Colín, R., **278**, 308
Berthier, N.E. and Moore, J.W.
  The nictitating membrane response: an electrophysiological study of the abducens nerve and nucleus and the accessory abducens nucleus in rabbit, **258**, 201
Berti, C., see Nistri, A., **258**, 263
Berwald-Netter, Y., see Martin-Moutot, N., **274**, 267
Besharse, J.C., see Iuvone, P.M., **273**, 111
Besser, G.M., see Kiser, R.S., **288**, 187
Besson, J.M., see Peschanski, M., **278**, 240
Besson, M.J., see Kemel, M.L., **272**, 331
Bhatnagar, R.K., see Bardo, M.T., **289**, 223
Biales, B., see Dichter, M.A., **289**, 99
Bianchi, A., see Nicoletti, F., **279**, 352
Bickford, P.C., see Dunwiddie, T.V., **269**, 311
Biegon, A., see Luine, V.N., **264**, 344
Biegon, A., see Rainbow, T.C., **262**, 319
Biggio, G., see Serra, M., **273**, 347
Billings-Gagliardi, S., Adcock, L.H., Lamperti, E.D., Schwing-Stanhope, G. and Wolf, M.K.
  Myelination of jp,jp^{msd}, and *qk* axons by normal glia in vitro: ultrastructural and autoradiographic evidence, **268**, 255
Billings-Gagliardi, S., see Wolf, M.K., **271**, 121
Biondi, C., see Belardetti, F., **288**, 95
Bioulac, B., see Seal, J., **278**, 382
Bird, E., Cardone, C.C. and Contreras, R.J.
  Area postrema lesions disrupt food intake induced by cerebroventricular infusions of 5-thioglucose in the rat, **270**, 193
Birmaher, B., see Newman, M., **278**, 380
Bissette, G., see Mason, G.A., **289**, 366
Bissoon, N., see Gurd, J.W., **269**, 287
Bitar, M., see Tawil, R.N., **269**, 149
Bjaalie, J.G., see Brodal, P., **278**, 1
Bjaalie, J.G., see Dietrichs, E., **259**, 127
Björklund, A., see Gage, F.H., **268**, 27, **268**, 39
Black, I.B., see Hamill, R.W., **266**, 21
Black, I.B., see Kessler, J.A., **258**, 144
Black, M.M. and Kurdyla, J.T.
  Post-translational modification of tubulin in cultured neurons, **289**, 355
Blaha, C.D., see Broderick, P.A., **269**, 378
Blank, M.S., Diez, J.A. and Roberts, D.L.
  Monoaminergic antagonists which block naloxone-induced release of luteinizing hormone bind selectively to hypothalamic opiate receptors, **279**, 153
Blank, N.K., Seil, F.J. and Leiman, A.L.
  Climbing fibers in mouse cerebellum co-cultured with inferior olive, **271**, 135
Bleisch, W.V., see Luine, V.N., **279**, 339
Blessing, P.M., see Anders, J.J., **278**, 81
Blessing, W.W., see Sumal, K.K., **277**, 31
Bliss, T.V.P., see Wheal, H.V., **272**, 247
Bloch, B., Baird, A., Ling, N., Benoit, R. and Guillemin, R.
  Immunohistochemical evidence that brain enkephalins arise from a precursor similar to adrenal preproenkephalin, **263**, 251
Block, C.H. and Schwartzbaum, J.S.
  Ascending efferent projections of the gustatory parabrachial nuclei in the rabbit, **259**, 1
Block, G.D. and McMahon, D.G.
  Localized illumination of the *Aplysia* and *Bulla* eye reveals new relationships between retinal layers, **265**, 134
Blomqvist, A., see Flink, R., **259**, 11
Bloom, F.E., see Benabid, A.L., **280**, 217
Bloom, F.E., see Ehlers, C.L., **278**, 332
Bloom, F.E., see Koda, L.Y., **289**, 71
Bloom, F.E., see McGinty, J.F., **278**, 145
Bloom, F.E., see Magistretti, P.J., **261**, 159
Bloom, F.E., see Morrison, J.H., **262**, 344
Bloom, S.R., see Christofides, N.D., **264**, 359
Bloom, S.R., see Roberts, G.W., **288**, 199
Boch, R., see Fischer, B., **260**, 21
Bock, G.R., see Deol, M.S., **258**, 177
Bockaert, J., see Ebersolt, C., **267**, 123
Bodick, N., see Sasaki, S., **259**, 193
Boegman, R.J., see Moore, G.R.W., **279**, 246

Boehme, R.E. and Ciaranello, R.D.
  Genetic control of dopamine and serotonin receptors in brain regions of inbred mice, **266**, 51
Böhmer, A. and Henn, V.
  Horizontal and vertical vestibulo-ocular and cervico-ocular reflexes in the monkey during high frequency rotation, **277**, 241
Bohus, B., see Drago, F., **263**, 277
Bohus, B., see Nyakas, C., **288**, 219
Bolam, J.P., see Clarke, D.J., **289**, 342
Bollers, H.R., see Cornwell-Jones, C.A., **268**, 291
Bologa, L., Moll, C. and Herschkowitz, N.
  Normal proliferation rate of galactocerebroside positive oligodendrocytes in brain cell cultures of the hypomyelinated mouse mutant jimpy, **275**, 369
Bondy, S.C., see Ali, S.F., **274**, 115
Bonnet, M.
  Anticipatory changes of long-latency stretch responses during preparation for directional hand movements, **280**, 51
Booth, A.M., see Roppolo, J.R., **264**, 355
Booth, A.M., see Simonds, W.F., **271**, 365
Booth, C.M., see Brown, M.C., **273**, 188
Borbe, H.O. and Zube, I.
  The detection of specific [^{3}H]imipramine binding in bovine retina, **264**, 178
Borea, P.A., Supavilai, P. and Karobath, M.
  Differential modulation of etazolate or pentobarbital enhanced [^{3}H]muscimol binding by benzodiazepine agonists and inverse agonists, **280**, 383
Borella, P., see Baraldi, M., **258**, 170
Borges, S. and Lewis, P.D.
  Effects of ethanol on postnatal cell acquisition in the rat cerebellum, **271**, 388
Borke, R.C., Nau, M.E. and Ringler, R.L. Jr.
  Brainstem afferents of hypoglossal neurons in the rat, **269**, 47
Bornstein, M.B., see Bourque, E.A., **261**, 295
Bosch, E.P., see Assouline, J.G., **277**, 389
Bosler, O., Nieoullon, A., Onteniente, B. and Dusticier, N.
  In vitro radioautographic study of the monoaminergic innervation of cat red nucleus. Identification of serotoninergic terminals, **259**, 288
Botham, R.P., see Lees, G., **288**, 49
Boulant, J.A., see Nelson, D.O., **261**, 145
Bourque, E.A., Bornstein, M.B., Peterson, E.R. and Suzuki, K.
  The Twitcher mouse: myelinogenesis in organotypic culture, **261**, 295
Bowen, D.M., see Smith, C.C.T., **264**, 138, **269**, 103
Bowker, R.C., see Vance, W.H., **258**, 96
Bowker, R.M., Westlund, K.N., Sullivan, M.C., Wilber, J.F. and Coulter, J.D.
  Descending serotonergic, peptidergic and cholinergic pathways from the raphe nuclei: a multiple transmitter complex, **288**, 33
Bowker, R.M., see Westlund, K.N., **263**, 15
Boyle, M.B., Cohen, L.B., Macagno, E.R. and Orbach, H.
  The number and size of neurons in the CNS of gastropod molluscs and their suitability for optical recording of activity, **266**, 305
Bradford, H.F., see Peterson, D.W., **275**, 169
Bradley, R.J., see Morley, B.J., **262**, 109
Bradley, R.M., Stedman, H.M. and Mistretta, C.M.
  Superior laryngeal nerve response patterns to chemical stimulation of sheep epiglottis, **276**, 81
Brainard, G.C., see Reiter, R.J., **288**, 151
Braitman, D.J., see Wolpaw, J.R., **267**, 196
Bräunig, P. and Hustert, R.
  Proprioceptive control of a muscle receptor organ in the locust leg, **274**, 341
Braunstein, G.D., see Cheung, C.Y., **270**, 165
Breakefield, X.O., see Pintar, J.E., **276**, 127
Breen, L.A., Burde, R.M. and Loewy, A.D.
  Brainstem connections to the Edinger-Westphal nucleus of the cat: a retrograde tracer study, **261**, 303
Brennan, T.J. and Haywood, J.R.
  GABA inhibition of central angiotensin II and hypertonic CSF pressor responses, **267**, 261
Brenner, T., see Weidenfeld, J., **265**, 152
Brenowitz, G.L.
  Timecourse for receptive field plasticity following spinal cord hemisection, **279**, 250
Brenowitz, G.L., Collins, W.F. III and Erulkar, S.D.
  Dye and electrical coupling between frog motoneurons, **274**, 371
Bresnahan, J.C., see Liuzzi, F.J., **262**, 299
Brigant, J.L., see Dreyer, F., **270**, 373
Brightman, M.W., see Anders, J.J., **278**, 81
Brink, E.E., see Mackel, R., **276**, 339
Brinton, R.E., Deshmukh, P.P., Chen, A., Davis, T.P., Hsiao, S. and Yamamura, H.I.
  A non-equilibrium 24-hour vasopressin radioimmunoassay: development and basal levels in the rat brain, **266**, 344
Brinton, R.E., see Gee, K.W., **264**, 168
Britt, M.D. and Wise, R.A.
  Ventral tegmental site of opiate reward: antagonism by a hydrophilic opiate receptor blocker, **258**, 105
Brodal, P., Dietrichs, E., Bjaalie, J.G., Nordby, T. and Walberg, F.
  Is lectin-coupled horseradish peroxidase taken up and transported by undamaged as well as by damaged fibers in the central nervous system?, **278**, 1
Brodal, P. and Steen, N.
  The corticopontocerebellar pathway to crus I in the cat as studied with anterograde and retrograde transport of horseradish peroxidase, **267**, 1
Brodal, P., see Dietrichs, E., **259**, 127
Brodal, P., see Pearson, R.C.A., **259**, 132

Broderick, P.A., Blaha, C.D. and Lane, R.F.
In vivo electrochemical evidence for an enkephalinergic modulation underlying stereotyped behavior: reversibility by naloxone, **269**, 378
Bromberg, M.B. and Arkin, M.S.
Preservation of physical dimensions in a model of reactive synaptogenesis in the red nucleus, **276**, 154
Bron, B., see Probst, A., **268**, 249
Bronzino, J.D., Oley, N., Kelly, M.L., Cordova, C. and Morgane, P.J.
EEG effects of microinjection of naloxone in the region of the nucleus tractus solitarius of the rat, **271**, 33
Brooks, M.J., Hubbard, J.I. and Sirett, N.E.
Extracellular recording in rat area postrema in vitro and the effects of cholinergic drugs, serotonin and angiotensin II, **261**, 85
Brostoff, S.W., see Cunningham, J.M., **258**, 285
Brown, B.A., see Nixon, R.A., **275**, 384
Brown, J.V., Ettlinger, G. and Garcha, H.S.
Visually guided reaching and tactile discrimination performance in the monkey: the effects of removals of parietal cortex soon after birth, **267**, 67
Brown, K.J., see Forman, D.S., **272**, 194
Brown, L.L. and Wolfson, L.I.
A dopamine-sensitive striatal efferent system mapped with [^{14}C]deoxyglucose in the rat, **261**, 213
Brown, L.L., see Wolfson, L.I., **261**, 205
Brown, M.C. and Booth, C.M.
Segregation of motor nerves on a segmental basis during synapse elimination in neonatal muscles, **273**, 188
Brown, M.C., see Keynes, R.J., **264**, 209
Brown, M.R.
Central nervous system sites of action of bombesin and somatostatin to influence plasma epinephrine levels, **276**, 253
Brown, M.R. and Fisher, L.A.
Central nervous system effects of corticotropin releasing factor in the dog, **280**, 75
Brownstein, M., see Hökfelt, T., **289**, 311
Brownstein, M.J., see Beinfeld, M.C., **268**, 192
Brownstein, M.J., see Palkovits, M., **278**, 258
Brownstein, M.J., see Zamir, N., **280**, 81
Bruce, E.N. and Goldman, M.D.
High-frequency oscillations in human respiratory electromyograms during voluntary breathing, **269**, 259
Bruce, E.N., see Ackerson, L.M., **271**, 346
Bruce, L.L., see Kicliter, E., **267**, 340
Brunelli, M., see Belardetti, F., **288**, 95
Brunswick, D.J., see Gerber, J.C. III, **269**, 319
Bryan, R.M. Jr. and Jobsis, F.F.
The cerebral redox state in cats during severe insulin induced hypoglycemia, **279**, 266
Buchwald, J.S., see Hinman, C.L., **264**, 57
Buchwald, N.A., see Schneider, J.S., **265**, 322
Buchwald, N.A., see Wilson, J.S., **270**, 197
Buckley, N. and Burnstock, G.
Autoradiographic demonstration of peripheral adenosine binding sites using [^{3}H]NECA, **269**, 374
Buda, C., see Sallanon, M., **268**, 95
Buda, M., De Simoni, G., Gonon, F. and Pujol, J.-F.
Catecholamine metabolism in the rat lcous coeruleus as studied by in vivo differential pulse voltammetry. I. Nature and origin of contributors to the oxidation current at +0.1 V, **273**, 197
Buda, M., see Gonon, F., **273**, 207
Bugnon, C., Hadjiyiassemis, M., Fellmann, D. and Cardot, J.
Reserpine-induced depletion of corticoliberin (CRF)-like immunoreactivity in the zona externa of the rat median eminence, **275**, 198
Buijs, R.M., see De Vries, G.J., **273**, 307
Buijs, R.M., see Voorn, P., **270**, 169
Buisseret-Delmas, C., see Bardin, J.M., **272**, 171
Bunch, T., see Low, W.C., **262**, 328
Bunge, R.P., see Mithen, F.A., **262**, 63
Burbach, J.P.H., see Wang, X.-C., **275**, 83
Burde, R.M., see Breen, L.A., **261**, 303
Bureš, J., see Moroz, V.M., **259**, 298
Burgess, J.W. and Coss, R.G.
Rapid effect of biologically relevant stimulation on tectal neurons: changes in dendritic spine morphology after nine minutes are retained for twenty-four hours, **266**, 217
Burgoyne, R.D. and Cumming, R.
Taxol stabilizes synaptosomal microtubules without inhibiting acetylcholine release, **280**, 190
Burke, R.E. and Fahn, S.
Chlorpromazine methiodide acts at the vestibular nuclear complex to induce barrel rotation in the rat, **288**, 273
Burks, T.F., see Galligan, J.J., **271**, 354
Burman, D., see Felsten, G., **288**, 363
Burnard, D.M., Pittman, Q.J. and Veale, W.L.
Increased motor disturbances in response to arginine vasopressin following hemorrhage or hypertonic saline: evidence for central AVP release in rats, **273**, 59
Burne, R.A., see Parnavelas, J.G., **261**, 21
Burnham, W.M., Niznik, H.B., Okazaki, M.M. and Kish, S.J.
Binding of [^{3}H]flunitrazepam and [^{3}H]Ro5-4864 to crude homogenates of amygdala-kindled rat brain: two months post-seizure, **279**, 359
Burnod, Y., see Maton, B., **267**, 241
Burns, R.S., see Elchisak, M.A., **279**, 171
Burnstock, G., see Bałuk, P., **262**, 37
Burnstock, G., see Buckley, N., **269**, 374
Burnstock, G., see Jessen, K.R., **262**, 17, **262**, 49
Burry, R.W.
Antimitotic drugs that enhance neuronal survival in olfactory bulb cell cultures, **261**, 261

Burry, R.W.
Postnatal rat neurons form apparent presynaptic elements on polylysine-coated beads in vivo, **278**, 236
Burt, D.R., see Sharif, N.A., **270**, 259
Busto, R., see Abe, K., **273**, 166
Buzsàki, G. and Eidelberg, E.
Phase relations of hippocampal projection cells and interneurons to theta activity in the anesthetized rat, **266**, 334
Byrne, J.H., see Tritt, S.H., **259**, 159
Byrne, J.H., see Walters, E.T., **280**, 165
Byrne, P.M., see Tasaki, I., **272**, 360
Bystrzycka, E.K. and Nail, B.S.
The source of the respiratory drive to nasolabialis motoneurones in the rabbit; a HRP study, **266**, 183
Bzorgchami, S., see Sharp, F.R., **263**, 97

C

Cabanac, M. and Dib, B.
Behavioural responses to hypothalamic cooling and heating in the rat, **264**, 79
Caboche, J., see Trottier, S., **272**, 255
Cadden, S.W., Lisney, S.J.W. and Matthews, B.
Thresholds to electrical stimulation of nerves in cat canine tooth-pulp with Aβ-, Aδ- and C-fibre conduction velocities, **261**, 31
Cadden, S.W., Villanueva, L., Chitour, D. and Le Bars, D.
Depression of activities of dorsal horn convergent neurones by propriospinal mechanisms triggered by noxious inputs; comparison with diffuse noxious inhibitory controls (DNIC), **275**, 1
Cain, D.P.
Bidirectional transfer of electrical and carbachol kindling, **260**, 135
Cain, D.P., see Gillis, B.J., **271**, 375
Cain, S. and Routtenberg, A.
Neonatal handling selectively alters the phosphorylation of a 47,000 mol. wt. protein in male rat hippocampus, **267**, 192
Calancie, B., see Bawa, P., **264**, 320
Calaresu, F.R., see Caverson, M.M., **274**, 354
Calaresu, F.R., see Krukoff, T.L., **280**, 160
Calas, A., see Harandi, M., **260**, 306
Calderazo Filho, L.S., see Cavalheiro, E.A., **262**, 201
Caldwell, R.T., see Denburg, J.L., **289**, 241, **289**, 253, **289**, 269
Calhoon, R.D. and Gillette, R.
Ca^{2+} activated and pH sensitive cyclic AMP phosphodiesterase in the nervous system of the mollusc *Pleurobanchaea*, **271**, 371
Callis, J.T., see Regen, D.M., **271**, 289
Calothy, G., see Pessac, B., **275**, 53
Calvet, J., see Calvet, M.-C., **280**, 199
Calvet, J., see Maton, B., **267**, 241
Calvet, M.-C., Calvet, J., Camacho, R. and Eude, D.
The dendritic trees of Purkinje cells: a computer assisted analysis of HRP labeled neurons in organotypic cultures of kitten cerebellum, **280**, 199
Calza, L., see Toffano, G., **261**, 163
Camacho, A., see Crews, F.T., **261**, 155
Camacho, R., see Calvet, M.-C., **280**, 199
Cammer, W. and Zimmerman, T.R. Jr.
Distribution of myelin-associated enzymes and myelin proteins into membrane fractions from the brains of adult shiverer and control (+/+) mice, **265**, 73
Camoratto, A.M. and Grandison, L.
Inhibition of cold-induced TSH release by benzodiazepines, **265**, 339
Campadelli, P., see Baldissera, F., **259**, 143
Campana, E., see Scarnati, E., **265**, 249
Campbell, A., see Finklestein, S., **271**, 279
Campbell, I.C., see Lynch, M., **288**, 145
Campbell, I.C., see Wirz-Justice, A., **262**, 233
Campbell, J.N. and LaMotte, R.H.
Latency to detection of first pain, **266**, 203
Campbell, N.C. and Armstrong, D.M.
The olivocerebellar projection in the rat: an autoradiographic study, **275**, 215
Campbell, N.C. and Armstrong, D.M.
Topographical localization in the olivocerebellar projection in the rat: an autoradiographic study, **275**, 235
Cancilla, P.A., see Beck, D.W., **271**, 180
Cannon, J.T., Lewis, J.W., Weinberg, V.E. and Liebeskind, J.C.
Evidence for the independence of brainstem mechanisms mediating analgesia induced by morphine and two forms of stress, **269**, 231
Cannon, J.T., see Lewis, J.W., **270**, 289
Cannon, J.T., see Prieto, G.J., **261**, 53
Cardo, B., see Velley, L., **265**, 273, **268**, 79
Cardona, A. and Rudomin, P.
Activation of brainstem serotoninergic pathways decreases homosynaptic depression of monosynaptic responses of frog spinal motoneurons, **280**, 373
Cardone, C.C., see Bird, E., **270**, 193
Cardot, J., see Bugnon, C., **275**, 198
Carlen, P.L., Gurevich, N. and Polc, P.
The excitatory effects of the specific benzodiazepine antagonist Ro 14-7437, measured intracellularly in hippocampal CA1 cells, **271**, 115
Carlen, P.L., Gurevich, N. and Polc, P.
Low-dose benzodiazepine neuronal inhibition: enhanced Ca^{2+}-mediated K^{+}-conductance, **271**, 358
Carleton, S.C. and Carpenter, M.B.
Afferent and efferent connections of the medial, inferior and lateral vestibular nuclei in the cat and monkey, **278**, 29

Carleton, S.C., see Carpenter, M.B., **274**, 144

Carlsen, R.C.
Delayed induction of the cell body response and enhancement of regeneration following a condition/test lesion of frog peripheral nerve at 15°C, **279**, 9

Carlson, C.G. and Dettbarn, W.-D.
A comparison of the effects of acute and chronic cholinesterase inactivation on spontaneous transmitter release, **264**, 285

Carlstedt, T.
Regrowth of anastomosed ventral root nerve fibers in the dorsal root of rats, **272**, 162

Carpenter, D.O., see Slater, N.T., **278**, 266

Carpenter, M.B. and Carleton, S.C.
Comparison of vestibular and abducens internuclear projections to the medial rectus subdivision of the oculomotor nucleus in the monkey, **274**, 144

Carpenter, M.B., see Carleton, S.C., **278**, 29

Carroll, P.T., see Höhmann, C.F., **258**, 120

Casagrande, V.A., see Florence, S.L., **270**, 127

Caselgrandi, E., see Baraldi, M., **258**, 170

Casella, C., see Prigioni, I., **269**, 83

Caserta, M.T. and Ross, L.L.
An epinephrine-containing pathway in avian spinal cord: development and localization, **270**, 11

Cassone, V.M., Lane, R.F. and Menaker, M.
Daily rhythms of serotonin metabolism in the medial hypothalamus of the chicken: effects of pinealectomy and exogenous melatonin, **289**, 129

Cassone, V.M. and Menaker, M.
Sympathetic regulation of chicken pineal rhythms, **272**, 311

Castellano, C., see Oliverio, A., **271**, 193

Castelletti, L., see Missale, C., **262**, 160

Casu, M., see Mereu, G., **264**, 105

Cavada, C., Llamas, A. and Reinoso-Suárez, F.
Allocortical afferent connections of the prefrontal cortex in the cat, **260**, 117

Cavada, C. and Reinoso-Suárez, F.
Afferent connections of area 20 in the cat studied by means of the retrograde axonal transport of horseradish peroxidase, **270**, 319

Cavalheiro, E.A., Calderazo Filho, L.S., Riche, D., Feldblum, S. and Le Gal la Salle, G.
Amygdaloid lesion increases the toxicity of intrahippocampal kainic acid injection and reduces the late occurrence of spontaneous recurrent seizures, **262**, 201

Caverson, M.M., Ciriello, J. and Calaresu, F.R.
Cardiovascular afferent inputs to neurons in the ventrolateral medulla projecting directly to the central autonomic area of the thoracic cord in the cat, **274**, 354

Cazala, P. and Zielinski, A.
A Y-maze test reveals the positively reinforcing properties of electrical stimulation of the mesencephalic central gray area, **273**, 143

Cazala, P., see Garrigues, A.-M., **265**, 265

Cerrito, F., see Preziosi, P., **271**, 379

Cervero, F.
Supraspinal connections of neurones in the thoracic spinal cord of the cat: ascending projections and effects of descending impulses, **275**, 251

Cespuglio, R., see Crespi, F., **270**, 45

Cespuglio, R., see Faradji, H., **279**, 111

Cespuglio, R., see Hahn, Z., **289**, 215

Cesselin, F., see Hamon, M., **279**, 141

Cesselin, F., see Mauborgne, A., **268**, 167

Cesselin, F., see Taquet, H., **280**, 379

Cevolani, D., see Parmeggiani, P.L., **269**, 382

Chain, D.G., see Zlokovic, B.V., **271**, 65

Chalmers, J.P., see Howe, P.R.C., **270**, 29

Chamba, G. and Renaud, B.
Distribution of tyrosine hydroxylase, dopamine-β-hydroxylase and phenylethanolamine-N-methyltransferase activities in coronal sections of the rat lower brainstem, **259**, 95

Chamberlin, A.R., see Monaghan, D.T., **278**, 137

Chaminade, C., see Velley, L., **268**, 79

Champagnat, J., Denavit-Saubie, M. and Siggins, G.R.
Rhythmic neuronal activities in the nucleus of the tractus solitarius isolated in vitro, **280**, 155

Champagnat, J., see Morin, M.P., **265**, 333

Chan, P.H., Longar, S. and Fishman, R.A.
Phospholipid degradation and edema development in cold-injured rat brain, **277**, 329

Chance, B., see Mayevsky, A., **276**, 95

Chang, A.-B., see Jen, L.S., **263**, 331

Chang, H.T., see Kita, H., **264**, 255

Chang, S.C., Wei, J.Y. and Mao, C.P.
Deep innervation of sural nerve, **279**, 262

Chang, Y.-F., see Charles, A.K., **259**, 331

Chapman, C.E., Ruegg, D.G. and Wiesendanger, M.
Effects of dorsal cord stimulation on stretch reflexes, **258**, 211

Charles, A.K. and Chang, Y.-F.
Effect of D- and L-α-aminoadipate on the efflux of L-aspartate, L-glutamate and γ-aminobutyrate from superfused rat brain slices, **259**, 331

Charriere, B., Daudet, F., Guibert, B., Barberis, C. and Leviel, V.
'In situ' release of dopamine in the nucleus amygdaloideus centralis, **271**, 386

Charron, L., see Peyronnard, J.-M., **275**, 203

Chase, M.H., see Baranyi, A., **269**, 159

Chastanet, M., see Fourment, A., **259**, 301

Chaussy, L., see Kempski, O., **279**, 217

Chauvel, P., see Trottier, S., **272**, 255

Che, M., see Tardieu, M., **277**, 339

Chen, A., see Brinton, R.E., **266**, 344

Chen, F.-C.M., Healy, D.P., Hawkins, R. and Printz, M.P.
Chronic infusion of angiotensin II into the

olfactory bulb elicits an increase in water intake, **259**, 335

Chen, L.-L., Van Hoesen, G.W., Barnes, C.L. and West, J.R. Enhanced acetylcholinesterase staining in the hippocampal perforant pathway zone after combined lesions of the septum and entorhinal cortex, **272**, 354

Chen, M.C., see Bailey, C.H., **272**, 71

Chéramy, A., see Chesselet, M.F., **258**, 229

Cherkin, A., see Davis, J.L., **266**, 355

Cherubini, E., see Tokimasa, T., **263**, 57

Chesnoy-Marchais, D. and Ascher, P. Effects of various cations on the slow K$^+$ conductance increases induced by carbachol, histamine and dopamine in *Aplysia* neurones, **259**, 57

Chesselet, M.F., Chéramy, A., Reisine, T.D., Lubetzki, C., Desban, M. and Glowinski, J. Local and distal effects induced by unilateral striatal application of opiates in the absence or in the presence of naloxone on the release of dopamine in both caudate nuclei and substantiae nigrae of the cat, **258**, 229

Cheung, C.Y., Melmed, S. and Braunstein, G.D. Dopaminergic regulation of prolactin and growth hormone synthesis in rat pituitary tumor cells, **270**, 165

Chevillard, C. and Saavedra, J.M. Selective increase of angiotensin-converting enzyme activity in discrete extrahypothalamic areas of Brattleboro rats, **272**, 283

Chevillard, C., see Saavedra, J.M., **277**, 23

Chiang, C.Y., see Rivot, J.P., **275**, 311

Chiappinelli, V.A. Kappa-bungarotoxin: a probe for the neuronal nicotinic receptor in the avian ciliary ganglion, **277**, 9

Chiappinelli, V.A., see Dryer, S.E., **289**, 317

Chicheportiche, M., see Vignon, J., **280**, 194

Chicheportiche, R., see Vignon, J., **280**, 194

Chida, K., Kawamura, H. and Hatano, M. Participation of the nucleus locus coeruleus in DOCA-salt hypertensive rats, **273**, 53

Chihara, K., see Kaji, H., **269**, 303

Childs, J.A. and Gale, K. Neurochemical evidence for a nigrotegmental GABAergic projection, **258**, 109

Chiodo, L.A., Acheson, A.L., Zigmond, M.J. and Stricker, E.M. Subtotal destruction of central noradrenergic projections increases the firing rate of locus coeruleus cells, **264**, 123

Chirakal, R., see Garnett, S., **280**, 169

Chisholm, J., Kellogg, C. and Lippa, A. Development of benzodiazepine binding subtypes in three regions of rat brain, **267**, 388

Chitour, D., see Cadden, S.W., **275**, 1

Choki, J., see Gerber, J.C. III, **269**, 319

Christofides, N.D., McGregor, G.P., Woodhams, P.L., Yiangou, Y., Aarons, E., Tatemoto, K. and Bloom, S.R. Ontogeny of PHI in the rat brain, **264**, 359

Chung, S.-H. and Johnson, M.S. Divalent transition-metal ions (Cu^{2+} and Zn^{2+}) in the brains of epileptogenic and normal mice, **280**, 323

Ciaranello, R.D., see Boehme, R.E., **266**, 51

Ciriello, J., see Caverson, M.M., **274**, 354

Ciriello, J., see Krukoff, T.L., **280**, 160

Citron, M.C. and Emerson, R.C. White noise analysis of cortical directional selectivity in cat, **279**, 271

Clark, H.B., see Seil, F.J., **288**, 384

Clarke, D.J., Smith, A.D. and Bolam, J.P. Uptake of [^{3}H]taurine into medium-size neurons and into identified striatonigral neurons in the rat neostriatum, **289**, 342

Claustre, Y., see Trottier, S., **272**, 255

Clemens, J.A. and Phebus, L.A. Changes in brain chemistry produced by dopaminergic agents: in vivo electrochemical monitoring reveals opposite changes in anesthetized vs unanesthetized rats, **267**, 183

Clifford, D.B. and Ferrendelli, J.A. Neurophysiologic effects of folate compounds in hippocampus, in vitro, **266**, 209

Clough, R.W., see Morley, B.J., **278**, 262

Cocchia, D., see Michetti, F., **262**, 352

Cochard, P., see Hamill, R.W., **266**, 21

Coffin, V.L., see Barraco, R.A., **272**, 392

Coggeshall, R.E., Park Hong, K.A., Langford, L.A., Schaible, H.-G. and Schmidt, R.F. Discharge characteristics of fine medial articular afferents at rest and during passive movements of inflamed knee joints, **272**, 185

Coggeshall, R.E., see Hulsebosch, C.E., **265**, 187, **288**, 77

Cohan, C.S., Hadley, R.D. and Kater, S.B. 'Zap axotomy': localized fluorescent excitation of single dye-filled neurons induces growth by selective axotomy, **270**, 93

Cohen, B., Suzuki, J.-I. and Raphan, T. Role of the otolith organs in generation of horizontal nystagmus: effects of selective labyrinthine lesions, **276**, 159

Cohen, B., see Raphan, T., **276**, 165

Cohen, J., Hadjiconstantinou, M. and Neff, N.H. Activation of dopamine-containing amacrine cells of retina: light-induced increase of acidic dopamine metabolites, **260**, 125

Cohen J.L. and Dowling, J.E. The role of the retinal interplexiform cell: effects of 6-hydroxydopamine on the spatial properties of carp horizontal cells, **264**, 307

Cohen, L.B., see Boyle, M.B., **266**, 305

Cohen, M.I., see Gootman, P.M., **270**, 134

Cohen, R.M., see Aulakh, C.S., **270**, 383
Coleman, R.J., see Schwartz, W.J., **263**, 105
Colhoun, E.H., see Rylett, R.J., **289**, 169
Collins, G.G.S., Anson, J. and Surtees, L.
Presynaptic kainate and N-methyl-D-aspartate receptors regulate excitatory amino acid release in the olfactory cortex, **265**, 157
Collins, J.F., see Peterson, D.W., **275**, 169
Collins, J.F., see Slevin, J.T., **265**, 169
Collins, R.C., Tearse, R.G. and Lothman, E.W.
Functional anatomy of limbic seizures: focal discharges from medial entorhinal cortex in rat, **280**, 25
Collins, R.C., see Wooten, G.F., **263**, 267
Collins, W.F. III, see Brenowitz, G.L., **274**, 371
Commenges, D., see Seal, J., **278**, 382
Commissaris, R.L., see Marwaha, J., **276**, 379
Commissiong, J.W.
Development of catecholaminergic nerves in the spinal cord of the rat, **264**, 197
Commissiong, J.W.
Fetal locus coeruleus transplanted into the transected spinal cord of the adult rat, **271**, 174
Concas, A., see Serra, M., **273**, 347
Condé, F., see Huisman, A.M., **264**, 181
Conde, M.V., see Diéguez, G., **289**, 281
Conforti, N., see Feldman, S., **260**, 297
Conforti, N., see Weidenfeld, J., **265**, 152
Conlee, J.W., see Creel, D., **260**, 1
Conradi, S., Cullheim, S., Gollvik, L. and Kellerth, J.-O.
Electron microscopic observatins on the synaptic contacts of group Ia muscle spindle afferents in the cat lumbosacral spinal cord, **265**, 31
Consolo, S., see Forloni, G.L., **274**, 165
Constantine-Paton, M., see Davis, M.R., **265**, 283
Contenti, E., see Schumacher, M., **278**, 337
Contestabile, A. and Fonnum, F.
Cholinergic and GABAergic forebrain projections to the habenula and nucleus interpeduncularis: surgical and kainic acid lesions, **275**, 287
Contestabile, A., Migani, P., Poli, A., Villani, L. and Barnabei, O.
Pharmacological manipulation of GABA system does not protect the goldfish optic tectum from the neuroexcitatory and neurotoxic action of kainic acid, **262**, 339
Contreras, R.J., see Bird, E., **270**, 193
Coons, E.E., see Porrino, L.J., **277**, 269
Cooper, J.R., see Meyer, E.M., **265**, 173
Cooper, P.H., see Shimizu, N., **265**, 49
Coote, J.H., see Fleetwood-Walker, S.M., **273**, 25
Corcoran, M.E., see Altman, I.M., **270**, 174
Cordova, C., see Bronzino, J.D., **271**, 33
Cornwell-Jones, C.A. and Bollers, H.R.
Neonatal 6-hydroxydopa alters conspecific odor investigation by male rats, **268**, 291
Corpéchot, C., Synguelakis, M., Talha, S., Axelson, M., Sjövall, J., Vihko, R., Baulieu, E.-E. and Robel, P.
Pregnenolone and its sulfate ester in the rat brain, **270**, 119
Correa, F.M.A. and Saavedra, J.M.
High histamine levels in specific hypothalamic nuclei of Brattleboro rats lacking vasopressin, **276**, 247
Correia, M.J., Eden, A.R., Westlund, K.N. and Coulter, J.D.
A study of some of the ascending and descending vestibular pathways in the pigeon (*Columba livia*) using anterograde transneuronal autoradiography, **278**, 53
Correia, M.J., see Perachio, A.A., **280**, 287
Cortes, R., see Palacios, J.M., **274**, 150
Coscina, D.V., see Nobrega, J.N., **262**, 243
Cosgrove, S.E., see Elchisak, M.A., **279**, 171
Coss, R.G., see Burgess, J.W., **266**, 217
Costa, E., see Del Río, J., **279**, 121
Costa, L.G. and Fox, D.A.
A selective decrease of cholinergic muscarinic receptors in the visual cortex of adult rats following developmental lead exposure, **276**, 259
Costa, T., see Członkowski, A., **267**, 392
Cotman, C.W., see Ganong, A.H., **273**, 170
Cotman, C.W., see Manthorpe, M., **267**, 47
Cotman, C.W., see Monaghan, D.T., **278**, 137
Cotman, C.W., see Whittemore, S.R., **277**, 99
Coulon, J.F., see Delacour, J., **288**, 169
Coulter, J.D., see Bowker, R.M., **288**, 33
Coulter, J.D., see Correia, M.J., **278**, 53
Coulter, J.D., see Westlund, K.N., **263**, 15
Courageot, J., see Barakat, I., **279**, 207
Couraud, F., see Martin-Moutot, N., **274**, 267
Cousin, M.A., see De Kloet, E.R., **275**, 91
Cowan, W.M., see Amaral, D.G., **275**, 263
Cowan, W.M., see Dent, J.A., **258**, 1
Cox, G.E., see Rubertone, J.A., **263**, 137
Coyle, J.T., see Ferkany, J.W., **278**, 279
Coyle, J.T., see Slevin, J.T., **265**, 169
Cozzari, C. and Hartman, B.K.
An endogenous inhibitory factor for choline acetyltransferase, **276**, 109
Crandall, W.F., see Keller, E.L., **288**, 131
Crane, A., see Hökfelt, T., **289**, 311
Crawford, G.D., see Houser, C.R., **266**, 97
Creel, D., Conlee, J.W. and Parks, T.N.
Auditory brainstem anomalies in albino cats. I. Evoked potential studies, **260**, 1
Crepel, F., Dupont, J.-L. and Gardette, R.
Voltage clamp analysis of the effect of excitatory amino acids and derivatives on Purkinje cell dendrites in rat cerebellar slices maintained in vitro, **279**, 311
Crepel, F., see Dupont, J.-L., **270**, 330, **274**, 350
Crespi, F., Cespuglio, R. and Jouvet, M.
Differential pulse voltammetry in brain tissue: III. Mapping of the rat serotoninergic raphe nuclei by electrochemical detection of 5-HIAA, **270**, 45
Crespi, F. and Jouvet, M.
Differential pulse voltammetry: parallel peak 3 changes with vigilance states in

raphe dorsalis and raphe magnus of chronic freely moving rats and evidence for a 5-HT contribution to these peaks after monoamine oxidase inhibitors, **272**, 263

Crews, F.T., Camacho, A. and Phillips, M.I.
Cholinergic stimulation of hippocampal pyramidal cells is inhibited by increasing membrane cholesterol, **261**, 155

Crill, W.E., see Flatman, J.A., **266**, 169

Crisanti, P., see Pessac, B., **275**, 53

Cronin, M.J., see Login, I.S., **260**, 99

Crooks, S.L., see Koerner, J.F., **272**, 299

Crosby, G., Ito, M., Kaufman, E., Nelson, T. and Sokoloff, L.
Naloxone pretreatment alters the local cerebral metabolic effect of γ-hydroxybutyrate in rats, **275**, 194

Crossman, A.R., see Rouzaire-Dubois, B., **271**, 11

Crow, T. and Offenbach, N.
Modification of the initiation of locomotion in *Hermissenda* : behavioral analysis, **271**, 301

Crow, T.J., see Owen, F., **278**, 373

Crow, T.J., see Roberts, G.W., **263**, 151, **288**, 199

Crowley, W.R., see Whitaker, J.N., **277**, 181

Crutcher, K.A., Kesner, R.P. and Novak, J.M.
Medial septal lesions, radial arm maze performance, and sympathetic sprouting: a study of recovery of function, **262**, 91

Csiba, L., Paschen, W. and Hossmann, K.-A.
A topographic quantitative method for measuring brain tissue pH under physiological and pathophysiological conditions, **289**, 334

Cubells, J., see Hirschhorn, I.D., **270**, 109

Cuello, A.C., see Lindh, B., **269**, 365

Cuello, A.C., see Pearson, R.C.A., **289**, 375

Cuello, A.C., see Sofroniew, M.V., **289**, 370

Cullheim, S., see Conradi, S., **265**, 31

Cullheim, S., see Risling, M., **280**, 15

Culligan, N. and Gelperin, A.
One-trial associative learning by an isolated molluscan CNS: use of different chemoreceptors for training and testing, **266**, 319

Cumming, R., see Burgoyne, R.D., **280**, 190

Cunningham, J.M., Powers, J.M. and Brostoff, S.W.
Prevention of experimental allergic neuritis in the Lewis rat with bovine P_2 protein, **258**, 285

Currie, S.N. and Ayers, J.
Regeneration of locomotor command systems in the sea lamprey, **279**, 238

Curtis, D.R., Leah, J.D. and Peet, M.J.
Effects of noradrenaline and 5-hydroxytryptamine on spinal Ia afferent terminations, **258**, 328

Curtis, D.R., see Peet, M.J., **263**, 162, **266**, 83

Curtis, S.D., see Ewing, V.G., **261**, 101

Curzon, G., see Hutson, P.H., **279**, 105

Członkowski, A., Costa, T., Przewłocki, R., Pasí, A. and Herz, A.
Opiate receptor binding sites in human spinal cord, **267**, 392

D

Dafny, N., see Andersen, E., **269**, 57

Dagi, T.F. and Poletti, C.E.
Reformulation of the Papez circuit: absence of hippocampal influence on cingulate cortex unit activity in the primate, **259**, 229

Daikoku, S., see Ohtsuka, M., **263**, 191

Daikoku, S., see Tsuruo, Y., **289**, 1

Dalsgaard, C.-J., see Lindh, B., **269**, 365

Dalsgaard, C.-J., see Schultzberg, M., **269**, 190

Daly, J.W., see Karnushina, I., **268**, 87

Darling, W.G. and Hayes, K.C.
Human servo responses to load disturbances in fatigued muscle, **267**, 345

Dasheiff, R.M., see Kraus, V.M.B., **277**, 305

Daudet, F., see Charriere, B., **271**, 386

Daunicht, W.J.
Proprioception in extraocular muscles of the rat, **278**, 291

Dauthier, C., see Foutz, A.S., **263**, 119

David, J.C., see Delacour, J., **288**, 169

Davidson, T.M., see Woolf, N.K., **274**, 119

Davies, J.E., Marsden, C.A. and Roberts, M.H.T.
Hyperalgesia and the reduction of monoamines resulting from lesions of the dorsolateral funiculus, **261**, 59

Davis, J.L., Pico, R.M. and Cherkin, A.
Dose-dependent and time-dependent action of oxytocin on chick memory, **266**, 355

Davis, J.N., see Haring, J.H., **268**, 275

Davis, J.N., see Madison, R., **270**, 1

Davis, M., see Astrachan, D.I., **260**, 81, **276**, 183

Davis, M., see Marwaha, J., **276**, 379

Davis, M., see Tischler, M.D., **276**, 55

Davis, M.R., Constantine-Paton, M. and Schorr, D.
Dorsal root ganglion removal in *Rana pipiens* produces fewer motoneurons, **265**, 283

Davis, P.G., see McGinnis, M.Y., **275**, 75

Davis, T.P., see Brinton, R.E., **266**, 344

Davison, A.J.
Aminooxyacetic acid provides transient protection against seizures induced by hyperbaric oxygen, **276**, 384

Davison, A.N., see Smith, C.C.T., **264**, 138, **269**, 103

Dawis, S.M., see Raisanen, J., **270**, 311

Day, B.L., Rothwell, J.C. and Marsden, C.D.
Interaction between the long-latency stretch reflex and voluntary electromyographic activity prior to a rapid voluntary motor reaction, **270**, 55

Day, T.A., Ro, A. and Renaud, L.P.
Depressor area within caudal ventrolateral medulla of the rat does not correspond to the A1 catecholamine cell group, **279**, 299

Dayton, M.A., see Ewing, V.G., **261**, 101

De Bellefeuille, L., see Parent, A., **278**, 11

de Cock Buning, T., see Kishida, R., **263**, 132

De Graan, P.N.E., see Tielen, A.M., **277**, 189

de Groat, W.C., see Simonds, W.F., **271**, 365

De Groat, W.C., see Roppolo, J.R., **264**, 355

De Jong, W., see Petty, M.A., **260**, 322

De Kloet, E.R., Cousin, M.A., Veldhuis, H.D., Voorhuis, Th.D. and Lando, D.
Glucocorticoids modulate the response of ornithine decarboxylase to unilateral removal of the dorsal hippocampus, **275**, 91

De Kloet, E.R., Versteeg, D.H.G. and Kovacs, G.L.
Aldosterone blocks the response to corticosterone in the raphe-hippocampal serotonin system, **264**, 323

De Kloet, E.R., see Laczi, F., **260**, 342, **280**, 309

De Kloet, E.R., see Nyakas, C., **288**, 219

De Kloet, E.R., see Sole, M.J., **265**, 55

de Lanerolle, N.C. and LaMotte, C.C.
Ultrastructure of chemically defined neuron systems in the dorsal horn of the monkey. I. Substance P immunoreactivity, **274**, 31

de Lanerolle, N.C., see LaMotte, C.C., **274**, 51, **274**, 65

De Marchi, P., see Morin, M.P., **265**, 333

De Quidt, M.E. and Emson, P.C.
Neurotensin facilitates dopamine release in vitro from rat striatal slices, **274**, 376

De Ruiter, J.P.
The influence of post-mortem fixation delay on the reliability of the Golgi silver impregnation, **266**, 143

De Simoni, G., see Buda, M., **273**, 197

De Simoni, G., see Gonon, F., **273**, 207

De Vries, G.J. and Buijs, R.M.
The origin of the vasopressinergic and oxytocinergic innervation of the rat brain with special references to the lateral septum, **273**, 307

De Wied, D., see Drago, F., **263**, 277

De Wied, D., see Laczi, F., **260**, 342, **280**, 309

De Wied, D., see Wang, X.-C., **275**, 83

Deagostini-Bazin, H., see Hirn, M., **265**, 87

Deakin, J.F.W., see Mashal, R.D., **277**, 375

Dean, G., see Giulian, D., **265**, 217

DeArmond, S.J., Fajardo, M., Naughton, S.A. and Eng, L.F.
Degradation of glial fibrillary acidic protein by a calcium dependent proteinase: an electroblot study, **262**, 275

DeBoissiere, T., see Reinstein, D.K., **263**, 172

DeBold, J.F., see Vito, C.C., **264**, 132

Dedek, J., see Trottier, S., **272**, 255

Defiore, C.H. and Turner, B.B.
[^{3}H]Corticosterone binding in the caudate-putamen, **278**, 93

Degrell, I., Zenner, K., Kummer, P. and Stock, G.
Monoamine metabolites in the CSF of conscious unrestrained cats, **277**, 283

Deguchi, T., see Nakane, M., **273**, 9

Del Fiacco, M., Dessi, M.L., Atzori, M.G. and Levanti, M.C.
Substance P in the human brainstem. Preliminary results of its immunohistochemical localization, **264**, 142

Del Río, J., Naranjo, J.R., Yang,H.-Y.T. and Costa, E.
Substance P-induced release of Met5-enkephalin from striatal and periaqueductal gray slices, **279**, 121

Delacour, J., Coulon, J.F., David, J.C. and Guenaire, C.
Brain octopamine and strain differences in avoidance behavior, **288**, 169

Delay, R.J., see Fifková, E., **266**, 163

Delgado-Escueta, A.V., see Grisar, T., **261**, 75

Delgado-García, J.M., López-Barneo, J., Serra, R. and González-Barón, S.
Electrphysiological and functional identification of different neuronal types within the nucleus ambiguus in the cat, **277**, 231

Dell'Anna, E., see Michetti, F., **262**, 352

Demarest, K.T., Duda, N.J., Riegle, G.D. and Moore, K.E.
Placental lactogen mimics prolactin in activating tuberoinfundibular dopaminergic neurons, **272**, 175

Demer, J.L. and Robinson, D.A.
Different time constants for optokinetic and vestibular nystagmus with a single velocity-storage element, **276**, 173

Denavit-Saubie, M., see Champagnat, J., **280**, 155

Denavit-Saubie, M., see Morin, M.P., **265**, 333

Denburg, J.L., Eastburn, J.L. and Caldwell, R.T.
Lectin receptors in the cockroach neuromuscular system. I. Distribution among the set of coxal depressor muscles, **289**, 241

Denburg, J.L., Eastburn, J.L. and Caldwell, R.T.
Lectin receptors in the cockroach neuromuscular system. II. Effects of denervation on muscle lectin receptors, **289**, 253

Denburg, J.L., Eastburn, J.L. and Caldwell, R.T.
Lectin receptors in the cockroach neuromuscular system. III. Distribution and identification within the thoracic ganglia of the nervous system, **289**, 269

Dent, J.A., Galvin, N.J., Stanfield, B.B. and Cowan, W.M.
The mode of termination of the hypothalamic projection to the dentate gyrus: an EM autoradiographic study, **258**, 1

Denton, D.A., see McKinley, M.J., **263**, 340

Deol, M.S., Frank, M.P., Steel, K.P. and Bock, G.R.
Genetic deafness of central origin, **258**, 177

Deriemer, S.A., Elliott, E.J., Macagno, E.R. and Muller, K.J.
Morphological evidence that regenerating axons can fuse with severed axon segments, **272**, 157

Dermietzel, R., Thürauf, N. and Schünke, D.
Cytochemical demonstration of negative surface charges in central myelin, **262**, 225

Desban, M., see Chesselet, M.F., **258**, 229

Deshmukh, P.P., Yamamura, H.I., Woods, L. and Nelson, D.L.
Computer-assisted autoradiographic localization of subtypes of serotonin$_1$ receptors in rat brain, **288**, 338

Deshmukh, P.P., see Brinton, R.E., **266**, 344

Desmond, N.L. and Levy, W.B.
Synaptic correlates of associative potentiation/depression: an ultrastructural study in the hippocampus, **265**, 21

Dessi, M.L., see Del Fiacco, M., **264**, 142

Dettbarn, W.-D., see Carlson, C.G., **264**, 285

Deutschmann, W., Wellhöner, H.H. and Erdmann, G.
Perfusion of the cervical spinal cord in situ of adult rats using a perfluorcarbon emulsion, **280**, 239

Devilliers, G., see Barakat, I., **279**, 207

Dhillon, A.P., see Thompson, R.J., **278**, 224

Di Chiara, G., see Porceddu, M.L., **262**, 187

Di Costanzo, G.A., see Morris, M.E., **278**, 117, **278**, 127

Di Renzo, G., see Schettini, G., **261**, 349

Diamond, D., see Rose, G., **266**, 29

Diamond, J., see Jackson, P.C., **273**, 277

Dib, B., see Cabanac, M., **264**, 79

Dichter, M.A., Lisak, J. and Biales, B.
Action potential mechanism of mammalian cortical neurons in cell culture, **289**, 99

Didier, M., see Belin, M.F., **275**, 329

Diéguez, G., Conde, M.V., Gómez, B., Iglesias, J.R., Marín, J. and Lluch, S.
Rete mirabile of goat: in vitro effects of adrenergic stimulation, **289**, 281

Dietrichs, E.
Cerebellar nuclear afferents from the lateral reticular nucleus in the cat, **288**, 320

Dietrichs, E., Bjaalie, J.G. and Brodal, P.
Do pontocerebellar fibers send collaterals to the cerebellar nuclei?, **259**, 127

Dietrichs, E., see Brodal, P., **278**, 1

Diez, J.A., see Blank, M.S., **279**, 153

DiFiglia, M., see Maciewicz, R., **270**, 217

Dineen, J.T. and Hendrickson, A.
Overlap of retinal and prestriate cortical pathways in the primate pretectum, **278**, 250

Disatnik, M.-H., see Sampson, S.R., **289**, 338

Disterhoft, J.F., see Sargent Jones, L., **279**, 85

Diz, D.I. and Jacobowitz, D.M.
Cardiovascular effects of intrahypothalamic injections of α-melanocyte stimulating hormone, **270**, 265

Djuričić, B.M., Kostić, V.S. and Mršulja, B.B.
Insulin increases entrance of 2-doexy-D-$[^3H]$glucose in isolated rat brain microvessels, **275**, 186

Djuricic-Nedelson, M., see Radulovacki, M., **271**, 392

Dockray, G.J. and Williams, R.G.
FMRFamide-like immunoreactivity in rat brain: development of a radioimmunoassay and its application in studies of distribution and chromatographic properties, **266**, 295

Dockray, G.J., see Williams, R.G., **276**, 213

Dodson, R.F., see Spatz, M., **280**, 387

Dolivo, M., see Martin, X., **273**, 253

Domesick, V.B., see Beal, M.F., **278**, 103

Domesick, V.B., see Finklestein, S., **271**, 279

Donaldson, P.L., Duce, I.R. and Usherwood, P.N.R.
Calcium accumulation precedes the degenerative effects of L-glutamate on locust muscle fibres, **274**, 261

Donaldson, P.L., see Duce, I.R., **263**, 77

Donnelly, J.F., Thompson, S.M. and Robertson, R.T.
Organization of projections from the superior colliculus to the thalamic lateral posterior nucleus in the rat, **288**, 315

Donovan, M.K. and Wyss, J.M.
Evidence for some collateralization between cortical and diencephalic efferent axons of the rat subicular cortex, **259**, 181

Donovan, M.K., Wyss, J.M. and Winternitz, S.R.
Localization of renal sensory neurons using the fluorescent dye technique, **259**, 119

Doran, J.F., see Thompson, R.J., **278**, 224

Dormann, A., see Meiri, H., **263**, 1

Dormer, K.J., see Lutherer, L.O., **269**, 251

Dostrovsky, J.O., see Tomlinson, R.W.W., **279**, 291

Dowling, J.E., see Cohen J.L., **264**, 307

Dowman, R., Rosenfeld, J.P. and Heinricher, M.
Operant conditioning of trigeminally-evoked cortical potentials: correlated effects on facial nociception, **269**, 111

Downer, R.G.H., see Orchard, I., **258**, 152, **288**, 349

Drachman, D.B., see Stanley, E.F., **261**, 172

Drago, F., Bohus, B., Gispen, W.H., Scapagnini, U. and De Wied, D.
Prolactin-enhanced grooming behavior: interaction with ACTH, **263**, 277

Dravid, A.R. and Van Deusen, E.B.
Recovery of choline acetyltransferase and acetylcholinesterase activities in the ipsilateral hippocampus following unilateral, partial transection of the fimbria in rats, **277**, 169

Dray, F., see Gerozissis, K., **279**, 133

Dray, F., see Saavedra, J.M., **277**, 23

Drew, M.C., see Marshall, J.F., **259**, 249

Dreyer, F., Mallart, A. and Brigant, J.L.
Botulinum A toxin and tetanus toxin do not affect presynaptic membrane currents

in mammalian motor nerve endings, **270**, 373

Driscoll, P., see Lieblich, I., **263**, 113

Droge, M.H. and Leonard, R.B.
Organization of spinal motor nuclei in the stingray, *Dasyatis sabina*, **276**, 201

Drucker-Colín, R. and Bernal Pedraza, J.G.
Kainic acid lesions of gigantocellular tegmental field (FTG) neurons does not abolish REM sleep, **272**, 387

Drucker-Colín, R., Bernal-Pedraza, J., Fernandez-Cancino, F. and Morrison, A.R.
Increasing PGO spike density by auditory stimulation increases the duration and decreases the latency of rapid eye movement (REM) sleep, **278**, 308

Drummond, R.J., see Giulian, D., **265**, 217

Dryer, S.E. and Chiappinelli, V.A.
Kappa-Bungarotoxin: an intracellular study demonstrating blockade of neuronal nicotinic receptors by a snake neurotoxin, **289**, 317

Dubbeldam, J., see Kishida, R., **263**, 132

Dubner, R., see Hoffert, M.J., **267**, 361

Dubois, B., Ruberg, M., Javoy-Agid, F., Ploska, A. and Agid, Y.
A subcortico-cortical cholinergic system is affected in Parkinson's disease, **288**, 213

Dubois, B., see Epelbaum, J., **278**, 376

Dubois, B., see Scatton, B., **275**, 321

DuBrul, E.F., see Angelbeck, J.H., **264**, 277

Duce, I.R., Donaldson, P.L. and Usherwood, P.N.R.
Investigations into the mechanism of excitant amino acid cytotoxicity using a well-characterized glutamatergic system, **263**, 77

Duce, I.R., see Donaldson, P.L., **274**, 261

Duda, N.J., see Demarest, K.T., **272**, 175

Duffy, F.H., see McCarley, R.W., **274**, 359

Duggan, A.W., see Morton, C.R., **275**, 13

Duman, R., see Karbon, E.W., **274**, 393

Dun, N.J., see Kiraly, M., **275**, 378

Dun, N.J., see Ma, R.C., **270**, 350

Dunnett, S.B., see Gage, F.H., **268**, 39

Dunwiddie, T., see Basile, A., **264**, 69

Dunwiddie, T.V., Mueller, A.L., Bickford, P.C. and Zahniser, N.R.
Electrophysiological and biochemical sequelae of the destruction of hippocampal noradrenergic afferents by DSP4, **269**, 311

Dupont, A., see Savard, P., **277**, 263

Dupont, J.-L., Gardette, R. and Crepel, F.
Olivocerebellar projections in control and staggerer mutant mice. An autoradiographic study, **270**, 330

Dupont, J.-L., Gardette, R. and Crepel, F.
Bioelectrical properties of cerebellar Purkinje cells in reeler mutant mice, **274**, 350

Dupont, J.-L., see Crepel, F., **279**, 311

Durcan, M.J., see Lynch, M., **288**, 145

Dussault, J.H., see Savard, P., **277**, 263

Dusticier, N., see Bosler, O., **259**, 288

Dutar, P., see Lamour, Y., **289**, 157

Duvoisin, R.C., see Gershanik, O., **261**, 358

Dux, E., see Joó, F., **278**, 165

Dvergsten, C.L., Fosmire, G.J., Ollerich, D.A. and Sandstead, H.H.
Alterations in the postnatal development of the cerebellar cortex due to zinc deficiency. I. Impaired acquisition of granule cells, **271**, 217

Dwyer, D.S., see Morley, B.J., **262**, 109

Dykes, R.W., see Hicks, T.P., **274**, 160

E

Eagan, S.M., see Schwartz, W.J., **274**, 184

Eastburn, J.L., see Denburg, J.L., **289**, 241, **289**, 253, **289**, 269

Ebersolt, C., Premont, J., Prochiantz, A., Perez, M. and Bockaert, J.
Inhibition of brain adenylate cyclase by A_1 adenosine receptors: pharmacological characteristics and locations, **267**, 123

Ebert, M.H., see Elchisak, M.A., **279**, 171

Ebner, F.F., see Höhmann, C.F., **258**, 120

Echizen, H. and Freed, C.R.
In vivo electrochemical detection of extraneuronal 5-hydroxyindole acetic acid and norepinephrine in the dorsal raphe nucleus of urethane-anesthetized rats, **277**, 55

Eckenstein, F., see Pearson, R.C.A., **289**, 375

Eckenstein, F., see Sofroniew, M.V., **289**, 370

Eden, A.R., see Correia, M.J., **278**, 53

Edeson, R.O. and Ryall, R.W.
Systematic mapping of descending inhibitory control by the medulla of nociceptive spinal neurones in cats, **271**, 251

Edinger, H.M., see Femano, P.A., **269**, 119

Edinger, H.M., see Watson, R.E. Jr., **269**, 327

Edmunds, S.M. and Parnavelas, J.G.
'Presynaptic astrocytes' in rat visual cortex, **259**, 285

Edwards, D.L. and Grafstein, B.
Intraocular tetrodotoxin in goldfish hinders optic nerve regeneration, **269**, 1

Edwards, D.L., see Schmidt, J.T., **269**, 15, **269**, 29

Ehlers, C.L., Henriksen, S.J., Wang, M., Rivier, J., Vale, W. and Bloom, F.E.
Corticotropin releasing factor produces increases in brain excitability and convulsive seizures in rats, **278**, 332

Eidelberg, E., see Buzsàki, G., **266**, 334

Eidelberg, E., see Yu, J., **273**, 121

Elberger, A.J. and Smith, E.L. III
Binocular properties of lateral suprasylvian cortex are not affected by neonatal corpus callosum section, **278**, 295

Elberger, A.J., Smith, E.L. III and White, J.M.
Optically induced strabismus results in visual field losses in cats, **268**, 147
Elchisak, M.A., Cosgrove, S.E., Ebert, M.H. and Burns, R.S.
Distribution of free and conjugated dopamine in monkey brain, peripheral tissues and cerebrospinal fluid determined by high-performance liquid chromatography, **279**, 171
Eldridge, F.L., see Millhorn, D.E., **264**, 349
Elfvin, L.-G., see Andersson Forsman, C., **280**, 355
Elfvin, L.-G., see Lindh, B., **269**, 365
Ellendorff, F., see Akaishi, T., **262**, 151
Ellinwood, E.H. Jr. and Lee, T.H.
Effect of continuous systemic infusion of D-amphetamine on the sensitivity of nigral dopamine cells to apomorphine inhibition of firing rates, **273**, 379
Elliott, E.J., see Deriemer, S.A., **272**, 157
Elliott, E.J., see Morgese, V.J., **272**, 166
Ellison, G.
Phasic alterations in dopamine metabolites following continuous administration of amphetamine, **268**, 387
Emerson, R.C., see Citron, M.C., **279**, 271
Emmert, H., see Grafe, P., **279**, 65
Emonet-Dénand, F. and Laporte, Y.
Observations on the effects on spindle primary endings of the stimulation at low frequency of dynamic β-axons, **258**, 101
Emonet-Dénand, F., see Baumann, T.K., **258**, 139
Emson, P.C., see De Quidt, M.E., **274**, 376
Emson, P.C., see Goedert, M., **272**, 291, **274**, 176
Eng, L.F., see DeArmond, S.J., **262**, 275
Eng, L.F., see Smith, M.E., **264**, 241
Eng, R., see Schulkin, J., **263**, 351
Engel, J., see Sauter, A., **260**, 330
Enger, P.S., see Szabo, T., **266**, 1
Enna, S.J., see Karbon, E.W., **274**, 393
Epelbaum, J., Ruberg, M., Moyse, E., Javoy-Agid, F., Dubois, B. and Agid, Y.
Somatostatin and dementia in Parkinson's disease, **278**, 376
Erdmann, G., see Deutschmann, W., **280**, 239
Erman, R.D., Yamamura, H.I. and Roeske, W.R.
The ontogeny of specific binding sites for the calcium channel antagonist, nitrendipine, in mouse heart and brain, **278**, 327
Erulkar, S.D., see Brenowitz, G.L., **274**, 371
Esiri, M.M., see Pearson, R.C.A., **289**, 375
Eskay, R.L., Long, R.T. and Palkovits, M.
Localization of immunoreactive thyrotropin releasing hormone in the lower brainstem of the rat, **277**, 159
Espinoza, S.G. and Thomas, H.C.
Retinotopic organization of striate and extrastriate visual cortex in the hooded rat, **272**, 137
Estrada, C., Hamel, E. and Krause, D.N.
Biochemical evidence for cholinergic innervation of intracerebral blood vessels, **266**, 261
Ettlinger, G., see Brown, J.V., **267**, 67
Eude, D., see Calvet, M.-C., **280**, 199
Euvrard, C., see Hamon, M., **279**, 141
Evans, W.H., see Gurd, J.W., **276**, 141
Ewing, V.G., Alloway, K.D., Curtis, S.D., Dayton, M.A., Wightman, R.M. and Rebec, G.V.
Simultaneous electrochemical and unit recording measurements: characterization of the effects of D-amphetamine and ascorbic acid on neostriatal neurons, **261**, 101
Eyzaguirre, C., Monti-Bloch, L. and Hayashida, Y.
Effects of temperature on denervated carotid body (glomus) cells, **279**, 282
Eyzaguirre, C., see Ito, H., **279**, 286
Eyzaguirre, C., see Monti-Bloch, L., **270**, 63, **270**, 77

F

Faber, D.S., see Hackett, J.T., **264**, 302
Faber, D.S., see Lin, J.-W., **274**, 319
Faber, D.S., see Wood, M.R., **273**, 341
Fabri, M., see Belardetti, F., **288**, 95
Fagni, L., Baudry, M. and Lynch, G.
Desensitization to glutamate does not affect synaptic transmission in rat hippocampal slices, **261**, 167
Fahn, S., see Burke, R.E., **288**, 273
Fahn, S., see Reches, A., **275**, 183
Fajardo, M., see DeArmond, S.J., **262**, 275
Fallon, J.H., see Altar, A., **279**, 1
Fallon, J.H., see Loughlin, S.E., **262**, 334
Famiglietti, E.V. Jr.
'Starburst' amacrine cells and cholinergic neurons: mirror-symmetric ON and OFF amacrine cells of rabbit retina, **261**, 138
Fanelli, R.J., see Kraus, V.M.B., **277**, 305
Faradji, H., Cespuglio, R. and Jouvet, M.
Voltammetric measurements of 5-hydroxyindole compounds in the suprachiasmatic nuclei: circadian fluctuations, **279**, 111
Faradji, H., see Hahn, Z., **289**, 215
Farber, J., see Miller, J.D., **273**, 133
Farber, J.P., see Wheeler, M.E., **258**, 343
Farooq, M., see Norton, W.T., **270**, 295
Fava, E., see Baldissera, F., **259**, 143
Favilla, M., Ghelarducci, B., La Noce, A. and Starita, A.
EMG responses of the vertical eye muscles to dynamic and static natural vestibular stimulation about different axes in alert rabbits, **280**, 277

Feder, H.H., see Nock, B., **262**, 163
Feder, H.H., see Wilcox, J.N., **266**, 243
Fedorko, L., see Merrill, E.G., **263**, 43
Feer, H., see Wirz-Justice, A., **262**, 233
Fehér, O., see Toldi, J., **262**, 323
Feinsod, M., see Newman, M., **278**, 380
Feldblum, S., see Cavalheiro, E.A., **262**, 201
Feldman, S., Siegel, R.A., Weidenfeld, J., Conforti, N. and Melamed, E.
  Role of medial forebrain bundle catecholaminergic fibers in the modulation of glucocorticoid negative feedback effects, **260**, 297
Feldman, S., see Mandelbrod, I., **272**, 115, **273**, 35
Felleman, D.J., Nelson, R.J., Sur, M. and Kaas, J.H.
  Representations of the body surface in areas 3b and 1 of postcentral parietal cortex of cebus monkeys, **268**, 15
Fellmann, D., see Bugnon, C., **275**, 198
Felsten, G., Benevento, L.A. and Burman, D.
  Opponent-color responses in macaque extrageniculate visual pathways: the lateral pulvinar, **288**, 363
Femano, P.A., Edinger, H.M. and Siegel, A.
  The effects of stimulation of substantia innominata and sensory receiving areas of the forebrain upon the activity of neurons within the amygdala of the anesthetized cat, **269**, 119
Ferin, M., see Schreibman, M.P., **267**, 293
Ferkany, J.W. and Coyle, J.T.
  Evoked release of aspartate and glutamate: disparities between prelabeling and direct measurement, **278**, 279
Fernandez-Cancino, F., see Drucker-Colín, R., **278**, 308
Fernandez-Pardal, J., see Saavedra, J.M., **276**, 367
Ferrara, N., see Nicoletti, F., **279**, 352
Ferrari, G., see Parmeggiani, P.L., **269**, 382
Ferrell, W.R., see Baxendale, R.H., **261**, 195
Ferrendelli, J.A., see Clifford, D.B., **266**, 209
Ferreyra, H., Kannan, H. and Koizumi, K.
  Influences of the limbic system on hypothalamo-neurohypophysial system, **264**, 31
Ferrier, I.N., see Roberts, G.W., **288**, 199
Fety, R. and Renaud, B.
  Time course study of changes in the activity of the catecholamine synthesizing enzyme in the rat medulla oblongata after intraventricular injection of 6-hydroxydopamine, **272**, 277
Fibiger, H.C., see Asin, K.E., **268**, 211
Fibiger, H.C., see Pisa, M., **272**, 319
Field, P.M. and Raisman, G.
  Relative slowness of heterotypic synaptogenesis in the septal nuclei, **272**, 83
Fields, K.L., see Norton, W.T., **270**, 295
Fifková, E., Markham, J.A. and Delay, R.J.
  Calcium in the spine apparatus of dendritic spines in the dentate molecular layer, **266**, 163
File, S.E. and Pellow, S.
  Anxiogenic action of a convulsant benzodiazepine: reversal by chlordiazepoxide, **278**, 370
Finch, D.M., Nowlin, N.L. and Babb, T.L.
  Demonstration of axonal projections of neurons in the rat hippocampus and subiculum by intracellular injection of HRP, **271**, 201
Fink, G., see Millar, R.P., **260**, 334
Fink, G., see Sutherland, R.C., **271**, 101, **273**, 291
Fink, G., see Yates, C.M., **258**, 45
Finkelstein, J.A., Steggles, A.W., Martinez, P. and Praissman, M.
  Changes in cholecystokinin receptor binding in rat brain after food deprivation, **288**, 193
Finkielman, S., see Pirola, C.J., **273**, 387
Finklestein, S., Campbell, A., Stoll, A.L., Baldessarini, R.J., Stinus, L., Paskevitch, P.A. and Domesick, V.B.
  Changes in cortical and subcortical levels of monoamines and their metabolites following unilateral ventrolateral cortical lesions in the rat, **271**, 279
Firnau, G., see Garnett, S., **280**, 169
Fischer, B. and Boch, R.
  Saccadic eye movements after extremely short reaction times in the monkey, **260**, 21
Fischer, J.A., see Henke, H., **272**, 373
Fisher, D.A., see Reppert, S.M., **261**, 341
Fisher, L.A., see Brown, M.R., **280**, 75
Fisher, R.S., see Alger, B.E., **270**, 137
Fishman, P.S., Nilaver, G. and Kelly, J.P.
  Astrogliosis limits the integration of peripheral nerve grafts into the spinal cord, **277**, 175
Fishman, R.A., see Chan, P.H., **277**, 329
Fitz-Syage, M.L., see Zukin, S.R., **258**, 277
Flaster, M.S., Schley, C. and Zipser, B.
  Generating monoclonal antibodies against excised gel bands to correlate immunocytochemical and biochemical data, **277**, 196
Flatman, J.A., Schwindt, P.C., Crill, W.E. and Stafstrom, C.E.
  Multiple actions of N-methyl-D-aspartate on cat neocortical neurons in vitro, **266**, 169
Fleetwood-Walker, S.M., Coote, J.H. and Gilbey, M.P.
  Identification of spinally projecting neurones in the A1 catecholamine cell group of the ventrolateral medulla, **273**, 25
Fleischer, E., Handwerker, H.O. and Joukhadar, S.
  Unmyelinated nociceptive units in two skin areas of the rat, **267**, 81
Fleischer, E., see Petsche, U., **265**, 233
Flink, R., Wiberg, M. and Blomqvist, A.
  The termination in the mesencephalon of fibres from the lateral cervical nucleus. An anatomical study in the cat, **259**, 11
Floor, E.
  Substance P release from K^+-depolarized

rat brain synaptosomes at one-second resolution, **279**, 321

Florence, S.L., Sesma, M.A. and Casagrande, V.A.
Morphology of geniculo-striate afferents in a prosimian primate, **270**, 127

Fluharty, S.J., Snyder, G.L., Stricker, E.M. and Zigmond, M.J.
Short- and long-term changes in adrenal tyrosine hydroxylase activity during insulin-induced hypoglycemia and cold stress, **267**, 384

Folbergrová, J., see Ingvar, M., **264**, 225

Fong, J., Okada, K., Lew, J.Y. and Goldstein, M.
Effect of GABA and benzodiazepine antagonists on [^{3}H]flunitrazepam binding to cerebral cortical membrane, **266**, 152

Fonnum, F., see Contestabile, A., **275**, 287

Fonnum, F., see Walker, J.E., **267**, 371, **278**, 283

Foote, S.L., see Segal, M., **274**, 381

Foote, S.L., see Valentino, R.J., **270**, 363

Foote, W.E., see Maciewicz, R., **270**, 217

Forloni, G.L., Consolo, S., Grombi, P., Wang, J.-X., Mennini, T. and Ladinsky, H.
Modifications in recognition sites for neurotransmitters in rat hippocampus by kainic acid lesion, **274**, 165

Forman, D.S., Brown, K.J. and Promersberger, M.E.
Selective inhibition of retrograde axonal transport by *erythro*-9-[3-(2-hydroxynonyl)]adenine, **272**, 194

Fosmire, G.J., see Dvergsten, C.L., **271**, 217

Fourment, A., Hirsch, J.C., Chastanet, M. and Guidet, C.
The effect of midbrain reticular stimulation upon perigeniculate neurons activity during different states of the sleep-waking cycle in the cat, **259**, 301

Fourment, A., see Hirsch, J.C., **259**, 308

Fournier, E., Katz, R. and Pierrot-Deseilligny, E.
Descending control of reflex pathways in the production of voluntary isolated movements in man, **288**, 375

Foutz, A.S., Dauthier, C. and Kerdelhué, B.
β-Endorphin plasma levels during neuromuscular blockade in unanesthetized cat, **263**, 119

Fox, D.A., see Costa, L.G., **276**, 259

Fox, S., see Morris, M.E., **278**, 117

Fox, T.O., see Vito, C.C., **264**, 132

Francis, A., Rivett, A.J. and Roth, J.A.
Activity of neuron-specific enolase in normal and lesioned rat brain, **263**, 89

Franck, G., see Grisar, T., **261**, 75

Frank, E., see Keller, J.T., **270**, 209

Frank, M.P., see Deol, M.S., **258**, 177

Frank, R., see Schade Powers, A., **264**, 47

Frankfurt, M. and Azmitia, E.
The effect of intracerebral injections of 5,7-dihydroxytryptamine and 6-hydroxydopamine on the serotonin-immunoreactive cell bodies and fibers in the adult rat hypothalamus, **261**, 91

Frankfurt, M., see Luine, V.N., **264**, 344

Frazer, A., see Gerber, J.C. III, **269**, 319

Frazer, A., see Heydorn, W.E., **267**, 175

Fredens, K., see Stengaard-Pedersen, K., **273**, 81

Frederickson, C.J., Klitenick, M.A., Manton, W.I. and Kirkpatrick, J.B.
Cytoarchitectonic distribution of zinc in the hippocampus of man and the rat, **273**, 335

Freed, C.R., see Echizen, H., **277**, 55

Freed, W.J., Karoum, F., Spoor, H.E., Morihisa, J.M., Olson, L. and Wyatt, R.J.
Catecholamine content of intracerebral adrenal medulla grafts, **269**, 184

Freedman, J.E., see Slater, N.T., **278**, 266

Freeman, F.G., see Jarvis, M.F., **288**, 235

Frenk, H., see Urca, G., **259**, 103

Freund, R.K., see Koerner, J.F., **272**, 299

Fried, K., see Holje, L., **266**, 133

Friedman, D.P.
Laminar patterns of termination of cortico-cortical afferents in the somatosensory system, **273**, 147

Friedrich, V.L. Jr. and Mugnaini, E.
Myelin sheath thickness in the CNS is regulated near the axon, **274**, 329

Friesen, H.G., see Higuchi, T., **288**, 359

Frostig, R.D., Gottlieb, Y., Vaadia, E. and Abeles, M.
The effects of stimuli on the activity and functional connectivity of local neuronal groups in the cat auditory cortex, **272**, 211

Frotscher, M. and Zimmer, J.
Commissural fibers terminate on non-pyramidal neurons in the guinea pig hippocampus - a combined Golgi/EM degeneration study, **265**, 289

Frotscher, M., see Léránth, C., **276**, 357

Fujii, Y., see Fujiwara, H., **279**, 127

Fujishima, M., see Nakatomi, Y., **270**, 146

Fujita, T., see Kaji, H., **269**, 303

Fujita, Y., Sato, H., Takeuchi, T. and Minami, S.
Median raphe- and contralateral hippocampus-elicited EEG spikes which correspond to hyperpolarizations of pyramidal cells in the kindled hippocampus of the rabbit, **278**, 313

Fujitsuka, N., see Ito, F., **276**, 277, **277**, 352

Fujiwara, H., Fujii, Y. and Tanaka, C.
Labeled norepinephrine uptake and release in rat globus pallidus, **279**, 127

Fujiwara, M., see Hayashi, H., **270**, 178

Fuks, Z., see Lubetzki-Korn, I., **267**, 151

Fukuda, H., see Matsumoto, K., **270**, 103

Fukuda, J., Kurata, T. and Yamaguchi, K.
Specific reduction in Na currents after infection with herpes simplex virus in cultured mammalian nerve cells, **268**, 367

Fukuda, J., Kurata, T., Yamamoto, A. and Yamaguchi, K.
Morphological and physiological study on cultured nerve cells from guinea pigs

infected wiht herpes simplex virus in vivo, **262**, 79
Fukui, K., see Ibata, Y., **258**, 291, **269**, 177
Fukunaga, R., see Uyama, O., **259**, 344
Fuller, J.H., Maldonado, H. and Schlag, J.
Vestibular-oculomotor interaction in cat eye-head movements, **271**, 241
Fuller, P.M., see Wilson, S., **260**, 287
Fulton, B., see Walton, K., **278**, 387
Funahashi, S.
Responses of monkey prefrontal neurons during a visual tracking task reinforced by substantia innominata self-stimulation, **276**, 267
Funakoshi, M. and Ninomiya, Y.
Relations between the spontaneous firing rate and taste responsiveness of the dog cortical neurons, **262**, 155
Furuichi, H., see Onozuka, M., **269**, 277
Furuya, K., see Kawai, N., **278**, 346

G

Gaarskjaer, F.B. and Laurberg, S.
Ectopic granule cells of hilus fasciae dentatae projecting to the ipsilateral region inferior of the rat hippocampus, **274**, 11
Gabriel, M., see Orona, E., **263**, 295, **263**, 313
Gaffori, O., see Laczi, F., **260**, 342, **280**, 309
Gage, F.H., Björklund, A. and Stenevi, U.
Reinnervation of the partially deafferented hippocampus by compensatory collateral sprouting from spared cholinergic and noradrenergic afferents, **268**, 27
Gage, F.H., Björklund, A., Stenevi, U. and Dunnett, S.B.
Functional correlates of compensatory collateral sprouting by aminergic and cholinergic afferents in the hippocampal formation, **268**, 39
Gale, K., see Childs, J.A., **258**, 109
Gale, K., see Garant, D.S., **273**, 156
Gallager, D.W., see Astrachan, D.I., **260**, 81, **276**, 183
Gallager, D.W., see Menkes, D.B., **272**, 1
Gallagher, J.P., Nakamura, J. and Shinnick-Gallagher, P.
The effects of temperature, pH and Cl-pump inhibitors on GABA responses recorded from cat dorsal root ganglia, **267**, 249
Gallagher, J.P., see Mayer, M.L., **260**, 233
Galletti, C., Squatrito, S., Battaglini, P.P. and Maioli, M.G.
Non-oriented cells of the striate cortex activated during smooth pursuit eye movements and steady fixations in behaving monkeys, **260**, 128
Galletti, C., see Maioli, M.G., **265**, 294
Galligan, J.J., Porreca, F. and Burks, T.F.
Dissociation of analgesic and gastrointestinal effects of electroconvulsive shock-released opioids, **271**, 354
Gallistel, C.R. and Nichols, S.
Resolution-limiting factors in 2-deoxyglucose autoradiography. I. Factors other than diffusion, **267**, 323
Gallistel, C.R., see Yadin, E., **266**, 39
Galvin, N.J., see Dent, J.A., **258**, 1
Galway, M., see Harley, C.W., **270**, 335
Gambetti, P., see Ghetti, B., **276**, 388
Gambetti, P., see Papasozomenos, S.C., **278**, 232
Ganong, A.H., Lanthorn, T.H. and Cotman, C.W.
Kynurenic acid inhibits synaptic and acidic amino acid-induced responses in the rat hippocampus and spinal cord, **273**, 170
Ganten, D., see Lang, R.E., **260**, 326
Garant, D.S. and Gale, K.
Lesions of substantia nigra protect against experimentally induced seizures, **273**, 156
Garcha, H.S., see Brown, J.V., **267**, 67
Gardette, R., see Crepel, F., **279**, 311
Gardette, R., see Dupont, J.-L., **270**, 330, **274**, 350
Gardner, E.L., see Hirschhorn, I.D., **270**, 109
Gardner-Medwin, A.R., see Skelton, J.L., **288**, 229
Garland, J.C. and Mogenson, G.J.
An electrophysiological study of convergence of entopeduncular and lateral preoptic inputs on lateral habenular neurons projecting to the midbrain, **263**, 33
Garnett, S., Firnau, G., Nahmias, C. and Chirakal, R.
Striatal dopamine metabolism in living monkeys examined by positron emission tomography, **280**, 169
Garrigues, A.-M. and Cazala, P.
Central catecholamine metabolism and hypothalamic self-stimulation behaviour in two inbred strains of mice, **265**, 265
Garsik, J.T., Low, W.C. and Whitehorn, D.
Differences in transmission through the dorsal column nuclei in spontaneously hypertensive and Wistar Kyoto rats, **271**, 188
Garwood, M.M., see Seil, F.J., **288**, 384
Gatter, K.C., see Pearson, R.C.A., **259**, 132, **261**, 321, **261**, 327
Gatz, P., see Miller, J.D., **273**, 133
Gauchy, C., see Kemel, M.L., **272**, 331
Gaudin-Chazal, G. and Puizillout, J.J.
Quantitative autoradiographic studies of 5-HT-accumulating neurones in the nodose ganglia of the cat after perikaryal or terminal uptake, **270**, 239
Geary, W.A. II and Wooten, G.F.
A behavioral and 2-deoxyglucose autoradiographic study of the effects of cumulative morphine dose on naloxone precipitated withdrawal in the rat, **275**, 117

Gebhart, G.F., see Bardo, M.T., **289**, 223

Gebhart, G.F., see Ossipov, M.H., **289**, 349

Gee, K.W., Brinton, R.E. and Yamamura, H.I. PK 8165 and PK 9084, two quinoline derivatives with anxiolytic properties, antagonize the anticonvulsant effects of diazepam, **264**, 168

Geis, R., see Weber, E., **260**, 166

Gelperin, A., see Culligan, N., **266**, 319

Gemba, H., see Sasaki, K., **277**, 41

Geneste, P., see Vignon, J., **280**, 194

George, C.P., see Kilduff, T.S., **269**, 168

George, S.A., see Skelton, J.L., **288**, 229

Gerber, J.C. III, Choki, J., Brunswick, D.J., Reivich, M. and Frazer, A. The effect of antidepressant drugs on regional cerebral glucose utilization in the rat, **269**, 319

German, D.C., see Miller, J.D., **273**, 133

Gerozissis, K., Saavedra, J.M. and Dray, F. Prostanoid profile in specific brain areas, pituitary and pineal gland of the male rat. Influence of experimental conditions, **279**, 133

Gerren, R.A. and Weinberger, N.M. Long term potentiation in the magnocellular medial geniculate nucleus of the anesthetized cat, **265**, 138

Gershanik, O., Heikkila, R. and Duvoisin, R.C. Effects of dopamine depletion on rotational behavior to dopamine agonists, **261**, 358

Gessa, G.L., see Mereu, G., **264**, 105

Ghandour, M.S., see Hirn, M., **265**, 87

Ghelarducci, B., see Favilla, M., **280**, 277

Ghetti, B. and Gambetti, P. Comparative immunocytochemical characterization of neurofibrillary tangles in experimental maytansine and aluminum encephalopathies, **276**, 388

Ghraf, R., Kirchhoff, J., Grünke, W., Reinhardt, W., Ball, P. and Knuppen, R. Estrogen responsiveness of progestin receptor induction in the pituitary, preoptic-hypothalamic brain and uterus of neonatally estrogenized female rats, **258**, 133

Ghraf, R., Michel, M., Hiemke, C. and Knuppen, R. Competition by monophenolic estrogens and catecholestrogens for high-affinity uptake of [^{3}H] (-)-norepinephrine into synaptosomes from rat cerebral cortex and hypothalamus, **277**, 163

Ghraf, R., see Kirchhoff, J., **268**, 382, **275**, 173, **289**, 380

Gibbs, D.M. and Vale, W. Effect of the serotonin reuptake inhibitor fluoxetine on corticotropin-releasing factor abnd vasopressin secretion into hypophysial portal blood, **280**, 176

Gibson, A., see Baker, J., **265**, 227

Gilad, G.M. and Gilad, V.H. Polyamine biosynthesis is required for survival of sympathetic neurons after axonal injury, **273**, 191

Gilad, G.M., Rabey, J.M. and Shenkman, L. Strain-dependent and stress-induced changes in rat hippocampal cholinergic system, **267**, 171

Gilad, V.H., see Gilad, G.M., **273**, 191

Gilbey, M.P., see Fleetwood-Walker, S.M., **273**, 25

Gillespie, M.J. and Stein, R.B. The relationship between axon diameter, myelin thickness and conduction velocity during atrophy of mammalian peripheral nerves, **259**, 41

Gillette, R. and Green, D.J. Phenothiazines mimic the action of cAMP in potentiating slow inward current in a bursting molluscan neuron, **273**, 384

Gillette, R., see Calhoon, R.D., **271**, 371

Gillin, J.C., see Nakamura, R.K., **268**, 372

Gillis, B.J. and Cain, D.P. Amygdala and pyriform cortex kindling in vasopressin deficient rats (Brattleboro strain), **271**, 375

Gilmore, S.A., see Sims, T.J., **276**, 17

Ginalski-Winkelmann, H., Almazan, G. and Matthieu, J.-M. In vitro myelin basic protein synthesis in the PNS and CNS of myelin deficient (*mld*) mutant mice, **277**, 386

Ginsberg, M.D., see Abe, K., **273**, 166

Gintzler, A.R., Peters, L.C. and Komisaruk, B.R. Attenuation of pregnancy-induced analgesia by hypogastric neurectomy in rats, **277**, 186

Gintzler, A.R. and Scalisi, J.A. Opioid-mediated acute responses to alcohol: ethanol potentiates opioid actions on the guinea pig ileum, **269**, 391

Giorgi, O., see Meek, J.L., **276**, 375

Girard, A., see Pessac, B., **275**, 53

Gispen, W.H., see Drago, F., **263**, 277

Gispen, W.H., see Tielen, A.M., **277**, 189

Giuffrida, R., Li Volsi, G., Pantó, M.R., Valle, V.P. and Urbano, A. Pyramidal influences on ventral thalamic nuclei in the cat, **279**, 254

Giulian, D., Iwanij, V., Dean, G. and Drummond, R.J. Localization of 2',3'-cyclic nucleotide-3'-phosphohydrolase within the vertebrate retina, **265**, 217

Glantz, R.M., Kirk, M.D. and Aréchiga, H. Light input to crustacean neurosecretory cells, **265**, 307

Glantz, R.M., see Kirk, M.D., **274**, 231

Glanzman, D.L., see Lasiter, P.S., **258**, 299

Glickstein, M., see Baker, J., **265**, 227

Gloor, P., see Kostopoulos, G., **267**, 101

Glowinski, J., see Chesselet, M.F., **258**, 229

Glowinski, J., see Kemel, M.L., **272**, 331

Go, V.L.W., see Bergstrom, L., **270**, 181

Go, V.L.W., see Wang, J.-Y., **280**, 105

Goadsby, P.J., Lambert, G.A. and Lance, J.W. Effects of locus coeruleus stimulation on carotid vascular resistance in the cat, **278**, 175

Goedert, M. and Emson, P.C.
The regional distribution of neurotensin-like immunoreactivity in central and peripheral tissues of the cat, **272**, 291

Goedert, M., Mantyh, P.W., Hunt, S.P. and Emson, P.C.
Mosaic distribution of neurotensin-like immunoreactivity in the cat striatum, **274**, 176

Goetz, C., see Hamon, M., **279**, 141

Goldberg, M., see Hobson, J.A., **275**, 127

Goldberg, M.R., see Tung, C.-S., **277**, 193

Goldman, M.D., see Bruce, E.N., **269**, 259

Goldstein, M., see Fong, J., **266**, 152

Goldstein, M., see Sauter, A., **260**, 330

Goldstein, R.S., see Rosen, S.C., **260**, 151

Gole, J.W.D., see Orchard, I., **258**, 152, **288**, 349

Gollvik, L., see Conradi, S., **265**, 31

Gómez, B., see Diéguez, G., **289**, 281

Gómez, F., see Olmstead, C.E., **274**, 336

Gonatas, N.K., see Messing, A., **269**, 172

Gonatas, N.K., see Trojanowski, J.Q., **272**, 201

Gonon, F., Buda, M., De Simoni, G. and Pujol, J.-F.
Catecholamine metabolism in the rat locus coeruleus as studied by in vivo differential pulse voltammetry. II. Pharmacological and behavioral study, **273**, 207

Gonon, F., see Buda, M., **273**, 197

Gonzalez, C.B., see Phillipson, O.T., **258**, 33

González-Barón, S., see Delgado-García, J.M., **277**, 231

Goodman, R.R., Houghten, R.A. and Pasternak, G.W.
Autoradiography of $[^3H]\beta$-endorphin binding in brain, **288**, 334

Gooley, S.G., see Keating, E.G., **269**, 145

Goos, H.J.Th., see Schreibman, M.P., **267**, 293

Gootman, P.M. and Cohen, M.I.
Inhibitory effects on fast sympathetic rhythms, **270**, 134

Gordon, A., see Yates, C.M., **258**, 45, **280**, 119

Gordon, N.C., see Levine, J., **289**, 391

Gordon-Weeks, P.R. and Harding, S.
Major differences in the concanavalin A binding glycoproteins of postsynaptic densities from rat forebrain and cerebellum, **277**, 380

Gordon-Weeks, P.R., see Gurd, J.W., **276**, 141

Goridis, C., see Hirn, M., **265**, 87

Gorio, A., see Somogyi, P., **259**, 137

Goto, N., see Ishikawa, K., **277**, 361

Gottesfeld, Z.
Central and peripheral contributions of deafferentation-induced norepinephrine increase in the habenula, **268**, 359

Gottesfeld, Z.
Origin and distribution of noradrenergic innervation in the habenula: a neurochemical study, **275**, 299

Gottlieb, Y., see Frostig, R.D., **272**, 211

Gould, H.J. III, see Weber, J.T., **276**, 333

Govind, C.K., see Young, R.E., **280**, 251

Govoni, S., see Missale, C., **262**, 160

Grafe, P., Reddy, M.M., Emmert, H. and Ten Bruggencate, G.
Effects of lithium on electrical activity and potassium ion distribution in the vertebrate central nervous system, **279**, 65

Grafstein, B., see Edwards, D.L., **269**, 1

Grafstein, B., see McQuarrie, I.G., **279**, 377

Grafstein, B., see Sparrow, J.R., **269**, 133

Grafstein, B., see Whitnall, M.H., **272**, 49

Graham, D.I., see Savaki, H.E., **271**, 109

Gramsch, C., see Przewłocki, R., **280**, 95

Granata, A.R. and Reis, D.J.
Release of $[^3H]$L-glutamine acid (L-Glu) and $[^3H]$D-aspartic (D-Asp) in the area of nucleus tractus solitarius in vivo produced by stimulation of the vagus nerve, **259**, 77

Grandison, L., see Camoratto, A.M., **265**, 339

Gratton, A. and Wise, R.A.
Brain stimulation reward in the lateral hypothalamic medial forebrain bundle: mapping of boundaries and homogeneity, **274**, 25

Gray, B.G., see Tomlinson, R.W.W., **279**, 291

Graziadei, P.P.C., see Morrison, E.E., **279**, 241

Green, D.J., see Gillette, R., **273**, 384

Green, E.J., Greenough, W.T. and Schlumpf, B.E.
Effects of complex or isolated environments on cortical dendrites of middle-aged rats, **264**, 233

Green, L.A., see Rukenstein, A., **263**, 177

Green, R.D., see Radulovacki, M., **271**, 392

Greenberg, J., see Torbati, D., **262**, 267

Greene, M.I., see Tardieu, M., **277**, 339

Greenfield, L.J., see Stringer, J.L., **280**, 127

Greenleaf, P., see Richardson, S.B., **266**, 75

Greenough, W.T., see Green, E.J., **264**, 233

Greer, C.A., see Piepmeier, J.M., **259**, 167

Greif, K.F. and Kelly, A.S.
Quantitation of synaptic vesicle antigen in rabbit superior colliculus during normal development and after neonatal visual cortical lesion, **275**, 143

Griffiths, A.C., see Phillipson, O.T., **265**, 199

Grijalva, C.V., see Shimizu, N., **265**, 49

Grillner, S., see McClellan, A.D., **269**, 237

Grimm, R.J., see Bava, A., **288**, 371

Grisar, T., Franck, G. and Delgado-Escueta, A.V.
Glial contribution to seizure: K^+ activation of (Na^+,K^+)-ATPase in bulk isolated glial cells and synaptosomes of epileptogenic cortex, **261**, 75

Grisham, J.E., see Kozlowski, M.R., **267**, 301

Grombi, P., see Forloni, G.L., **274**, 165

Grönblad, M., Liesi, P. and Rechardt, L.
Serotonin-like immunoreactivity in rat carotid body, **276**, 348

Groppetti, A., see Parenti, M., **280**, 317

Gross, P.M., see Kadekaro, M., **275**, 189

Gross, U., see Kempski, O., **279**, 217

Grossman, Y., see Seelig, T.L., **279**, 303

Groswald, D.E., Montgomery, P.R. and Kelly, P.T.

Synaptic junctions isolated from cerebellum and forebrain: comparisons of morphological and molecular properties, **278**, 63

Grünke, W., see Ghraf, R., **258**, 133

Grünke, W., see Kirchhoff, J., **275**, 173, **289**, 380

Gruol, D.L.
Cultured cerebellar neurons: endogenous and exogenous components of Purkinje cell activity and membrane response to putative transmitters, **263**, 223

Guarini, V., see Yadin, E., **266**, 39

Guenaire, C., see Delacour, J., **288**, 169

Guibert, B., see Charriere, B., **271**, 386

Guidet, C., see Fourment, A., **259**, 301

Guidobono, F., see Olgiati, V.R., **265**, 209

Guilbaud, G., see Kayser, V., **267**, 131, **267**, 187

Guilbaud, G., see Lamour, Y., **273**, 183

Guillemin, R., see Bloch, B., **263**, 251

Gundlach, A.L., Krstich, M. and Beart, P.M.
Guanine nucleotides reveal differential actions of ergot derivatives at D-2 receptors labelled by [^{3}H]spiperone in striatal homogenates, **278**, 155

Gurd, J.W., Bissoon, N. and Kelly, P.T.
Synaptic junctional glycoproteins are phosphorylated by cyclic-AMP-dependent protein kinase, **269**, 287

Gurd, J.W., Gordon-Weeks, P.R. and Evans, W.H.
Identification and localization of concanavalin A binding sites on isolated postsynaptic densities, **276**, 141

Gurevich, N., see Carlen, P.L., **271**, 115, **271**, 358

Gustafsson, B. and Wigström, H.
Hyperpolarization following long-lasting tetanic activation of hippocampal pyramidal cells, **275**, 159

Gustafsson, B., see Wigström, H., **275**, 153

Guy, J., see Jegou, S., **260**, 91

Guyenet, P.G., see Moore, S.D., **263**, 211, **276**, 188

Guyenet, P.G., see Stringer, J.L., **258**, 159, **280**, 127

Gysling, K. and Wang, R.Y.
Morphine-induced activation of A10 dopamine neurons in the rat, **277**, 119

H

Habermann, E., see Jurna, I., **280**, 186

Habibulla, M., see Pandey, A., **273**, 67

Hackett, J.T. and Faber, D.S.
Relay neurons mediate collateral inhibition of the goldfish Mauthner cell, **264**, 302

Hackett, J.T., see Stringer, J.L., **280**, 127

Hadjiconstantinou, M., see Cohen, J., **260**, 125

Hadjiyiassemis, M., see Bugnon, C., **275**, 198

Hadley, R.D., see Cohan, C.S., **270**, 93

Hafner, S., see Racine, R.J., **260**, 217

Hagberg, M., see Nässel, D.R., **280**, 361

Hahn, Z., Cespuglio, R., Faradji, H. and Jouvet, M.
Temperature-dependent variations of 5-hydroxyindoles in ventricular cerebrospinal fluid - an in vivo voltammetric study, **289**, 215

Haigler, H.J., see Hardy, S.G.P., **267**, 217

Haigler, H.J., see Hosford, D.A., **258**, 147

Haji, A., Watanabe, M. and Kudo, Y.
Electrical activities of the frog spinal cord are resistant to perfusion with hypoxic medium, **274**, 107

Halász, B., see Nagy, L., **268**, 354

Haley, J.E., see Ledeen, R.W., **269**, 267

Hall, E.D. and Tyler, C.V. Jr.
Glucocorticoid modification of spinal dopamine receptor activation by apomorphine, **267**, 380

Halpern-Sebold, L., see Schreibman, M.P., **267**, 293

Hamel, E., see Estrada, C., **266**, 261

Hamill, R.W., Cochard, P. and Black, I.B.
Long-term effects of spinal transection on the development and function of sympathetic ganglia, **266**, 21

Hamm, H.E., Takahashi, J.S. and Menaker, M.
Light-induced decrease of serotonin N-acetyltransferase activity and melatonin in the chicken pineal gland and retina, **266**, 287

Hammel, H.T., see Schmidek, W.R., **288**, 261

Hammer, M., see Rosenfeld, J.P., **268**, 189

Hammond, C., see Rouzaire-Dubois, B., **271**, 11

Hammond, D.L., see Bergstrom, L., **270**, 181

Hamon, M., Goetz, C., Euvrard, C., Pasqualini, C., Le Dafniet, M., Kerdelhue, B., Cesselin, F. and Peillon, F.
Biochemical and functional alterations of central GABA receptors during chronic estradiol treatment, **279**, 141

Hamon, M., see Taquet, H., **280**, 379

Hamprecht, B., see Reiser, G., **261**, 335

Hanamori, T. and Ishiko, N.
Surface and intramedullary potentials evoked by stimulation of the glossopharyngeal nerve in frogs, **260**, 51

Hanamori,T. and Ishiko, N.
Intraganglionic distributions of the primary afferent neurons in the frog glossopharyngeal nerve and its transganglionic projection to the rhombencephalon studied by HRP method, **260**, 191

Hanani, M., see Jessen, K.R., **262**, 49

Handwerker, H.O., see Fleischer, E., **267**, 81

Handwerker, H.O., see Petsche, U., **265**, 233

Hansen, K.E., see Hart, M.N., **260**, 178

Hansen, S. and Ross, S.B.
Role of descending monoaminergic neurons in the control of sexual behavior: effects of

intrathecal infusions of 6-hydroxydopamine and 5,7-dihydroxytryptamine, **268**, 285

Hanson, B.S., see Hodge, C.J. Jr., **288**, 325

Hansson, E.
  Accumulation of putative amino acid neurotransmitters, monoamines and D-Ala^2-Met-enkephalinamide in primary astroglial cultures from various brain areas, visualized by autoradiography, **289**, 189

Harada, Y., see Kuraishi, Y., **273**, 245

Harandi, M., Nieoullon, A. and Calas, A.
  High resolution radioautographic investigation of [^{3}H]GABA accumulating neurons in cat sensorimotor cortical areas, **260**, 306

Harding, C.F., see Luine, V.N., **279**, 339

Harding, S., see Gordon-Weeks, P.R., **277**, 380

Hardy, O., see Leresche, N., **267**, 225

Hardy, S.G.P., Haigler, H.J. and Leichnetz, G.R.
  Paralemniscal reticular formation: response of cells to a noxious stimulus, **267**, 217

Haring, J.H. and Davis, J.N.
  Acetylcholinesterase neurons in the lateral hypothalamus project to the spinal cord, **268**, 275

Harlan, R.E., Shivers, B.D., Kow, L.-M. and Pfaff, D.W.
  Estrogenic maintenance of lordotic responsiveness: requirement for hypothalamic action potentials, **268**, 67

Harley, C.W., Lacaille, J.-C. and Galway, M.
  Hypothalamic afferents to the dorsal dentate gyrus contain acetylcholinesterase, **270**, 335

Harley, C.W., see Neuman, R.S., **273**, 162

Harmar, A.J., see Yates, C.M., **258**, 45

Harms, H.H.
  The antidepressant agents desipramine, fluoxetine, fluvoxamine and norzimelidine inhibit uptake of [^{3}H]noradrenaline and [^{3}H]5-hydroxytryptamine in slices of human and rat cortical brain tissue, **275**, 99

Harris, K.M. and Teyler, T.J.
  Age differences in a circadian influence on hippocampal LTP, **261**, 69

Harris, K.M. and Teyler, T.J.
  Evidence for late development of inhibition in area CA1 of the rat hippocampus, **268**, 339

Harris, M., see Zerihun, L., **261**, 13

Harrison, P.J.
  The relationship between the distribution of motor unit mechanical properties and the forces due to recruitment and to rate coding for the generation of muscle force, **264**, 311

Harrison, P.J. and Taylor, A.
  Synaptic noise-triggered averaging as a technique for investigating the origin of EPSPs, **264**, 316

Hart, M.N., Hansen, K.E., Sadoshima, S. and Heistad, D.D.
  Freeze substitution as a means of preserving meningeal vessel morphology, **260**, 178

Hart, M.N., see Beck, D.W., **271**, 180

Harting, H.K., see Huerta, M.F., **261**, 119

Harting, J.K. and Huerta, M.F.
  The geniculostriate projection in the grey squirrel: preliminary autoradiographic data, **272**, 341

Hartman, B.K., see Cozzari, C., **276**, 109

Haselgroove, J., see Mayevsky, A., **276**, 95

Hashimoto, Y., see Sakai, H., **270**, 345

Haskins, J.T. and Moss, R.L.
  Differential effects of morphine, dopamine and prolactin administered iontophoretically on arcuate-ventromedial hypothalamic neurons, **268**, 185

Hatano, M., see Chida, K., **273**, 53

Hattori, T., see Sugimoto, T., **267**, 335

Hattori, Y., Moriwaki, A., Pavlygina, R.A. and Hori, Y.
  Regional difference in the histamine-elicited accumulation of cyclic AMP in rabbit cerebral cortex with a cortical dominant focus, **279**, 308

Haugedé-Carré, F.
  The mormyrid mesencephalon. II. The medio-dorsal nucleus of the torus semicircularis: afferent and efferent connections studied with the HRP method, **268**, 1

Haveri, J., see Mayevsky, A., **276**, 95

Hawkins, R., see Chen, F.-C.M., **259**, 335

Hawkins, R.D., see Bailey, C.H., **272**, 71

Hayashi, E., see Yamada, S., **268**, 315

Hayashi, H., Ohsumi, K., Fujiwara, M. and Mizuno, N.
  Do the substance P-ergic vagus afferents in cats reinnervate the deafferented superior cervical ganglion?, **270**, 178

Hayashi, T., see Nakamura, K., **271**, 21

Hayashi, Y., see Yajima, Y., **288**, 302

Hayashida, Y., see Eyzaguirre, C., **279**, 282

Hayes, K.C., see Darling, W.G., **267**, 345

Haywood, J.R., see Brennan, T.J., **267**, 261

Healy, D.P., see Chen, F.-C.M., **259**, 335

Hedrick, B.J., see Sze, P.Y., **265**, 81, **268**, 129

Heikkila, R., see Gershanik, O., **261**, 358

Heil, J., see Lang, R.E., **260**, 326

Heinemann, U., see Konnerth, A., **270**, 185

Heinricher, M., see Dowman, R., **269**, 111

Heinricher, M.M. and Rosenfeld, J.P.
  Microinjection of morphine into nucleus reticularis paragigantocellularis of the rat suppresses spontaneous activity of nucleus raphe magnus neurons, **272**, 382

Heistad, D.D., see Hart, M.N., **260**, 178

Heitz, Ph.U., see Ulrich, J., **268**, 267

Heller, A., see Hoffmann, P.C., **274**, 275

Heller, C., see Kilduff, T.S., **269**, 168

Heller, H.C., see Kilduff, T.S., **262**, 117

Heller, H.C., see Sharp, F.R., **263**, 97

Helmkamp, G.M. Jr., see Schermoly, M.J., **268**, 197

Hemmendinger, L.M., see Hoffmann, P.C., **274**, 275

Hempstead, J.L. and Morgan, J.I.
Monoclonal antibodies to the rat olfactory sustentacular cell, **288**, 289
Hendrickson, A., see Dineen, J.T., **278**, 250
Henke, H. and Lang, W.
Cholinergic enzymes in neocortex, hippocampus and basal forebrain of non-neurological and senile dementia of Alzheimer-type patients, **267**, 281
Henke, H., Tobler, P.H. and Fischer, J.A.
Localization of salmon calcitonin binding sites in rat brain by autoradiography, **272**, 373
Henke, H., see Lang, W., **267**, 271
Henkel, C.K.
Evidence of sub-collicular auditory projections to the medial geniculate nucleus in the cat: an autoradiographic and horseradish peroxidase study, **259**, 21
Henn, F.A., see Beck, D.W., **271**, 180
Henn, V., see Böhmer, A., **277**, 241
Henn, V., see Raphan, T., **276**, 165
Henriksen, S.J., see Benabid, A.L., **280**, 217
Henriksen, S.J., see Ehlers, C.L., **278**, 332
Henry, J.L., see Backman, S.B., **277**, 365, **277**, 370
Herbert, J. and Martensz, N.D.
The effects of intraventricular prolactin infusions on pituitary responsiveness to thyrotropin-releasing hormone, 5-hydroxytryptophan or morphine in rhesus monkeys, **258**, 251
Herman, D., see Macgillis, M., **276**, 329
Hermann, K., see Lang, R.E., **260**, 326
Hermans, J., see Kruk, M.R., **260**, 61
Hernandez, A., Perez, H., Ruiz, S. and Soto-Moyano, R.
Temporal summation in rat prefrontal pyramidel cells. Differential effects of pre- and postsynaptic neurochemical manipulations, **276**, 195
Herschkowitz, N., see Bologa, L., **275**, 369
Herschkowitz, N., see Ulrich, J., **268**, 267
Hertz, L., see Walz, W., **277**, 321
Herz, A., see Członkowski, A., **267**, 392
Herz, A., see Millan, M.J., **263**, 283
Herz, A., see Przewłocki, R., **280**, 95
Hess, A., see Rhoades, R.W., **261**, 353
Hess, D.T. and Rockland, K.S.
The distribution of cholinesterase and cytochrome oxidase within the dorsal lateral geniculate nucleus of the squirrel monkey, **289**, 322
Heydorn, W.E., Lucki, I. and Frazer, A.
Continuous light paradoxically reduces catecholamine-induced melatonin production, **267**, 175
Heym, J., see Steinfels, G.F., **258**, 217, **277**, 150, **279**, 77
Hicks, T.P. and Dykes, R.W.
Receptive field size for certain neurons in primary somatosensory cortex is determined by GABA-mediated intracortical inhibition, **274**, 160
Hidaka, H., see Suzuki, Y., **258**, 53
Hiemke, C., see Ghraf, R., **277**, 163
Higashi, H., see Mayer, M.L., **260**, 233
Higashida, H., Sugimoto, N., Ozutsumi, K., Miki, N. and Matsuda, M.
Tetanus toxin: a rapid and selective blockade of the calcium, but not sodium, component of action potentials in cultured neuroblastoma N1E-115 cells, **279**, 363
Higuchi, T., Sikand, G.S., Kato, N., Wada, J.A. and Friesen, H.G.
Profound suppression of kindled seizures by cysteamine: possible role of somatostatin to kindled seizures, **288**, 359
Hikosaka, O. and Wurtz, R.H.
Effects on eye movements of a GABA agonist and antagonist injected into monkey superior colliculus, **272**, 368
Hilakivi, I.
The role of β- and α-adrenoceptors in the regulation of the stages of the sleep-waking cycle in the cat, **277**, 109
Hildebrand, C. and Waxman, S.G.
Regional node-like membrane specializations in non-myelinated axons of rat retinal nerve fiber layer, **258**, 23
Hildebrand, C., see Holje, L., **266**, 133
Hildebrand, C., see Risling, M., **280**, 15
Hill, R.G., see Salt, T.E., **263**, 167, **273**, 217
Hinman, C.L. and Buchwald, J.S.
Depth evoked potential and single unit correlates of vertex midlatency auditory evoked responses, **264**, 57
Hirai, K., see Akasu, T., **258**, 313
Hirai, N.
Vestibular afferent inputs to lobules I and II of the cerebellar anterior lobe vermis in the cat, **277**, 145
Hiramatsu, M., see Willmore, L.J., **277**, 393
Hirata, H., Slater, N.T. and Kimelberg, H.K.
α-Adrenergic receptor-mediated depolarization of rat neocortical astrocytes in primary culture, **270**, 358
Hirayama, M., see Lisak, R.P., **289**, 285
Hirn, M., Ghandour, M.S., Deagostini-Bazin, H. and Goridis, C.
Molecular heterogeneity and structural evolution during cerebellar ontogeny detected by monoclonal antibody of the mouse cell surface antigen BSP-2, **265**, 87
Hirsch, H.V.B., see Tieman, S.B., **271**, 170
Hirsch, J.C., Fourment, A. and Marc, M.E.
Sleep-related variations of membrane potential in the lateral geniculate body relay neurons of the cat, **259**, 308
Hirsch, J.C., see Fourment, A., **259**, 301
Hirschhorn, I.D., Hittner, D., Gardner, E.L., Cubells, J. and Makman, M.H.
Evidence for a role of endogenous opioids in the nigrostriatal system: influence of naloxone and morphine on nigrostriatal dopaminergic supersensitivity, **270**, 109
Hirst, M., see Kavaliers, M., **279**, 387
Hisano, S., see Ohtsuka, M., **263**, 191
Hisano, S., see Tsuruo, Y., **289**, 1
Hittner, D., see Hirschhorn, I.D., **270**, 109

Hoaki, Y., see Tanaka, M., **275**, 105
Hobson, J.A., Goldberg, M., Vivaldi, E. and Riew, D.
Enhancement of desynchronized sleep signs after pontine microinjection of the muscarinic agonist bethanechol, **275**, 127
Hobson, J.A., see Lydic, R., **274**, 365
Hodge, C.J. Jr., Apkarian, A.V., Owen, M.P. and Hanson, B.S.
Changes in the effects of stimulation of locus coeruleus and nucleus raphe magnus following dorsal rhizotomy, **288**, 325
Hodge, C.J. Jr., see Stevens, R.T., **261**, 151
Hoffer, B., see Basile, A., **264**, 69
Hoffert, M.J., Miletic, V., Ruda, M.A. and Dubner, R.
Immunocytochemical identification of serotonin axonal contacts on characterized neurons in laminae I and II of the cat dorsal horn, **267**, 361
Hoffmann, B., see Kirchhoff, J., **289**, 380
Hoffmann, P.C., Hemmendinger, L.M., Kotake, C. and Heller, A.
Enhanced dopamine cell survival in reaggregates containing telencephalic target cells, **274**, 275
Hofmeier, G., see Aldenhoff, J.B., **276**, 289
Höhmann, C.F., Carroll, P.T. and Ebner, F.F.
Acetylcholine levels and choline acetyltransferase activity in turtle cortex, **258**, 120
Hojvat, S., Anderson, J., Nishimura, N., Baker, G., Kirsteins, L. and Lawrence, A.M.
Immunoreactive thyroid stimulating hormone (TSH): association with synaptosomally-rich fractions in the rat hypothalamus, **265**, 259
Hökfelt, T., Smith, C.B., Peters, A., Norell, G., Crane, A., Brownstein, M. and Sokoloff, L.
Improved resolution of the 2-deoxy-D-glucose technique, **289**, 311
Hökfelt, T., see Lindh, B., **269**, 365
Holcomb, H.H., see Kadekaro, M., **275**, 189
Hole, K., see Berge, O.-G., **271**, 51
Holje, L., Hildebrand, C. and Fried, K.
Proportion of unmyelinated axons in the rat inferior alveolar nerve and mandibular molar pulps after neonatal administration of capsaicin, **266**, 133
Hollander, C.S., see Richardson, S.B., **266**, 75
Holmes, O., see Lockton, J.W., **258**, 79
Holzbauer, M., Racké, K., Muscholl, E. and Sharman, D.
Dopamine release and synthesis in the neurointermediate lobe of the rat hypophysis in vitro after electrical stimulation of the pituitary stalk, **277**, 47
Homburger, H.A., see Yoshimine, T., **265**, 101
Honda, K., see Takano, Y., **279**, 330
Hong, J.-S., see Ali, S.F., **274**, 115
Hong, J.-S., see Yoshikawa, K., **273**, 362, **279**, 343
Hopf, H.C., see Nix, W.A., **272**, 21
Hopkins, D.A., see Takeuchi, Y., **280**, 143
Hopkins, W.G., see Keynes, R.J., **264**, 209
Hori, Y., see Hattori, Y., **279**, 308
Horie, H., Takenaka, T. and Kaiho, M.
Effects of disruption of microtubules on translocation of particles and morphology in tissue cultured neurites, **288**, 85
Hornykiewicz, O., see Kish, S.J., **269**, 370
Horowitz, S.G., see Schonfeld, A.R., **266**, 271
Hosford, D.A. and Haigler, H.J.
Dibutyryl cyclic GMP, morphine and Met-enkephalin: lack of common actions on neuronal firing, **258**, 147
Hösli, E., Krogsgaard-Larsen, P. and Hösli, L.
Binding sites for the glutamate-analogue [^{3}H]AMPA in cultured rat brainstem and spinal cord, **268**, 177
Hösli, E., Schoenenberger, G.A. and Hösli, L.
Autoradiographic localization of binding sites for the delta sleep-inducing peptide ([^{3}H]DSIP) on neurons of cultured rat brainstem, **279**, 374
Hösli, L., see Hösli, E., **268**, 177, **279**, 374
Hosoya, Y., Matsushita, M. and Sugiura, Y.
A direct hypothalamic projection to the superior salivatory nucleus neurons in the rat. A study using anterograde autoradiographic and retrograde HRP methods, **266**, 329
Hossmann, K.-A., see Csiba, L., **289**, 334
Houghten, R.A., see Goodman, R.R., **288**, 334
Houser, C.R., Crawford, G.D., Barber, R.P., Salvaterra, P.M. and Vaughn, J.E.
Organization and morphological characteristics of cholinergic neurons: an immunocytochemical study with a monoclonal antibody to choline acetyltransferase, **266**, 97
Houzet, E., see Martin-Moutot, N., **274**, 267
Howe, P.R.C., Kuhn, D.M., Minson, J.B., Stead, B.H. and Chalmers, J.P.
Evidence for a bulbospinal serotonergic pressor pathway in the rat brain, **270**, 29
Howe, P.R.C., Rogers, P.F., King, R.A. and Smith, R.M.
A biochemical and immunohistochemical study of central serotonin nerves in rats with chronic thiamine deficiency, **270**, 19
Hsiao, S., see Brinton, R.E., **266**, 344
Huang, C.L.-H. and Keynes, R.J.
Terminal sprouting of mouse motor nerves when the post-synaptic membrane degenerates, **274**, 225
Hubbard, J.I., see Brooks, M.J., **261**, 85
Huerta, M.F. and Harting, H.K.
Sublamination within the superficial gray layer of the squirrel monkey: an analysis of the tectopulvinar projection using anterograde and retrograde transport methods, **261**, 119
Huerta, M.F., see Harting, J.K., **272**, 341
Hughes, R., see Kucera, J., **262**, 309
Huisman, A.M., Kuypers, H.G.J.M., Condé, F. and Keizer, K.
Collaterals of rubrospinal neurons to the cerebellum in rat. A retrograde fluorescent double labeling study, **264**, 181

Huisman, A.M., Kuypers, H.G.J.M. and Ververs, B. Retrograde neuronal labeling of cells or origin of descending brainstem pathways in rat using SITS as a retrograde tracer, **289**, 305
Hull, C.D., see Schneider, J.S., **265**, 322
Hull, C.D., see Wilson, J.S., **270**, 197
Hulliger, M., see Baumann, T.K., **258**, 139
Hulliger, M., see Nordh, E., **271**, 89
Hulsebosch, C.E. and Coggeshall, R.E. A comparison of axonal numbers in dorsal roots following spinal cord hemisection in neonate and adult rats, **265**, 187
Hulsebosch, C.E. and Coggeshall, R.E. Age related sprouting of dorsal root axons after sensory Denervation, **288**, 77
Humphrey, M.F. and Beazley, L.D. An electrophysiological study of early retinotectal projection patterns during regeneration following optic nerve crush inside the cranium in *Hyla moorei*, **269**, 153
Hunt, S.P., see Goedert, M., **274**, 176
Hunt, S.P., see Ninkovic, M., **272**, 57
Hurlbut, E.C., see Reiter, R.J., **288**, 151
Hussain, N., see Sole, M.J., **265**, 55
Hustert, R., see Bräunig, P., **274**, 341
Hutchison, J.B., see Steimer, Th., **274**, 193
Hutson, P.H., Tricklebank, M.D. and Curzon, G. Analgesia induced by brief footshock: blockade by fenfluramine and 5-methoxy-N,N-dimethyltryptamine and prevention of blockade by 5-HT antagonists, **279**, 105
Hynes, M., see Inoue, M., **278**, 185
Hynes, M.A., see Merchenthaler, I., **275**, 373

I

Iadarola, M.J., see Majane, E.A., **264**, 336
Iadarola, M.J., see Meek, J.L., **276**, 375
Iadecola, C., Mraovitch, S., Meeley, M.P. and Reis, D.J. Lesons of the basal forebrain in rat selectively impair the cortical vasodilation elicited from cerebellar fastigial nucleus, **279**, 41
Iadecola, C., Nakai, M., Mraovitch, S., Ruggiero, D.A., Tucker, L.W. and Reis, D.J. Global increase in cerebral metabolism and blood flow produced by focal electrical stimulation of dorsal medullary reticular formation in rat, **272**, 101
Iadecola, C., see Nakai, M., **260**, 35
Ibata, Y., Fukui, K., Okamura, H., Kawakami, T., Tanaka, M., Obata, H.L., Tsuto, T., Terubayashi, H., Yanaihara, C. and Yanaihara, N. Coexistence of dopamine and neurotensin in hypothalamic arcuate and periventricular neurons, **269**, 177
Ibata, Y., Obata, H.L., Kubo, S., Fukui, K., Okamura, H., Ishigami, T., Imagawa, K. and Sin, S. Some cellular characteristics of somatostatin neurons and terminals in the periventricular nucleus of the rat hypothalamus and median eminence. Electron microscopic immunohistochemistry, **258**, 291
Ichikawa, M., see Nakane, M., **273**, 9
Ida, Y., see Tanaka, M., **275**, 105
Ide, C., Tohyama, K., Yokota, R., Nitatori, T. and Onodera, S. Schwann cell basal lamina and nerve regeneration, **288**, 61
Iggo, A., see Mokha, S.S., **259**, 313
Iglesias, J.R., see Diéguez, G., **289**, 281
Iimori, K., see Tanaka, M., **275**, 105
Ikarashi, K., see Sato, Y., **272**, 27, **272**, 37
Illnerová, H. and Vaněček, J. Extension of the rat pineal N-acetyltransferase rhythm in continuous darkness and on short photoperiod, **261**, 176
Imagawa, K., see Ibata, Y., **258**, 291
Imperato, A., see Porceddu, M.L., **262**, 187
Imura, H., see Shimatsu, A., **264**, 148
Inagaki, S., Kubota, Y., Shinoda, K., Kawai, Y. and Tohyama, M. Neurotensin-containing pathway from the endopiriform nucleus and the adjacent prepiriform cortex to the dorsomedial thalamic nucleus in the rat, **260**, 143
Inagaki, S., Yamano, M., Shiosaka, S., Takagi, H. and Tohyama, M. Distribution and origins of neurotensin-containing fibers in the nucleus ventromedialis hypothalami of the rat: an experimental immunohistochemical study, **273**, 229
Ingvar, M., Lindvall, O., Folbergrová, J. and Siesjö, B.K. Influence of lesions of the noradrenergic locus coeruleus system on the cerebral metabolic response to bicuculline-induced seizures, **264**, 225
Ingvar, M., Lindvall, O. and Stenevi, U. Apomorphine-induced changes in local cerebral blood flow in normal rats and after lesions of the dopaminergic nigrostriatal bundle, **262**, 259
Inokuchi, A., see Aou, S., **267**, 165
Inoue, M., Oomura, Y., Nishino, H., Aou, S., Sikdar, S.K., Hynes, M., Mizuno, Y. and Katabuchi, T. Cholinergic role in monkey dorsolateral prefrontal cortex during bar-press feeding behavior, **278**, 185
Inoue, M., see Aou, S., **260**, 121
Inouye, S.-I.T. Does the ventromedial hypothalamic nucleus contain a self-sustained circadian

oscillator associated with periodic feedings?, **279**, 53

Insausti, R., see Amaral, D.G., **275**, 263

Iovino, M., Poenaru, S. and Annunziato, L. Basal and thirst-evoked vasopressin secretion in rats with electrolytic lesion of the medio-ventral septal area, **258**, 123

Ishida, A., see Yoneda, T., **275**, 305

Ishida, M. and Shinozaki, H. Reduction of glutamate responses by caroverine at the crayfish neuromuscular junction, **266**, 174

Ishida, M., see Shinozaki, H., **268**, 295, **273**, 325

Ishigami, T., see Ibata, Y., **258**, 291

Ishikawa, K., Watabe, S. and Goto, N. Laminal distribution of γ-aminobutyric acid (GABA) in the occipital cortex of rats: evidence as a neurotransmitter, **277**, 361

Ishikawa, Y. and Shimada, Y. The acetylcholine receptors of human muscles are not stained with rhodamine-labeled erabutoxin-b, **266**, 159

Ishikawa, Y., see Matsumura, K., **289**, 330

Ishiko, N., see Hanamori, T., **260**, 51

Ishiko, N., see Hanamori,T., **260**, 191

Ishitsuka, T., see Nakatomi, Y., **270**, 146

Ishizuka, K.-I., see Murakami, T., **280**, 233

Isogai, M., see Yamada, S., **268**, 315

Itaya, S.K. and Van Hoesen, G.W. Retinal projections to the inferior and medial pulvinar nuclei in the old-world monkey, **269**, 223

Itaya, S.K. and Van Hoesen, G.W. Retinal axons to the medial terminal nucleus of the accessory optic system in old world monkeys, **269**, 361

Ito, F., Fujitsuka, N. and Kim, N. The spindle potential in the frog muscle spindle does not require external Na^+, **277**, 352

Ito, F., Fujitsuka, N. and Komatsu, Y. Effects of ruthenium ions on the sensory terminal discharges of the frog muscle spindle, **276**, 277

Ito, H. and Eyzaguirre, C. Effects of temperature on the response of chemoreceptor fibers to chemical agents, **279**, 286

Ito, J., Takahashi, H., Matsuoka, I., Takatani, T., Sasa, M. and Takaori, S. Vestibular efferent fibers to ampulla of anterior, lateral and posterior semicircular canals in cats, **259**, 293

Ito, J., see Sakazaki, Y., **262**, 125

Ito, K., see McCarley, R.W., **280**, 343

Ito, M., see Crosby, G., **275**, 194

Ito, M., see Nakamura, R.K., **268**, 372

Itoh, K., Mizuno, N. and Kudo, M. Direct retinal projections to the lateroposterior and pulvinar nuclear complex (LP-Pul) in the cat, as revealed by the anterograde HRP method, **276**, 325

Itoh, K., Takada, M., Yasui, Y., Kudo, M. and Mizuno, N. Direct projections from the anterior pretectal nucleus to the dorsal accessory olive in the cat: an anterograde and retrograde WGA-HRP study, **272**, 350

Itoh, K., Takada, M., Yasui, Y. and Mizuno, N. A pretectofacial projection in the cat: a possible link in the visually-triggered blink reflex pathways, **274**, 332

Itoh, K., see Kudo, M., **288**, 13

Itoh, T., see Yu, R.K., **275**, 47

Iuvone, P.M. and Besharse, J.C. Regulation of indoleamine N-acetyltransferase activity in the retina: effects of light and dark, protein synthesis inhibitors and cyclic nucleotide analogs, **273**, 111

Iwanaga, T., see Kondo, H., **289**, 326

Iwanaga, T., see Kuwano, R., **274**, 171

Iwanij, V., see Giulian, D., **265**, 217

Iwasaki, Y., see Yamamoto, T., **274**, 325

J

Jabbur, S.J., see Tawil, R.N., **269**, 149

Jacksn, E.A. and Kelly, P.H. Role of nigral dopamine in amphetamine-induced locomotor activity, **278**, 366

Jackson, P., see Thompson, R.J., **278**, 224

Jackson, P.C. and Diamond, J. Failure of intact cutaneous mechanosensory axons to sprout functional collaterals in skin of adult rabbits, **273**, 277

Jackson, S., see Kiser, R.S., **288**, 187

Jackson, V., see Reches, A., **275**, 183

Jacobowitz, D.M., see Diz, D.I., **270**, 265

Jacobs, B.L., see Steinfels, G.F., **258**, 217, **277**, 150, **279**, 77

Jacobs, B.L., see Strecker, R.E., **260**, 317

Jacquet, Y.F. Met^5-Enkephalin: potent contraversive rotation after microinjection in rat substantia nigra, **264**, 340

Jacquin, M.F. and Rhoades, R.W. Central projections of the normal and 'regenerate' infraorbital nerve in adult rats subjected to neonatal unilateral infraorbital lesions: a transganglionic horseradish peroxidase study, **269**, 137

Jaeger, C.B., Albert, V.R., Joh, T.H. and Reis, D.J. Aromatic L-amino acid decarboxylase in the rat brain: coexistence with vasopressin in small neurons of the suprachiasmatic nucleus, **276**, 362

Jami, L., Murthy, K.S.K., Petit, J. and Zytnicki, D. Action of dantrolene sodium on single motor units of cat muscle in vivo, **261**, 285

Janin, M., see Sallanon, M., **268**, 95

Jankowska, E., Lundberg, A.A. and Stuart, D. Propriospinal control of interneurons in spinal reflex pathways from tendon organs in the cat, **261**, 317

Janssen, H.F., see Lutherer, L.O., **269**, 251

Jaros, E. and Jenkison, M. Quantitative studies of the abnormal axon-Schwann cell relationships in peripheral motor and sensory nerves of the dystrophic mouse, **258**, 181

Jarvis, M.F. and Freeman, F.G. The effects of naloxone and interstimulation interval on post-ictal depression in kindled seizures, **288**, 235

Jassik-Gerschenfeld, D., see Leresche, N., **267**, 225

Javid, M.J., see Stone, W.E., **264**, 165

Javoy-Agid, F., see Dubois, B., **288**, 213

Javoy-Agid, F., see Epelbaum, J., **278**, 376

Javoy-Agid, F., see Mauborgne, A., **268**, 167

Javoy-Agid, F., see Scatton, B., **275**, 321

Javoy-Agid, F., see Taquet, H., **280**, 379

Jayaraman, A. Topographic organization and morphology of peripallidal and pallidal cells projecting to the striatum in cats, **275**, 279

Jegou, S., Tonon, M.C., Guy, J., Vaudry, H. and Pelletier, G. Biological and immunological characterization of α-melanocyte-stimulating hormone (α-MSH) in two neuronal systems of the rat brain, **260**, 91

Jen, L.S., So, K.-F. and Chang, A.-B. An anterograde HRP study of the retinotectal pathways in albino and pigmented guinea pigs, **263**, 331

Jen, L.S., So, K.-F., Yew, D.T. and Lee, M. An autoradiographic study of the retinofugal projections in the shark, *Hemiscyllium plagiosum*, **274**, 135

Jen, P.H.-S., see Sun, X., **271**, 162, **275**, 148

Jenkison, M., see Jaros, E., **258**, 181

Jensen, D.W. Survival of function in the deafferentated vestibular nerve, **273**, 175

Jensen, D.W. and Thompson, G.C. Vestibular nerve input to neck and shoulder regions of lateral cuneate nucleus, **280**, 335

Jessen, K.R., Saffrey, M.J., Bałuk, P., Hanani, M. and Burnstock, G. The enteric nervous system in tissue culture. III. Studies on neuronal survival and the retention of biochemical and morphological differentiation, **262**, 49

Jessen, K.R., Saffrey, M.J. and Burnstock, G. The enteric nervous system in tissue culture. I. Cell types and their interactions in explants of the myenteric and submucous plexuses from guinea pig, rabbit and rat, **262**, 17

Jessen, K.R., see Bałuk, P., **262**, 37

Jhamandas, K., see Yaksh, T.L., **268**, 119

Jhanwar-Uniyal, M., see Leibowitz, S.F., **266**, 348

Jiang, S.-Y., see Wang, S.-R., **275**, 355

Jiang, Z.G., see Ma, R.C., **270**, 350

Jiménez, I., Rudomin, P., Solodkin, M. and Vyklicky, L. Specific and potassium components in the depolarization of the Ia afferents in the spinal cord of the cat, **272**, 179

Jobert, A., see Lamour, Y., **289**, 157

Jobsis, F.F., see Bryan, R.M. Jr., **279**, 266

Jodkowski, J., see Lipski, J., **288**, 105

Joh, T.H., see Jaeger, C.B., **276**, 362

Joh, T.H., see Ross, C.A., **273**, 356

Joh, T.H., see Sumal, K.K., **277**, 31

Johansson, O. Localization of vasoactive intestinal polypeptide- and avian pancreatic polypeptide-like immunoreactivity in the Golgi apparatus of peripheral neurons, **262**, 71

Johns, P., see Wilson, S., **260**, 287

Johnson, A.K., see Lind, R.W., **275**, 361

Johnson, J., see Keller, J.T., **270**, 209

Johnson, M.S., see Chung, S.-H., **280**, 323

Johnson, R.L., see Koerner, J.F., **272**, 299

Johnson, S.M., see Morton, C.R., **275**, 13

Johnston, G.A.R., see Larsson, O.M., **260**, 279

Johnston, G.A.R., see Skerritt, J.H., **258**, 165, **258**, 271

Johnstone, E.C., see Roberts, G.W., **288**, 199

Jonec, V., see Wasterlain, C.G., **271**, 311

Jones, E.G., see Yen, C.-T., **280**, 148

Joó, F., Temesvári, P. and Dux, E. Regulation of the macromolecular transport in the brain microvessels: the role of cyclic GMP, **278**, 165

Joo, F., see Kuhnt, U., **279**, 19

Joó, F., see Toldi, J., **262**, 323

Jordan, D., Poncet, C., Veisseire, M. and Mornex, R. Role of GABA in the control of thyrotropin secretion in the rat, **268**, 105

Joseph, M.H. and Kennett, G.A. Stress-induced release of 5-HT in the hippocampus and its dependence on increased tryptophan availability: an in vivo electrochemical study, **270**, 251

Joseph, S.A., see Romagnano, M.A., **276**, 1

Joukhadar, S., see Fleischer, E., **267**, 81

Jouvet, M., see Crespi, F., **270**, 45, **272**, 263

Jouvet, M., see Faradji, H., **279**, 111

Jouvet, M., see Hahn, Z., **289**, 215

Jouvet, M., see Sallanon, M., **268**, 95

Jurna, I. and Habermann, E. Intrathecal apamin selectively facilitates activity in ascending axons of rat spinal cord evoked by stimulation of afferent C fibers in sural nerve, **280**, 186

K

Kaas, J.H., see Felleman, D.J., **268**, 15
Kaba, H., Saito, H., Otsuka, K., Seto, K. and Kawakami, M.
Effects of estrogen on the excitability of neurons projecting from the noradrenergic A1 region to the preoptic and anterior hypothalamic area, **274**, 156
Kadekaro, M., Gross, P.M., Sokoloff, L., Holcomb, H.H. and Saavedra, J.M.
Elevated glucose utilization in subfornical organ and pituitary neural lobe of the Brattleboro rat, **275**, 189
Kageyama, N., see Suzuki, Y., **258**, 53
Kaiho, M., see Horie, H., **288**, 85
Kaiserman-Abramof, I.R.
Intrauterine enucleation of normal mice mimics a structural compensatory response in the geniculate of eyeless mutant mice, **270**, 149
Kaji, H., Chihara, K., Minamitani, N., Kodama, H., Yanaihara,N. and Fujita, T.
Release of vasoactive intestinal polypeptide into the cerebrospinal fluid of the fourth ventricle of the rat: involvement of cholinergic mechanism, **269**, 303
Kakegawa, T., see Kato, M., **280**, 69
Kamada, T., see Sun, X., **271**, 162, **275**, 148
Kamei, I., Nagai, T., McGeer, E.G. and McGeer, P.L.
Evidence for an intracerebellar acetylcholinesterase-rich but probably non-cholinergic flocculo-nodular projection in the rat, **258**, 115
Kamel, F., see Krey, L.C., **274**, 188
Kamenka, J.-M., see Vignon, J., **280**, 194
Kameyama, T. and Nagasaka, M.
Effect of naloxone on a quickly learned conditioned suppression in rats following cessation of chronic haloperidol treatment, **275**, 389
Kamiya, H.-O., see Takano, Y., **279**, 330
Kamp, C.W., see Morgan, W.W., **278**, 362
Kanda, K. and Sato, H.
Reflex responses of human thigh muscles to non-noxious sural stimulation during stepping, **288**, 378
Kandasamy, S.B. and Williams, B.A.
Peptide and non-peptide opioid-induced hyperthermia in rabbits, **265**, 63
Kandasamy, S.B. and Williams, B.A.
Central effects of dibutyryl cyclic AMP and GMP on the temperature in conscious rabbits, **277**, 311
Kang, R., see Macgillis, M., **276**, 329
Kannan, H. and Yamashita, H.
Electrophysiological study of paraventricular nucleus neurons projecting to the dorsomedial medulla and their response to baroreceptor stimulation in rats, **279**, 31
Kannan, H., see Ferreyra, H., **264**, 31
Kapatos, G., Kaufman, S., Weller, J.L. and Klein, D.C.
The development of tetrahydrobiopterin and guanosine-5'-triphosphate cyclohydrolase: differential patterns in rat brain and pineal gland, **258**, 351
Kaplan, H., see Mayevsky, A., **276**, 95
Karbon, E.W., Duman, R. and Enna, S.J.
Biochemical identification of multiple GABA_B binding sites: association with noradrenergic terminals in rat forebrain, **274**, 393
Kardon, G.B., see Wolf, M.K., **271**, 121
Karler, R., see Turkanis, S.A., **288**, 283
Karlsson, J.-O., see Ohlson, C., **264**, 99
Karlsson, J.O., see Ohlson, C., **274**, 303
Karnushina, I., Suzuki, R., Padgett, W. and Daly, J.W.
Degeneration of CA1 neurons in hippocampus after ischemia in mongolian gerbils: cyclic AMP-systems, **268**, 87
Karobath, M., see Borea, P.A., **280**, 383
Karoum, F.
Presence, distribution and pharmacology of conjugated catecholamines in the rat spinal cord, **259**, 261
Karoum, F., see Freed, W.J., **269**, 184
Karten, H.J., see Reiner, A., **275**, 349
Karteszi, M., see Kerdelhue, B., **261**, 243
Kasai, N. and Yu, R.K.
The monoclonal antibody A2B5 is specific to ganglioside G_{Q1c}, **277**, 155
Kasting, N.W. and Martin, J.B.
Changes in immunoreactive vasopressin concentrations in brain regions of the rat in response to endotoxin, **258**, 127
Katabuchi, T., see Inoue, M., **278**, 185
Katakami, H., see Shimatsu, A., **264**, 148
Kater, S.B., see Cohan, C.S., **270**, 93
Kato, H., see Sakazaki, Y., **262**, 125
Kato, M., Suzuki, M. and Kakegawa, T.
Modification by hypothalamic lesions of the release of growth hormone (GH) following stimulation of the ventromedial hypothalamic nucleus in the rat, **280**, 69
Kato, N., see Higuchi, T., **288**, 359
Kato, T., see Okumura-Noji, K., **273**, 17
Kato, T., see Sakazaki, Y., **262**, 125, **262**, 125
Kato, Y., see Shimatsu, A., **264**, 148
Katsumaru, H., see Murakami, F., **267**, 357
Katz, I.R.
Glutamine inhibits the accumulation and hydroxylation of tryptophan in rat striatal synaptosomes, **264**, 160
Katz, I.R., Smith, D. and Makman, M.H.
Forskolin stimulates the conversion of tyrosine to dopamine in catecholaminergic neural tissue, **264**, 173
Katz, R., see Fournier, E., **288**, 375
Katzman, R., see Schonfeld, A.R., **266**, 271
Kauer, J.S., see Piepmeier, J.M., **259**, 167
Kaufman, E., see Crosby, G., **275**, 194

Kaufman, L.S.
  PGO waves in rats in the non-paradoxical sleep states, **276**, 73
Kaufman, M.P., see Rybicki, K.J., **270**, 159
Kaufman, M.P., see Wallach, J.H., **261**, 307
Kaufman, S., see Kapatos, G., **258**, 351
Kaur, C., see Reymond, M.J., **262**, 253
Kavaliers, M. and Hirst, M.
  Daily rhythms of analgesia in mice: effects of age and photoperiod, **279**, 387
Kawahira, J., see Nakano, K., **262**, 283
Kawai, N., Yamagishi, S., Saito, M. and Furuya, K.
  Blockade of synaptic transmission in the squid giant synapse by a spider toxin, **278**, 346
Kawai, Y., see Inagaki, S., **260**, 143
Kawakami, M., see Kaba, H., **274**, 156
Kawakami, T., see Ibata, Y., **269**, 177
Kawamura, H., see Chida, K., **273**, 53
Kawamura, S., see Kudo, M., **288**, 13
Kawano, H., see Tsuruo, Y., **289**, 1
Kawasaki, T., see Sato, Y., **272**, 27, **272**, 37
Kayser, V., Benoist, J.M. and Guilbaud, G.
  Further evidence for a strong depressive effect of low doses of morphine on VB thalamic neuronal responses (a study on arthritic rats), **267**, 187
Kayser, V. and Guilbaud, G.
  The analgesic effects of morphine, but not those of the enkephalinase inhibitor thiorphan, are enhanced in arthritic rats, **267**, 131
Keating, E.G., Gooley, S.G., Pratt, S.E. and Kelsey, J.E.
  Removing the superior colliculus silences eye movements normally evoked from stimulation of the parietal and occipital eye fields, **269**, 145
Kehl, S.J. and McLennan, H.
  Evidence for a bicuculline-insensitive long-lasting inhibition in the CA3 region of the rat hippocampal slice, **279**, 278
Kehne, J.H., see Marwaha, J., **276**, 379
Keifer, J. and Stein, P.S.G.
  In vitro motor program for the rostral scratch reflex generated by the turtle spinal cord, **266**, 148
Keizer, K., see Huisman, A.M., **264**, 181
Keller, E.L., Slakey, D.P. and Crandall, W.F.
  Microstimulation of the primate cerebellar vermis during saccadic eye movements, **288**, 131
Keller, E.L. and Smith, M.J.
  Suppressed visual adaptation of the vestibuloocular reflex in catecholamine-depleted cats, **258**, 323
Keller, J.T., Saunders, M.C., Ongkiko, C.M., Johnson, J., Frank, E., Van Loveren, H. and Tew, J.M. Jr.
  Identification of motoneurons innervating the tensor tympani and tensor veli palatini muscles in the cat, **270**, 209
Keller, R.W. Jr., Stricker, E.M. and Zigmond, M.J.
  Environmental stimuli but not homeostatic challenges produce apparent increases in dopaminergic activity in the striatum: an analysis by in vivo voltammetry, **279**, 159
Kellerth, J.-O., see Conradi, S., **265**, 31
Kellerth, J.-O., see Ulfhake, B., **264**, 1
Kellogg, C., see Chisholm, J., **267**, 388
Kelly, A.S., see Greif, K.F., **275**, 143
Kelly, J.P., see Fishman, P.S., **277**, 175
Kelly, M.L., see Bronzino, J.D., **271**, 33
Kelly, P.A. and McCulloch, J.
  The effects of the GABAergic agonist muscimol upon the relationship between local cerebral blood flow and glucose utilization, **258**, 338
Kelly, P.A.T. and McCulloch, J.
  A potential error in modifications of the [^{14}C]2-deoxyglucose technique, **260**, 172
Kelly, P.A.T. and McCulloch, J.
  A critical appraisal of semi-quantitative analysis of 2-deoxyglucose autoradiograms, **269**, 165
Kelly, P.H., see Jacksn, E.A., **278**, 366
Kelly, P.T., see Groswald, D.E., **278**, 63
Kelly, P.T., see Gurd, J.W., **269**, 287
Kelsey, J.E., see Keating, E.G., **269**, 145
Kemel, M.L., Gauchy, C., Romo, R., Glowinski, J. and Besson, M.J.
  In vivo release of [^{3}H]GABA in cat caudate nucleus and substantia nigra. I. Bilateral changes induced by a unilateral nigral application of muscimol, **272**, 331
Kemp, G.E., see Morley, B.J., **262**, 109
Kemp, J.A., see Mantyh, P.W., **288**, 344
Kemp, J.A., see Sillito, A.M., **277**, 63, **280**, 299, **289**, 143
Kempf, E., see Velley, L., **265**, 273, **268**, 79
Kempski, O., Chaussy, L., Gross, U., Zimmer, M. and Baethman, A.
  Volume regulation and metabolism of suspended C6 glioma cells: an in vitro model to study cytotoxic brain edema, **279**, 217
Kendig, J.J., see Seelig, T.L., **279**, 303
Kendrick, K.M.
  Effect of testosterone on medial preoptic/anterior hypothalamic neurone responses to stimulation of the lateral septum, **262**, 137
Kennedy, C., see Nakamura, R.K., **268**, 372
Kennett, G.A., see Joseph, M.H., **270**, 251
Kerdelhue, B., Karteszi, M., Pasqualini, C., Reinberg, A., Mezey, E. and Palkovits, M.
  Circadian variations in β-endorphin concentrations in pituitary and in some brain nuclei of the adult male rat, **261**, 243
Kerdelhué, B., see Foutz, A.S., **263**, 119
Kerdelhue, B., see Hamon, M., **279**, 141
Kerkut, G.A., see King, D.J., **262**, 172
Kesner, R.P., see Crutcher, K.A., **262**, 91
Kessler, J.A., Bell, W.O. and Black, I.B.
  Substance P levels differ in sympathetic target organ terminals and ganglion perikarya, **258**, 144

Keynes, R.J., Hopkins, W.G. and Brown, M.C.
Sprouting of mammalian motorneurones at nodes of Ranvier: the role of the denervated motor endplate, **264**, 209
Keynes, R.J., see Huang, C.L.-H., **274**, 225
Khachaturian, H., Lewis, M.E. and Watson, S.J.
Colocalization of proenkephalin peptides in rat brain neurons, **279**, 369
Kicliter, E. and Bruce, L.L.
Ground squirrel ventral lateral geniculate receives laminated retinal projections, **267**, 340
Kidd, M., see Allsop, D., **259**, 348
Kieffer, V.A., see Wolpaw, J.R., **267**, 196
Kilduff, T.S., George, C.P., Sharp, F.R. and Heller, C.
Metabolic activation of the brachium conjunctivum during induced hypothermia, **269**, 168
Kilduff, T.S., Sharp, F.R. and Heller, H.C.
Relative 2-deoxyglucose uptake of the paratrigeminal nucleus increases during hibernation, **262**, 117
Kilduff, T.S., see Sharp, F.R., **263**, 97
Kim, C.S., O'Tuama, L.A., Mann, J.D. and Roe, C.R.
Effect of increasing carbon chain length on organic acid transport by the choroid plexus: a potential factor in Reye's syndrome, **259**, 340
Kim, M.W., see Kim, S.U., **274**, 79
Kim, N., see Ito, F., **277**, 352
Kim, S.U., Stern, J., Kim, M.W. and Pleasure, D.E.
Culture of purified rat astrocytes in serum-free medium supplemented with mitogen, **274**, 79
Kim, S.U., see Lisak, R.P., **289**, 285
Kimelberg, H.K., see Hirata, H., **270**, 358
Kimes, A.S., Sweeney, D., London, E.D. and Rapoport, S.I.
Palmitate incorporation into different brain regions in the awake rat, **274**, 291
Kimura, H., see Okamoto, K., **259**, 319, **260**, 249, **260**, 261, **265**, 163
Kimura, K., see Uyama, O., **259**, 344
King, A.S., see Taha, A.A.M., **266**, 193
King, D.J., Wheal, H.V., Sharma, R.P. and Kerkut, G.A.
Kainic acid derivatives as excitants of lateral geniculate relay neurons, **262**, 172
King, G.L. and Parmentier, J.L.
Oxygen toxicity of hippocampal tissue in vitro, **260**, 139
King, R.A., see Howe, P.R.C., **270**, 19
King, S.E., see Myers, R.D., **266**, 178
Kinscheck, I.B., see Watkins, L.R., **276**, 305, **276**, 317
Kiraly, M., Ma, R.C. and Dun, N.J.
Serotonin mediates a slow excitatory potential in mammalian celiac ganglia, **275**, 378
Kirchhoff, J., Ghraf, R., Ball, P. and Knuppen, R.
Neonatal defeminization of the luteinizing hormone release mechanism by catecholestrogens: different potencies of 2- and 4-hydroxyestradiol, **268**, 382
Kirchhoff, J., Grünke, W. and Ghraf, R.
Estrogen induction of progestin receptors in pituitary, hypothalamic and uterine cytosol of androgenized female rats, **275**, 173
Kirchhoff, J., Grünke, W., Hoffmann, B., Nagel, W. and Ghraf, R.
Estrogen agonistic and antagonistic action of 8 non-steroidal antiestrogens on progestin receptor induction in rat pituitary gland and uterus, **289**, 380
Kirchhoff, J., see Ghraf, R., **258**, 133
Kirk, M.D., Waldrop, B. and Glantz, R.M.
A quantitative correlation of contour sensitivity with dendritic density in an identified visual neuron, **274**, 231
Kirk, M.D., see Glantz, R.M., **265**, 307
Kirkpatrick, J.B., see Frederickson, C.J., **273**, 335
Kirsteins, L., see Hojvat, S., **265**, 259
Kiser, R.S., Jackson, S., Smith, R., Rees, L.H., Lowry, P.J. and Besser, G.M.
Endorphin-related peptides in rat cerebrospinal fluid, **288**, 187
Kish, S.J., Perry, T.L. and Hornykiewicz, O.
Increased GABA receptor binding in dominantly-inherited cerebellar ataxias, **269**, 370
Kish, S.J., see Burnham, W.M., **279**, 359
Kishida, R., de Cock Buning, T. and Dubbeldam, J.
Primary vagal nerve projections to the lateral descending trigeminal nucleus in boidae (*Python molurus* and *Boa constrictor*), **263**, 132
Kishii, K., see Onozuka, M., **269**, 277
Kiss, J.Z., Palkovits, M., Záborszky, L., Tribollet, E., Szabó, D. and Makara, G.B.
Quantitative histological studies on the hypothalamic paraventricular nucleus in rats: I. Number of cells and synaptic boutons, **262**, 217
Kiss, J.Z., Palkovits, M., Záborszky, L., Tribollet, E., Szabó, D. and Makara, G.B.
Quantitative histological studies on the hypothalamic paraventricular nucleus in rats. II. Number of local and certain afferent nerve terminals, **265**, 11
Kiss, J.Z. and Williams, T.H.
ACTH-immunoreactive boutons form synaptic contacts in the hypothalamic arcuate nucleus of rat: evidence for local opiocortin connections, **263**, 14
Kita, H., Chang, H.T. and Kitai, S.T.
Pallidal inputs to subthalamus: intracellular analysis, **264**, 255
Kita, H., see Narita, K., **289**, 79
Kitai, S.T., see Kita, H., **264**, 255
Kitajima, S., see Sano, M., **264**, 157
Kitao, Y., Nakamura, Y. and Okoyama, S.
An electron microscope study of the

cortico-pretecto-olivary projection in the cat by a combined degeneration and horseradish peroxidase tracing technique, **280**, 139
Kitao, Y., see Nakamura, Y., **274**, 140
Kizer, J.S., see Long, J.B., **277**, 289
Klein, D.C., see Kapatos, G., **258**, 351
Klein, D.C., see Sugden, D., **265**, 348
Klein, E., see Newman, M., **278**, 380
Klein, W.L., see Siman, R.G., **262**, 99
Kleinschmidt, J., see Yazulla, S., **263**, 63
Klingler, L.E., see Millhorn, D.E., **264**, 349
Klitenick, M.A., see Frederickson, C.J., **273**, 335
Klooster, J., Van der Want, J.J.L. and Vrensen, G.
Retinopretectal projections in albino and pigmented rabbits: an autoradiographic study, **288**, 1
Knuppen, R., see Ghraf, R., **258**, 133, **277**, 163
Knuppen, R., see Kirchhoff, J., **268**, 382
Kochi, H., see Willmore, L.J., **277**, 393
Kocsis, J.D., see Smith, M.E., **270**, 37
Koda, L.Y. and Bloom, F.E.
Distribution of catecholamine-containing cell bodies and blood vessels in the rat nucleus tractus solitarius, **289**, 71
Kodama, H., see Kaji, H., **269**, 303
Koerner, J.F., Johnson, R.L., Freund, R.K., Robinson, M.B. and Crooks, S.L.
Structure - function relationships for γ-substituted glutamate analogues on dentate granule cells, **272**, 299
Koevary, S.B., Azmitia, E.C. and McEvoy, R.C.
Rat pancreatic serotonergic nerves: morphologic, pharmacologic and physiologic studies, **265**, 328
Koevary, S.B., McEvoy, R.C. and Azmitia, E.C.
Evidence for the presence of serotonergic perikarya in the fetal rat pancreas as demonstrated by the high affinity uptake of [^{3}H]5-HT, **280**, 368
Kogure, I., see Shimamura, M., **260**, 27
Kogure, K., see Abe, K., **273**, 166
Kohjimoto, Y., see Takano, Y., **279**, 330
Kohler, R., see Ulrich, J., **268**, 267
Kohno, M., see Nakano, K., **262**, 283
Kohno, Y., see Tanaka, M., **275**, 105
Koike, T.
Nerve growth factor-induced neurite outgrowth of rat pheochromocytoma PC 12 cells: dependence on extracellular Mg^{2+} and Ca^{2+}, **289**, 293
Koizumi, K., see Ferreyra, H., **264**, 31
Kojima, M., see Akasu, T., **279**, 347
Koketsu, K., see Akasu, T., **258**, 313, **279**, 347, **280**, 349
Komatsu, Y., see Ito, F., **276**, 277
Komisaruk, B.R., see Gintzler, A.R., **277**, 186
Kondo, H., Iwanaga, T. and Yanaihara, N.
On the occurrence of gastrin releasing peptide (GRP)-like immunoreactive nerve fibers in the celiac ganglion of rats, **289**, 326
König, N., see Sievers, H., **275**, 23
Konnerth, A. and Heinemann, U.
Effects of GABA on presumed presynaptic Ca^{2+} entry in hippocampal slices, **270**, 185
Konno, H., see Yamamoto, T., **274**, 325
Kononenko, N.I., Kostyuk, P.G. and Shcherbatko, A.D.
The effect of intracellular cAMP injections on stationary membrane conductance and voltage- and time-dependent ionic currents in identified snail neurons, **268**, 321
Koob, G.F., see Van der Kooy, D., **259**, 111
Kornetsky, C., see Wheeling, H.S., **272**, 13
Kornfeld, M., see Rosenberg, G.A., **270**, 231
Korpi, E.R. and Oja, S.S.
Characteristics of taurine release from cerebral cortex slices induced by sodium-deficient media, **289**, 197
Kosaka, T.
Gap junctions between non-pyramidal cell dendrites in the rat hippocampus (CA1 and CA3 regions), **271**, 157
Kosaka, T.
Axon initial segments of the granule cell in the rat dentate gyrus: synaptic contacts on bundles of axon initial segments, **274**, 129
Kosaka, T.
Neuronal gap junctions in the polymorph layer of the rat dentate gyrus, **277**, 347
Kosel, K.C., Van Hoesen, G.W. and Rosene, D.L.
A direct projection from the perirhinal cortex (area 35) to the subiculum in the rat, **269**, 347
Kostenko, M.A., Musienko, V.S. and Smolikhina, T.I.
Ca^{2+} and pH affect the neurite formation in cultured mollusc isolated neurones, **276**, 43
Kostić, V.S., see Djuričić, B.M., **275**, 186
Kostopoulos, G. and Avoli, M.
Enhanced response of cortical neurons to thalamic stimuli precedes the appearance of spike and wave discharges in feline generalized penicillin epilepsy, **278**, 207
Kostopoulos, G., Avoli, M. and Gloor, P.
Participation of cortical recurrent inhibition in the genesis of spike and wave discharges in feline generalized penicillin epilepsy, **267**, 101
Kostyuk, P.G., see Kononenko, N.I., **268**, 321
Kotake, C., see Hoffmann, P.C., **274**, 275
Kotorii, T., see Nonaka, K., **288**, 253
Kovács, G.L. and Telegdy, G.
Effects of oxytocin, des-glycinamide-oxytocin and anti-oxytocin serum on the α-MPT-induced disappearance of catecholamines in the rat brain, **268**, 307
Kovacs, G.L., see De Kloet, E.R., **264**, 323
Köves, K., see Nagy, L., **268**, 354
Kow, L.-M., see Harlan, R.E., **268**, 67
Kozlowski, M.R. and Marshall, J.F.
Recovery of function and basal ganglia [^{14}C]2-deoxyglucose uptake after nigrostriatal injury, **259**, 237

Kozlowski, M.R., Neve, K.A., Grisham, J.E. and Marshall, J.F.
    Chronic lithium administration alters behavioral recovery from nigrostriatal injury: effects on neostriatal [^{3}H]spiroperidol binding sites, **267**, 301
Kozlowski, M.R., see Marhsall, J.F., **274**, 283
Kramer, K., see Baudry, M., **270**, 142
Kräuchi, K., see Wirz-Justice, A., **262**, 233
Kraus, V.M.B., Dasheiff, R.M., Fanelli, R.J. and McNamara, J.O.
    Benzodiazepine receptor declines in hippocampal formation following limbic seizures, **277**, 305
Krause, D.N., see Estrada, C., **266**, 261
Kreider, B., see Sobue, G., **280**, 263
Kreutzberg, G., see Lee, K.S., **260**, 156
Krey, L.C. and Kamel, F.
    Aromatization: important for testosterone's developmental influences on the neurocircuits mediating cervically stimulated prolactin secretion in the female rat, **274**, 188
Krey, L.C., see Sapolsky, R.M., **289**, 235
Kriegstein, A.R., Suppes, T. and Prince, D.A.
    Cholinergic enhancement of penicillin-induced epileptiform discharges in pyramidal neurons of the guinea pig hippocampus, **266**, 137
Krogsgaard-Larsen, P., see Hösli, E., **268**, 177
Krstich, M., see Gundlach, A.L., **278**, 155
Kruk, B., Łyszczarz, J. and Łaszczyńska, J.
    Reduced hypothalamic thermosensitivity following intraventricular injection of pyrogen in conscious rabbits, **267**, 237
Kruk, M.R., Van der Foel, A.M., Meelis, W., Hermans, J., Mostert, P.G., Mos, J. and Lohman, A.H.M.
    Discriminant analysis of the localization of aggression-inducing electrode placements in the hypothalamus of male rats, **260**, 61
Krukoff, T.L., Ciriello, J. and Calaresu, F.R.
    Metabolic alterations in the hypothalamus of the Brattleboro rat demonstrated with cytochrome oxidase histochemistry, **280**, 160
Kuba, K., see Kumamoto, E., **265**, 344
Kuba, K., see Nohmi, M., **268**, 158
Kubin, L., see Lipski, J., **288**, 105
Kubin, L., see Merrill, E.G., **263**, 43
Kubo, S., see Ibata, Y., **258**, 291
Kubota, M., Sakaguchi, H. and Tsukahara, N.
    Release of endogenous GABA from the cat red nucleus slices, **270**, 190
Kubota, Y., see Inagaki, S., **260**, 143
Kucera, J. and Hughes, R.
    Ultrastructural study of motor endings on long chain intrafusal fibers in muscle spindles of the cat, **262**, 309
Kucharczyk, J., see Robertson, A., **274**, 197
Kuchmy, D., see Lisak, R.P., **289**, 285
Kuczenski, R., Leith, N.J. and Applegate, C.D.
    Striatal dopamine metabolism in response to apomorphine: the effects of repeated amphetamine pretreatment, **258**, 333
Kudo, M., Itoh, K., Kawamura, S. and Mizuno, N.
    Direct projections to the pretectum and the midbrain reticular formation from auditory relay nuclei in the lower brainstem of the cat, **288**, 13
Kudo, M., see Itoh, K., **272**, 350, **276**, 325
Kudo, Y., see Haji, A., **274**, 107
Kuenzel, W.J., see Beck, M.M., **260**, 11
Kuhn, D.M., see Howe, P.R.C., **270**, 29
Kuhnt, U., Mihaly, A. and Joo, F.
    Stimulation-dependent calcium binding sites in the guinea pig hippocampal slice: an electrophysiological and electron microscopic study, **279**, 19
Kumamoto, E. and Kuba, K.
    Independence of presynaptic bimodal actions of adrenaline in sympathetic ganglia, **265**, 344
Kumazawa, T. and Mizumura, K.
    Temperature dependency of the chemical responses of the polymodal receptor units in vitro, **278**, 305
Kumazawa, T. and Tadaki, E.
    Two different inhibitory effects on respiration by thin-fiber muscular afferents in cats, **272**, 364
Kummer, P., see Degrell, I., **277**, 283
Kunesch, E., see Mackel, R., **268**, 49
Kuo, J.S., see Liu, R.H., **271**, 184
Kupfermann, I., see Rosen, S.C., **260**, 151
Kuraishi, Y., Harada, Y., Aratani, S., Satoh, M. and Takagi, H.
    Separate involvement of the spinal noradrenergic and serotonergic systems in morphine analgesia: the differences in mechanical and thermal algesic tests, **273**, 245
Kurata, K., see Tanji, J., **273**, 352
Kurata, T., see Fukuda, J., **262**, 79, **268**, 367
Kurdyla, J.T., see Black, M.M., **289**, 355
Kurihara, K., see Yoshii, K., **274**, 239, **279**, 185, **280**, 63
Kuroda, R., see Shigenaga, Y., **277**, 201
Kusunoki, M., see Uyama, O., **259**, 344
Kusunoki, T. and Amemiya, F.
    Retinal projections in the hagfish, *Eptatretus burgeri*, **262**, 295
Kutas, M., see Neville, H.J., **266**, 127
Kuwano, R., Iwanaga, T., Nakajima, T., Masuda, T. and Takahashi, Y.
    Immunocytochemical demonstration of hydroxyindole O-methyltransferase (HIOMT), neuron-specific enolase (NSE) and S-100 protein in the bovine pineal gland, **274**, 171
Kuypers, H.G.J.M., see Huisman, A.M., **264**, 181, **289**, 305
Kyner, W.T., see Rosenberg, G.A., **270**, 231

L

La Noce, A., see Favilla, M., **280**, 277
Labovitz, S.S. and Robbins, N.
  A maturational increase in rat neuromuscular junctional acetylcholine receptors despite disuse or denervation, **266**, 155
Lacaille, J.-C., see Harley, C.W., **270**, 335
Lace, J.W. and Antelman, S.M.
  Cortical β-adrenergic subsensitivity after desmethylimipramine may depend on the passage of time rather than daily treatment, **278**, 359
Laczi, F., Gaffori, O., De Kloet, E.R. and De Wied, D.
  Differential responses in immunoreactive arginine-vasopressin content of microdissected brain regions during passive avoidance behavior, **260**, 342
Laczi, F., Gaffori, O., De Kloet, E.R. and De Wied, D.
  Arginine-vasopressin content of hippocampus and amygdala during passive avoidance behavior in rats, **280**, 309
Ladinsky, H., see Forloni, G.L., **274**, 165
Laduron, P.M., see Schotte, A., **276**, 231
Lagerbäck, P.-Å.
  An ultrastructural study of serially sectioned Renshaw cells. III. Quantitative distribution of synaptic boutons, **264**, 215
Lajtha, A., see Allen, D.L., **267**, 161
Lakoski, J., see Marwaha, J., **276**, 379
Lambert, G.A., see Goadsby, P.J., **278**, 175
Lamberts, S.W.J., see Login, I.S., **260**, 99
Lambertsen, C.J., see Torbati, D., **262**, 267, **279**, 382
LaMotte, C.C. and de Lanerolle, N.C.
  Ultrastructure of chemically defined neuron systems in the dorsal horn of the monkey. II. Methionine-enkephalin immunoreactivity, **274**, 51
LaMotte, C.C. and de Lanerolle, N.C.
  Ultrastructure of chemically defined neuron systems in the dorsal horn of the monkey. III. Serotonin immunoreactivity, **274**, 65
LaMotte, C.C., see de Lanerolle, N.C., **274**, 31
LaMotte, R.H., see Campbell, J.N., **266**, 203
LaMotte, R.H., see Robinson, C.J., **274**, 87
Lamour, Y., Dutar, P. and Jobert, A.
  A comparative study of two populations of acetylcholine-sensitive neurons in rat somatosensory cortex, **289**, 157
Lamour, Y., Guilbaud, G. and Willer, J.C.
  Altered properties and laminar distribution of neuronal responses to peripheral stimulation in the SmI cortex of the arthritic rat, **273**, 183
Lamour, Y., Rivot, J.P., Pointis, D. and Ory-Lavollee, L.
  Laminar distribution of serotonergic innervation in rat somatosensory cortex, as determined by in vivo electrochemical detection, **259**, 163
Lamour, Y., see Rivot, J.P., **275**, 164
Lamperti, E.D., see Billings-Gagliardi, S., **268**, 255
Lancaster, B., see Wheal, H.V., **272**, 247
Lance, J.W., see Goadsby, P.J., **278**, 175
Landis, D.M.D. and Weinstein, L.A.
  Membrane structure in cultured astrocytes, **276**, 31
Landis, D.M.D., see Marshall, P.E., **289**, 11
Lando, D., see De Kloet, E.R., **275**, 91
Landon, M., see Allsop, D., **259**, 348
Landon, R.M., see Robbins, R.J., **273**, 374
Lane, R.F., see Broderick, P.A., **269**, 378
Lane, R.F., see Cassone, V.M., **289**, 129
Lang, R.E., Heil, J., Ganten, D., Hermann, K., Rascher, W. and Unger, Th.
  Effects of lesions in the paraventricular nucleus of the hypothalamus on vasopressin and oxytocin contents in brainstem and spinal cord of rat, **260**, 326
Lang, W. and Henke, H.
  Cholinergic receptor binding and autoradiography in brains of non-neurological and senile dementia of Alzheimer-type patients, **267**, 271
Lang, W., see Henke, H., **267**, 281
Langford, L.A., see Coggeshall, R.E., **272**, 185
Lansing, M.B., see Lind, R.W., **275**, 361
Lanthorn, T.H., see Ganong, A.H., **273**, 170
Laporte, Y., see Emonet-Dénand, F., **258**, 101
Laptook, A.R., Stonestreet, B.S. and Oh, W.
  The effect of carotid artery ligation on brain blood flow in newborn piglets, **276**, 51
Larson, A.A.
  Hyperalgesia produced by the intrathecal administration of tryptamine to rats, **265**, 109
Larsson, L.-I., see Stengaard-Pedersen, K., **264**, 152, **273**, 81
Larsson, O.M., Johnston, G.A.R. and Schousboe, A.
  Differences in uptake kinetics of *cis*-3-aminocyclohexane carboxylic acid into neurons and astrocytes in primary cultures, **260**, 279
Lasek, R.J., see Phillips, L.L., **278**, 219
Lasiter, P.S. and Glanzman, D.L.
  Axon collaterals of pontine taste area neurons project to the posterior ventromedial thalamic nucleus and to the gustatory neocortex, **258**, 299
Łaszczyńska, J., see Kruk, B., **267**, 237
Laudon, M., see Zisapel, N., **272**, 378
Laughlin, M.H., see Armstrong, R.B., **258**, 173
Laurberg, S., see Gaarskjaer, F.B., **274**, 11
LaVelle, A., see LaVelle, F.W., **265**, 119
LaVelle, F.W. and LaVelle, A.
  A difference in the nucleoli of Purkinje cells of the nodular lobe of the hamster cerebellum, **265**, 119
Lavond, D.G., see McCormick, D.A., **271**, 73
Lawrence, A.M., see Hojvat, S., **265**, 259
Lazdunski, M., see Vignon, J., **280**, 194

Le Bars, D., see Cadden, S.W., **275**, 1
Le Dafniet, M., see Hamon, M., **279**, 141
Le Gal la Salle, G., see Cavalheiro, E.A., **262**, 201
Leah, J.D., see Curtis, D.R., **258**, 328
Leah, J.D., see Peet, M.J., **266**, 83
Ledeen, R.W. and Haley, J.E.
Axon-myelin transfer of glycerol-labeled lipids and inorganic phosphate during axonal transport, **269**, 267
LeDoux, J.E., Sakaguchi, A. and Reis, D.J.
α-MethylDOPA dissociates hypertension, cardiovascular reactivity and emotional behavior in spontaneously hypertensive rats, **259**, 69
Ledoux, J.E., Sakaguchi, A. and Reis, D.J.
Strain differences in fear between spontaneously hypertensive and normotensive rats, **277**, 137
Lee, K.S., Reddington, M., Schubert, P. and Kreutzberg, G.
Regulation of the strength of adenosine modulation in the hippocampus by a differential distribution of the density of A_1 receptors, **260**, 156
Lee, M., see Jen, L.S., **274**, 135
Lee, T.F., see Myers, R.D., **266**, 178
Lee, T.H., see Ellinwood, E.H. Jr., **273**, 379
Lee, Y., see Roberts, G.W., **288**, 199
Lees, G., Beadle, D.J. and Botham, R.P.
Cholinergic receptors on cultured neurones from the central nervous system of embryonic cockroaches, **288**, 49
Legallet, E., see Viallet, F., **279**, 193
Legrand, J.C., see Mauborgne, A., **268**, 167
Legrand, J.C., see Taquet, H., **280**, 379
Lehman, M.N. and Winans, S.S.
Evidence for a ventral non-strial pathway from the amygdala to the bed nucleus of the stria terminalis in the male golden hamster, **268**, 139
Leibowitz, S.F., Jhanwar-Uniyal, M. and Levin, B.E.
Effects of amphetamine on catecholamine levels and turnover in discrete hypothalamic areas, **266**, 348
Leichnetz, G.R., see Hardy, S.G.P., **267**, 217
Leiman, A.L., see Blank, N.K., **271**, 135
Leith, N.J.
Effects of apomorphine on self-stimulation responding: does the drug mimic the current?, **277**, 129
Leith, N.J., see Kuczenski, R., **258**, 333
Lembeck, F., see Petsche, U., **265**, 233
Lemon, R.N., see Muir, R.B., **261**, 312
Leonard, R.B., see Droge, M.H., **276**, 201
Leonard, R.B., see Ritchie, T.C., **267**, 352
Leong, S.K.
Localizing the corticospinal neurons in neonatal, developing and mature albino rat, **265**, 1
Léránth, C. and Frotscher, M.
Commissural afferents to the rat hippocampus terminate on vasoactive intestinal polypeptide-like immunoreactive non-pyramidal neurons. An EM immunocytochemical degeneration study, **276**, 357
Leranth, Cs., see Maxwell, D.J., **266**, 253
Leresche, N., Hardy, O. and Jassik-Gerschenfeld, D.
Receptive field properties of single cells in the pigeon's optic tectum during cooling of the 'visual wulst', **267**, 225
Levanti, M.C., see Del Fiacco, M., **264**, 142
LeVay, S. and Sherk, H.
Retrograde transport of $[^3H]$proline: a widespread phenomenon in the central nervous system, **271**, 131
Leviel, V., see Charriere, B., **271**, 386
Levin, B.E.
Alterations of norepinephrine metabolism in rat locus coeruleus neurons in response to axonal injury, **289**, 205
Levin, B.E., see Leibowitz, S.F., **266**, 348
Levine, J., Gordon, N.C., Poole, T. and Benowitz, N.
Relationship of duration of analgesia to opioid pharmacokinetic variables, **289**, 391
Levine, R.B. and Truman, J.W.
Peptide activation of a simple neural circuit, **279**, 335
Levinthal, C., see Sajovic, P., **271**, 227
Levisohn, D., see Saper, C.B., **288**, 21
Levitt, P., see Pintar, J.E., **276**, 127
Levy, W.B., see Desmond, N.L., **265**, 21
Lew, J.Y., see Fong, J., **266**, 152
Lewis, E.R., see Manthorpe, M., **267**, 47
Lewis, J.W., Cannon, J.T. and Liebeskind, J.C.
Involvement of central muscarinic cholinergic mechanisms in opioid stress analgesia, **270**, 289
Lewis, J.W., Terman, G.W., Watkins, L.R., Mayer, D.J. and Liebeskind, J.C.
Opioid and non-opioid mechanisms of footshock-induced analgesia: role of the spinal dorsolateral funiculus, **267**, 139
Lewis, J.W., see Cannon, J.T., **269**, 231
Lewis, J.W., see Terman, G.W., **260**, 147
Lewis, M.E., see Khachaturian, H., **279**, 369
Lewis, P.D., see Borges, S., **271**, 388
Lewis, P.R., see Low, W.C., **262**, 328
Li, H.-Z., see Lin, C.T., **270**, 273
Li Volsi, G., see Giuffrida, R., **279**, 254
Liang, K.C. and McGaugh, J.L.
Lesions of the stria terminalis attenuate the amnestic effect of amygdaloid stimulation on avoidance responses, **274**, 309
Liang, K.C., Messing, R.B. and McGaugh, J.L.
Naloxone attenuates amnesia caused by amygdaloid stimulation: the involvement of a central opioid system, **271**, 41
Libouban, S., see Szabo, T., **266**, 1
Liebeskind, J.C., see Cannon, J.T., **269**, 231
Liebeskind, J.C., see Lewis, J.W., **267**, 139, **270**, 289
Liebeskind, J.C., see Prieto, G.J., **261**, 53
Liebeskind, J.C., see Terman, G.W., **260**, 147

Lieblich, I. and Driscoll, P.
  Genetic relation between the performance in a two-way avoidance task and increased emotionality following septal lesions, **263**, 113
Liesi, P., see Grönblad, M., **276**, 348
Liles, S.L.
  Activity of neurons in the putamen associated with wrist movements in the monkey, **263**, 156
Lim, R., see Assouline, J.G., **277**, 389
Lin, C.-S., see Parnavelas, J.G., **261**, 21
Lin, C.T., Li, H.-Z. and Wu, J.-Y.
  Immunocytochemical localization of L-glutamate decarboxylase, gamma-aminobutyric acid transaminase, cysteine sulfinic acid decarboxylase, aspartate aminotransferase and somatostatin in rat retina, **270**, 273
Lin, J.-W., Faber, D.S. and Wood, M.R.
  Organized projection of the goldfish saccular nerve onto the Mauthner cell lateral dendrite, **274**, 319
Lind, R.W., Ohman, L.E., Lansing, M.B. and Johnson, A.K.
  Transection of subfornical organ neural connections diminishes the pressor response to intravenously infused angiotensin II, **275**, 361
Linden, R. and Perry, V.H.
  Massive retinotectal projection in rats, **272**, 145
Lindh, B., Dalsgaard, C.-J., Elfvin, L.-G., Hökfelt, T. and Cuello, A.C.
  Evidence of substance P immunoreactive neurons in dorsal root ganglia and vagal ganglia projecting to the guinea pig pylorus, **269**, 365
Lindvall, O., see Ingvar, M., **262**, 259, **264**, 225
Ling, G.S.F. and Pasternak, G.W.
  Spinal and supraspinal opioid analgesia in the mouse: the role of subpopulations of opioid binding sites, **271**, 152
Ling, L.W., see Anwyl, R., **270**, 355
Ling, N., see Bloch, B., **263**, 251
Lippa, A., see Chisholm, J., **267**, 388
Lipski, J., Kubin, L. and Jodkowski, J.
  Synaptic action of R_β neurons on phrenic motoneurons studied with spike-triggered averaging, **288**, 105
Lipski, J., see Merrill, E.G., **263**, 43
Lipton, S.A.
  cGMP and EGTA increase the light-sensitive current of retinal rods, **265**, 41
Lisak, J., see Dichter, M.A., **289**, 99
Lisak, R.P., Hirayama, M., Kuchmy, D., Rosenzweig, A., Kim, S.U., Pleasure, D.E. and Silberberg, D.H.
  Cultured human and rat oligodendrocytes and rat Schwann cells do not have immune response gene associated antigen (Ia) on their surface, **289**, 285
Lisney, S.J.W.
  Changes in the somatotopic organization of the cat lumbar spinal cord following peripheral nerve transection and regeneration, **259**, 31
Lisney, S.J.W.
  The cat lumbar spinal cord somatotopic map is unchanged after peripheral nerve crush and regeneration, **271**, 166
Lisney, S.J.W., see Cadden, S.W., **261**, 31
Littleton, J., see Lynch, M., **288**, 145
Liu, R.H., Kuo, J.S., Wang, C.C. and Yu, J.
  Interaction of inferior olivary nucleus with reflex bradycardia and tachycardia in the cat, **271**, 184
Liu, R.P.
  Laminar origins of spinal projection neurons to the periaqueductal gray of the rat, **264**, 118
Liu-Chen, L.-Y., Mayberg, M.R. and Moskowitz, M.A.
  Immunohistochemical evidence for a substance P-containing trigeminovascular pathway to pial arteries in cats, **268**, 162
Liuzzi, F.J., Beattie, M.S. and Bresnahan, J.C.
  Dorsal root afferents contact migrating motoneurons in the developing frog spinal cord, **262**, 299
Lixfeld, W., see Sole, M.J., **265**, 55
Llamas, A., see Cavada, C., **260**, 117
Llewelyn, M.B., Azami, J. and Roberts, M.H.T.
  Effects of 5-hydroxytryptamine applied into nucleus raphe magnus on nociceptive thresholds and neuronal firing rate, **258**, 59
Lluch, S., see Diéguez, G., **289**, 281
Lo, F.-S.
  Both fast and slow relay cells in lateral geniculate nucleus of rabbits receive recurrent inhibition, **271**, 335
Lo, F.-S.
  Lack of binocular inhibition in monocular segment of lateral geniculate nucleus of rabbits, **271**, 339
Lockton, J.W. and Holmes, O.
  Penicillin epilepsy in the rat: the responses of different layers of the cortex cerebri, **258**, 79
Loewy, A.D., see Breen, L.A., **261**, 303
Löffler, F., see Reiser, G., **261**, 335
Login, I.S., Cronin, M.J., Lamberts, S.W.J., Valdenegro, C.A. and MacLeod, R.M.
  Reserpine inhibits rat anterior pituitary hormone secretion in vitro: effects on prolactin and ACTH and ultrastructural observations, **260**, 99
Lohman, A.H.M., see Kruk, M.R., **260**, 61
Lombardi, G., see Toffano, G., **261**, 163
London, E.D., see Kimes, A.S., **274**, 291
Long, J.B., Youngblood, W.W. and Kizer, J.S.
  Effects of castration and adrenalectomy on in vitro rates of tryptophan hydroxylation and levels of serotonin in microdissected brain nuclei of adult male rats, **277**, 289
Long, R.T., see Eskay, R.L., **277**, 159
Longar, S., see Chan, P.H., **277**, 329
Longo, F.M., Manthorpe, M., Skaper, S.D., Lundborg, G. and Varon, S.
  Neuronotrophic activities accumulate in

vivo within silicone nerve regeneration chambers, **261**, 109
Longo, F.M., see Manthorpe, M., **267**, 47, **267**, 57
Lopes da Silva, F.H., see Tielen, A.M., **277**, 189
López-Barneo, J., see Delgado-García, J.M., **277**, 231
Lothman, E.W., see Collins, R.C., **280**, 25
Lothman, E.W., see Westbrook, G.L., **273**, 97
Loughlin, S.E. and Fallon, J.H.
Dopaminergic and non-dopaminergic projections to amygdala from substantia nigra and ventral tegmental area, **262**, 334
Loughlin, s.E., see Altar, A., **279**, 1
Loughton, B.G., see Orchard, I., **258**, 152
Lovick, T.A.
The role of 5-HT, GABA and opioid peptides in presynaptic inhibition of tooth pulp input from the medial brainstem, **289**, 135
Low, W.C., Lewis, P.R. and Bunch, T.
Embryonic neural transplants across a major histocompatibility barrier: survival and specificity of innervation, **262**, 328
Low, W.C., see Garsik, J.T., **271**, 188
Lowe, I.P., see Tritt, S.H., **259**, 159
Lowry, P.J., see Kiser, R.S., **288**, 187
Loy, R., see Peterson, G.M., **264**, 21
Lubetzki, C., see Chesselet, M.F., **258**, 229
Lubetzki-Korn, I., Ovadia, H., Vlodavsky, I., Fuks, Z. and Abramsky, O.
Enhanced growth and morphological differentiation of isolated adult rat oligodendrocytes in vitro: use of a naturally produced extracellular matrix, **267**, 151
Lucki, I., see Heydorn, W.E., **267**, 175
Lucot, J.B., see Wagner, G.C., **270**, 285
Luine, V.N., Frankfurt, M., Rainbow, T.C., Biegon, A. and Azmitia, E.
Intrahypothalamic 5,7-dihydroxytryptamine facilitates feminine sexual behavior and decreases [^{3}H]imipramine binding and 5-HT uptake, **264**, 344
Luine, V.N., Harding, C.F. and Bleisch, W.V.
Specificity of gonadal hormone modulation of cholinergic enzymes in the avian syrinx, **279**, 339
Lundberg, A.A., see Jankowska, E., **261**, 317
Lundberg, J.M., see Rehfeld, J.F., **275**, 341
Lundborg, G., see Longo, F.M., **261**, 109
Lundh, H., see Thesleff, S., **264**, 89
Lupa, K., see Wójcik, G., **266**, 233
Lutherer, B.C., see Lutherer, L.O., **269**, 251
Lutherer, L.O., Lutherer, B.C., Dormer, K.J., Janssen, H.F. and Barnes, C.D.
Bilateral lesions of the fastigial nucleus prevent the recovery of blood pressure following hypotension induced by hemorrhage or administration of endotoxin, **269**, 251
Lux, H.D., see Aldenhoff, J.B., **276**, 289
Luyten, W., see Manthorpe, M., **267**, 57
Lydic, R., McCarley, R.W. and Hobson, J.A.
The time-course of dorsal raphe discharge, PGO waves, and muscle tone averaged across multiple sleep cycles, **274**, 365
Lynch, G., see Baudry, M., **270**, 142
Lynch, G., see Fagni, L., **261**, 167
Lynch, G.S., see Rose, G., **266**, 29
Lynch, M., Littleton, J., McKernan, R.M., Durcan, M.J., McMillan, T. and Campbell, I.C.
α-Adrenoceptor number and function in rat cortex after ethanol and immobilization stress, **288**, 145
Łyszczarz, J., see Kruk, B., **267**, 237

M

Ma, R.C., Dun, N.J. and Jiang, Z.G.
Evidence of slow IPSP in mammalian prevertebral ganglia, **270**, 350
Ma, R.C., see Kiraly, M., **275**, 378
Macagno, E.R., see Boyle, M.B., **266**, 305
Macagno, E.R., see Deriemer, S.A., **272**, 157
Macala, L.J., see Yu, R.K., **275**, 47
McAllister, J.P., see Olmstead, C.E., **274**, 336
McArdle, J.J., see Argentieri, T.M., **277**, 377
McCall, R.B.
Serotonergic excitation of sympathetic preganglionic neurons: a microiontophoretic study, **289**, 121
McCann, S.M., see Petrovic, S.L., **261**, 249
McCarley, R.W. and Ito, K.
Intracellular evidence linking medial pontine reticular formation neurons to PGO wave generation, **280**, 343
McCarley, R.W., Winkelman, J.W. and Duffy, F.H.
Human cerebral potentials associated with REM sleep rapid eye movements: links to PGO waves and waking potentials, **274**, 359
McCarley, R.W., see Lydic, R., **274**, 365
McCarren, M., see Alger, B.E., **270**, 137
McClean, M.D. and Sapir, S.
Audio-motor reflexes in lower lip motor units having different recruitment thresholds, **264**, 293
McClellan, A.D. and Grillner, S.
Initiation and sensory gating of 'fictive' swimming and withdrawal responses in an in vitro preparation of the lamprey spinal cord, **269**, 237
McConnell, J. and Angevine, J.B. Jr.
Time of neuron origin in the amygdaloid complex of the mouse, **272**, 150
McCormick, C.A.
Central connections of the octavolateralis nerves in the pike cichlid, *Crenicichla lepidota*, **265**, 177
McCormick, D.A., Lavond, D.G. and Thompson, R.F.

Neuronal responses of the rabbit brainstem during performance of the classically conditioned nictitating membrane (NM)/eyelid response, **271**, 73
McCulloch, J., see Kelly, P.A., **258**, 338
McCulloch, J., see Kelly, P.A.T., **260**, 172, **269**, 165
McCulloch, J., see Savaki, H.E., **271**, 109
McDonald, J.K., see Petrovic, S.L., **261**, 249
McEvoy, R.C., see Koevary, S.B., **265**, 328, **280**, 368
McEwen, B.S., see McGinnis, M.Y., **275**, 75
McEwen, B.S., see Sapolsky, R.M., **271**, 331, **289**, 235
McGaugh, J.L., see Liang, K.C., **271**, 41, **274**, 309
McGeer, E.G., see Kamei, I., **258**, 115
McGeer, E.G., see McGeer, P.L., **260**, 107
McGeer, E.G., see Nagai, T., **265**, 300
McGeer, P.L., McGeer, E.G. and Nagai, T.
GABAergic and cholinergic indices in various regions of rat brain after intracerebral injections of folic acid, **260**, 107
McGeer, P.L., see Kamei, I., **258**, 115
McGeer, P.L., see Nagai, T., **265**, 300
Macgillis, M., Kang, R., Herman, D. and Zarzecki, P.
Interactions among convergent inputs to somatosensory cortex neurons, **276**, 329
McGinnis, M.Y., Davis, P.G., Meaney, M.J., Singer, M. and McEwen, B.S.
In vitro measurement of cytosol and cell nuclear androgen receptors in male rat brain and pituitary, **275**, 75
McGinty, J.F. and Bloom, F.E.
Double immunostaining reveals distinctions among opioid peptidergic neurons in the medial basal hypothalamus, **278**, 145
McGinty, J.F., see Benabid, A.L., **280**, 217
McGrath, B.P., see Willis, G.L., **266**, 279
McGregor, B., see Porrino, L.J., **277**, 269
McGregor, G., see Roberts, G.W., **288**, 199
McGregor, G.P., see Christofides, N.D., **264**, 359
Maciewicz, R. and Phipps, B.S.
The oculomotor internuclear pathway: double retrograde labeling study, **262**, 1
Maciewicz, R., Phipps, B.S., Foote, W.E., Aronin, N. and DiFiglia, M.
The distribution of substance P-containing neurons in the cat Edinger-Westphal nucleus: relationship to efferent projection systems, **270**, 217
Mackel, R., Brink, E.E. and Wittkowsky, G.
Transitional properties of afferents reinnervating mechanoreceptors in the human glabrous skin, **276**, 339
Mackel, R., Kunesch, E., Waldhör, F. and Struppler, A.
Reinnervation of mechanoreceptors in the human glabrous skin following peripheral nerve repair, **268**, 49
McKenna, K.E. and Schramm, L.P.
Sympathetic preganglionic neurons in the isolated spinal cord of the neonatal rat, **269**, 201
McKernan, R.M., see Lynch, M., **288**, 145
McKinley, M.J., Denton, D.A., Park, R.G. and Weisinger, R.S.
Cerebral involvement in dehydration-induced natriuresis, **263**, 340
McLean, S., Skirboll, L.R. and Pert, C.B.
Opiatergic projection from the bed nucleus to the habenula: demonstration by a novel radioimmunohistochemical method, **278**, 255
McLennan, H., see Kehl, S.J., **279**, 278
MacLeod, P., see Trotier, D., **268**, 225
MacLeod, R.M., see Login, I.S., **260**, 99
McMahon, D.G., see Block, G.D., **265**, 134
McMillan, J.A., see Mokha, S.S., **259**, 313
McMillan, T., see Lynch, M., **288**, 145
McMills, M.C., see Monaghan, D.T., **278**, 137
McNamara, J.O., see Kraus, V.M.B., **277**, 305
McQuarrie, I.G. and Grafstein, B.
Effect of acetoxycycloheximide and dibutyryladenosine cyclic 3':5'-monophosphate on axonal regeneration in the goldfish optic nerve, **279**, 377
McQueen, J.K., see Sutherland, R.C., **271**, 101
McRae-Degueurce, A. and Milon, H.
Serotonin and dopamine afferents to the rat locus coeruleus: a biochemical study after lesioning of the ventral mesencephalic tegmental-A10 region and the raphé dorsalis, **263**, 344
Maddison, S. and Baldwin, B.A.
Diencephalic neuronal activity during acquisition and ingestion of food in sheep, **278**, 195
Maderdrut, J.L., Oppenheim, R.W. and Reitzel, J.L.
Behavioral analysis of benzodiazepine-mediated inhibition in the early chick embryo, **289**, 385
Madison, R. and Davis, J.N.
Regulation of hippocampal sympathetic ingrowth: role of afferent input, **270**, 1
Maeda, K., see Tanimoto, K., **265**, 148
Magistretti, P.J., Morrison, J.H., Shoemaker, W.J. and Bloom, F.E.
Effect of 6-hydroxydopamine lesions on norepinephrine-induced [^{3}H]glycogen hydrolysis in mouse cortical slices, **261**, 159
Magistretti, P.J., see Morrison, J.H., **262**, 344
Maioli, M.G., Squatrito, S., Galletti, C., Battaglini, P.P. and Sanseverino, E.R.
Cortico-cortical connections from the visual region of the superior temporal sulcus to frontal eye field in the macaque, **265**, 294
Maioli, M.G., see Galletti, C., **260**, 128
Maitre, M., see Belin, M.F., **275**, 329
Majane, E.A., Iadarola, M.J. and Yang, H.-Y.T.
Distribution of Met^{5}-enkephalin-Arg^{6},Phe^{7} in rat spinal cord, **264**, 336
Makara, G.B., see Kiss, J.Z., **262**, 217, **265**, 11
Makman, M.H., see Barr, G.A., **277**, 299
Makman, M.H., see Hirschhorn, I.D., **270**, 109
Makman, M.H., see Katz, I.R., **264**, 173

Maksymowicz, W. and Szulczyk, P.
Properties of mechanoreceptor afferent fibres in left inferior cardiac nerve, **262**, 209
Maldonado, H., see Fuller, J.H., **271**, 241
Malik, R., see Peet, M.J., **263**, 162
Mallart, A., see Dreyer, F., **270**, 373
Maloney, A.F.J., see Yates, C.M., **258**, 45, **280**, 119
Maloteaux, J.M., see Schotte, A., **276**, 231
Mandelbrod, I., Feldman, S. and Werman, R.
The effects of iontophoretic application of putative neurotransmitters on the electrical activity of rat mediobasal hypothalamic neurons in relation to their steroid sensitivity, **272**, 115
Mandelbrod, I., Feldman, S. and Werman, R.
Mediobasal hypothalamic neurons are excited by the iontophoretic application of sodium, **273**, 35
Mann, J.D., see Kim, C.S., **259**, 340
Manns, D., see Westecker, M.E., **288**, 119
Manthorpe, M., Luyten, W., Longo, F.M. and Varon, S.
Endogenous and exogenous factors support neuronal survival and choline acetyltransferase activity in embryonic spinal cord cultures, **267**, 57
Manthorpe, M., Nieto-Sampedro, M., Skaper, S.D., Lewis, E.R., Barbin, G., Longo, F.M., Cotman, C.W. and Varon, S.
Neuronotrophic activity in brain wounds of the developing rat. Correlation with implant survival in the wound cavity, **267**, 47
Manthorpe, M., see Longo, F.M., **261**, 109
Manton, W.I., see Frederickson, C.J., **273**, 335
Mantyh, P.W. and Kemp, J.A.
The distribution of putative neurotransmitters in the lateral geniculate nucleus of the rat, **288**, 344
Mantyh, P.W., see Goedert, M., **274**, 176
Mantyh, P.W., see Peschanski, M., **263**, 181, **278**, 240
Mao, C.P., see Chang, S.C., **279**, 262
Marbach, P., see Maurer, R., **261**, 346
Marc, M.E., see Hirsch, J.C., **259**, 308
Marfurt, C.F. and Turner, D.F.
Sensory nerve endings in the rat oro-facial region labeled by the anterograde and transganglionic transport of horseradish peroxidase: a new method for tracing peripheral nerve fibers, **261**, 1
Margolis-Kazan, H., see Schreibman, M.P., **267**, 293
Marhsall, J.F., Van Oordt, K. and Kozlowski, M.R.
Acetylcholinesterase associated with dopaminergic innervation of the neostriatum: histochemical observations of a heterogeneous distribution, **274**, 283
Mariani, A., see Zrenner, E., **262**, 181
Marín, J., see Diéguez, G., **289**, 281
Markham, J.A., see Fifková, E., **266**, 163
Marotta, C.A., see Nixon, R.A., **275**, 384
Marsden, C.A., see Davies, J.E., **261**, 59
Marsden, C.D., see Day, B.L., **270**, 55
Marshall, J.F., Drew, M.C. and Neve, K.A.
Recovery of function after mesotelencephalic dopaminergic injury in senescence, **259**, 249
Marshall, J.F., see Altar, A., **279**, 1
Marshall, J.F., see Kozlowski, M.R., **259**, 237, **267**, 301
Marshall, P.E., Landis, D.M.D. and Zalneraitis, E.L.
Immunocytochemical studies of substance P and leucine-enkephalin in Huntington's disease, **289**, 11
Martensz, N.D., see Herbert, J., **258**, 251
Martin, D.L., see Waniewski, R.A., **268**, 390
Martin, G.F., see Panneton, W.M., **267**, 19
Martin, J.B., see Beal, M.F., **266**, 67, **278**, 103
Martin, J.B., see Kasting, N.W., **258**, 127
Martin, J.B., see Sagar, S.M., **278**, 109
Martin, M.J., see Sutherland, R.C., **271**, 101
Martin, X. and Dolivo, M.
Neuronal and transneuronal tracing in the trigeminal system of the rat using the herpes virus suis, **273**, 253
Martin-Moutot, N., Couraud, F., Houzet, E. and Berwald-Netter, Y.
High affinity binding of α-scorpion toxin: a neuronal property, **274**, 267
Martinez, P., see Finkelstein, J.A., **288**, 193
Maru, E., see Mori-Okamoto, J., **258**, 318
Maruniak, J.A., Silver, W.L. and Moulton, D.G.
Olfactory receptors respond to blood-borne odorants, **265**, 312
Marwaha, J., Kehne, J.H., Commissaris, R.L., Lakoski, J., Shaw, W. and Davis, M.
Spinal clonidine inhibits neural firing in locus coeruleus, **276**, 379
Masaoka, A., see Sakazaki, Y., **262**, 125
Mashal, R.D., Owen, F., Deakin, J.F.W. and Poulter, M.
The effects of cholecystokinin on dopaminergic mechanisms in rat striatum, **277**, 375
Mashal, R.D., see Owen, F., **278**, 373
Mason, G.A., Bissette, G. and Nemeroff, C.B.
Effects of excitotoxic amino acids on pituitary hormone secretion in the rat, **289**, 366
Mason, J.R. and Silver, W.L.
Trigeminally mediated odor aversions in starlings, **269**, 196
Mason, W.T.
Excitation by dopamine of putative oxytocinergic neurones in the rat supraoptic nucleus in vitro: evidence for two classes of continuously firing neurones, **267**, 113
Massarelli, R., see Barakat, I., **279**, 207
Masuda, T., see Kuwano, R., **274**, 171
Matano, S., see Shigenaga, Y., **277**, 201
Maton, B., Burnod, Y. and Calvet, J.
Evolution of myoelectrical and precentral cell activities during learning of a new amplitude of movement, **267**, 241
Matsuda, M., see Higashida, H., **279**, 363

Matsuda, T., see Murakami, F., **267**, 357
Matsumoto, K. and Fukuda, H.
  Anisatin modulation of temperature-dependent inhibition of [^{3}H]muscimol binding by chloride ion, **270**, 103
Matsumura, K., Nakayama, T. and Ishikawa, Y.
  Effects of preoptic thermal stimulation on electrical activities of neurosecretory cells in paraventricular and periventricular nuclei of the hypothalamus, **289**, 330
Matsuoka, I., see Ito, J., **259**, 293
Matsushima, R., see Takeuchi, Y., **280**, 143
Matsushima, S., see Takeuchi, Y., **280**, 143
Matsushita, M., see Hosoya, Y., **266**, 329
Matsushita, N., see Shimatsu, A., **264**, 148
Matthews, B., see Cadden, S.W., **261**, 31
Matthieu, J.-M., see Ginalski-Winkelmann, H., **277**, 386
Matthieu, J.-M., see Ulrich, J., **268**, 267
Mauborgne, A., Javoy-Agid, F., Legrand, J.C., Agid, Y. and Cesselin, F.
  Decrease of substance P-like immunoreactivity in the substantia nigra and pallidum of parkinsonian brains, **268**, 167
Maurer, R., Marbach, P. and Mousson, R.
  Salmon calcitonin binding sites in rat pituitary, **261**, 346
Mauritz, K.-H., see Wise, S.P., **260**, 301
Maxwell, D.J. and Bannatyne, B.A.
  Ultrastructure of muscle spindle afferent terminations in lamina VI of the cat spinal cord, **288**, 297
Maxwell, D.J., Leranth, Cs. and Verhofstad, A.A.J.
  Fine structure of serotonin-containing axons in the marginal zone of the rat spinal cord, **266**, 253
Mayberg, M.R., see Liu-Chen, L.-Y., **268**, 162
Mayer, D.J., see Lewis, J.W., **267**, 139
Mayer, D.J., see Watkins, L.R., **276**, 305, **276**, 317
Mayer, M.L., Higashi, H., Gallagher, J.P. and Shinnick-Gallagher, P.
  On the mechanism of action of GABA in pelvic vesical ganglia: biphasic responses evoked by two opposing actions on membrane conductance, **260**, 233
Mayevsky, A., Zarchin, N., Kaplan, H., Haveri, J., Haselgroove, J. and Chance, B.
  Brain metabolic responses to ischemia in the mongolian gerbil: in vivo and freeze trapped redox scanning, **276**, 95
Mazzetta, J., see Sher, P.K., **268**, 171
Meaney, M.J., see McGinnis, M.Y., **275**, 75
Mednick, A.S., see Springer, A.D., **273**, 152
Meek, J.L., Iadarola, M.J. and Giorgi, O.
  Cholecystokinin turnover in brain, **276**, 375
Meeley, M.P., see Iadecola, C., **279**, 41
Meelis, W., see Kruk, M.R., **260**, 61
Mehler, W.R., see Rubertone, J.A., **263**, 137
Meiri, H., Dormann, A. and Spira, M.E.
  Comparison of ultrastructural changes in proximal and distal segments of transected giant fibers of the cockroach *Periplaneta americana*, **263**, 1
Mekjavic, I.B., see Bawa, P., **264**, 320
Melamed, E., see Feldman, S., **260**, 297
Melgosa, R.T., see Sheridan, P.J., **273**, 285
Melis, M.R., see Porceddu, M.L., **262**, 187
Melmed, S., see Cheung, C.Y., **270**, 165
Meltzer, H.Y., see Simonovic, M., **272**, 269
Mena, E.E., see Whittemore, S.R., **277**, 99
Menaker, M., see Cassone, V.M., **272**, 311, **289**, 129
Menaker, M., see Hamm, H.E., **266**, 287
Mendell, J.R., see Sahenk, Z., **268**, 239
Mendelson, W., see Nakamura, R.K., **268**, 372
Menkes, D.B., Gallager, D.W., Reinhard, J.F. Jr. and Aghajanian, G.K.
  α_1-Adrenoceptor denervation supersensitivity in brain: physiological and receptor binding studies, **272**, 1
Mennini, T., see Forloni, G.L., **274**, 165
Mens, W.B.J., Witter, A. and Van Wimersma Greidanus, T.B.
  Penetration of neurohypophyseal hormones from plasma into cerebrospinal fluid (CSF): half-times of disappearance of these neuropeptides from CSF, **262**, 143
Mérand, Y., see Savard, P., **277**, 263
Merchenthaler, I., Hynes, M.A., Vigh, S., Shally, A.V. and Petrusz, P.
  Immunocytochemical localization of corticotropin releasing factor (CRF) in the rat spinal cord, **275**, 373
Mereu, G., Casu, M. and Gessa, G.L.
  (-)-Sulpiride activates the firing rate and tyrosine hydroxylase activity of dopaminergic neurons in unanesthetized rats, **264**, 105
Meric, P., see Reynier-Rebuffel, A.-M., **269**, 91
Merrill, E.G., Lipski, J., Kubin, L. and Fedorko, L.
  Origin of the expiratory inhibition of nucleus tractus solitarius inspiratory neurones, **263**, 43
Messing, A. and Gonatas, N.K.
  Extra-synaptic localization of α-bungarotoxin receptors in cultured chick ciliary ganglion neurons, **269**, 172
Messing, R.B., see Liang, K.C., **271**, 41
Meyer, E.M. and Cooper, J.R.
  Cobalt-ions dissociate between calcium uptake through voltage-dependent sodium and calcium channels in synaptosomes, **265**, 173
Mezey, E., see Kerdelhue, B., **261**, 243
Miceli, D. and Reperant, J.
  Hyperstriatal-tectal projections in the pigeon *(Columba livia)* as demonstrated by the retrograde double-label fluorescence technique, **276**, 147
Miceli, D., see Rio, J.P., **271**, 145
Miceli, D., see Weidner, C., **272**, 129
Michel, M., see Ghraf, R., **277**, 163
Michetti, F., Dell'Anna, E., Tiberio, G. and Cocchia, D.
  Immunochemical and immunocytochemical

study of S-100 protein in rat adipocytes, **262**, 352
Migani, P., see Contestabile, A., **262**, 339
Mihaly, A., see Kuhnt, U., **279**, 19
Miki, N., see Higashida, H., **279**, 363
Miles, R.
 Does low pH stimulate central chemoreceptors located near the ventral medullary surface?, **271**, 349
Miletic, V., see Hoffert, M.J., **267**, 361
Milgram, N.W., see Racine, R.J., **260**, 201, **260**, 217
Millan, M.H., see Millan, M.J., **263**, 283
Millan, M.J., Millan, M.H. and Herz, A.
 The role of the ventral noradrenergic bundle in relation to endorphins in the control of core temperature, open-field and ingestive behaviour in the rat, **263**, 283
Millar, J., see Todd, A.J., **288**, 159
Millar, R.P., Sheward, W.J., Wegener, I. and Fink, G.
 Somatostatin-28 is an hormonally active peptide secreted into hypophysial portal vessel blood, **260**, 334
Miller, A.D. and Wilson, V.J.
 'Vomiting center' reanalyzed: an electrical stimulation study, **270**, 154
Miller, E., see Schenk, J.O., **277**, 1
Miller, J.D., Farber, J., Gatz, P., Roffwarg, H. and German, D.C.
 Activity of mesencephalic dopamine and non-dopamine neurons across stages of sleep and waking in the rat, **273**, 133
Miller, J.J. and Baimbridge, K.G.
 Biochemical and immunohistochemical correlates of kindling-induced epilepsy: role of calcium binding protein, **278**, 322
Millhorn, D.E., Eldridge, F.L., Waldrop, T.G. and Klingler, L.E.
 Centrally and peripherally administered 5-HTP have opposite effects on respiration, **264**, 349
Milon, H., see McRae-Degueurce, A., **263**, 344
Minami, S., see Fujita, Y., **278**, 313
Minamitani, N., see Kaji, H., **269**, 303
Minneman, K.P.
 Peripheral catecholamine administration does not alter cerebral β-adrenergic receptor density, **264**, 328
Minson, J.B., see Howe, P.R.C., **270**, 29
Mirmiran, M. and Uylings, H.B.M.
 The environmental enrichment effect upon cortical growth is neutralized by concomitant pharmacological suppression of active sleep in female rats, **261**, 331
Mirmiran, M., see Van Gool, W.A., **279**, 394
Miselis, R.R., see Schulkin, J., **263**, 351
Mishkin, M., see Murray, E.A., **270**, 340
Mishkin, M., see Nakamura, R.K., **268**, 372
Mishra, R.K., see Tuff, L.P., **277**, 91
Missale, C., Govoni, S., Castelletti, L., Spano, P.F. and Trabucchi, M.
 Age related changes of enkephalin in rat spinal cord, **262**, 160
Mistretta, C.M., see Bradley, R.M., **276**, 81
Mithen, F.A., Wood, P.M., Agrawal, H.C. and Bunge, R.P.
 Immunohistochemical study of myelin sheaths formed by oligodendrocytes interacting with dissociated dorsal root ganglion neurons in culture, **262**, 63
Miura, M. and Takayama, K.
 Naloxone inhibition of the carotid sinus nerve reflex in the nucleus of the solitary tract of the cat, **288**, 389
Miura, M., see Okada, J., **268**, 377
Miyamoto, M.D.
 Hg^{2+} causes neurotoxicity at an intracellular site following entry through Na and Ca channels, **267**, 375
Miyata, M. and Sasaki, K.
 HRP studies on thalamocortical neurons related to the cerebellocerebral projection in the monkey, **274**, 213
Miyata, M., see Noda, T., **268**, 153
Mize, R.R.
 Variations in the retinal synapses of the cat superior colliculus revealed using quantitative electron microscope autoradiography, **269**, 211
Mizrachi, R., see Weidenfeld, J., **265**, 152
Mizumura, K., see Kumazawa, T., **278**, 305
Mizuno, N., see Hayashi, H., **270**, 178
Mizuno, N., see Itoh, K., **272**, 350, **274**, 332, **276**, 325
Mizuno, N., see Kudo, M., **288**, 13
Mizuno, S., see Ogawa, N., **263**, 348
Mizuno, Y., see Aou, S., **267**, 165
Mizuno, Y., see Inoue, M., **278**, 185
Mizutani, A., see Sano, M., **264**, 157
Mobbs, P.G., see Silver, S.C., **273**, 366
Mogenson, G.J., see Garland, J.C., **263**, 33
Mogenson, G.J., see Robertson, A., **274**, 197
Mokha, S.S., McMillan, J.A. and Iggo, A.
 Dorsal root potentials in the cat: effects of bicuculline, **259**, 313
Molgó, J., see Thesleff, S., **264**, 89
Moll, C., see Bologa, L., **275**, 369
Mollevanger, W.J., see Tielen, A.M., **277**, 189
Monaghan, D.T., McMills, M.C., Chamberlin, A.R. and Cotman, C.W.
 Synthesis of [^{3}H]2-amino-4-phosphonobutyric acid and characterization of its binding to rat brain membranes: a selective ligand for the chloride/calcium-dependent class of L-glutamate binding sites, **278**, 137
Monaghan, D.T., see Whittemore, S.R., **277**, 99
Montgomery, P.R., see Groswald, D.E., **278**, 63
Monti Graziadei, G.A.
 Experimental studies on the olfactory marker protein. III. The olfactory marker protein in the olfactory neuroepithelium lacking connections with the forebrain, **262**, 303
Monti-Bloch, L., Stensaas, L.J. and Eyzaguirre, C.
 Effects of ischemia on the function and structure of the cat carotid body, **270**, 63

Monti-Bloch, L., Stensaas, L.J. and Eyzaguirre, C.
  Carotid body grafts induce chemosensitivity in muscle nerve fibers of the cat, **270**, 77
Monti-Bloch, L., see Eyzaguirre, C., **279**, 282
Moore, D.R., Semple, M.N. and Addison, P.D.
  Some acoustic properties of neurones in the ferret inferior colliculus, **269**, 69
Moore, G.R.W., Robertson, D.M. and Boegman, R.J.
  Batrachotoxin induced axonal necrosis followed by regeneration, **279**, 246
Moore, J.W., see Berthier, N.E., **258**, 201
Moore, K.E., see Demarest, K.T., **272**, 175
Moore, S.D. and Guyenet, P.G.
  An electrophysiological study of the forebrain projection of nucleus commissuralis: preliminary identification of presumed A2 catecholaminergic neurons, **263**, 211
Moore, S.D. and Guyenet, P.G.
  Alpha-receptor mediated inhibition of A2 noradrenergic neurons, **276**, 188
Moore-Ede, M.C., see Schwartz, W.J., **274**, 184
Morgan, J.I., see Hempstead, J.L., **288**, 289
Morgan, W.W. and Kamp, C.W.
  Effect of strychnine and of bicuculline on dopamine synthesis in retinas of dark-maintained rats, **278**, 362
Morgane, P.J., see Bronzino, J.D., **271**, 33
Morgese, V.J., Elliott, E.J. and Muller, K.J.
  Microglial movement to sites of nerve lesion in the leech CNS, **272**, 166
Mori, A., see Ogawa, N., **263**, 348
Mori, A., see Willmore, L.J., **277**, 393
Mori, M., Pegues, J., Prasad, C. and Wilber, J.F.
  Fasting and feeding-associated changes in cyclo(His-Pro)-like immunoreactivity in the rat brain, **268**, 181
Mori-Okamoto, J., Ashida, H., Maru, E. and Tatsuno, J.
  Combined spikes induced by Ca and Na currents in cultured cerebellar neurons from the chick embryo, **258**, 318
Morihisa, J.M., see Freed, W.J., **269**, 184
Morimoto, K., see Yoshimine, T., **265**, 101
Morin, M.P., De Marchi, P., Champagnat, J., Vanderhaeghen, J.J., Rossier, J. and Denavit-Saubie, M.
  Inhibitory effect of cholecystokinin octapeptide on neurons in the nucleus tractus solitarius, **265**, 333
Morita, K., see Nohmi, M., **268**, 158
Moriwaki, A., see Hattori, Y., **279**, 308
Morley, B.J., Dwyer, D.S., Strang-Brown, P.F., Bradley, R.J. and Kemp, G.E.
  Evidence that certain peripheral anti-acetylcholine receptor antibodies do not interact with brain BuTX binding sites, **262**, 109
Morley, B.J., Rodriguez-Sierra, J.F. and Clough, R.W.
  Increase in hypothalamic nicotinic acetylcholine receptors in prepuberal female rats administered estrogen, **278**, 262
Mornex, R., see Jordan, D., **268**, 105
Moroni, F., see Toffano, G., **261**, 163
Moroz, V.M. and Bureš, J.
  Caudate stimulation prolongs latency of acoustically and visually signalled reaching in rats, **259**, 298
Morris, M.E., Di Costanzo, G.A., Barolet, A. and Sheridan, P.J.
  Role of K^+ in GABA (γ-aminobutyric acid)-evoked depolarization of peripheral nerve, **278**, 127
Morris, M.E., Di Costanzo, G.A., Fox, S. and Werman, R.
  Depolarizing action of GABA (γ-aminobutyric acid) on myelinated fibers of peripheral nerves, **278**, 117
Morris, R., see Salt, T.E., **273**, 217
Morrison, A.R., see Drucker-Colín, R., **278**, 308
Morrison, E.E. and Graziadei, P.P.C.
  Transplants of olfactory mucosa in the rat brain I. A light microscopic study of transplant organization, **279**, 241
Morrison, J.H., Benoit, R., Magistretti, P.J. and Bloom, F.E.
  Immunohistochemical distribution of pro-somatostatin-related peptides in cerebral cortex, **262**, 344
Morrison, J.H., see Magistretti, P.J., **261**, 159
Morton, C.R., Johnson, S.M. and Duggan, A.W.
  Lateral reticular regions and the descending control of dorsal horn neurones of the cat: selective inhibition by electrical stimulation, **275**, 13
Mos, J., see Kruk, M.R., **260**, 61
Moskowitz, M.A., see Liu-Chen, L.-Y., **268**, 162
Moskowitz, N., Schook, W., Beckenstein, K. and Puszkin, S.
  Preliminary characterization of synaptic vesicle/calmodulin interaction, **263**, 243
Moss, M.S. and Basbaum, A.I.
  The fine structure of the caudal periaqueductal gray of the cat: morphology and synaptic organization of normal and immunoreactive enkephalin-labeled profiles, **289**, 27
Moss, R.L., see Haskins, J.T., **268**, 185
Mostert, P.G., see Kruk, M.R., **260**, 61
Moulton, D.G., see Maruniak, J.A., **265**, 312
Mousson, R., see Maurer, R., **261**, 346
Mowchanuk, M.D., see Sernia, C., **259**, 275
Mower, G., see Baker, J., **265**, 227
Moyse, E., see Epelbaum, J., **278**, 376
Mraovitch, S., see Iadecola, C., **272**, 101, **279**, 41
Mršulja, B.B., see Djuričić, B.M., **275**, 186
Mueller, A.L., see Dunwiddie, T.V., **269**, 311
Mugnaini, E., see Friedrich, V.L. Jr., **274**, 329
Muir, R.B. and Lemon, R.N.
  Corticospinal neurons with a special role in precision grip, **261**, 312
Muller, K.J., see Deriemer, S.A., **272**, 157
Muller, K.J., see Morgese, V.J., **272**, 166
Mullett, M.A., see Beitz, A.J., **288**, 307

Murakami, F., Katsumaru, H., Wu, J.-Y., Matsuda, T. and Tsukahara, N.
Immunocytochemical demonstration of GABAergic synapses on identified rubrospinal neurons, **267**, 357
Murakami, F., see Tsukahara, N., **274**, 249
Murakami, N. and Takahashi, K.
Circadian rhythm of adenosine-3',5'-monophosphate content in suprachiasmatic nucleus (SCN) and ventromedial hypothalamus (VMH) in the rat, **276**, 297
Murakami, T., Ishizuka, K.-I., Yoshihara, M. and Uchiyama, M.
Reflex responses of single salivatory neurons to stimulation of trigeminal sensory branches in the cat, **280**, 233
Murphy, D.L., see Aulakh, C.S., **270**, 383
Murray, E.A. and Mishkin, M.
Severe tactual memory deficits in monkeys after combined removal of the amygdala and hippocampus, **270**, 340
Murthy, K.S.K., see Jami, L., **261**, 285
Muscholl, E., see Holzbauer, M., **277**, 47
Musienko, V.S., see Kostenko, M.A., **276**, 43
Mutsuga, N., see Suzuki, Y., **258**, 53
Myers, R.D., Lee, T.F. and King, S.E.
Calmodulin infused intracerebroventricularly enhances food intake in the cat, **266**, 178

N

Nadler, J.V., see Werling, L.L., **276**, 344
Nagai, T., Pearson, T., Peng, F., McGeer, E.G. and McGeer, P.L.
Immunohistochemical staining of the human forebrain with monoclonal antibody to human choline acetyltransferase, **265**, 300
Nagai, T., see Kamei, I., **258**, 115
Nagai, T., see McGeer, P.L., **260**, 107
Naganawa, N., see Sakazaki, Y., **262**, 125
Nagara, H., Suzuki, K. and Tateishi, J.
Radial component of central myelin in shiverer mouse, **263**, 336
Nagasaka, M., see Kameyama, T., **275**, 389
Nagasaki, N., see Tanaka, M., **275**, 105
Nagata, Y., see Ando, M., **267**, 313
Nagatsuka, K., see Uyama, O., **259**, 344
Nagel, J.R., see Simonds, W.F., **271**, 365
Nagel, W., see Kirchhoff, J., **289**, 380
Nagy, L., Köves, K., Réthelyi, M and Halász, B.
Is the knife-cut in the hypothalamus a permanent barrier to regrowth of nerve fibers? - an affirmative answer, **268**, 354
Nahmias, C., see Garnett, S., **280**, 169
Nahmod, V.E., see Pirola, C.J., **273**, 387
Nail, B.S., see Bystrzycka, E.K., **266**, 183
Nakagawa, R., see Tanaka, M., **275**, 105
Nakai, M., Iadecola, C., Ruggiero, D.A., Tucker, L.W. and Reis, D.J.
Electrical stimulation of cerebellar fastigial nucleus increases cerebral cortical blood flow without change in local metabolism: evidence for an intrinsic system in brain for primary vasodilation, **260**, 35
Nakai, M., see Iadecola, C., **272**, 101
Nakajima, T., see Kuwano, R., **274**, 171
Nakamoto, Y., see Suzuki, J., **266**, 359
Nakamura, J., see Gallagher, J.P., **267**, 249
Nakamura, K. and Hayashi, T.
Development of cerebral methionine-enkephalinergic neurons in rats: some difference in Wistar-Kyoto rats and spontaneously hypertensive rats, **271**, 21
Nakamura, R.K., Kennedy, C., Gillin, J.C., Suda, S., Ito, M., Storch, F.I., Mendelson, W., Sokoloff, L. and Mishkin, M.
Hypnogenic center theory of sleep: no support from metabolic mapping in monkeys, **268**, 372
Nakamura, Y., Kitao, Y. and Okoyama, S.
Cortico-Darkschewitsch-olivary projection in the cat: an electron microscope study with the aid of horseradish peroxidase tracing technique, **274**, 140
Nakamura, Y., see Kitao, Y., **280**, 139
Nakane, M., Ichikawa, M. and Deguchi, T.
Light and electron microscopic demonstration of guanylate cyclase in rat brain, **273**, 9
Nakane, P.K., see Schwartzberg, D.G., **276**, 351
Nakano, K., Kohno, M., Kawahira, J. and Tokushige, A.
Entopeduncular nucleus projections to the contralateral thalamic nuclei: an HRP study, **262**, 283
Nakatani, Z., see Shigenaga, Y., **277**, 201
Nakatomi, Y., Fujishima, M., Ogata, J., Tamaki, K., Ishitsuka, T. and Omae, T.
Sex difference of barbiturate-protection in experimental cerebral ischemia in spontaneously hypertensive rats (SHR), **270**, 146
Nakayama, T., see Matsumura, K., **289**, 330
Nakazawa, Y., see Nonaka, K., **288**, 253
Nanba, T., see Ando, M., **267**, 313
Nanopoulos, D., see Belin, M.F., **275**, 329
Narahashi, T., see Yamamoto, D., **274**, 344
Naranjo, J.R., see Del Río, J., **279**, 121
Narita, K., Kita, H. and Van der Kloot, W.
Elevated tonicity increases miniature end-plate potential frequency during tetanic stimulation at frog neuromuscular junction in low calcium and in manganese saline solutions, **289**, 79
Nässel, D.R., Hagberg, M. and Seyan, H.S.
A new, possibly serotonergic, neuron in the lamina of the blowfly optic lobe: an immunocytochemical and Golgi-EM study, **280**, 361

Nassif, S., see Trottier, S., **272**, 255
Nassif, S., see Velley, L., **265**, 273
Nau, M.E., see Borke, R.C., **269**, 47
Naughton, S.A., see DeArmond, S.J., **262**, 275
Neafsey, E.J., see Terreberry, R.R., **278**, 245
Neale, J.N., see Prezioso, P.J., **288**, 354
Neary, D., see Smith, C.C.T., **264**, 138
Neff, N.H., see Cohen, J., **260**, 125
Nehlig, A.
The effects of fasting on glucose and 3-hydroxybutyrate utilization by the adult chick brain, **262**, 177
Nelson, D.L., see Deshmukh, P.P., **288**, 338
Nelson, D.O. and Boulant, J.A.
Altered brainstem structure of spontaneously hypertensive (SHR) rats, **261**, 145
Nelson, P.G., see Sher, P.K., **268**, 171
Nelson, R., see Zrenner, E., **262**, 181
Nelson, R.J., see Felleman, D.J., **268**, 15
Nelson, T., see Crosby, G., **275**, 194
Nemeroff, C.B., see Mason, G.A., **289**, 366
Netti, C., see Olgiati, V.R., **265**, 209
Neuman, D., Yerushalmi, A. and Schwartz, M.
Inhibition of non-neuronal cell proliferation in the goldfish visual pathway affects the regenerative capacity of the retina, **272**, 237
Neuman, R.S. and Harley, C.W.
Long-lasting potentiation of the dentate gyrus population spike by norepinephrine, **273**, 162
Neve, K.A., see Altar, A., **279**, 1
Neve, K.A., see Kozlowski, M.R., **267**, 301
Neve, K.A., see Marshall, J.F., **259**, 249
Neville, H.J., Schmidt, A. and Kutas, M.
Altered visual-evoked potentials in congenitally deaf adults, **266**, 127
Newman, M., Klein, E., Birmaher, B., Feinsod, M. and Belmaker, R.H.
Lithium at therapeutic concentrations inhibits human brain noradrenaline-sensitive cyclic AMP accumulation, **278**, 380
Nichols, S., see Gallistel, C.R., **267**, 323
Nichtenhauser, R., see Zukin, S.R., **258**, 277
Nicoletti, F., Ferrara, N., Patti, F., Viglianese, M., Rampello, L., Bianchi, A., Reggio, A. and Scapagnini, U.
Influence of sex steroids and prolactin on haloperidol-induced catalepsy, **279**, 352
Niechaj, A., see Wójcik, G., **266**, 233
Niehof, D.L. and Whitehouse, P.J.
Multiple benzodiazepine receptors: autoradiographic localization in normal human amygdala, **276**, 237
Nienhuis, R., see Siegel, J.M., **268**, 344
Nieoullon, A., see Bosler, O., **259**, 288
Nieoullon, A., see Harandi, M., **260**, 306
Nieoullon, A., see Viallet, F., **279**, 193
Nieto-Sampedro, M., see Manthorpe, M., **267**, 47
Nilaver, G., see Fishman, P.S., **277**, 175
Ninkovic, M. and Hunt, S.P.
α-Bungarotoxin binding sites on sensory neurones and their axonal transport in sensory afferents, **272**, 57
Ninomiya, Y., see Funakoshi, M., **262**, 155
Nishibori, M., see Oishi, R., **261**, 180, **280**, 172
Nishikawa, T. and Scatton, B.
Evidence for a GABAergic inhibitory influence on serotonergic neurons originating from the dorsal raphe, **279**, 325
Nishimori, T., see Shigenaga, Y., **277**, 201
Nishimura, N., see Hojvat, S., **265**, 259
Nishimura, T., see Akasu, T., **280**, 349
Nishimura, Y., see Noda, T., **268**, 153
Nishino, H., see Aou, S., **260**, 121, **267**, 165, **275**, 178
Nishino, H., see Inoue, M., **278**, 185
Nishiyama, T., see Tsuruo, Y., **289**, 1
Nistri, A. and Berti, C.
Caffeine-induced potentiation of GABA effects on frog spinal cord: an electrophysiological study, **258**, 263
Nitatori, T., see Ide, C., **288**, 61
Nix, W.A. and Hopf, H.C.
Electrical stimulation of regenerating nerve and its effect on motor recovery, **272**, 21
Nixon, R.A., Brown, B.A. and Marotta, C.A.
Limited proteolytic modification of a neurofilament protein involves a proteinase activated by endogenous levels of calcium, **275**, 384
Niznik, H.B., see Burnham, W.M., **279**, 359
Nobrega, J.N. and Coscina, D.V.
Central injections of the GABA-transaminase inhibitor ethanolamine-O-sulfate (EOS): effects on brain [^{14}C]2-deoxy-D-glucose uptake and behavior in rats, **262**, 243
Nock, B. and Feder, H.H.
Characteristics of [^{3}H]prazosin binding to guinea pig brain α-adrenergic receptors: effects of estradiol and progesterone, **262**, 163
Noda, T., Yamamoto, T., Miyata, M. and Nishimura, Y.
The mode of cerebellar activation of neurons in the cat motor cortex: an intracellular HRP study, **268**, 153
Noda, T., see Aou, S., **260**, 121
Nof, A., see Urca, G., **260**, 271
Noguchi, M., see Peroutka, S.J., **259**, 327
Nohmi, M., Kuba, K. and Morita, K.
Does intracellular release of Ca^{2+} participate in the afterhyperpolarization of a sympathetic neurone?, **268**, 158
Nonaka, K., Nakazawa, Y. and Kotorii, T.
Effects of antibiotics, minocycline and ampicillin, on human sleep, **288**, 253
Nordby, T., see Brodal, P., **278**, 1
Nordh, E., Hulliger, M. and Vallbo, Å.B.
The variability of inter-spike intervals of human spindle afferents in relaxed muscles, **271**, 89
Norell, G., see Hökfelt, T., **289**, 311
North, R.A., see Tokimasa, T., **263**, 57
Northcutt, R.G., see Bass, A.H., **263**, 201
Norton, W.T., Farooq, M., Fields, K.L. and Raine, C.S.
The long term culture of bulk-isolated

bovine oligodendroglia from adult brain, **270**, 295

Noseworthy, J.H., see Tardieu, M., **277**, 339

Novak, J.M., see Crutcher, K.A., **262**, 91

Novin, D., see Shimizu, N., **265**, 49

Nowlin, N.L., see Finch, D.M., **271**, 201

Nukina, I., see Ogawa, N., **263**, 348

Nunzi, M.G., see Somogyi, P., **259**, 137

Nyakas, C., De Kloet, E.R., Veldhuis, H.D. and Bohus, B. Hippocampal corticosterone receptors and novelty-induced behavioral activity: effect of kainic acid lesion in the hippocampus, **288**, 219

Nyberg, F., Wahlström, A., Sjölund, B. and Terenius, L. Characterization of electrophoretically separable endorphins in human CSF, **259**, 267

Nyberg, F., see Yaksh, T.L., **268**, 119

O

Oaklander, A.-L., see Politis, M.J., **273**, 392

Oakson, G. and Steriade, M. Slow rhythmic oscillations of EEG slow-wave amplitudes and their relations to midbrain reticular discharge, **269**, 386

Obata, H.L., see Ibata, Y., **258**, 291, **269**, 177

Ochoa, J.L., see Schady, W.J.L., **277**, 249

Oda, Y., see Tsukahara, N., **274**, 249

Offenbach, N., see Crow, T., **271**, 301

Ogata, J., see Nakatomi, Y., **270**, 146

Ogawa, N., Mizuno, S., Nukina, I., Tsukamoto, S. and Mori, A. Chronic thyrotropin releasing hormone (TRH) administration on TRH receptors and muscarinic cholinergic receptors in CNS, **263**, 348

Ögren, S.-O., see Berge, O.-G., **271**, 51

Ogura, A. and Amano, T. Transmitter responsiveness in two newly isolated clones of neuroblastoma x glioma hybrid, **258**, 243

Oh, W., see Laptook, A.R., **276**, 51

Ohlson, C. and Karlsson, J.-O. Glycoproteins of axonal transport: polypeptides interacting with the lectin from *Aleuria aurantia*, **264**, 99

Ohlson, C. and Karlsson, J.O. Glycoproteins of axonal transport. Interaction with heparin, **274**, 303

Ohman, L.E., see Lind, R.W., **275**, 361

Ohsumi, K., see Hayashi, H., **270**, 178

Ohta, H., see Shimatsu, A., **264**, 148

Ohtsuka, M., Hisano, S. and Daikoku, S. Electron microscopy study of somatostatin-containing neurons in rat arcuate nucleus with special reference to neuronal regulation, **263**, 191

Oishi, K., see Yoneda, T., **275**, 305

Oishi, R., Nishibori, M. and Saeki, K. The simultaneous assay of histamine and tele-methylhistamine in the rat brain after microwave irradiation and immersion in liquid nitrogen: contamination by extraencephalic mast-cell histamine, **261**, 180

Oishi, R., Nishibori, M. and Saeki, K. Regional distribution of histamine and tele-methylhistamine in the rat, mouse and guinea-pig brain, **280**, 172

Oja, S.S., see Korpi, E.R., **289**, 197

Okada, J. and Miura, M. Transmitter sensitivities in oval neurons from rat brainstem cultures, **268**, 377

Okada, K., see Fong, J., **266**, 152

Okada, T., see Suzuki, Y., **258**, 53

Okamoto, K., Kimura, H. and Sakai, Y. Taurine-induced increase of the Cl- conductance of cerebellar Purkinje cell dendrites in vitro, **259**, 319

Okamoto, K., Kimura, H. and Sakai, Y. Effects of taurine and GABA on Ca spikes and Na spikes in cerebellar Purkinje cells in vitro: intrasomatic study, **260**, 249

Okamoto, K., Kimura, H. and Sakai, Y. Ionic mechanisms of the action of taurine on cerebellar Purkinje cell dendrites in vitro: intradendritic study, **260**, 261

Okamoto, K., Kimura, H. and Sakai, Y. Evidence for taurine as an inhibitory neurotransmitter in cerebellar stellate interneurons: selective antagonism by TAG (6-aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide), **265**, 163

Okamura, H., see Ibata, Y., **258**, 291, **269**, 177

Okazaki, M.M., see Burnham, W.M., **279**, 359

Oke, A., Solnick, J. and Adams, R.N. Catecholamine distribution patterns in rat thalamus, **269**, 180

Okoyama, S., see Kitao, Y., **280**, 139

Okoyama, S., see Nakamura, Y., **274**, 140

Oku, R., see Satoh, M., **261**, 361

Okudaira, H., see Yamada, S., **268**, 315

Okumura-Noji, K., Kato, T. and Tanaka, R. Inhibition of glia maturation factor-induced mitogenesis in glioblasts by calmodulin antagonists, **273**, 17

Okuya, M., see Ando, M., **267**, 313

Olavarria, J. and Van Sluyters, R.C. Widespread callosal connections in infragranular visual cortex of the rat, **279**, 233

Oley, N., see Bronzino, J.D., **271**, 33

Olgiati, V.R., Guidobono, F., Netti, C. and Pecile, A. Localization of calcitonin binding sites in rat central nervous system: evidence of its neuroactivity, **265**, 209

Olgiati, V.R., see Parenti, M., **280**, 317

Oliverio, A., Castellano, C. and Puglisi-Allegra, S.

Anticonvulsant effects of stress: role of endogenous opioids, **271**, 193

Ollerich, D.A., see Dvergsten, C.L., **271**, 217

Olmstead, C.E., Villablanca, J.R., Sonnier, B.J., McAllister, J.P. and Gómez, F.
Reorganization of cerebellorubral terminal fields following hemispherectomy in adult cats, **274**, 336

Olney, J.W., see Tal, J., **273**, 179

Olson, L., see Freed, W.J., **269**, 184

Oltmans, G.A.
Norepinephrine and dopamine levels in hypothalamic nuclei of the genetically obese mouse (*ob/ob*), **273**, 369

Omae, T., see Nakatomi, Y., **270**, 146

Ongkiko, C.M., see Keller, J.T., **270**, 209

Ono, T., see Aou, S., **260**, 121

Onodera, S., see Ide, C., **288**, 61

Onozuka, M., Kishii, K., Furuichi, H. and Sugaya, E.
Behavior of intracellular cyclic nucleotide and calcium in pentylenetetrazole-induced bursting activity in snail neurons, **269**, 277

Onteniente, B., see Bosler, O., **259**, 288

Onuora, C.O., see Tung, C.-S., **277**, 193

Oomura, Y., Yoshimatsu, H. and Aou, S.
Medial preoptic and hypothalamic neuronal activity during sexual behavior of the male monkey, **266**, 340

Oomura, Y., see Aou, S., **260**, 121, **267**, 165, **275**, 178

Oomura, Y., see Inoue, M., **278**, 185

Oomura, Y., see Shimizu, N., **265**, 49

Oppenheim, R.W., see Maderdrut, J.L., **289**, 385

Orbach, H., see Boyle, M.B., **266**, 305

Orchard, I., Gole, J.W.D. and Downer, R.G.H.
Pharmacology of aminergic receptors mediating an elevation in cyclic AMP and release of hormone from locust neurosecretory cells, **288**, 349

Orchard, I., Loughton, B.G., Gole, J.W.D. and Downer, R.G.H.
Synaptic transmission elevates adenosine 3',5'-monophosphate (cyclic AMP) in locust neurosecretory cells, **258**, 152

Orona, E. and Gabriel, M.
Multiple-unit activity of the prefrontal cortex and mediodorsal thalamic nucleus during acquisition of discriminative avoidance behavior in rabbits, **263**, 295

Orona, E. and Gabriel, M.
Multiple-unit activity of the prefrontal cortex and mediodorsal thalamic nucleus during reversal learning of discriminative avoidance behavior in rabbits, **263**, 313

Ory-Lavollee, L., see Lamour, Y., **259**, 163

Ory-Lavollee, L., see Rivot, J.P., **275**, 164, **275**, 311

Osborn, C.E. and Poppele, R.E.
Cross-correlation analysis of the response of units in the dorsal spinocerebellar tract (DSCT) to muscle stretch and contraction, **280**, 339

O'Shaughnessey, D., see Roberts, G.W., **288**, 199

Ossipov, M.H. and Gebhart, G.F.
Absence of antinociceptive effect of alpha-2 agonists microinjected in the periaqueductal gray of the rat, **289**, 349

Ostrowski, N.L., see Simonds, W.F., **271**, 365

Otsuka, K., see Kaba, H., **274**, 156

O'Tuama, L.A., see Kim, C.S., **259**, 340

Ovadia, H., see Lubetzki-Korn, I., **267**, 151

Owen, F., Poulter, M., Waddington, J.L., Mashal, R.D. and Crow, T.J.
$[^3H]$Ro5-4864 and $[^3H]$flunitrazepam binding in kainate-lesioned rat striatum and in temporal cortex of brains from patients with senile dementia of the Alzheimer type, **278**, 373

Owen, F., see Mashal, R.D., **277**, 375

Owen, M.P., see Hodge, C.J. Jr., **288**, 325

Owens, D.G.C., see Roberts, G.W., **288**, 199

Ozutsumi, K., see Higashida, H., **279**, 363

P

Pacitti, C., see Scarnati, E., **265**, 249

Packey, D.J., see Trachtenberg, M.C., **261**, 43

Padgett, W., see Karnushina, I., **268**, 87

Pager, J.
Unit responses changing with behavioral outcome in the olfactory bulb of unrestrained rats, **289**, 87

Palacios, J.M., Probst, A. and Cortes, R.
The distribution of serotonin receptors in the human brain: high density of $[^3H]$LSD binding sites in the raphe nuclei of the brainstem, **274**, 150

Palkovits, M., Brownstein, M.J. and Zamir, N.
Immunoreactive dynorphin and α-neo-endorphin in rat hypothalamo-neurohypophyseal system, **278**, 258

Palkovits, M., see Eskay, R.L., **277**, 159

Palkovits, M., see Kerdelhue, B., **261**, 243

Palkovits, M., see Kiss, J.Z., **262**, 217, **265**, 11

Palkovits, M., see Zamir, N., **280**, 81

Pandey, A., Habibulla, M. and Singh, R.
Tryptophan hydroxylase and 5-HTP-decarboxylase activity in cockroach brain and the effects of *p*-chlorophenylalanine and 3-hydroxybenzylhydrazine (NSD-1015), **273**, 67

Panneton, W.M. and Martin, G.F.
Brainstem projections to the facial nucleus of the opossum. A study using axonal transport techniques, **267**, 19

Pantó, M.R., see Giuffrida, R., **279**, 254

Papasozomenos, S.C., Autilio-Gambetti, L. and Gambetti, P.
Distribution of proteins migrating with fast axonal transport. Their relationship to smooth endoplasmic reticulum, **278**, 232

Pappas, B.A., see Tombaugh, T.N., **261**, 231
Parent, A. and De Bellefeuille, L. The pallidointralaminar and pallidonigral projections in primate as studied by retrograde double-labeling method, **278**, 11
Parenti, M., Tirone, F., Olgiati, V.R. and Groppetti, A. Presence of opiate receptors on striatal serotoninergic nerve terminals, **280**, 317
Park, D.H., see Ross, C.A., **273**, 356
Park Hong, K.A., see Coggeshall, R.E., **272**, 185
Park, R.G., see McKinley, M.J., **263**, 340
Parks, T.N., see Creel, D., **260**, 1
Parmeggiani, P.L., Azzaroni, A., Cevolani, D. and Ferrari, G. Responses of anterior hypothalamic-preoptic neurons to direct thermal stimulation during wakefulness and sleep, **269**, 382
Parmentier, J.L., see King, G.L., **260**, 139
Parnavelas, J.G., Burne, R.A. and Lin, C.-S. Distribution and morphology of functionally identified neurons in the visual cortex of the rat, **261**, 21
Parnavelas, J.G., see Edmunds, S.M., **259**, 285
Paschen, W., see Csiba, L., **289**, 334
Pasí, A., see Członkowski, A., **267**, 392
Pasi, A., see Przewłocki, R., **280**, 95
Paskevitch, P.A., see Finklestein, S., **271**, 279
Pasqualini, C., see Hamon, M., **279**, 141
Pasqualini, C., see Kerdelhue, B., **261**, 243
Pasternak, G.W., see Goodman, R.R., **288**, 334
Pasternak, G.W., see Ling, G.S.F., **271**, 152
Patel, U. Non-random distribution of blood vessels in the posterior region of the rat somatosensory cortex, **289**, 65
Paterson, I.A. and Roberts, M.H.T. Methyl-β-carboline-3-carboxylate attenuates GABA effects in rat brain hippocampus in vivo, **278**, 274
Patterson, J.A., see Silver, S.C., **273**, 366
Patti, F., see Nicoletti, F., **279**, 352
Pavlygina, R.A., see Hattori, Y., **279**, 308
Payne, B.R., see Berman, N.E., **274**, 201
Payne, J.N. The cerebellar nucleo-cortical projection in the rat studied by the retrograde fluorescent double-labelling method, **271**, 141
Pearson, R.C.A., Gatter, K.C. and Powell, T.P.S. Retrograde cell degeneration in the basal nucleus in monkey and man, **261**, 321
Pearson, R.C.A., Gatter, K.C., Brodal, P. and Powell, T.P.S. The projection of the basal nucleus of Meynert upon the neocortex in the monkey, **259**, 132
Pearson, R.C.A., Gatter, K.C. and Powell, T.P.S. The cortical relationships of certain basal ganglia and the cholinergic basal forebrain nuclei, **261**, 327
Pearson, R.C.A., Sofroniew, M.V., Cuello, A.C., Powell, T.P.S., Eckenstein, F., Esiri, M.M. and Wilcock, G.K. Persistence of cholinergic neurons in the basal nucleus in a brain with senile dementia of the Alzheimer's type demonstrated by immunohistochemical staining for choline acetyltransferase, **289**, 375
Pearson, R.C.A., see Sofroniew, M.V., **289**, 370
Pearson, T., see Nagai, T., **265**, 300
Pecile, A., see Olgiati, V.R., **265**, 209
Peet, M.J., Leah, J.D. and Curtis, D.R. Antagonists of synaptic and amino acid excitation of neurones in the cat spinal cord, **266**, 83
Peet, M.J., Malik, R. and Curtis, D.R. Post-excitatory depression of neuronal firing by acidic amino acids and acetylcholine in the cat spinal cord, **263**, 162
Peet, M.J., see Curtis, D.R., **258**, 328
Pegues, J., see Mori, M., **268**, 181
Peillon, F., see Hamon, M., **279**, 141
Pellegrino, R.G., see Politis, M.J., **273**, 392
Pelletier, G., see Jegou, S., **260**, 91
Pellow, S., see File, S.E., **278**, 370
Peng, F., see Nagai, T., **265**, 300
Perachio, A.A. and Correia, M.J. Responses of semicircular canal and otolith afferents to small angle static head tilts in the gerbil, **280**, 287
Perego, C., see Ponzio, F., **273**, 45
Perez, H., see Hernandez, A., **276**, 195
Perez, M., see Ebersolt, C., **267**, 123
Perkins, M.N. and Stone, T.W. Quinolinic acid: regional variations in neuronal sensitivity, **259**, 172
Perkins, M.N., see Stone, T.W., **260**, 347
Peroutka, S.J., Noguchi, M., Tolner, D.J. and Allen, G.S. Serotonin-induced contraction of canine basilar artery: mediation by 5-HT$_1$ receptors, **259**, 327
Perry, L., see Tardieu, M., **277**, 339
Perry, T.L., see Kish, S.J., **269**, 370
Perry, V.H., see Linden, R., **272**, 145
Pert, C.B., see McLean, S., **278**, 255
Peschanski, M. and Mantyh, P.W. Efferent connections of the subfascicular area of the mesodiencephalic junction and its possible involvement in stimulation-produced analgesia, **263**, 181
Peschanski, M., Mantyh, P.W. and Besson, J.M. Spinal afferents to the ventrobasal thalamic complex in the rat: an anatomical study using wheat-germ agglutinin conjugated to horseradish peroxidase, **278**, 240
Peschanski, M., Ralston, H.J. and Roudier, F. Reticularis thalami afferents to the ventrobasal complex of the rat thalamus: an electron microscope study, **270**, 325
Pessac, B., Girard, A., Romey, G., Crisanti, P., Wassef, M., Privat, A. and Calothy, G.

Cells with neuronal properties in permanent cultures of quail embryo neuroretinas infected with Rous sarcoma virus, **275**, 53
Peters, A., see Hökfelt, T., **289**, 311
Peters, L.C., see Gintzler, A.R., **277**, 186
Peterson, D.W., Collins, J.F. and Bradford, H.F.
The kindled amygdala model of epilepsy: anticonvulsant action of amino acid antagonists, **275**, 169
Peterson, E.R., see Bourque, E.A., **261**, 295
Peterson, G.M. and Loy, R.
Sprouting of sympathetic fibers in the hippocampus in the absence of major target cell candidates, **264**, 21
Peterson, N.A., Shah, S.N., Raghupathy, E. and Rhoads, D.E.
Presynaptic tyrosine availability in the phenylketonuric brain: a hypothetical evaluation, **272**, 189
Petit, J., see Jami, L., **261**, 285
Petrovic, S.L., McDonald, J.K., Snyder, G.D. and McCann, S.M.
Characterization of β-adrenergic receptors in rat brain and pituitary using a new high-affinity ligand, [^{125}I]iodocyanopindolol, **261**, 249
Petrusz, P., see Merchenthaler, I., **275**, 373
Petsche, U., Fleischer, E., Lembeck, F. and Handwerker, H.O.
The effect of capsaicin application to a peripheral nerve on impulse conduction in functionally identified afferent nerve fibres, **265**, 233
Petty, M.A. and De Jong, W.
Enkephalins induce a centrally mediated rise in blood pressure in rats, **260**, 322
Peyrichoux, J., Weidner, C., Repérant, J. and Rio, J.P.
Long term regeneration of contralateral and induced ipsilateral retinal projections to the remaining optic tectum of *Rutilus rutilus*, **263**, 125
Peyronnard, J.-M. and Charron, L.
Decreased horseradish peroxidase labeling in deafferented spinal motoneurons of the rat, **275**, 203
Pezalla, P.D.
Morphine-induced analgesia and explosive motor behavior in an amphibian, **273**, 297
Pezalla, P.D.
Stress induced analgesia in frogs: a naloxone insensitive system, **278**, 354
Pezzementi, L., see Shieh, B.-H., **263**, 259
Pfaff, D.W., see Harlan, R.E., **268**, 67
Phebus, L.A., see Clemens, J.A., **267**, 183
Phillips, L.L., Autilio-Gambetti, L. and Lasek, R.J.
Bodian's silver method reveals molecular variation in the evolution of neurofilament proteins, **278**, 219
Phillips, M.I., see Crews, F.T., **261**, 155
Phillips, M.I., see Sumners, C., **264**, 267
Phillipson, O.T. and Gonzalez, C.B.
Distribution of axons showing neurophysin-like immunoreactivity in cortical and anterior basal forebrain sites, **258**, 33
Phillipson, O.T. and Griffiths, A.C.
Anterograde and retrograde labelling of CNS pathways with unconjugated lectins using the unlabelled antibody enzyme method, **265**, 199
Phillis, J.W., see Barraco, R.A., **272**, 392
Phipps, B.S., see Maciewicz, R., **262**, 1, **270**, 217
Piccinelli, L., see Baldissera, F., **259**, 143
Pickard, G.E. and Turek, F.W.
The suprachiasmatic nuclei: two circadian clocks?, **268**, 201
Pickel, V.M., see Sumal, K.K., **277**, 31
Pico, R.M., see Davis, J.L., **266**, 355
Piepmeier, J.M., Kauer, J.S. and Greer, C.A.
Laminar distributions of 2-deoxyglucose uptake in the rat spinal cord following electrical stimulation of the sciatic nerve, **259**, 167
Pierrot-Deseilligny, E., see Fournier, E., **288**, 375
Pilc, A., see Vetulani, J., **275**, 392
Pinard, E., see Reynier-Rebuffel, A.-M., **269**, 91
Pintar, J.E., Levitt, P., Salach, J.I., Weyler, W., Rosenberg, M.B. and Breakefield, X.O.
Specificity of antisera prepared against pure bovine MAO-B, **276**, 127
Pinter, M., see Alstermark, B., **259**, 147, **259**, 151
Pirola, C.J., Balda, M.S., Finkielman, S. and Nahmod, V.E.
Thyrotropin-releasing hormone increases the number of muscarinic receptors in the lateral septal area of the rat brain, **273**, 387
Pisa, M. and Fibiger, H.C.
Evidence against a role of the rat's dorsal noradrenergic bundle in selective attention and place memory, **272**, 319
Pittman, Q.J., see Burnard, D.M., **273**, 59
Pleasure, D., see Sobue, G., **280**, 263
Pleasure, D.E., see Kim, S.U., **274**, 79
Pleasure, D.E., see Lisak, R.P., **289**, 285
Ploska, A., see Dubois, B., **288**, 213
Pockett, S. and Slack, J.R.
Ability of motoneurons to regulate quantal release and terminal growth after reduction in motor unit size, **258**, 296
Pockett, S. and Slack, J.R.
Effects of contralateral denervation on quantal output and gross nerve terminal morphology in mouse muscles, **268**, 349
Poenaru, S., see Iovino, M., **258**, 123
Pointis, D., see Lamour, Y., **259**, 163
Pointis, D., see Rivot, J.P., **275**, 164
Polak, J.M., see Roberts, G.W., **263**, 151, **288**, 199
Polc, P., see Carlen, P.L., **271**, 115, **271**, 358
Poletti, C.E., see Dagi, T.F., **259**, 229
Poli, A., see Contestabile, A., **262**, 339
Politis, M.J., Pellegrino, R.G., Oaklander, A.-L. and Ritchie, J.M.

Reactive glial protein synthesis and early disappearance of saxitoxin binding in degenerating rat optic nerve, **273**, 392
Politis, M.J. and Spencer, P.S.
An in vivo assay of neurotropic activity, **278**, 229
Politis, M.J., see Zagoren, J.C., **270**, 162
Poncet, C., see Jordan, D., **268**, 105
Ponzio, F., Achilli, G., Perego, C., Rinaldi, G. and Algeri, S.
Does acute L-DOPA increase active release of dopamine from dopaminergic neurons?, **273**, 45
Poole, T., see Levine, J., **289**, 391
Poppele, R.E., see Osborn, C.E., **280**, 339
Porceddu, M.L., Imperato, A., Melis, M.R. and Di Chiara, G.
Role of ventral mesencephalic reticular formation and related noradrenergic and serotonergic bundles in turning behaviour as investigated by means of kainate, 6-hydroxydopamine and 5,7-dihydroxytryptamine lesions, **262**, 187
Porreca, F., see Galligan, J.J., **271**, 354
Porrino, L.J., Coons, E.E. and McGregor, B.
Two types of medial hypothalamic inhibition of lateral hypothalamic reward, **277**, 269
Porter, J.C., see Reymond, M.J., **262**, 253
Poulter, M., see Mashal, R.D., **277**, 375
Poulter, M., see Owen, F., **278**, 373
Powell, T.P.S., see Pearson, R.C.A., **259**, 132, **261**, 321, **261**, 327, **289**, 375
Powell, T.P.S., see Sofroniew, M.V., **289**, 370
Powell, T.P.S., see Winfield, D.A., **277**, 223
Powers, J.M., see Cunningham, J.M., **258**, 285
Pradhan, S.N., see Aulakh, C.S., **270**, 383
Praissman, M., see Finkelstein, J.A., **288**, 193
Prasad, C., see Mori, M., **268**, 181
Pratt, S.E., see Keating, E.G., **269**, 145
Premont, J., see Ebersolt, C., **267**, 123
Preziosi, P., Cerrito, F. and Vacca, M.
Etomidate inhibits prolactin release but not through a dopaminergic mechanism, **271**, 379
Prezioso, P.J. and Neale, J.N.
Benzodiazepine receptor binding by membranes from brain cell cultures following chronic treatment with diazepam, **288**, 354
Price, J.L. and Stern, R.
Individual cells in the nucleus basalis-diagonal band complex have restricted axonal projections to the cerebral cortex in the rat, **269**, 352
Price, J.L., see Avendaño, C., **264**, 111
Price, M.T., see Tal, J., **273**, 179
Prieto, G.J., Cannon, J.T. and Liebeskind, J.C.
N. raphe magnus lesions disrupt stimulation-produced analgesia from ventral but not dorsal midbrain areas in the rat, **261**, 53
Prigioni, I., Valli, P. and Casella, C.
Peripheral organization of the vestibular efferent system in the frog: an electrophysiological study, **269**, 83
Prince, D.A., see Kriegstein, A.R., **266**, 137
Printz, M.P., see Chen, F.-C.M., **259**, 335
Privat, A., see Pessac, B., **275**, 53
Probst, A., Basler, V., Bron, B. and Ulrich, J.
Neuritic plaques in senile dementia of Alzheimer type: a Golgi analysis in the hippocampal region, **268**, 249
Probst, A., see Palacios, J.M., **274**, 150
Prochiantz, A., see Ebersolt, C., **267**, 123
Promersberger, M.E., see Forman, D.S., **272**, 194
Provini, L., see Rosina, A., **289**, 45
Przewłocki, R., Gramsch, C., Pasi, A. and Herz, A.
Characterization and localization of immunoreactive dynorphin, α-Neo-endorphin, Met-enkephalin and substance P in human spinal cord, **280**, 95
Przewłocki, R., see Członkowski, A., **267**, 392
Puglisi-Allegra, S., see Oliverio, A., **271**, 193
Puizillout, J.J., see Gaudin-Chazal, G., **270**, 239
Pujol, J.F., see Belin, M.F., **275**, 329
Pujol, J.-F., see Buda, M., **273**, 197
Pujol, J.-F., see Gonon, F., **273**, 207
Puszkin, S., see Moskowitz, N., **263**, 243

Q

Quandt, F.N., see Yamamoto, D., **274**, 344
Quattrone, A., see Schettini, G., **261**, 349
Quitschke, W. and Schechter, N.
Specific optic nerve proteins during regeneration of the goldfish retinotectal pathway, **258**, 69

R

Rabey, J.M., see Gilad, G.M., **267**, 171
Racine, R.J. and Milgram, N.W.
Short-term potentiation phenomena in the rat limbic forebrain, **260**, 201
Racine, R.J., Milgram, N.W. and Hafner, S.
Long-term potentiation phenomena in the rat limbic forebrain, **260**, 217
Racine, R.J., see Tuff, L.P., **277**, 79, **277**, 91
Racké, K., see Holzbauer, M., **277**, 47
Radulovacki, M., Virus, R.M., Djuricic-Nedelson, M. and Green, R.D.

Hypnotic effects of deoxycoformycin in rats, **271**, 392
Raghupathy, E., see Peterson, N.A., **272**, 189
Rainbow, T.C. and Biegon, A.
Quantitative autoradiography of [^{3}H]nitroimipramine binding sites in rat brain, **262**, 319
Rainbow, T.C., see Luine, V.N., **264**, 344
Rainbow, T.C., see Sapolsky, R.M., **271**, 331
Raine, C.S., see Norton, W.T., **270**, 295
Raisanen, J. and Dawis, S.M.
A reweighting of receptor mechanisms in the ground squirrel retina: PIII and B-wave spectral sensitivity functions, **270**, 311
Raisman, G., see Field, P.M., **272**, 83
Raizada, M.K., see Sumners, C., **264**, 267
Ralston, H.J., see Peschanski, M., **270**, 325
Ram, J.L.
Neuropeptide activation of an identifiable buccal ganglion motoneuron in *Aplysia*, **288**, 177
Rampello, L., see Nicoletti, F., **279**, 352
Randall, P.K., see Severson, J.A., **279**, 295
Raphan, T., Cohen, B., Suzuki, J.-I. and Henn, V.
Nystagmus generated by sinusoidal pitch while rotating, **276**, 165
Raphan, T., see Cohen, B., **276**, 159
Rapoport, S.I., see Kimes, A.S., **274**, 291
Rascher, W., see Lang, R.E., **260**, 326
Rasmusson, D.D. and Turnbull, B.G.
Immediate effects of digit amputation on SI cortex in the raccoon: unmasking of inhibitory fields, **288**, 368
Ravaille, M., see Szabo, T., **266**, 1
Rawson, J.A., see Aitkin, L.M., **265**, 317
Rebec, G.V., see Alloway, K.D., **273**, 71
Rebec, G.V., see Ewing, V.G., **261**, 101
Rechardt, L., see Grönblad, M., **276**, 348
Reches, A., Wagner, R.H., Jackson, V., Yablonskaya-Alter, E. and Fahn, S.
Dopamine receptors in the denervated striatum: further supersensitivity by chronic haloperidol treatment, **275**, 183
Reddington, M., see Lee, K.S., **260**, 156
Reddy, M.M., see Grafe, P., **279**, 65
Rees, L.H., see Kiser, R.S., **288**, 187
Reeves, P.M. and Schweizer, M.P.
Aging, diazepam exposure and benzodiazepine receptors in rat cortex, **270**, 376
Regen, D.M., Callis, J.T. and Sugden, M.C.
Studies of cerebral β-hydroxybutyrate transport by carotid injection: effects of age, diet and injectant composition, **271**, 289
Reggio, A., see Nicoletti, F., **279**, 352
Rehfeld, J.F. and Lundberg, J.M.
Cholecystokinin in feline vagal and sciatic nerves: concentration, molecular form and transport velocity, **275**, 341
Reichert, F., see Ring, G., **260**, 313
Reinberg, A., see Kerdelhue, B., **261**, 243
Reiner, A. and Karten, H.J.
The laminar source of efferent projections from the avian Wulst, **275**, 349
Reinhard, J.F. Jr., see Menkes, D.B., **272**, 1
Reinhard, J.F. Jr., see Sagar, S.M., **278**, 109
Reinhardt, W., see Ghraf, R., **258**, 133
Reinoso-Suárez, F., see Cavada, C., **260**, 117, **270**, 319
Reinoso-Suárez, F., see Roldán, M., **280**, 1
Reinstein, D.K., DeBoissiere, T., Robinson, N. and Wurtman, R.J.
Radial maze performance in three strains of mice: role of the fimbria/fornix, **263**, 172
Reis, D., see Saavedra, J.M., **276**, 367
Reis, D.J., see Granata, A.R., **259**, 77
Reis, D.J., see Iadecola, C., **272**, 101, **279**, 41
Reis, D.J., see Jaeger, C.B., **276**, 362
Reis, D.J., see LeDoux, J.E., **259**, 69
Reis, D.J., see Ledoux, J.E., **277**, 137
Reis, D.J., see Nakai, M., **260**, 35
Reis, D.J., see Ross, C.A., **273**, 356
Reis, D.J., see Sumal, K.K., **277**, 31
Reis, D.J., see Wiley, R.G., **269**, 357
Reiser, G., Löffler, F. and Hamprecht, B.
Tetrodotoxin-sensitive ion channels characterized in glial and neuronal cells from rat brain, **261**, 335
Reisine, T.D., see Chesselet, M.F., **258**, 229
Reiter, R.J., Hurlbut, E.C., Brainard, G.C., Steinlechner, S. and Richardson, B.A.
Influence of light irradiance on hydroxyindole-O-methyltransferase activity, serotonin-N-acetyltransferase activity, and radioimmunoassayable melatonin levels in the pineal gland of the diurnally active Richardson's ground squirrel, **288**, 151
Reith, M.E.A., see Allen, D.L., **267**, 161
Reitzel, J.L., see Maderdrut, J.L., **289**, 385
Reivich, M., see Gerber, J.C. III, **269**, 319
Renaud, B., see Chamba, G., **259**, 95
Renaud, B., see Fety, R., **272**, 277
Renaud, L.P., Rogers, J. and Sgro, S.
Terminal degeneration in supraoptic nucleus following subfornical organ lesions: ultrastructural observations in the rat, **275**, 365
Renaud, L.P., see Day, T.A., **279**, 299
Reperant, J., see Miceli, D., **276**, 147
Repérant, J., see Peyrichoux, J., **263**, 125
Repérant, J., see Rio, J.P., **271**, 145
Repérant, J., see Weidner, C., **272**, 129
Reppert, S.M., Schwartz, W.J., Artman, H.G. and Fisher, D.A.
Comparison of the temporal profiles of vasopressin and oxytocin in the cerebrospinal fluid of the cat, monkey and rat, **261**, 341
Reppert, S.M., see Schwartz, W.J., **263**, 105, **274**, 184
Réthelyi, M, see Nagy, L., **268**, 354
Reymond, M.J., Kaur, C. and Porter, J.C.
An inhibitory role for morphine on the release of dopamine into hypophysial portal blood and on the synthesis of

dopamine in tuberoinfundibular neurons, **262**, 253

Reynier-Rebuffel, A.-M., Pinard, E., Aubineau, P.-F., Meric, P. and Seylaz, J. Generalized cerebral vasoconstriction induced by intracarotid infusion of angiostensin II in the rabbit, **269**, 91

Rhoades, R.W. and Hess, A. Altered catecholaminergic innervation of superior colliculus after enucleation in adult and neonatal hamsters, **261**, 353

Rhoades, R.W., see Jacquin, M.F., **269**, 137

Rhoads, D.E., see Peterson, N.A., **272**, 189

Rice, M.E., see Schenk, J.O., **277**, 1

Richardson, B.A., see Reiter, R.J., **288**, 151

Richardson, S.B., Greenleaf, P. and Hollander, C.S. Somatostatin release from dispersed hypothalamic cells - effects of membrane depolarization, calcium and glucose deprivation, **266**, 75

Riche, D., see Cavalheiro, E.A., **262**, 201

Rieck, R.W., see Weber, J.T., **276**, 333

Riegle, G.D., see Demarest, K.T., **272**, 175

Riew, D., see Hobson, J.A., **275**, 127

Riives, M.L., see Robertson, H.A., **270**, 380

Riley, D.A., see Wong-Riley, M., **261**, 185

Rinaldi, G., see Ponzio, F., **273**, 45

Ring, G., Reichert, F. and Rotshenker, S. Sprouting in intact sartorius muscles of the frog following contralateral axotomy, **260**, 313

Ringler, R.L. Jr., see Borke, R.C., **269**, 47

Rio, J.P., Villalobos, J., Miceli, D. and Repérant, J. Efferent projections of the visual Wulst upon the nucleus of the basal optic root in the pigeon, **271**, 145

Rio, J.P., see Peyrichoux, J., **263**, 125

Risling, M., Cullheim, S. and Hildebrand, C. Reinnervation of the ventral root L7 from ventral horn neurons following intramedullary axotomy in adult cats, **280**, 15

Risling, M., see Aldskogius, H., **289**, 358

Ritchie, I.M., see Yates, C.M., **280**, 119

Ritchie, J.M., see Politis, M.J., **273**, 392

Ritchie, T.C. and Leonard, R.B. Immunocytochemical demonstration of serotonergic neurons and processes in the retina and optic nerve of the stingray, *Dasyatis sabina*, **267**, 352

Ritter, R.C., see South, E.H., **288**, 243

Rivett, A.J., see Francis, A., **263**, 89

Rivier, J., see Ehlers, C.L., **278**, 332

Rivot, J.P., Lamour, Y., Ory-Lavollee, L. and Pointis, D. In vivo electrochemical detection of 5-hydroxyindoles in rat somatosensory cortex: effect of the stimulation of the serotonergic pathways in normal and pCPA-pretreated animals, **275**, 164

Rivot, J.P., Ory-Lavollee, L. and Chiang, C.Y. Differential pulse voltammetry in the dorsal horn of the spinal cord of the anesthetized rat: are the voltammograms related to 5-HT and/or to 5-HIAA?, **275**, 311

Rivot, J.P., see Lamour, Y., **259**, 163

Ro, A., see Day, T.A., **279**, 299

Robbins, N., see Labovitz, S.S., **266**, 155

Robbins, R.J. and Landon, R.M. Somatostatin release from cerebral cortical cells: influence of amino acid neurotransmitters, **273**, 374

Robel, P., see Corpéchot, C., **270**, 119

Roberts, D.C.S., see Tombaugh, T.N., **261**, 231

Roberts, D.L., see Blank, M.S., **279**, 153

Roberts, G.W., Allen, Y., Crow, T.J. and Polak, J.M. Immunocytochemical localization on neuropeptides in the fornix of rat, monkey and man, **263**, 151

Roberts, G.W., Ferrier, I.N., Lee, Y., Crow, T.J., Johnstone, E.C., Owens, D.G.C., Bacarese-Hamilton, A.J., McGregor, G., O'Shaughnessey, D., Polak, J.M. and Bloom, S.R. Peptides, the limbic lobe and schizophrenia, **288**, 199

Roberts, M.H.T., see Davies, J.E., **261**, 59

Roberts, M.H.T., see Llewelyn, M.B., **258**, 59

Roberts, M.H.T., see Paterson, I.A., **278**, 274

Robertson, A., Kucharczyk, J. and Mogenson, G.J. Drinking behavior following electrical stimulation of the subfornical organ in the rat, **274**, 197

Robertson, D., see Tung, C.-S., **277**, 193

Robertson, D.M., see Moore, G.R.W., **279**, 246

Robertson, H.A. Chronic D-amphetamine and phencyclidine: effects on dopamine agonist and antagonist binding sites in the extrapyramidal and mesolimbic systems, **267**, 179

Robertson, H.A. and Riives, M.L. A benzodiazepine antagonist is an anticonvulsant in an animal model for limbic epilepsy, **270**, 380

Robertson, R.T. Efferents of the pretectal complex: separate populations of neurons project to lateral thalamus and to inferior olive, **258**, 91

Robertson, R.T., see Donnelly, J.F., **288**, 315

Robinson, C.J., Torebjörk, H.E. and LaMotte, R.H. Psychophysical detetion and pain ratings of incremental thermal stimuli: a comparison with nociceptor responses in humans, **274**, 87

Robinson, D.A., see Demer, J.L., **276**, 173

Robinson, F., see Baker, J., **265**, 227

Robinson, M.B., see Koerner, J.F., **272**, 299

Robinson, N., see Reinstein, D.K., **263**, 172

Robinson, P.P. Recession of sensory loss from the midline following trigeminal sensory root section: collateral sprouting from the normal side?, **259**, 177

Robinson, T.E. and Becker, J.B.
The rotational behavior model: asymmetry in the effects of unilateral 6-OHDA lesions of the substantia nigra in rats, **264**, 127
Rockland, K.S., see Hess, D.T., **289**, 322
Rode, J., see Thompson, R.J., **278**, 224
Rodriguez-Sierra, J.F., see Morley, B.J., **278**, 262
Roe, C.R., see Kim, C.S., **259**, 340
Roeske, W.R., see Erman, R.D., **278**, 327
Roffwarg, H., see Miller, J.D., **273**, 133
Rogawski, M.A. and Barker, J.L.
Effects of 4-aminopyridine on calcium action potentials and calcium current under voltage clamp in spinal neurons, **280**, 180
Rogers, J., see Renaud, L.P., **275**, 365
Rogers Munn, A. III, Sar, M. and Stumpf, W.E.
Topographic distribution of progestin target cells in hamster brain and pituitary after injection of [^{3}H]R5020, **274**, 1
Rogers, P.F., see Howe, P.R.C., **270**, 19
Rokosz-Pelc, A., see Vetulani, J., **275**, 392
Roldán, M., Reinoso-Suárez, F. and Tortelly, A.
Parabigeminal projections to the superior colliculus in the cat, **280**, 1
Romagnano, M.A. and Joseph, S.A.
Immunocytochemical localization of $ACTH_{1-39}$ in the brainstem of the rat, **276**, 1
Romey, G., see Pessac, B., **275**, 53
Romo, R., see Kemel, M.L., **272**, 331
Roppolo, J.R., Booth, A.M. and De Groat, W.C.
The effects of naloxone on the neural control of the urinary bladder of the cat, **264**, 355
Rose, G., Diamond, D. and Lynch, G.S.
Dentate granule cells in the rat hippocampal formation have the behavioral characteristics of theta neurons, **266**, 29
Rosen, S.C., Kupfermann, I., Goldstein, R.S. and Weiss, K.R.
Lesion of a serotonergic modulatory neuron in *Aplysia* produces a specific defect in feeding behavior, **260**, 151
Rosenberg, G.A., Kyner, W.T., Kornfeld, M. and Appenzeller, O.
Time course of blood nerve barrier reconstitution after sectioning: implications for xenograft studies, **270**, 231
Rosenberg, M.B., see Pintar, J.E., **276**, 127
Rosene, D.L., see Kosel, K.C., **269**, 347
Rosenfeld, J.P. and Hammer, M.
Antagonism of opiate-like, lanthanum-induced analgesia by naloxone, 2 mg/kg, in rats, **268**, 189
Rosenfeld, J.P., see Dowman, R., **269**, 111
Rosenfeld, J.P., see Heinricher, M.M., **272**, 382
Rosenzweig, A., see Lisak, R.P., **289**, 285
Rosie, R., see Yates, C.M., **258**, 45
Rosina, A. and Provini, L.
Somatotopy of climbing fiber branching to the cerebellar cortex in cat, **289**, 45
Ross, C., see Saavedra, J.M., **276**, 367
Ross, C.A., Ruggiero, D.A., Joh, T.H., Park, D.H. and Reis, D.J.
Adrenaline synthesizing neurons in the rostral ventrolateral medulla: a possible role in tonic vasomotor control, **273**, 356
Ross, L.L., see Caserta, M.T., **270**, 11
Ross, S.B., see Hansen, S., **268**, 285
Rossier, J., see Morin, M.P., **265**, 333
Roth, J.A., see Francis, A., **263**, 89
Rothwell, J.C., see Day, B.L., **270**, 55
Rotshenker, S., see Ring, G., **260**, 313
Rotshenker, S., see Tal, M., **270**, 131
Roudier, F., see Peschanski, M., **270**, 325
Rougeot, C., see Saavedra, J.M., **277**, 23
Rouquier, L., see Scatton, B., **275**, 321
Routtenberg, A., see Cain, S., **267**, 192
Rouzaire-Dubois, B., Scarnati, E., Hammond, C., Crossman, A.R. and Shibazaki, T.
Microiontophoretic studies on the nature of the neurotransmitter in the subthalamo-entopenduncular pathway of the rat, **271**, 11
Roy, M.T., see Velley, L., **268**, 79
Royce, G.J.
Cells of origin of corticothalamic projections upon the centromedian and parafascicular nuclei in the cat, **258**, 11
Ruberg, M., see Dubois, B., **288**, 213
Ruberg, M., see Epelbaum, J., **278**, 376
Rubertone, J.A., Mehler, W.R. and Cox, G.E.
The intrinsic organization of the vestibular complex: evidence for internuclear connectivity, **263**, 137
Ruda, M.A., see Hoffert, M.J., **267**, 361
Rudomin, P., see Cardona, A., **280**, 373
Rudomin, P., see Jiménez, I., **272**, 179
Ruegg, D.G., see Chapman, C.E., **258**, 211
Ruggiero, D.A., see Iadecola, C., **272**, 101
Ruggiero, D.A., see Nakai, M., **260**, 35
Ruggiero, D.A., see Ross, C.A., **273**, 356
Ruiz, S., see Hernandez, A., **276**, 195
Rukenstein, A. and Green, L.A.
The quantitative bioassay of nerve growth factor: use of frozen 'primed' PC12 pheochromocytoma cells, **263**, 177
Rushmer, D.S., see Bava, A., **288**, 371
Ryall, R.W., see Edeson, R.O., **271**, 251
Ryan, A.F., see Sharp, F.R., **263**, 97
Ryan, A.F., see Woolf, N.K., **274**, 119
Rybicki, K.J. and Kaufman, M.P.
Atropine prevents the reflex tracheal relaxation arising from the stimulation of intestinal and skeletal muscle afferents in dogs, **270**, 159
Rybicki, K.J., see Wallach, J.H., **261**, 307
Rylett, R.J., Ball, M.J. and Colhoun, E.H.
Evidence for high affinity choline transport in synaptosomes prepared from hippocampus and neocortex of patients with Alzheimer's disease, **289**, 169

S

Saadé, N.E., see Tawil, R.N., **269**, 149

Saavedra, J.M. and Alexander, N.
Catecholamines and phenylethanolamine N-methyltransferase in selected brain nuclei and in the pineal gland of neurogenically hypertensive rats, **274**, 388

Saavedra, J.M., Fernandez-Pardal, J., Ross, C. and Reis, D.
Dissociation between hypothalamic catecholamine levels and epinephrine-forming enzyme activity after midbrain hemitransections in the rat, **276**, 367

Saavedra, J.M., Rougeot, C., Chevillard, C. and Dray, F.
High, vasopressin-reversible, immunoreactive somatostatin in specific hypothalamic nuclei of rats with diabetes insipidus (Brattleboro rats), **277**, 23

Saavedra, J.M., see Chevillard, C., **272**, 283

Saavedra, J.M., see Correa, F.M.A., **276**, 247

Saavedra, J.M., see Gerozissis, K., **279**, 133

Saavedra, J.M., see Kadekaro, M., **275**, 189

Sadoshima, S., see Hart, M.N., **260**, 178

Saeki, K., see Oishi, R., **261**, 180, **280**, 172

Saffrey, M.J., see Bałuk, P., **262**, 37

Saffrey, M.J., see Jessen, K.R., **262**, 17, **262**, 49

Sagar, S.M., Weinstein, L., Reinhard, J.F. Jr. and Martin, J.B.
A comparison of the effects of kainic acid on somatostatin, substance P and dopamine in the rabbit retina, **278**, 109

Sahenk, Z. and Mendell, J.R.
Studies on the morphologic alterations of axonal membraneous organelles in neurofilamentous neuropathies, **268**, 239

Saito, H., see Kaba, H., **274**, 156

Saito, M., see Kawai, N., **278**, 346

Sajovic, P. and Levinthal, C.
Inhibitory mechanism in zebrafish optic tectum: visual response properties of tectal cells altered by picrotoxin and bicuculline, **271**, 227

Sakaguchi, A., see LeDoux, J.E., **259**, 69

Sakaguchi, A., see Ledoux, J.E., **277**, 137

Sakaguchi, H., see Kubota, M., **270**, 190

Sakai, H. and Hashimoto, Y.
Rod input to amacrine cells in dace retina, **270**, 345

Sakai, S.T., Stanton, G.B. and Tanaka, D. Jr.
The ventral lateral thalamic nucleus in the dog: cytoarchitecture, acetylthiocholinesterase histochemistry, and cerebellar afferents, **271**, 1

Sakai, Y., see Okamoto, K., **259**, 319, **260**, 249, **260**, 261, **265**, 163

Sakanaka, M., Shiosaka, S., Takatsuki, K. and Tohyama, M.
Evidence for the existence of a substance P-containing pathway from the nucleus laterodorsalis tegmenti (Castaldi) to the medial frontal cortex of the rat, **259**, 123

Sakazaki, Y., Kato, T., Kato, H., Ito, J., Tanaka, R., Naganawa, N., Kato, T., Masaoka, A. and Tsunooka, H.
Characterization and partial purification of neuroblastoma growth inhibitory factor from the culture medium of glioblasts, **262**, 125

Sakurai, Y., see Takano, Y., **279**, 330

Salach, J.I., see Pintar, J.E., **276**, 127

Salamon, R., see Seal, J., **278**, 382

Salis, M., see Serra, M., **273**, 347

Sallanon, M., Janin, M., Buda, C. and Jouvet, M.
Serotoninergic mechanisms and sleep rebound, **268**, 95

Salt, T.E. and Hill, R.G.
Pharmacological differentiation between responses of rat medullary dorsal horn neurons to noxious mechanical and noxious thermal cutaneous stimuli, **263**, 167

Salt, T.E., Morris, R. and Hill, R.G.
Distribution of substance P-responsive and nociceptive neurones in relation to substance P-immunoreactivity within the caudal trigeminal nucleus of the rat, **273**, 217

Salvaterra, P.M., see Houser, C.R., **266**, 97

Sampson, S.R., Babila, T., Disatnik, M.-H., Shainberg, A. and Yoles, E.
Evidence for a functional role of acetylcholinesterase in cultured chick myotubes, **289**, 338

Sanchez De Levy, G., see Yates, C.M., **258**, 45

Sanders, M.G., see Wolpaw, J.R., **267**, 196

Sandstead, H.H., see Dvergsten, C.L., **271**, 217

Sano, M., Kitajima, S. and Mizutani, A.
Inhibition of adenylate cyclase by a membrane protein from rat cerebrum, **264**, 157

Sanseverino, E.R., see Maioli, M.G., **265**, 294

Saper, C.B. and Levisohn, D.
Afferent connections of the median preoptic nucleus in the rat: anatomical evidence for a cardiovascular integrative mechanism in the anteroventral third ventricular (AV3V) region, **288**, 21

Sapir, S., see McClean, M.D., **264**, 293

Sapolsky, R.M., Krey, L.C. and McEwen, B.S.
Corticosterone receptors decline in a site-specific manner in the aged rat brain, **289**, 235

Sapolsky, R.M., McEwen, B.S. and Rainbow, T.C.
Quantitative autoradiography of [^{3}H]corticosterone receptors in rat brain, **271**, 331

Sar, M., see Rogers Munn, A. III, **274**, 1

Sargent Jones, L. and Disterhoft, J.F.
The effect of auditory stimulus rate on [^{14}C]2-deoxyglucose uptake in rabbit inferior colliculus, **279**, 85

Sarne, Y., see Urca, G., **260**, 271

Sasa, M., see Ito, J., **259**, 293

Sasaki, K. and Gemba, H.
  Learning of fast and stable hand movement and cerebro-cerebellar interactions in the monkey, **277**, 41
Sasaki, K., see Miyata, M., **274**, 213
Sasaki, S., Stevens, J.K. and Bodick, N.
  Serial reconstruction of microtubular arrays with dendrites of the cat retinal ganglion cell: the cytoskeleton of a vertebrate dendrite, **259**, 193
Sasaki, S., see Alstermark, B., **259**, 147, **259**, 151, **259**, 155
Sato, H., see Fujita, Y., **278**, 313
Sato, H., see Kanda, K., **288**, 378
Sato, Y., Kawasaki, T. and Ikarashi, K.
  Afferent projections from the brainstem to the three floccular zones in cats. I. Climbing fiber projections, **272**, 27
Sato, Y., Kawasaki, T. and Ikarashi, K.
  Afferent projections from the brainstem to the three floccular zones in cats. II. Mossy fiber projections, **272**, 37
Satoh, M., Oku, R. and Akaike, A.
  Analgesia produced by microinjection of L-glutamate into the rostral ventromedial bulbar nuclei of the rat and its inhibition by intrathecal α-adrenergic blocking agents, **261**, 361
Satoh, M., see Kuraishi, Y., **273**, 245
Saunders, M.C., see Keller, J.T., **270**, 209
Sauter, A., Goldstein, M., Engel, J. and Ueta, K.
  Effect of insulin on central catecholamines, **260**, 330
Savaki, H.E., Graham, D.I. and McCulloch, J.
  Differential effects of locus coeruleus lesions upon metabolic activity in CNS nuclei involved in cardiovascular regulation, **271**, 109
Savard, P., Mérand, Y., Bédard, P., Dussault, J.H. and Dupont, A.
  Comparative effects of neonatal hypothyroidism and euthyroidism on TRH and substance P content of lumbar spinal cord in saline and PCPA-treated rats, **277**, 263
Savoini, G., see Toffano, G., **261**, 163
Sawada, S., Takada, S. and Yamamoto, C.
  Selective activation of synapses near the tip of drug-ejecting microelectrode, and effects of antagonists of excitatory amino acids in the hippocampus, **267**, 156
Sawchenko, P.E., Swanson, L.W., Steinbusch, H.W.M. and Verhofstad, A.A.J.
  The distribution and cells of origin of serotonergic inputs to the paraventricular and supraoptic nuclei of the rat, **277**, 355
Scalia, F. and Arango, V.
  The anti-retinotopic organization of the frog's optic nerve, **266**, 121
Scalisi, J.A., see Gintzler, A.R., **269**, 391
Scapagnini, U., see Drago, F., **263**, 277
Scapagnini, U., see Nicoletti, F., **279**, 352
Scaravilli, F.
  Reduced substance P in hereditary sensory neuropathy in the *mf* rat, **263**, 147
Scarnati, E., Campana, E. and Pacitti, C.
  The functional role of the nucleus accumbens in the control of the substantia nigra: electrophysiological investigations in intact and striatum-globus pallidus lesioned rats, **265**, 249
Scarnati, E., see Rouzaire-Dubois, B., **271**, 11
Scatton, B., Javoy-Agid, F., Rouquier, L., Dubois, B. and Agid, Y.
  Reduction of cortical dopamine, noradrenaline, serotonin and their metabolites in Parkinson's disease, **275**, 321
Scatton, B., see Nishikawa, T., **279**, 325
Scatton, B., see Trottier, S., **272**, 255
Schade Powers, A. and Frank, R.
  The effects of lesions of nucleus rotundus on visual intensity difference thresholds in turtles (*Chrysemys picta*), **264**, 47
Schady, W.J.L., Torebjörk, H.E. and Ochoa, J.L.
  Peripheral projections of nerve fibres in the human median nerve, **277**, 249
Schaible, H.-G., see Coggeshall, R.E., **272**, 185
Schechter, N., see Quitschke, W., **258**, 69
Schenk, J.O., Miller, E., Rice, M.E. and Adams, R.N.
  Chronoamperometry in brain slices: quantitative evaluations of in vivo electrochemistry, **277**, 1
Schermoly, M.J. and Helmkamp, G.M. Jr.
  The inactivity of brain phospholipid transfer protein toward phosphatidylinositol 4-phosphate, **268**, 197
Schettini, G., Di Renzo, G., Amoroso, S., Annunziatio, L. and Quattrone, A.
  Chemical denervation produces supersensitivity of central serotonergic receptors involved in the control of TSH secretion in the rat, **261**, 349
Schipper, J., Steinbusch, H.W.M., Vermes, I. and Tilders, F.J.H.
  Mapping of CRF-immunoreactive nerve fibers in the medulla oblongata and spinal cord of the rat, **267**, 145
Schlag, J., see Fuller, J.H., **271**, 241
Schley, C., see Flaster, M.S., **277**, 196
Schlossberger, H.G., see Sievers, H., **275**, 23
Schlue, W.R. and Wuttke, W.
  Potassium activity in leech neuropile glial cells changes with external potassium concentration, **270**, 368
Schlue, W.R., see Walz, W., **267**, 93
Schlumpf, B.E., see Green, E.J., **264**, 233
Schmidek, W.R., Zachariassen, K.E. and Hammel, H.T.
  Total calorimetric measurements in the rat: influences of the sleep-wakefulness cycle and of the environmental temperature, **288**, 261
Schmidley, J.W. and Wissig, S.L.
  Abundant, uniquely oriented endoplasmic reticulum in capillaries of the CNS:

demonstration using reduced-osmium and glucose-6-phosphatase cytochemistry, **262**, 9

Schmidt, A., see Neville, H.J., **266**, 127

Schmidt, J., see Shieh, B.-H., **263**, 259

Schmidt, J.T. and Edwards, D.L.
Activity sharpens the map during the regeneration of the retinotectal projection in goldfish, **269**, 29

Schmidt, J.T., Edwards, D.L. and Stuermer, C.
The re-establishment of synaptic transmission by regenerating optic axons in goldfish: time course and effects of blocking activity by intraocular injection of tetrodotoxin, **269**, 15

Schmidt, R.F., see Coggeshall, R.E., **272**, 185

Schneider, J.S., Wilson, J.S., Hull, C.D. and Buchwald, N.A.
Intracellular responses of caudate neurons to stimulation of cortex and substantia nigra following large thalamic lesions, **265**, 322

Schoemaker, H., Smith, T.L. and Yamamura, H.I.
Effect of chronic ethanol consumption on central and peripheral type benzodiazepine binding sites in the mouse brain, **258**, 347

Schoenenberger, G.A., see Hösli, E., **279**, 374

Schomburg, E.D., see Behrends, T., **260**, 131, **265**, 125

Schonfeld, A.R., Thal, L.J., Horowitz, S.G. and Katzman, R.
Heart conditioned medium elicits post-lesion muscarinic receptor recovery in vivo, **266**, 271

Schook, W., see Moskowitz, N., **263**, 243

Schorr, D., see Davis, M.R., **265**, 283

Schotte, A., Maloteaux, J.M. and Laduron, P.M.
Characterization and regional distribution of serotonin S_2-receptors in human brain, **276**, 231

Schousboe, A., see Larsson, O.M., **260**, 279

Schramm, L.P., see McKenna, K.E., **269**, 201

Schreibman, M.P., Halpern-Sebold, L., Ferin, M., Margolis-Kazan, H. and Goos, H.J.Th.
The effect of hypophysectomy and gonadotropin administration on the distribution and quantity of LH-RH in the brains of platyfish: a combined immunocytochemistry and radioimmunoassay study, **267**, 293

Schubert, P., see Lee, K.S., **260**, 156

Schulkin, J., Eng, R. and Miselis, R.R.
The effects of disconnecting the subfornical organ on behavioral and physiological responses to alterations of body sodium, **263**, 351

Schultzberg, M. and Dalsgaard, C.-J.
Enteric origin of bombesin immunoreactive fibres in the rat coeliac-superior mesenteric ganglion, **269**, 190

Schumacher, M., Contenti, E. and Balthazart, J.
Testosterone metabolism in discrete areas of the hypothalamus and adjacent brain regions of male and female Japanese quail (*Coturnix coturnix Japonica*), **278**, 337

Schünke, D., see Dermietzel, R., **262**, 225

Schuster, C.R., see Wagner, G.C., **270**, 285

Schwartz, M., see Neuman, D., **272**, 237

Schwartz, M.H.
Voltage clamp analysis of ethanol effects on pacemaker currents of *Aplysia* neurons, **278**, 341

Schwartz, W.J., Coleman, R.J. and Reppert, S.M.
A daily vasopressin rhythm in rat cerebrospinal fluid, **263**, 105

Schwartz, W.J., Reppert, S.M., Eagan, S.M. and Moore-Ede, M.C.
In vivo metabolic activity of the suprachiasmatic nuclei: a comparative study, **274**, 184

Schwartz, W.J., see Reppert, S.M., **261**, 341

Schwartzbaum, J.S., see Block, C.H., **259**, 1

Schwartzberg, D.G. and Nakane, P.K.
ACTH-related peptide containing neurons within the medulla oblongata of the rat, **276**, 351

Schweizer, M.P., see Reeves, P.M., **270**, 376

Schwindt, P.C., see Flatman, J.A., **266**, 169

Schwing-Stanhope, G., see Billings-Gagliardi, S., **268**, 255

Seal, J., Commenges, D., Salamon, R. and Bioulac, B.
A statistical method for the estimation of neuronal response latency and its functional interpretation, **278**, 382

Seegal, R.F., see Wolpaw, J.R., **267**, 196

Seelig, T.L., Grossman, Y. and Kendig, J.J.
Cyclic AMP reduction of frequency following ability in peripheral axons, **279**, 303

Segal, M., Foote, S.L. and Aston-Jones, G.
Physiological properties of ascending locus coeruleus axons in the squirrel monkey, **274**, 381

Seiden, L.S., see Wagner, G.C., **270**, 285

Seil, F.J., Garwood, M.M., Clark, H.B. and Agrawal, H.C.
Demyelinating and myelination-inhibiting factors induced by chloroform-methanol insoluble proteins of myelin, **288**, 384

Seil, F.J., see Blank, N.K., **271**, 135

Semple, M.N., see Moore, D.R., **269**, 69

Senba, E. and Tohyama, M.
Leucine-enkephalin-containing neuron system in the facial nucleus of the rat with special reference to its fine structure, **274**, 17

Sensenbrenner, M., see Barakat, I., **279**, 207

Sernia, C. and Mowchanuk, M.D.
Brain angiotensinogen: in vitro synthesis and chromatographic characterization, **259**, 275

Serra, M., Concas, A., Salis, M. and Biggio, G.
Increase of cyclic GMP in cerebellum by methyl-6,7-dimethoxy-4-ethyl-β-carboline-3-carboxylate (DMCM), **273**, 347

Serra, R., see Delgado-García, J.M., **277**, 231
Sershen, H., see Allen, D.L., **267**, 161
Serviere, J., see Bardin, J.M., **272**, 171
Sesma, M.A., see Florence, S.L., **270**, 127
Seto, K., see Kaba, H., **274**, 156
Severson, J.A. and Randall, P.K.
  Localization of [^{3}H]N-propylnorapomorphine binding in mouse striatum, **279**, 295
Seyan, H.S., see Nässel, D.R., **280**, 361
Seyfried, T.N.
  Genetic heterogeneity for the development of audiogenic seizures in mice, **271**, 325
Seylaz, J., see Reynier-Rebuffel, A.-M., **269**, 91
Sgro, S., see Renaud, L.P., **275**, 365
Shah, S.N., see Peterson, N.A., **272**, 189
Shainberg, A., see Sampson, S.R., **289**, 338
Shally, A.V., see Merchenthaler, I., **275**, 373
Sharif, N.A. and Burt, D.R.
  Receptors for thyrotropin-releasing hormone (TRH) in rabbit spinal cord, **270**, 259
Sharma, R.P., see King, D.J., **262**, 172
Sharman, D., see Holzbauer, M., **277**, 47
Sharp, F.R., Kilduff, T.S., Bzorgchami, S., Heller, H.C. and Ryan, A.F.
  The relationship of local cerebral glucose utilization to optical density ratios, **263**, 97
Sharp, F.R., see Kilduff, T.S., **262**, 117, **269**, 168
Sharp, F.R., see Woolf, N.K., **274**, 119
Shaw, W., see Marwaha, J., **276**, 379
Shcherbatko, A.D., see Kononenko, N.I., **268**, 321
Sheedlo, H.J. and Sprinkle, T.J.
  The localization of 2':3'-cyclic nucleotide 3'-phosphodiesterase in bovine cerebrum by immunofluorescence, **288**, 330
Shenkman, L., see Gilad, G.M., **267**, 171
Shepard, R.D., see Beitz, A.J., **258**, 305, **261**, 132
Sher, P.K., Study, R.E., Mazzetta, J., Barker, J.L. and Nelson, P.G.
  Depression of benzodiazepine binding and diazepam potentiation of GABA-mediated inhibition after chronic exposure of spinal cord cultures to diazepam, **268**, 171
Sheridan, P.J. and Melgosa, R.T.
  Aromatization of testosterone to estrogen varies between strains of mice, **273**, 285
Sheridan, P.J., see Morris, M.E., **278**, 127
Sherk, H., see LeVay, S., **271**, 131
Sheward, J., see Yates, C.M., **258**, 45
Sheward, W.J., see Millar, R.P., **260**, 334
Shibazaki, T., see Rouzaire-Dubois, B., **271**, 11
Shibuya, M., see Suzuki, Y., **258**, 53
Shieh, B.-H., Pezzementi, L. and Schmidt, J.
  Extracellular potassium and the regulation of acetylcholine receptor synthesis in embryonic chick muscle cells, **263**, 259
Shigenaga, Y., Nakatani, Z., Nishimori, T., Suemune, S., Kuroda, R. and Matano, S.
  The cells of origin of cat trigeminothalamic projections: especially in the caudal medulla, **277**, 201
Shimada, Y., see Ishikawa, Y., **266**, 159
Shimahara, T.
  Presynaptic modulation of transmitter release by the early outward potassium current in *Aplysia*, **263**, 51
Shimamura, M. and Kogure, I.
  Discharge patterns of reticulospinal neurons corresponding with quadrupedal leg movements in thalamic cats, **260**, 27
Shimatsu, A., Kato, Y., Matsushita, N., Katakami, H., Ohta, H., Yanaihara, N. and Imura, H.
  Serotonin stimulates vasoactive intestinal polypeptide release from rat hypothalamus in vitro, **264**, 148
Shimizu, N., Oomura, Y., Novin, D., Grijalva, C.V. and Cooper, P.H.
  Functional correlations between lateral hypothalamic glucose-sensitive neurons and hepatic portal glucose-sensitive units in rat, **265**, 49
Shinkawa, Y., see Suzuki, J., **266**, 359
Shinnick-Gallagher, P., see Gallagher, J.P., **267**, 249
Shinnick-Gallagher, P., see Mayer, M.L., **260**, 233
Shinoda, K., see Inagaki, S., **260**, 143
Shinozaki, H. and Ishida, M.
  Trimethaphan as a glutamate inhibitor at the crayfish neuromuscular junction, **268**, 295
Shinozaki, H. and Ishida, M.
  Excitatory junctional responses and glutamate responses at the crayfish neuromuscular junction in the presence of chlorisondamine, **273**, 325
Shinozaki, H., see Ishida, M., **266**, 174
Shiosaka, S., see Inagaki, S., **273**, 229
Shiosaka, S., see Sakanaka, M., **259**, 123
Shivers, B.D., see Harlan, R.E., **268**, 67
Shoemaker, W.J., see Magistretti, P.J., **261**, 159
Shouse, M.N. and Sterman, M.B.
  'Kindling' sleep disorder: degree of sleep pathology predicts kindled seizure susceptibility in cats, **271**, 196
Siegel, A., see Femano, P.A., **269**, 119
Siegel, A., see Watson, R.E. Jr., **269**, 327
Siegel, J.M., Nienhuis, R. and Tomaszewski, K.S.
  Rostral brainstem contributes to medullary inhibition of muscle tone, **268**, 344
Siegel, R., see Weidenfeld, J., **265**, 152
Siegel, R.A., see Feldman, S., **260**, 297
Siesjö, B.K., see Ingvar, M., **264**, 225
Sievers, H., Sievers, J., Baumgarten, H.-G., König, N. and Schlossberger, H.G.
  Distribution of tritium label in the neonate rat brain following intracisternal or subcutaneous administration of [^{3}H]6-OHDA. An autoradiographic study, **275**, 23
Sievers, J., see Sievers, H., **275**, 23
Siggins, G.R., see Champagnat, J., **280**, 155
Sikand, G.S., see Higuchi, T., **288**, 359
Sikdar, S.K., see Aou, S., **260**, 121
Sikdar, S.K., see Inoue, M., **278**, 185
Silberberg, D.H., see Lisak, R.P., **289**, 285

Sillito, A.M. and Kemp, J.A.
The influence of GABAergic inhibitory processes on the receptive field structure of X and Y cells in cat dorsal lateral geniculate nucleus (dLGN), **277**, 63

Sillito, A.M. and Kemp, J.A.
Cholinergic modulation of the functional organization of the cat visual cortex, **289**, 143

Sillito, A.M., Kemp, J.A. and Berardi, N.
The cholinergic influence on the function of the cat dorsal lateral geniculate nucleus (dLGN), **280**, 299

Silver, S.C., Patterson, J.A. and Mobbs, P.G.
Biogenic amines in cephalopod retina, **273**, 366

Silver, W.L., see Maruniak, J.A., **265**, 312

Silver, W.L., see Mason, J.R., **269**, 196

Siman, R.G. and Klein, W.L.
Differential regulation of muscarinic and nicotinic receptors by cholinergic stimulation in cultured avian retina cells, **262**, 99

Simantov, R. and Amir, S.
Regulation of opiate receptors in mouse brain: arcuate nuclear lesion induces receptor up-regulation and supersensitivity to opiates, **262**, 168

Simonds, W.F., Booth, A.M., Thor, K.B., Ostrowski, N.L., Nagel, J.R. and de Groat, W.C.
Parasympathetic ganglia: naloxone antagonizes inhibition by leucine-enkephalin and GABA, **271**, 365

Simonovic, M. and Meltzer, H.Y.
Biphasic effect of 5-methoxy-N,N-dimethyltryptamine on rat prolactin secretion, **272**, 269

Simons, D.J.
Multi-whisker stimulation and its effects on vibrissa units in rat SmI barrel cortex, **276**, 178

Simpson, J., see Yates, C.M., **258**, 45, **280**, 119

Sims, N.R., see Smith, C.C.T., **264**, 138

Sims, T.J. and Gilmore, S.A.
Interactions between intraspinal Schwann cells and the cellular constituents normally occurring in the spinal cord: an ultrastructural study in the irradiated rat, **276**, 17

Sin, S., see Ibata, Y., **258**, 291

Sinclair, J.G., see Soja, P.J., **273**, 1

Singer, M., see McGinnis, M.Y., **275**, 75

Singh, R., see Pandey, A., **273**, 67

Sirett, N.E., see Brooks, M.J., **261**, 85

Sirkin, D.W. and Teitelbaum, P.
The pontine reticular formation is part of the output pathway for amphetamine- and apomorphine-induced lateral head movements: evidence from experimental lesions in the rat, **260**, 291

Sjölund, B., see Nyberg, F., **259**, 267

Sjövall, J., see Corpéchot, C., **270**, 119

Skaper, S.D. and Varon, S.
Control of the Na^+,K^+-pump by nerve growth factor is essential to neuronal survival, **271**, 263

Skaper, S.D., see Longo, F.M., **261**, 109

Skaper, S.D., see Manthorpe, M., **267**, 47

Skau, K.A.
The acetylcholinesterase abnormality in dystrophic mice is a reflection of a maturational defect, **276**, 192

Skelton, J.L., Gardner-Medwin, A.R. and George, S.A.
The effects of carbon dioxide, oxygen and pH on spreading depression in the isolated chick retina, **288**, 229

Skerritt, J.H. and Johnston, G.A.R.
Enhancement of excitant amino acid release from rat brain slices by the convulsant 3-mercaptopropionic acid, **258**, 165

Skerritt, J.H., Willow, M. and Johnston, G.A.R.
Contrasting effects of a convulsant (CHEB) and an anticonvulsant barbiturate (phenobarbitone) on amino acid release from rat brain slices, **258**, 271

Skirboll, L.R., see McLean, S., **278**, 255

Slack, J.R., see Pockett, S., **258**, 296, **268**, 349

Slakey, D.P., see Keller, E.L., **288**, 131

Slater, N.T., Carpenter, D.O., Freedman, J.E. and Snyder, S.H.
Vipoxin both activates and antagonizes three types of acetylcholine response in *Aplysia* neurons, **278**, 266

Slater, N.T., see Hirata, H., **270**, 358

Slevin, J.T., Collins, J.F. and Coyle, J.T.
Analogue interactions with the brain receptor labeled by [^{3}H]kainic acid, **265**, 169

Smith, A.D., see Clarke, D.J., **289**, 342

Smith, A.D., see Somogyi, P., **259**, 137

Smith, C.B., see Hökfelt, T., **289**, 311

Smith, C.C.T., Bowen, D.M. and Davison, A.N.
The evoked release of endogenous amino acids from tissue prisms of human neocortex, **269**, 103

Smith, C.C.T., Bowen, D.M., Sims, N.R., Neary, D. and Davison, A.N.
Amino acid release from biopsy samples of temporal neocortex from patients with Alzheimer's disease, **264**, 138

Smith, D., see Katz, I.R., **264**, 173

Smith, E.L. III, see Elberger, A.J., **268**, 147, **278**, 295

Smith, G.C., see Willis, G.L., **266**, 279, **276**, 119

Smith, M.E., Kocsis, J.D. and Waxman, S.F.
Myelin protein metabolism in demyelination and remyelination in the sciatic nerve, **270**, 37

Smith, M.E., Somera, F.P. and Eng, L.F.
Immunocytochemical staining for glial fibrillary acidic protein and the metabolism of cytoskeletal proteins in experimental allergic encephalomyelitis, **264**, 241

Smith, M.J., see Keller, E.L., **258**, 323

Smith, R., see Kiser, R.S., **288**, 187

Smith, R., see Tai, F.L., **278**, 350

Smith, R.M., see Howe, P.R.C., **270**, 19

Smith, T.G. Jr.
  Sites of action potential generation in cultured vertebrate neurons, **288**, 381
Smith, T.L., see Schoemaker, H., **258**, 347
Smolen, A.J.
  Specific binding of α-bungarotoxin to synaptic membranes in rat sympathetic ganglion: computer best-fit analysis of electron miscroscpe radioautographs, **289**, 177
Smolikhina, T.I., see Kostenko, M.A., **276**, 43
Snyder, G.D., see Petrovic, S.L., **261**, 249
Snyder, G.L., see Fluharty, S.J., **267**, 384
Snyder, S.H., see Slater, N.T., **278**, 266
So, K.-F., see Jen, L.S., **263**, 331, **274**, 135
Sobue, G., Kreider, B., Asbury, A. and Pleasure, D.
  Specific and potent mitogenic effect of axolemmal fraction on Schwann cells from rat sciatic nerves in serum-containing and defined media, **280**, 263
Sofroniew, M.V., Pearson, R.C.A., Eckenstein, F., Cuello, A.C. and Powell, T.P.S.
  Retrograde changes in cholinergic neurons in the basal forebrain of the rat following cortical damage, **289**, 370
Sofroniew, M.V., see Pearson, R.C.A., **289**, 375
Soja, P.J. and Sinclair, J.G.
  Spinal vs supraspinal actions of morphine on cat spinal cord multireceptive neurons, **273**, 1
Sokoloff, L., see Crosby, G., **275**, 194
Sokoloff, L., see Hökfelt, T., **289**, 311
Sokoloff, L., see Kadekaro, M., **275**, 189
Sokoloff, L., see Nakamura, R.K., **268**, 372
Sole, M.J., Versteeg, D.H.G., De Kloet, E.R., Hussain, N. and Lixfeld, W.
  The identification of specific serotonergic nuclei inhibited by cardiac vagal afferents during acute myocardial ischemia in the rat, **265**, 55
Solnick, J., see Oke, A., **269**, 180
Solodkin, M., see Jiménez, I., **272**, 179
Somera, F.P., see Smith, M.E., **264**, 241
Somogyi, P., Nunzi, M.G., Gorio, A. and Smith, A.D.
  A new type of specific interneuron in the monkey hippocampus forming synapses exclusively with the axon initial segments of pyramidal cells, **259**, 137
Sonnier, B.J., see Olmstead, C.E., **274**, 336
Sorimachi, M. and Yamagami, K.
  Partial metabolic inhibition stimulates adrenal medullary secretion possibly by activating Na-dependent Ca influx mechanism, **258**, 156
Soto-Moyano, R., see Hernandez, A., **276**, 195
South, E.H. and Ritter, R.C.
  Overconsumption of preferred foods following capsaicin pretreatment of the area postrema and adjacent nucleus of the solitary tract, **288**, 243
Spano, P.F., see Missale, C., **262**, 160
Sparrow, J.R. and Grafstein, B.
  Prior collateral sprouting enhances axonal regeneration, **269**, 133
Spatz, M., Dodson, R.F. and Bembry, J.
  Cerebrovascular muscle cultures. I. Isolation, growth and morphological characterization, **280**, 387
Spencer, P.S., see Politis, M.J., **278**, 229
Spencer, P.S., see Zagoren, J.C., **270**, 162
Spira, M.E., see Meiri, H., **263**, 1
Spoor, H.E., see Freed, W.J., **269**, 184
Springer, A.D. and Mednick, A.S.
  Dorsotemporal retinal ganglion cell axons of goldfish are located in the dorsal rather than ventral optic tract, **273**, 152
Sprinkle, T.J., see Sheedlo, H.J., **288**, 330
Squatrito, S., see Galletti, C., **260**, 128
Squatrito, S., see Maioli, M.G., **265**, 294
Stafstrom, C.E., see Flatman, J.A., **266**, 169
Standage, G.P. and Benevento, L.A.
  The organization of connections between the pulvinar and visual area MT in the macaque monkey, **262**, 288
Stanfield, B.B., see Dent, J.A., **258**, 1
Stanley, E.F. and Drachman, D.B.
  Botulinum toxin blocks quantal but not non-quantal release of ACh at the neuromuscular junction, **261**, 172
Stanton, G.B., see Sakai, S.T., **271**, 1
Stanzione, P. and Zieglgänsberger, W.
  Action of neurotensin on spinal cord neurons in the rat, **268**, 111
Starita, A., see Favilla, M., **280**, 277
Stead, B.H., see Howe, P.R.C., **270**, 29
Stedman, H.M., see Bradley, R.M., **276**, 81
Steel, K.P., see Deol, M.S., **258**, 177
Steen, N., see Brodal, P., **267**, 1
Steffens, H., see Behrends, T., **260**, 131, **265**, 125
Steggles, A.W., see Finkelstein, J.A., **288**, 193
Steimer, Th. and Hutchison, J.B.
  Nuclear uptake of testosterone in the dove preoptic area, **274**, 193
Stein, D.G. and Will, B.E.
  Nerve growth factor produces a temporary facilitation of recovery from entorhinal cortex lesions, **261**, 127
Stein, P.S.G., see Keifer, J., **266**, 148
Stein, R.B., see Gillespie, M.J., **259**, 41
Steinbusch, H., see Belin, M.F., **275**, 329
Steinbusch, H.W.M., see Sawchenko, P.E., **277**, 355
Steinbusch, H.W.M., see Schipper, J., **267**, 145
Steinfels, G.F., Heym, J., Strecker, R.E. and Jacobs, B.L.
  Behavioral correlates of dopaminergic unit activity in freely moving cats, **258**, 217
Steinfels, G.F., Heym, J., Strecker, R.E. and Jacobs, B.L.
  Response of dopaminergic neurons in cat to auditory stimuli presented across the sleep-waking cycle, **277**, 150
Steinfels, G.F., Heym, J., Strecker, R.E. and Jacobs, B.L.
  Raphe unit activity in freely moving cats is

altered by manipulations of central but not peripheral motor systems, **279**, 77

Steinfels, G.F., see Strecker, R.E., **260**, 317

Steinlechner, S., see Reiter, R.J., **288**, 151

Stemmer, K.L., see Wenk, G.L., **288**, 393

Stenevi, U., see Gage, F.H., **268**, 27, **268**, 39

Stenevi, U., see Ingvar, M., **262**, 259

Stengaard-Pedersen, K., Fredens, K. and Larsson, L.-I.
Comparative localization of enkephalin and cholecystokinin immunoreactivities and heavy metals in the hippocampus, **273**, 81

Stengaard-Pedersen, K. and Larsson, L.-I.
Met- and Leu-enkephalinergic innervation of the lateral septal nucleus, **264**, 152

Stensaas, L.J., see Monti-Bloch, L., **270**, 63, **270**, 77

Steriade, M., see Oakson, G., **269**, 386

Sterman, M.B., see Shouse, M.N., **271**, 196

Stern, J., see Kim, S.U., **274**, 79

Stern, R., see Price, J.L., **269**, 352

Stevens, J.K., see Sasaki, S., **259**, 193

Stevens, R.T., Hodge, C.J. Jr. and Apkarian, A.V.
Catecholamine varicosities in cat dorsal root ganglion and spinal ventral roots, **261**, 151

Stinus, L., see Finklestein, S., **271**, 279

Stock, G., see Degrell, I., **277**, 283

Stoll, A.L., see Finklestein, S., **271**, 279

Stone, T.W. and Perkins, M.N.
Quisqualic acid excitation of cortical neurones is selectively antagonized by streptomycin, **260**, 347

Stone, T.W., see Perkins, M.N., **259**, 172

Stone, W.E. and Javid, M.J.
Effects of anticonvulsants and other agents on seizures induced by intracerebral L-glutamate, **264**, 165

Stonestreet, B.S., see Laptook, A.R., **276**, 51

Storch, F.I., see Nakamura, R.K., **268**, 372

Strang-Brown, P.F., see Morley, B.J., **262**, 109

Strecker, R.E., Steinfels, G.F. and Jacobs, B.L.
Dopaminergic unit activity in freely moving cats: lack of relationship to feeding, satiety, and glucose injections, **260**, 317

Strecker, R.E., see Steinfels, G.F., **258**, 217, **277**, 150, **279**, 77

Stricker, E.M., see Chiodo, L.A., **264**, 123

Stricker, E.M., see Fluharty, S.J., **267**, 384

Stricker, E.M., see Keller, R.W. Jr., **279**, 159

Stringer, J.L., Greenfield, L.J., Hackett, J.T. and Guyenet, P.G.
Blockade of long-term potentiation by phencyclidine and σ opiates in the hippocampus in vivo and in vitro, **280**, 127

Stringer, J.L. and Guyenet, P.G.
Elimination of long-term potentiation in the hippocampus by phencyclidine and ketamine, **258**, 159

Struppler, A., see Mackel, R., **268**, 49

Stuart, D., see Jankowska, E., **261**, 317

Study, R.E., see Sher, P.K., **268**, 171

Stuermer, C., see Schmidt, J.T., **269**, 15

Stumpf, W.E., see Rogers Munn, A. III, **274**, 1

Suda, S., see Nakamura, R.K., **268**, 372

Sudo, A.
Time course of the changes of catecholamine levels in rat brain during swimming stress, **276**, 372

Suemune, S., see Shigenaga, Y., **277**, 201

Sugaya, E., see Onozuka, M., **269**, 277

Sugden, D. and Klein, D.C.
Adrenergic stimulation of rat pineal hydroxyindole-O-methyltransferase, **265**, 348

Sugden, M.C., see Regen, D.M., **271**, 289

Sugimoto, N., see Higashida, H., **279**, 363

Sugimoto, T. and Hattori, T.
Confirmation of thalamosubthalamic projections by electron microscopic autoradiography, **267**, 335

Sugiura, Y., see Hosoya, Y., **266**, 329

Sullivan, M.C., see Bowker, R.M., **288**, 33

Sumal, K.K., Blessing, W.W., Joh, T.H., Reis, D.J. and Pickel, V.M.
Synaptic interaction of vagal afferents and catecholaminergic neurons in the rat nucleus tractus solitarius, **277**, 31

Sumners, C., Phillips, M.I. and Raizada, M.K.
Rat brain cells in primary culture: visualization and measurement of catecholamines, **264**, 267

Sun, X., Jen, P.H.-S. and Kamada, T.
Mapping of the auditory area in the cerebellar vermis and hemispheres of the mustache bat, *Pteronotus parnellii parnellii*, **271**, 162

Sun, X., Jen, P.H.-S. and Kamada, T.
Neurons in the superior colliculus of echo-locating bats respond to ultrasonic signals, **275**, 148

Supavilai, P., see Borea, P.A., **280**, 383

Suppes, T., see Kriegstein, A.R., **266**, 137

Sur, M., see Felleman, D.J., **268**, 15

Surtees, L., see Collins, G.G.S., **265**, 157

Sutherland, R.C. and Fink, G.
The milk ejection pathway in brain studied with the 2-deoxyglucose method, **273**, 291

Sutherland, R.C., Martin, M.J., McQueen, J.K. and Fink, G.
Water deprivation results in increased 2-deoxyglucose uptake by paraventricular neurones as well as pars nervosa in Wistar and Brattleboro rats, **271**, 101

Sutor, B., see Zieglgänsberger, W., **279**, 316

Suzuki, J., Nakamoto, Y. and Shinkawa, Y.
Vocal cerebral glucose utilization in epileptic seizures of the mutant E1 mouse, **266**, 359

Suzuki, J.-I., see Cohen, B., **276**, 159

Suzuki, J.-I., see Raphan, T., **276**, 165

Suzuki, K., see Bourque, E.A., **261**, 295

Suzuki, K., see Nagara, H., **263**, 336

Suzuki, M., see Kato, M., **280**, 69

Suzuki, R., see Karnushina, I., **268**, 87

Suzuki, Y., Okada, T., Shibuya, M., Mutsuga, N., Kageyama, N. and Hidaka, H.
Regional distribution of dopamine and norepinephrine in canine cerebral arteries

- effect of pre- or postganglionic sympathetic denervation, **258**, 53

Swandulla, D., see Aldenhoff, J.B., **276**, 289

Swann, A.C.
  Stimulation of brain Na^+,K^+-ATPase by norepinephrine in vivo: prevention by receptor antagonists and enhancement by repeated stimulation, **260**, 338

Swanson, L.W., see Sawchenko, P.E., **277**, 355

Sweeney, D., see Kimes, A.S., **274**, 291

Swerdlow, N.R., see Van der Kooy, D., **259**, 111

Switzer, R.C., see Beck, M.M., **260**, 11

Synguelakis, M., see Corpéchot, C., **270**, 119

Szabó, D., see Kiss, J.Z., **262**, 217, **265**, 11

Szabo, T., Ravaille, M., Libouban, S. and Enger, P.S.
  The mormyrid rhombencephalon: I. Light and EM investigations on the structure and connections of the lateral line lobe nucleus with HRP labelling, **266**, 1

Sze, P.Y., Alderson, R.F. and Hedrick, B.J.
  Two forms of striatal tyrosine hydroxylase from DEAE-cellulose chromatography, **268**, 129

Sze, P.Y. and Hedrick, B.J.
  Effects of dexamethasone and other glucocorticoid steroids on tyrosine hydroxylase activity in the superior cervical ganglion, **265**, 81

Sze, P.Y., see Yanai, J., **269**, 297

Szechtman, H.
  Peripheral sensory input directs apomorphine-induced circling in rats, **264**, 332

Szostak, C., see Tombaugh, T.N., **261**, 231

Szulczyk, P., see Maksymowicz, W., **262**, 209

T

Tadaki, E., see Kumazawa, T., **272**, 364

Taha, A.A.M. and King, A.S.
  Autoradiographic observations on the innervation of the carotid body of the domestic fowl, **266**, 193

Tai, F.L. and Smith, R.
  Shark CNS myelin contains four polypeptides related to the PNS protein P_0 of higher classes, **278**, 350

Takada, M., see Itoh, K., **272**, 350, **274**, 332

Takada, S., see Sawada, S., **267**, 156

Takagi, H., see Inagaki, S., **273**, 229

Takagi, H., see Kuraishi, Y., **273**, 245

Takahashi, H., see Ito, J., **259**, 293

Takahashi, J.S., see Hamm, H.E., **266**, 287

Takahashi, K., see Murakami, N., **276**, 297

Takahashi, Y., see Kuwano, R., **274**, 171

Takano, T., see Uyama, O., **259**, 344

Takano, Y., Sakurai, Y., Kohjimoto, Y., Honda, K. and Kamiya, H.-O.
  Presynaptic modulation of the release of dopamine from striatal synaptosomes: differences in the effects of high K^+ stimulation, methamphetamine and nicotinic drugs, **279**, 330

Takaori, S., see Ito, J., **259**, 293

Takatani, T., see Ito, J., **259**, 293

Takatsuki, K., see Sakanaka, M., **259**, 123

Takayama, K., see Miura, M., **288**, 389

Takenaka, T., see Horie, H., **288**, 85

Takeuchi, T., see Fujita, Y., **278**, 313

Takeuchi, Y., Matsushima, S., Matsushima, R. and Hopkins, D.A.
  Direct amygdaloid projections to the dorsal motor nucleus of the vagus nerve: a light and electron microscopic study in the rat, **280**, 143

Tal, J., Price, M.T. and Olney, J.W.
  Neuroactive amino acids influence gonadotropin output by a suprapituitary mechanism in either rodents or primates, **273**, 179

Tal, M. and Rotshenker, S.
  Recycling of synaptic vesicles in motor nerve endings separated from their target muscle fibers, **270**, 131

Taleisnik, S., see Zubin, P., **271**, 273

Talha, S., see Corpéchot, C., **270**, 119

Talman, W.T., see Wiley, R.G., **269**, 357

Tamaki, K., see Nakatomi, Y., **270**, 146

Tamaki, M.
  The effect of streptomycin on the neuromuscular junction of the frog, **265**, 241

Tanaka, C., see Fujiwara, H., **279**, 127

Tanaka, D. Jr., see Sakai, S.T., **271**, 1

Tanaka, K.
  Distinct X-and Y-streams in the cat visual cortex revealed by bicuculline application, **265**, 143

Tanaka, K.R. and Webb, R.A.
  Octapamine in *Lumbricus terrestris:* presence, synthesis and effect of octopamine on the spontaneous rhythmic contractions of the ventral nerve cord, **260**, 160

Tanaka, M., Kohno, Y., Tsuda, A., Nakagawa, R., Ida, Y., Iimori, K., Hoaki, Y. and Nagasaki, N.
  Differential effects of morphine on noradrenaline release in brain regions of stressed and non-stressed rats, **275**, 105

Tanaka, M., see Ibata, Y., **269**, 177

Tanaka, R., see Okumura-Noji, K., **273**, 17

Tanaka, R., see Sakazaki, Y., **262**, 125

Tanimoto, K., Maeda, K. and Terada, T.
  Inhibitory effect of lithium on neuroleptic and serotonin receptors in rat brain, **265**, 148

Tanji, J. and Kurata, K.
  Responses of pyramidal tract neurons in the postcentral cortex to tactile inputs, **273**, 352

Taquet, H., Javoy-Agid, F., Hamon, M., Legrand, J.C., Agid, Y. and Cesselin, F.
Parkinson's disease affects differently Met^5- and Leu^5-enkephalin in the human brain, **280**, 379
Tardieu, M., Noseworthy, J.H., Perry, L., Che, M., Greene, M.I. and Weiner, H.L.
Generation of a monoclonal antibody (epenl) which binds selectively to murine ependymal cells, **277**, 339
Tasaki, I. and Byrne, P.M.
Swelling of frog dorsal root ganglion and spinal cord produced by afferent volley of impulses, **272**, 360
Tateishi, J., see Nagara, H., **263**, 336
Tatemoto, K., see Christofides, N.D., **264**, 359
Tatsuno, J., see Mori-Okamoto, J., **258**, 318
Tawil, R.N., Saadé, N.E., Bitar, M. and Jabbur, S.J.
Polysensory interactions on single neurons of cat inferior colliculus, **269**, 149
Taylor, A., see Harrison, P.J., **264**, 316
Tearse, R.G., see Collins, R.C., **280**, 25
Teitelbaum, P., see Sirkin, D.W., **260**, 291
Telegdy, G., see Kovács, G.L., **268**, 307
Temesvári, P., see Joó, F., **278**, 165
Ten Bruggencate, G., see Grafe, P., **279**, 65
Ten Donkelaar, H.J. and Bangma, G.C.
A crossed rubrobulbar projection in the snake *Python regius*, **279**, 229
Terada, T., see Tanimoto, K., **265**, 148
Terenius, L., see Nyberg, F., **259**, 267
Terenius, L., see Yaksh, T.L., **268**, 119
Terman, G.W., Lewis, J.W. and Liebeskind, J.C.
Opioid and non-opioid mechanisms of stress analgesia: lack of cross-tolerance between stressors, **260**, 147
Terman, G.W., see Lewis, J.W., **267**, 139
Terreberry, R.R. and Neafsey, E.J.
Rat medial frontal cortex: a visceral motor region with a direct projection to the solitary nucleus, **278**, 245
Terubayashi, H., see Ibata, Y., **269**, 177
Tew, J.M. Jr., see Keller, J.T., **270**, 209
Teyler, T.J., see Harris, K.M., **261**, 69, **268**, 339
Thal, L.J., see Schonfeld, A.R., **266**, 271
Thesleff, S., Molgó, J. and Lundh, H.
Botulinum toxin and 4-aminoquinoline induce a similar abnormal type of spontaneous quantal transmitter release at the rat neuromuscular junction, **264**, 89
Thomas, H.C., see Espinoza, S.G., **272**, 137
Thompson, G.C., see Jensen, D.W., **280**, 335
Thompson, R.F., see McCormick, D.A., **271**, 73
Thompson, R.J., Doran, J.F., Jackson, P., Dhillon, A.P. and Rode, J.
PGP 9.5 - a new marker for vertebrate neurons and neuroendocrine cells, **278**, 224
Thompson, S.M., see Donnelly, J.F., **288**, 315
Thor, K.B., see Simonds, W.F., **271**, 365
Thrall, C.L.
Effects of various pathological conditions on the nuclear T$_3$ receptors of rat cerebral cortex: comparison with liver, **279**, 177
Thürauf, N., see Dermietzel, R., **262**, 225
Tiberio, G., see Michetti, F., **262**, 352
Tielen, A.M., De Graan, P.N.E., Mollevanger, W.J., Lopes da Silva, F.H. and Gispen, W.H.
Quantitative relationship between post-tetanic biochemical and electrophysiological changes in rat hippocampal slices, **277**, 189
Tieman, D.G., Tumosa, N. and Tieman, S.B.
Behavioral and physiological effects of monocular deprivation: a comparison of rearing with diffusion and occlusion, **280**, 41
Tieman, S.B. and Hirsch, H.V.B.
Removal of the more-experienced eye decreases visual field deficits in cats reared with unequal alternating monocular exposure, **271**, 170
Tieman, S.B. and Tumosa, N.
[^{14}C]2-Deoxyglucose demonstration of the organization of ocular dominance in areas 17 and 18 of the normal cat, **267**, 35
Tieman, S.B., see Tieman, D.G., **280**, 41
Tilders, F.J.H., see Schipper, J., **267**, 145
Tirone, F., see Parenti, M., **280**, 317
Tischler, M.D. and Davis, M.
A visual pathway that mediates fear-conditioned enhancement of acoustic startle, **276**, 55
Tobler, P.H., see Henke, H., **272**, 373
Todd, A.J. and Millar, J.
Receptive fields and responses to iontophoretically applied noradrenaline and 5-hydroxytryptamine of units recorded in laminae I-III of cat dorsal horn, **288**, 159
Toffano, G., Savoini, G., Moroni, F., Lombardi, G., Calza, L. and Agnati, L.F.
GM$_1$ ganglioside stimulates the regeneration of dopaminergic neurons in the central nervous system, **261**, 163
Tohyama, K., see Ide, C., **288**, 61
Tohyama, M., see Inagaki, S., **260**, 143, **273**, 229
Tohyama, M., see Sakanaka, M., **259**, 123
Tohyama, M., see Senba, E., **274**, 17
Tokimasa, T., Cherubini, E. and North, R.A.
Nicotinic depolarization activates calcium dependent g_K in myenteric neurons, **263**, 57
Tokushige, A., see Nakano, K., **262**, 283
Toldi, J., Joó, F., 12Adám, G., Fehér, O. and Wolff, J.R.
Inhibition of synaptic transmission in the rat superior cervical ganglion by intracarotid infusion of bungarotoxin, **262**, 323
Tolner, D.J., see Peroutka, S.J., **259**, 327
Tomaszewski, K.S., see Siegel, J.M., **268**, 344
Tombaugh, T.N., Pappas, B.A., Roberts, D.C.S., Vickers, G.J. and Szostak, C.
Failure to replicate the dorsal bundle extinction effect: telencephalic norepinephrine depletion does not reliably increase resistance to extinction but does augment gustatory neophobia, **261**, 231

Tomlinson, R.W.W., Gray, B.G. and Dostrovsky, J.O.
Inhibition of rat spinal cord dorsal horn neurons by non-segmental, noxious cutaneous stimuli, **279**, 291

Tonon, M.C., see Jegou, S., **260**, 91

Torbati, D., Greenberg, J. and Lambertsen, C.J.
Correlation of brain glucose utilization and cortical electrical activity during development of brain oxygen toxicity, **262**, 267

Torbati, D. and Lambertsen, C.J.
Regional cerebral metabolic rate for glucose during hyperbaric oxygen-induced convulsions, **279**, 382

Torebjörk, H.E., see Robinson, C.J., **274**, 87

Torebjörk, H.E., see Schady, W.J.L., **277**, 249

Tortelly, A., see Roldán, M., **280**, 1

Trabucchi, M., see Missale, C., **262**, 160

Trachtenberg, M.C. and Packey, D.J.
Rapid isolation of mammalian Müller cells, **261**, 43

Traub, R.D.
Cellular mechanisms underlying the inhibitory surround of penicillin epileptogenic foci, **261**, 277

Treistman, S.N., see Bablanian, G.M., **271**, 342

Tress, E.L., see Ariano, M.A., **289**, 362

Trevisani, A., see Belardetti, F., **288**, 95

Tribollet, E., see Kiss, J.Z., **262**, 217, **265**, 11

Tricklebank, M.D., see Hutson, P.H., **279**, 105

Tritt, S.H., Lowe, I.P. and Byrne, J.H.
A modification of the glyoxylic acid induced histofluorescence technique for demonstration of catecholamines and serotonin in tissues of *Aplysia californica*, **259**, 159

Trojanowski, J.Q.
Time of arrival of wheat germ agglutinin-HRP conjugates in superior colliculus after intraocular injections in the rat, **267**, 365

Trojanowski, J.Q. and Gonatas, N.K.
A morphometric study of the endocytosis of wheat germ agglutinin-horseradish peroxidase conjugates by retinal cells in the rat, **272**, 201

Trotier, D. and MacLeod, P.
Intracellular recordings from salamander olfactory receptor cells, **268**, 225

Trottier, S., Claustre, Y., Caboche, J., Dedek, J., Chauvel, P., Nassif, S. and Scatton, B.
Alterations of noradrenaline and serotonin uptake and metabolism in chronic cobalt-induced epilepsy in the rat, **272**, 255

Trouche, E., see Viallet, F., **279**, 193

Trubatch, J.R., see Beinfeld, M.C., **268**, 192

Trulson, M.E. and Trulson, V.M.
Chloral hydrate anesthesia blocks the excitatory response of dorsal raphe neurons to phasic auditory and visual stimuli in cats, **265**, 129

Trulson, V.M., see Trulson, M.E., **265**, 129

Truman, J.W., see Levine, R.B., **279**, 335

Tsuda, A., see Tanaka, M., **275**, 105

Tsukahara, N., Bando, T., Murakami, F. and Oda, Y.
Properties of cerebello-precerebellar reverberating circuits, **274**, 249

Tsukahara, N., see Kubota, M., **270**, 190

Tsukahara, N., see Murakami, F., **267**, 357

Tsukamoto, S., see Ogawa, N., **263**, 348

Tsunooka, H., see Sakazaki, Y., **262**, 125

Tsuruo, Y., Kawano, H., Nishiyama, T., Hisano, S. and Daikoku, S.
Substance P-like immunoreactive neurons in the tuberoinfundibular area of rat hypothalamus. Light and electron microscopy, **289**, 1

Tsuto, T., see Ibata, Y., **269**, 177

Tucker, L.W., see Iadecola, C., **272**, 101

Tucker, L.W., see Nakai, M., **260**, 35

Tuff, L.P., Racine, R.J. and Adamec, R.
The effects of kindling on GABA-mediated inhibition in the dentate gyrus of the rat. I. Paired-pulse depression, **277**, 79

Tuff, L.P., Racine, R.J. and Mishra, R.K.
The effects of kindling on GABA-mediated inhibition in the dentate gyrus of the rat. II. Receptor binding, **277**, 91

Tumosa, N., see Tieman, D.G., **280**, 41

Tumosa, N., see Tieman, S.B., **267**, 35

Tung, C.-S., Onuora, C.O., Robertson, D. and Goldberg, M.R.
Hypertensive effect of yohimbine following selective injection into the nucleus tractus solitarii of normotensive rats, **277**, 193

Turek, F.W., see Pickard, G.E., **268**, 201

Turkanis, S.A. and Karler, R.
Effects of Δ^9-tetrahydrocannabinol on cat spinal motoneurons, **288**, 283

Turnbull, B.G., see Rasmusson, D.D., **288**, 368

Turner, B.B., see Defiore, C.H., **278**, 93

Turner, D.F., see Marfurt, C.F., **261**, 1

Tyler, C.V. Jr., see Hall, E.D., **267**, 380

U

Uchiyama, M., see Murakami, T., **280**, 233

Ueta, K., see Sauter, A., **260**, 330

Ulfhake, B. and Kellerth, J.-O.
A quantitative morphological study of HRP-labelled cat α-motoneurones supplying different hindlimb muscles, **264**, 1

Ulrich, J., Matthieu, J.-M., Herschkowitz, N., Kohler, R. and Heitz, Ph.U.
Immunocytochemical investigations of murine leukodystrophies. A study of the mutants 'jimpy' (*jp*) and 'myelin deficient' (*mld*), **268**, 267

Ulrich, J., see Probst, A., **268**, 249

Unger, Th., see Lang, R.E., **260**, 326

Urbano, A., see Giuffrida, R., **279**, 254

Urca, G. and Frenk, H.
Intracerebral opiates block the epileptic effect of intracerebroventricular (IVC) leucine-enkephalin, **259**, 103

Urca, G., Nof, A., Weissman, B.-A. and Sarne, Y.
Analgesia induced by electroconvulsive shock: brain enkephalins may mediate tolerance but not the induction of analgesia, **260**, 271

Urquhart, A., see Yates, C.M., **280**, 119

Usherwood, P.N.R., see Donaldson, P.L., **274**, 261

Usherwood, P.N.R., see Duce, I.R., **263**, 77

Uyama, O., Nagatsuka, K., Fukunaga, R., Kusunoki, M., Takano, T., Yoneda, S., Kimura, K. and Abe, H.
Role of prostacyclin in the response of cerebral blood flow to CO_2, **259**, 344

Uylings, H.B.M., see Mirmiran, M., **261**, 331

V

Vaadia, E., see Frostig, R.D., **272**, 211

Vacca, M., see Preziosi, P., **271**, 379

Valdenegro, C.A., see Login, I.S., **260**, 99

Vale, W., see Ehlers, C.L., **278**, 332

Vale, W., see Gibbs, D.M., **280**, 176

Valentino, R.J., Foote, S.L. and Aston-Jones, G.
Corticotropin-releasing factor activates noradrenergic neurons of the locus coeruleus, **270**, 363

Vallbo, Å.B., see Nordh, E., **271**, 89

Valle, V.P., see Giuffrida, R., **279**, 254

Valli, P., see Prigioni, I., **269**, 83

Van der Foel, A.M., see Kruk, M.R., **260**, 61

Van der Kloot, W., see Narita, K., **289**, 79

Van der Kooy, D., Swerdlow, N.R. and Koob, G.F.
Paradoxical reinforcing properties of apomorphine: effects of nucleus accumbens and area postrema lesions, **259**, 111

Van der Want, J.J.L., see Klooster, J., **288**, 1

Van Deusen, E.B., see Dravid, A.R., **277**, 169

Van Gool, W.A. and Mirmiran, M.
Age-related changes in the sleep pattern of male adult rats, **279**, 394

Van Heuven-Nolsen, D., Van Wolfswinkel, L., Van Ree, J.M. and Versteeg, D.H.G.
Electrical stimulation of the ventral tegmental area and catecholamine metabolism in discrete regions of the rat brain, **268**, 362

Van Hoesen, G.W., see Chen, L.-L., **272**, 354

Van Hoesen, G.W., see Itaya, S.K., **269**, 223, **269**, 361

Van Hoesen, G.W., see Kosel, K.C., **269**, 347

Van Loveren, H., see Keller, J.T., **270**, 209

Van Oordt, K., see Marhsall, J.F., **274**, 283

Van Ree, J.M., see Van Heuven-Nolsen, D., **268**, 362

Van Sluyters, R.C., see Olavarria, J., **279**, 233

Van Wimersma Greidanus, T.B., see Mens, W.B.J., **262**, 143

Van Wolfswinkel, L., see Van Heuven-Nolsen, D., **268**, 362

Vance, W.H. and Bowker, R.C.
Spinal origins of cardiac afferents from the region of the left anterior descending artery, **258**, 96

Vanderhaeghen, J.J., see Morin, M.P., **265**, 333

Vandermaelen, C.P. and Aghajanian, G.K.
Electrophysiological and pharmacological characterization of serotonergic dorsal raphe neurons recorded extracellulary and intracellulary in rat brain slices, **289**, 109

Vandermaelen, C.P., see Aghajanian, G.K., **273**, 237

Vaněček, J., see Illnerová, H., **261**, 176

Varon, S., see Longo, F.M., **261**, 109

Varon, S., see Manthorpe, M., **267**, 47, **267**, 57

Varon, S., see Skaper, S.D., **271**, 263

Vaudry, H., see Jegou, S., **260**, 91

Vaughan, D.W.
Thalamic and callosal connections of the rat auditory cortex, **260**, 181

Vaughn, J.E., see Houser, C.R., **266**, 97

Veale, W.L., see Burnard, D.M., **273**, 59

Veisseire, M., see Jordan, D., **268**, 105

Veldhuis, H.D., see De Kloet, E.R., **275**, 91

Veldhuis, H.D., see Nyakas, C., **288**, 219

Velley, L., Chaminade, C., Roy, M.T., Kempf, E. and Cardo, B.
Intrinsic neurons are involved in lateral hypothalamic self-stimulation, **268**, 79

Velley, L., Nassif, S., Kempf, E. and Cardo, B.
Enhancement of learning four weeks after stimulation of the nucleus locus coeruleus in the rat: differential effects of dorsal noradrenergic bundle lesion and lesion of the locus coeruleus proper, **265**, 273

Verdun, P.R., see Yau, W.M., **278**, 271

Verhoef, J.C., see Wang, X.-C., **275**, 83

Verhofstad, A., see Belin, M.F., **275**, 329

Verhofstad, A.A.J., see Maxwell, D.J., **266**, 253

Verhofstad, A.A.J., see Sawchenko, P.E., **277**, 355

Vermes, I., see Schipper, J., **267**, 145

Versteeg, D.H.G., see De Kloet, E.R., **264**, 323

Versteeg, D.H.G., see Sole, M.J., **265**, 55

Versteeg, D.H.G., see Van Heuven-Nolsen, D., **268**, 362

Ververs, B., see Huisman, A.M., **289**, 305

Vetulani, J., Antkiewicz-Michaluk, L., Rokosz-Pelc, A. and Pilc, A.
Chronic electroconvulsive treatment enhances the density of [^{3}H]prazosin binding sites in the central nervous system of the rat, **275**, 392

Viallet, F., Trouche, E., Beaubaton, D., Nieoullon, A. and Legallet, E.
Motor impairment after unilateral electrolytic lesions of the substantia nigra in baboons: behavioral data with quantitative and kinematic analysis of a pointing movement, **279**, 193
Vickers, G.J., see Tombaugh, T.N., **261**, 231
Vigh, S., see Merchenthaler, I., **275**, 373
Viglianese, M., see Nicoletti, F., **279**, 352
Vignon, J., Chicheportiche, R., Chicheportiche, M., Kamenka, J.-M., Geneste, P. and Lazdunski, M.
$[^3H]$TCP: a new tool with high affinity for the PCP receptor in rat brain, **280**, 194
Vihko, R., see Corpéchot, C., **270**, 119
Villablanca, J.R., see Olmstead, C.E., **274**, 336
Villalobos, J., see Rio, J.P., **271**, 145
Villani, L., see Contestabile, A., **262**, 339
Villanueva, L., see Cadden, S.W., **275**, 1
Vinters, H.V., see Beck, D.W., **271**, 180
Virus, R.M., see Radulovacki, M., **271**, 392
Vito, C.C., DeBold, J.F. and Fox, T.O.
Androgen and estrogen receptors in adult hamster brain, **264**, 132
Vivaldi, E., see Hobson, J.A., **275**, 127
Vlodavsky, I., see Lubetzki-Korn, I., **267**, 151
Voigt, K.H., see Weber, E., **260**, 166
Voorhuis, Th.D., see De Kloet, E.R., **275**, 91
Voorn, P. and Buijs, R.M.
An immuno-electronmicroscopical study comparing vasopressin, oxytocin, substance P and enkephalin containing nerve terminals in the nucleus of the solitary tract of the rat, **270**, 169
Vrensen, G., see Klooster, J., **288**, 1
Vyklicky, L., see Jiménez, I., **272**, 179

W

Wada, J.A., see Higuchi, T., **288**, 359
Waddington, J.L., see Owen, F., **278**, 373
Wagner, G.C., Lucot, J.B., Schuster, C.R. and Seiden, L.S.
Alpha-methyltyrosine attenuates and reserpine increases methamphetamine-induced neuronal changes, **270**, 285
Wagner, R.H., see Reches, A., **275**, 183
Wahlström, A., see Nyberg, F., **259**, 267
Wahlström, G.
Interaction between spontaneous and electrically induced convulsions and their short- and long-term effects in the abstinence after chronic barbital treatment in the rat, **266**, 225
Walberg, F., see Brodal, P., **278**, 1
Waldhör, F., see Mackel, R., **268**, 49
Waldrop, B., see Kirk, M.D., **274**, 231
Waldrop, T.G., see Millhorn, D.E., **264**, 349
Walker, J.E. and Fonnum, F.
Regional cortical glutamergic and aspartergic projections to the amygdala and thalamus of the rat, **267**, 371
Walker, J.E. and Fonnum, F.
Effect of regional cortical ablations on high-affinity D-aspartate uptake in striatum, olfactory tubercle, and pyriform cortex of the rat, **278**, 283
Wallace, M.N.
Organization of the mouse cerebral cortex: a histochemical study using glycogen phosphorylase, **267**, 201
Wallach, J.H., Rybicki, K.J. and Kaufman, M.P.
Anatomical localization of the cells of origin of efferent fibers in the superior laryngeal and recurrent laryngeal nerves of dogs, **261**, 307
Walters, E.T. and Byrne, J.H.
Slow depolarization produced by associative conditioning of *Aplysia* sensory neurons may enhance Ca^{2+} entry, **280**, 165
Walton, K. and Fulton, B.
Hydrogen peroxide as a source of molecular oxygen for in vitro mammalian CNS preparations, **278**, 387
Walz, W. and Hertz, L.
Comparison between fluxes of potassium and of chloride in astrocytes in primary cultures, **277**, 321
Walz, W., Wuttke, W. and Schlue, W.R.
The Na^+-K^+ pump in neuropile glial cells of the medicinal leech, **267**, 93
Wang, C.C., see Liu, R.H., **271**, 184
Wang, J.-X., see Forloni, G.L., **274**, 165
Wang, J.-Y., Yaksh, T.L. and Go, V.L.W.
In vivo studies on the basal and evoked release of cholecystokinin and vasoactive intestinal polypeptide from cat cerebral cortex and periventricular structures, **280**, 105
Wang, J.-Y., see Yaksh, T.L., **268**, 119
Wang, M., see Ehlers, C.L., **278**, 332
Wang, R.Y., see Gysling, K., **277**, 119
Wang, S.-R., Yan, K., Wang, Y.-T., Jiang, S.-Y. and Wang, X.-S.
Neuroanatomy and electrophysiology of the lacertilian nucleus isthmi, **275**, 355
Wang, X.-C., Burbach, J.P.H., Verhoef, J.C. and De Wied, D.
Proteolytic conversion of arginine-vasotocin by synaptic membranes from rat and chicken brain, **275**, 83
Wang, X.-S., see Wang, S.-R., **275**, 355
Wang, Y.-T., see Wang, S.-R., **275**, 355
Waniewski, R.A. and Martin, D.L.
Selective inhibition of glial versus neuronal uptake of L-glutamic acid by SITS, **268**, 390
Ward, D.G. and Ward, J.H.
Control of water intake: evidence for the role of a hemodynamic pontine pathway, **262**, 314
Ward, J.H., see Ward, D.G., **262**, 314

Wassef, M., see Pessac, B., **275**, 53
Wasterlain, C.G. and Jonec, V.
  Chemical kindling by muscarinic amygdaloid stimulation in the rat, **271**, 311
Watabe, S., see Ishikawa, K., **277**, 361
Watanabe, M., see Haji, A., **274**, 107
Watkins, L.R., Kinscheck, I.B. and Mayer, D.J.
  The neural basis of footshock analgesia: the effect of periaqueductal gray lesions and decerebration, **276**, 317
Watkins, L.R., Young, E.G., Kinscheck, I.B. and Mayer, D.J.
  The neural basis of footshock analgesia: the role of specific ventral medullary nuclei, **276**, 305
Watkins, L.R., see Lewis, J.W., **267**, 139
Watson, B.D., see Abe, K., **273**, 166
Watson, R.E. Jr., Edinger, H.M. and Siegel, A.
  An analysis of the mechanisms underlying hippocampal control of hypothalamically-elicited aggression in the cat, **269**, 327
Watson, S.J., see Khachaturian, H., **279**, 369
Waud, D.R., see Zivin, J.A., **258**, 197
Waxman, S.F., see Smith, M.E., **270**, 37
Waxman, S.G., see Hildebrand, C., **258**, 23
Weakly, J.N. and Yao, Y.-M.
  Synaptic efficacy at singly- and dually-innervated neuromuscular junctions in the frog, *Rana pipiens*, **273**, 319
Webb, R.A., see Tanaka, K.R., **260**, 160
Weber, E., Geis, R., Voigt, K.H. and Barchas, J.D.
  Levels of pro-neo-endorphin/dynorphin-derived peptides in the hypothalamo-posterior pituitary system of male and female Brattleboro rats, **260**, 166
Weber, J.T., Rieck, R.W. and Gould, H.J. III
  Interhemispheric and subcortical collaterals of single cortical neurons in the adult cat, **276**, 333
Wegener, I., see Millar, R.P., **260**, 334
Wei, J.Y., see Chang, S.C., **279**, 262
Weidenfeld, J., Siegel, R., Conforti, N., Mizrachi, R. and Brenner, T.
  Effect of intracerebroventricular injection of nicotinic acetylcholine receptor antibodies on ACTH, corticosterone and prolactin secretion in the male rat, **265**, 152
Weidenfeld, J., see Feldman, S., **260**, 297
Weidner, C., Miceli, D. and Repérant, J.
  Orthograde axonal and transcellular transport of different fluorescent tracers in the primary visual system of the rat, **272**, 129
Weidner, C., see Peyrichoux, J., **263**, 125
Weinberg, V.E., see Cannon, J.T., **269**, 231
Weinberger, N.M., see Gerren, R.A., **265**, 138
Weiner, H.L., see Tardieu, M., **277**, 339
Weiner, L.L., see Beitz, A.J., **288**, 307
Weinrich, M., see Wise, S.P., **260**, 301
Weinstein, L., see Sagar, S.M., **278**, 109
Weinstein, L.A., see Landis, D.M.D., **276**, 31
Weisinger, R.S., see McKinley, M.J., **263**, 340
Weiss, K.R., see Rosen, S.C., **260**, 151
Weissman, B.-A., see Urca, G., **260**, 271
Weller, J.L., see Kapatos, G., **258**, 351
Wellhöner, H.H., see Deutschmann, W., **280**, 239
Wells, W.E., see Beitz, A.J., **258**, 305, **261**, 132
Wenk, G.L. and Stemmer, K.L.
  Suboptimal dietary zinc intake increases aluminum accumulation into the rat brain, **288**, 393
Werling, L.L. and Nadler, J.V.
  Evidence for differential localization of two binding sites for L-[^{3}H]glutamate in rat fascia dentata, **276**, 344
Werman, R., see Mandelbrod, I., **272**, 115, **273**, 35
Werman, R., see Morris, M.E., **278**, 117
Wessendorf, M.W. and Anderson, E.G.
  Single unit studies of identified bulbospinal serotonergic units, **279**, 93
West, J.R., see Chen, L.-L., **272**, 354
Westbrook, G.L. and Lothman, E.W.
  Cellular and synaptic basis of kainic acid-induced hippocampal epileptiform activity, **273**, 97
Westecker, M.E. and Manns, D.
  Antidromic activation of spikes with bimodal and trimodal latencies in the olfactory bulb of rabbits, **288**, 119
Westlund, K.N., Bowker, R.M., Ziegler, M.G. and Coulter, J.D.
  Noradrenergic projections to the spinal cord of the rat, **263**, 15
Westlund, K.N., see Bowker, R.M., **288**, 33
Westlund, K.N., see Correia, M.J., **278**, 53
Weyler, W., see Pintar, J.E., **276**, 127
Wheal, H.V., Lancaster, B. and Bliss, T.V.P.
  Long-term potentiation in Schaffer collateral and commissural systems of the hippocampus: in vitro study in rats pretreated with kainic acid, **272**, 247
Wheal, H.V., see King, D.J., **262**, 172
Wheeler, M.E. and Farber, J.P.
  Naloxone administration and ventilation in awake cats, **258**, 343
Wheeling, H.S. and Kornetsky, C.
  Detection threshold for electrical stimulation of forebrain and midbrain loci in the rat, **272**, 13
Whitaker, J.N. and Crowley, W.R.
  Increased concentrations of immunoreactive cathepsin D in supraoptic nucleus of the Brattleboro rat, **277**, 181
White, J.M., see Elberger, A.J., **268**, 147
Whitehorn, D., see Garsik, J.T., **271**, 188
Whitehouse, P.J., see Niehof, D.L., **276**, 237
Whitnall, M.H. and Grafstein, B.
  Changes in perikaryal organelles during axonal regeneration in goldfish retinal ganglion cells: an analysis of protein synthesis and routing, **272**, 49
Whittemore, S.R., Mena, E.E., Monaghan, D.T. and Cotman, C.W.
  Regional distribution and ionic requirement of Cl$^-$/Ca^{2+}-activated and Cl$^-$/Ca^{2+}-independent glutamate receptors in rat brain, **277**, 99

Wiberg, M., see Flink, R., **259**, 11
Wieraszko, A.
  Uptake of D-[^{3}H]aspartic acid by hippocampal slices: the influence of low and high frequency activation of nerve endings, **259**, 324
Wiesendanger, M., see Chapman, C.E., **258**, 211
Wightman, R.M., see Ewing, V.G., **261**, 101
Wigström, H. and Gustafsson, B.
  Large long-lasting potentiation in the dentate gyrus in vitro during blockade of inhibition, **275**, 153
Wigström, H., see Gustafsson, B., **275**, 159
Wilber, J.F., see Bowker, R.M., **288**, 33
Wilber, J.F., see Mori, M., **268**, 181
Wilcock, G.K., see Pearson, R.C.A., **289**, 375
Wilcox, J.N. and Feder, H.H.
  Long-term priming with a low dosage of estradiol benzoate or an antiestrogen (enclomiphene) increases nuclear progestin receptor levels in brain, **266**, 243
Wiley, R.G., Talman, W.T. and Reis, D.J.
  Ricin transport distinguishes between central and peripheral neurons, **269**, 357
Will, B.E., see Stein, D.G., **261**, 127
Willer, J.-C. and Albe-Fessard, D.
  Further studies on the role of afferent input from relatively large diameter fibers in transmission of nociceptive messages in humans, **278**, 318
Willer, J.C., see Lamour, Y., **273**, 183
Williams, B.A., see Kandasamy, S.B., **265**, 63, **277**, 311
Williams, L.R. and Agranoff, B.W.
  Retrograde transport of goldfish optic nerve proteins labeled by N-succinimidyl [^{3}H]propionate, **259**, 207
Williams, R.G. and Dockray, G.J.
  Immunohistochemical studies of FMRF-amide-like immunoreactivity in rat brain, **276**, 213
Williams, R.G., see Dockray, G.J., **266**, 295
Williams, T.H., see Kiss, J.Z., **263**, 14
Willis, G.L. and Smith, G.C.
  Short-term effects of intrahypothalamic colchicine, **276**, 119
Willis, G.L., Smith, G.C. and McGrath, B.P.
  Deficits in locomotor behaviour and motor performance after central 6-hydroxydopamine or peripheral L-DOPA, **266**, 279
Willmore, L.J., Hiramatsu, M., Kochi, H. and Mori, A.
  Formation of superoxide radicals after FeCl$_3$ injection into rat isocortex, **277**, 393
Willow, M., see Skerritt, J.H., **258**, 271
Wilson, J.S., Hull, C.D. and Buchwald, N.A.
  Intracellular studies of the convergence of sensory input on caudate neurons of cat, **270**, 197
Wilson, J.S., see Schneider, J.S., **265**, 322
Wilson, S., Winfrey, J., Fuller, P.M. and Johns, P.
  A horseradish peroxidase study of feline mandibular incisors, **260**, 287
Wilson, V.J., see Miller, A.D., **270**, 154
Winans, S.S., see Lehman, M.N., **268**, 139
Winfield, D.A. and Powell, T.P.S.
  Laminar cell counts and geniculo-cortical boutons in area 17 of cat and monkey, **277**, 223
Winfrey, J., see Wilson, S., **260**, 287
Winkelman, J.W., see McCarley, R.W., **274**, 359
Winternitz, S.R., see Donovan, M.K., **259**, 119
Wirz-Justice, A., Kräuchi, K., Campbell, I.C. and Feer, H.
  Adrenoceptor changes in spontaneous hypertensive rats: a circadian approach, **262**, 233
Wise, R.A., see Britt, M.D., **258**, 105
Wise, R.A., see Gratton, A., **274**, 25
Wise, S.P., Weinrich, M. and Mauritz, K.-H.
  Motor aspects of cue-related neuronal activity in premotor cortex of the rhesus monkey, **260**, 301
Wissig, S.L., see Schmidley, J.W., **262**, 9
Witter, A., see Mens, W.B.J., **262**, 143
Wittkowsky, G., see Mackel, R., **276**, 339
Wójcik, G., Lupa, K. and Niechaj, A.
  Differential decerebrate control of depolarization in the central terminals of cutaneous afferents in the sacral cord, **266**, 233
Wolf, M.K., Kardon, G.B., Adcock, L.H. and Billings-Gagliardi, S.
  Hypomyelinated mutant mice. V. Relationship between *jp* and *jp*^{msd} re-examined on identical genetic backgrounds, **271**, 121
Wolf, M.K., see Billings-Gagliardi, S., **268**, 255
Wolff, J.R., see Toldi, J., **262**, 323
Wolfson, L.I. and Brown, L.L.
  Intrastriatal injection of [^{3}H]dopamine through a chronic cannula to produce rotation: distribution and concentration of the tracer in specific brain regions, **261**, 205
Wolfson, L.I., see Brown, L.L., **261**, 213
Wolpaw, J.R.
  Adaptive plasticity in the primate spinal stretch reflex: reversal and re-development, **278**, 299
Wolpaw, J.R., Kieffer, V.A., Seegal, R.F., Braitman, D.J. and Sanders, M.G.
  Adaptive plasticity in the spinal stretch reflex, **267**, 196
Wong-Riley, M. and Riley, D.A.
  The effect of impulse blockage on cytochrome oxidase activity in the cat visual system, **261**, 185
Wood, M.R. and Faber, D.S.
  Granular coated vesicles in the goldfish Mauthner cell following axotomy, **273**, 341
Wood, M.R., see Lin, J.-W., **274**, 319
Wood, P.M., see Mithen, F.A., **262**, 63
Woodhams, P.L., see Christofides, N.D., **264**, 359
Woods, L., see Deshmukh, P.P., **288**, 338
Woolf, N.K., Sharp, F.R., Davidson, T.M. and Ryan, A.F.
  Cochlear and middle ear effects on

metabolism in the central auditory pathway during silence: a 2-deoxyglucose study, **274**, 119

Wooten, G.F. and Collins, R.C.
Effects of dopaminergic stimulation on functional brain metabolism in rats with unilateral substantia nigra lesions, **263**, 267

Wooten, G.F., see Geary, W.A. II, **275**, 117

Wu, J.-Y., see Lin, C.T., **270**, 273

Wu, J.-Y., see Murakami, F., **267**, 357

Wurtman, R.J., see Reinstein, D.K., **263**, 172

Wurtz, R.H., see Hikosaka, O., **272**, 368

Wuttke, W., see Schlue, W.R., **270**, 368

Wuttke, W., see Walz, W., **267**, 93

Wyatt, R.J., see Freed, W.J., **269**, 184

Wyss, J.M., see Donovan, M.K., **259**, 119, **259**, 181

Y

Yablonskaya-Alter, E., see Reches, A., **275**, 183

Yadin, E., Guarini, V. and Gallistel, C.R.
Unilaterally activated systems in rats self-stimulating at sites in the medial forebrain bundle, medial prefrontal cortex, or locus coeruleus, **266**, 39

Yajima, Y. and Hayashi, Y.
Identification of motoneurons in the nucleus ambiguus by antidromic stimulation of the superior and the recurrent laryngeal nerves in rats, **288**, 302

Yaksh, T.L., Terenius, L., Nyberg, F., Jhamandas, K. and Wang, J.-Y.
Studies on the release by somatic stimulation from rat and cat spinal cord of active materials which displace dihydromorphine in an opiate-binding assay, **268**, 119

Yaksh, T.L., see Bergstrom, L., **270**, 181

Yaksh, T.L., see Wang, J.-Y., **280**, 105

Yamabe, K., see Aou, S., **260**, 121

Yamada, S., Isogai, M., Okudaira, H. and Hayashi, E.
Regional adaptation of muscarinic receptors and choline uptake in brain following repeated administration of diisopropylfluorophosphate and atropine, **268**, 315

Yamadori, T. and Yamauchi, K.-E.
An experimental anatomical study on the optic nerve fibers in the rat: courses of the accessory optic tract, **269**, 41

Yamagami, K., see Sorimachi, M., **258**, 156

Yamagishi, S., see Kawai, N., **278**, 346

Yamaguchi, K., see Fukuda, J., **262**, 79, **268**, 367

Yamamoto, A., see Fukuda, J., **262**, 79

Yamamoto, C., see Sawada, S., **267**, 156

Yamamoto, D., Quandt, F.N. and Narahashi, T.
Modification of single sodium channels by the insecticide tetramethrin, **274**, 344

Yamamoto, T., Iwasaki, Y. and Konno, H.
Retrograde axoplasmic transport of toxic lectins is useful for transganglionic tracings of the peripheral nerve, **274**, 325

Yamamoto, T., see Noda, T., **268**, 153

Yamamura, H.I., see Brinton, R.E., **266**, 344

Yamamura, H.I., see Deshmukh, P.P., **288**, 338

Yamamura, H.I., see Erman, R.D., **278**, 327

Yamamura, H.I., see Gee, K.W., **264**, 168

Yamamura, H.I., see Schoemaker, H., **258**, 347

Yamano, M., see Inagaki, S., **273**, 229

Yamashita, H., see Kannan, H., **279**, 31

Yamauchi, K.-E., see Yamadori, T., **269**, 41

Yan, K., see Wang, S.-R., **275**, 355

Yanagihara, T., see Yoshimine, T., **265**, 101

Yanai, J. and Sze, P.Y.
Adrenal glucocorticoids as a required factor in barbiturate-induced changes in functional tolerance and brainstem tryptophan hydroxylase, **269**, 297

Yanaihara, C., see Ibata, Y., **269**, 177

Yanaihara, N., see Ibata, Y., **269**, 177

Yanaihara, N., see Kondo, H., **289**, 326

Yanaihara, N., see Shimatsu, A., **264**, 148

Yanaihara,N., see Kaji, H., **269**, 303

Yang, H.-Y.T., see Majane, E.A., **264**, 336

Yang,H.-Y.T., see Del Río, J., **279**, 121

Yao, Y.-M., see Weakly, J.N., **273**, 319

Yasui, Y., see Itoh, K., **272**, 350, **274**, 332

Yates, C.M., Harmar, A.J., Rosie, R., Sheward, J., Sanchez De Levy, G., Simpson, J., Maloney, A.F.J., Gordon, A. and Fink, G.
Thyrotropin-releasing hormone, luteinizing hormone-releasing hormone and substance P immuno-reactivity in post-mortem brain from cases of Alzheimer-type dementia and Down's syndrome, **258**, 45

Yates, C.M., Simpson, J., Gordon, A., Maloney, A.F.J., Allison, Y., Ritchie, I.M. and Urquhart, A.
Catecholamines and cholinergic enzymes in pre-senile and senile Alzheimer-type dementia and Down's syndrome, **280**, 119

Yau, W.M. and Verdun, P.R.
Release of γ-aminobutyric acid from guinea pig myenteric plexus synaptosomes, **278**, 271

Yazulla, S.
Stimulation of GABA release from retinal horizontal cells by potassium and acidic amino acid agonists, **275**, 61

Yazulla, S. and Kleinschmidt, J.
Carrier-mediated release of GABA from retinal horizontal cells, **263**, 63

Yen, C.-T. and Jones, E.G.
Intracellular staining of physiologically identified neurons and axons in the somatosensory thalamus of the cat, **280**, 148

Yerushalmi, A., see Neuman, D., **272**, 237

Yew, D.T., see Jen, L.S., **274**, 135

Yiangou, Y., see Christofides, N.D., **264**, 359

Yohe, H.C., see Yu, R.K., **275**, 47

Yokota, R., see Ide, C., **288**, 61

Yoles, E., see Sampson, S.R., **289**, 338

Yoneda, S., see Uyama, O., **259**, 344

Yoneda, T., Oishi, K. and Ishida, A. Variation of amount of muscle discharges during ballistic isometric voluntary contraction in man, **275**, 305

Yoshida, S., see Abe, K., **273**, 166

Yoshihara, M., see Murakami, T., **280**, 233

Yoshii, K. and Kurihara, K. Role of cations in olfactory reception, **274**, 239

Yoshii, K. and Kurihara, K. Mechanism of the water response in carp gustatory receptors: independent generation of the water response from the salt response, **279**, 185

Yoshii, K. and Kurihara, K. Ion dependence of the eel taste response to amino acids, **280**, 63

Yoshikawa, K. and Hong, J.-S. Sex-related difference in substance P level in rat anterior pituitary: a model of neonatal imprinting by testosterone, **273**, 362

Yoshikawa, K. and Hong, J.-S. Effects of neonatal testosterone administration on anterior pituitary levels of Met^5-enkephalin in adult rats, **279**, 343

Yoshimatsu, H., see Oomura, Y., **266**, 340

Yoshimine, T., Morimoto, K., Homburger, H.A. and Yanagihara, T. Immunohistochemical localization of creatine kinase BB-isoenzyme in human brain: comparison with tubulin and astroprotein, **265**, 101

Young, E.G., see Watkins, L.R., **276**, 305

Young, R.E. and Govind, C.K. Neural asymmetry in male fiddler crabs, **280**, 251

Youngblood, W.W., see Long, J.B., **277**, 289

Yu, J. and Eidelberg, E. Recovery of locomotor function in cats after localized cerebellar lesions, **273**, 121

Yu, J., see Liu, R.H., **271**, 184

Yu, R.K., Itoh, T., Yohe, H.C. and Macala, L.J. Characterization of some minor gangliosides in Tay-Sachs brains, **275**, 47

Yu, R.K., see Kasai, N., **277**, 155

Z

Záborszky, L., see Kiss, J.Z., **262**, 217, **265**, 11

Zachariassen, K.E., see Schmidek, W.R., **288**, 261

Zagoren, J.C., Politis, M.J. and Spencer, P.S. Rapid reorganization of the axonal cytoskeleton induced by a gamma diketone, **270**, 162

Zahniser, N.R., see Dunwiddie, T.V., **269**, 311

Zalneraitis, E.L., see Marshall, P.E., **289**, 11

Zamir, N., Palkovits, M. and Brownstein, M.J. Distribution of immunoreactive dynorphin in the central nervous system of the rat, **280**, 81

Zamir, N., see Palkovits, M., **278**, 258

Zarchin, N., see Mayevsky, A., **276**, 95

Zarzecki, P., see Macgillis, M., **276**, 329

Zeneroli, M.L., see Baraldi, M., **258**, 170

Zenner, K., see Degrell, I., **277**, 283

Zerihun, L. and Harris, M. An electrophysiological analysis of caudally-projecting neurones from the hypothalamic paraventricular nucleus in the rat, **261**, 13

Ziegler, M.G., see Westlund, K.N., **263**, 15

Zieglgänsberger, W. and Sutor, B. Responses of substantia gelatinosa neurons to putative neurotransmitters in an in vitro preparation of the adult rat spinal cord, **279**, 316

Zieglgänsberger, W., see Stanzione, P., **268**, 111

Zielinski, A., see Cazala, P., **273**, 143

Zigmond, M.J., see Chiodo, L.A., **264**, 123

Zigmond, M.J., see Fluharty, S.J., **267**, 384

Zigmond, M.J., see Keller, R.W. Jr., **279**, 159

Zimmer, J., see Frotscher, M., **265**, 289

Zimmer, M., see Kempski, O., **279**, 217

Zimmerman, T.R. Jr., see Cammer, W., **265**, 73

Zipser, B., see Flaster, M.S., **277**, 196

Zisapel, N. and Laudon, M. Inhibition by melatonin of dopamine release from rat hypothalamus: regulation of calcium entry, **272**, 378

Zivin, J.A. and Waud, D.R. A precise and sensitive method for measurement of spinal cord blood flow, **258**, 197

Zlokovic, B.V., Begley, D.J. and Chain, D.G. Blood-brain barrier permeability to dipeptides and their constituent amino acids, **271**, 65

Zrenner, E., Nelson, R. and Mariani, A. Intracellular recordings from a biplexiform ganglion cell in macaque retina, stained with horseradish peroxidase, **262**, 181

Zube, I., see Borbe, H.O., **264**, 178

Zubin, P. and Taleisnik, S. Hypothalamic cyclic-AMP throughout the 4-day estrous cycle of the female rat, **271**, 273

1040 Zukin, R.S., see Zukin, S.R., **258**, 277
1040 Zukin, S.R., Fitz-Syage, M.L., Nichtenhauser, R. and Zukin, R.S. Specific binding of $[^3H]$phencyclidine in rat central nervous tissue: further characterization and technical considerations, **258**, 277
1189 Zytnicki, D., see Jami, L., **261**, 285

BRAIN RESEARCH
SUBJECT INDEX
1983
VOLUMES 258–280

A

cAMP
Cerebral cortex; Adrenergic receptors; Supersensitivity; Brain energy metabolism; Glycogen (Magistretti, P.J.) **261**, 159

Dopamine; Tyrosine hydroxylase; Forskolin; Adenylate cyclase; Synaptosomes; Retina (Katz, I.R.) **264**, 173

β-Endorphin; Hyperthermia; Naloxone-sensitive receptor; Non-peptide opioid; Peptide opioid; Prostaglandin; Transport system inhibitor (Kandasamy, S.B.) **265**, 63

Ischemia; Histamine; Adenylate cyclase; Adenosine; Norepinephrine; Pyramidal neurons (Karnushina, I.) **268**, 87

Mollusc neurons; Voltage-clamp; Stationary currents; Potential-activated calcium currents (Kononenko, N.I.) **268**, 321

Synaptic junctions; Glycoproteins; Phosphorylation; Protein kinase (Gurd, J.W.) **269**, 287

Estrous cycle; Adrenergic receptors; Hypothalamic norepinephrine; Adrenoblockers (Zubin, P.) **271**, 273

Intracellular pH; Calmodulin; Phosphodiesterase; *Pleurobanchaea*; Phenothiazine (Calhoon, R.D.) **271**, 371

Phenothiazine; Phosphodiesterase; Calmodulin; *Pleurobranchaea* (Gillette, R.) **273**, 384

Intracellular injection; Intracellular sodium and chloride; Sodium current; Voltage clamp; Snail neuron (Aldenhoff, J.B.) **276**, 289

Db-cAMP
α-Adrenergic receptors; β-Adrenergic receptors; Db-cGMP; Muscarinic receptors; Phosphodiesterase inhibitors; Protein synthesis inhibitors (Kandasamy, S.B.) **277**, 311

cAMP
Action potential; Axons; β-Receptors; Catecholamines; Frequency-following ability (Seelig, T.L.) **279**, 303

Rabbit; Cerebral cortex; Dominant focus; Histamine (Hattori, Y.) **279**, 308

Axonal transport; Cycloheximide; Nerve regeneration; Optic nerve; Proteins; Retinal ganglion cell (McQuarrie, I.G.) **279**, 377

endogenous cAMP
Aplysia; Heterosynaptic facilitation; Adenylate cyclase inhibitors; Sensitization (Belardetti, F.) **288**, 95

APUD cells
PGP 9.5; Neuron-specific protein; Enolase (Thompson, R.J.) **278**, 224

A system
Blood-brain barrier; Brain-uptake index; Peptides; Amino acids; L system; Rats (Zlokovic, B.V.) **271**, 65

Na^+,K^+-ATPase
α-Adrenergic receptors; β-Adrenergic receptors; Yohimbine; Prazosin; Propranolol; Norepinephrine, biochemical effects (Swann, A.C.) **260**, 338

glial ATPase
Epilepsy; Freeze lesion; (Na^+,K^+)-ATPase (Grisar, T.) **261**, 75

(Na^+,K^+)-ATPase
Epilepsy; glial ATPase; Freeze lesion (Grisar, T.) **261**, 75

Na^+,K^+-ATPase
Brain edema; Phospholipid degradation; Cold-injury; Arachidonic acid (Chan, P.H.) **277**, 329

ATPase activity
Synaptic vesicle; Calmodulin; Phosphorylation; Affinity-purified antibody; Affinity chromatography (Moskowitz, N.) **263**, 243

Abducens internuclear neurons
Oculomotor complex; Vestibular nuclei; Vestibulo-oculomotor projections (Carpenter, M.B.) **274**, 144

Abducens nerve
Accessory abducens nucleus; Oculomotor control; Defensive reflexes; Retractor bulbi; Nictitating membrane reflex (Berthier, N.E.) **258**, 201

Abducens nucleus
Oculomotor internuclear pathway; Double labeling; Oculomotor nuclei (Maciewicz, R.) **262**, 1

Accessory abducens nucleus
Abducens nerve; Oculomotor control; Defensive reflexes; Retractor bulbi; Nictitating membrane reflex (Berthier, N.E.) **258**, 201

Accessory optic system
Rats; Fasciculi of accessory optic tract; Terminal nuclei; Silver impregnation; HRP (Yamadori, T.) **269**, 41

Medial terminal nucleus; Primate (Itaya, S.K.) **269**, 361

Accessory respiratory motoneurons
Brainstem; Respiratory neurons; Nucleus ambiguus; Retroambigualis; HRP (Bystrzycka, E.K.) **266**, 183

Accessory trigeminal nucleus
Trigeminal motor nucleus; Tensor tympani; Tensor veli palatini (Keller, J.T.) **270**, 209

Acetoacetyl-CoA thiolase
Glucose; 3-Hydroxybutyrate; 3-Hydroxybutyrate dehydrogenase; 3-Oxo acid-CoA transferase; Fasting; Chick (Nehlig, A.) **262**, 177

Acetylcholine
Choline acetyltransferase; Turtle cortex (Höhmann, C.F.) **258**, 120

Aspartate; Glutamate; Spinal neurone excitation; Post-excitatory depression (Peet, M.J.) **263**, 162

Spatial memory; Radial maze; Mice; Fimbria/fornix (Reinstein, D.K.) **263**, 172

Adrencorticotropin; Corticosterone; Prolactin; Nicotinic receptors; Antibodies (Weidenfeld, J.) **265**, 152

Hippocampus; CA1 pyramidal cells; In vitro slice; Penicillin epileptogenesis; Epilepsy (Kriegstein, A.R.) **266**, 137

Compensatory collateral sprouting; Hippocampal formation; Noradrenaline (Gage, F.H.) **268**, 27

Compensatory collateral sprouting; Regeneration; Functional recovery; Cingulate cortex; Fimbria-fornix; Hippocampus; Noradrenaline; Serotonin; T-maze; Alternation behavior (Gage, F.H.) **268**, 39

Chronically lesioned rats; Subthalamic nucleus; Entopeduncular output neurons; Inhibitory response; Miroiontophoresis; GABA glycine (Rouzaire-Dubois, B.) **271**, 11

Lateral septal area; Thyrotropin-releasing hormone; Muscarinic receptors; Pressor responses (Pirola, C.J.) **273**, 387

Acetylcholinesterase; Dopamine; Caudate-putamen; Striosomes; 6-Hydroxydopamine; Nigrostriatal bundle; Basal ganglia; Neostriatum (Marhsall, J.F.) **274**, 283

Unit activity; Monkey; Orbitofrontal cortex; Microiontophoresis; Feeding behavior (Aou, S.) **275**, 178

Choline acetyltransferase; GABA; Glutamate decarboxylase; Habenula; Nucleus interpeduncularis; Septum; Nucleus triangularis septi; Nucleus septo-fimbrialis (Contestabile, A.) **275**, 287

Basal nucleus of Meynert; Cholinergic mechanism; Monkey; Prefrontal cortex; Bar-press feeding behavior (Inoue, M.) **278**, 185

Myenteric plexus; GABA; Synaptosome; Release (Yau, W.M.) **278**, 271

Dopamine release; Dopamine metabolism; Striatum; Nicotinic drugs; Lobeline; Methamphetamine; high K^+ stimulation (Takano, Y.) **279**, 330

Synaptosomes; Microtubules; Neurotransmitter release; Taxol; Presynaptic terminal (Burgoyne, R.D.) **280**, 190

Dorsal lateral geniculate nucleus; Receptive field properties; Centre; Surround; Antagonism; Arousal; Reticular facilitation (Sillito, A.M.) **280**, 299

Visual cortex; Cholinergic mechanism; Cortical lamination; Arousal (Sillito, A.M.) **289**, 143

Rat; Iontophoresis; Somatosensory cortex; Dose-response curves (Lamour, Y.) **289**, 157

Acetylcholine receptor
Chick embryo; Myotubes; Regulation; Potassium; Depolarization (Shieh, B.-H.) **263**, 259

Denervation; Disuse; Rat neuromuscular junction; Receptor development (Labovitz, S.S.) **266**, 155

Man; Neuromuscular junction; Muscle; Erabutoxin-b; Neurotoxin (Ishikawa, Y.) **266**, 159

Ion channel; Naltrexone methyl bromide; Opiate antagonist; Local anesthetic (Argentieri, T.M.) **277**, 377

Acetylcholinesterase; Desensitization; Muscle cultures (Sampson, S.R.) **289**, 338

Acetylcholine receptors
Bungarotoxin; Ganglionic transmission; Ganglion blockers (Toldi, J.) **262**, 323

Vipoxin; Russell's viper venom; *Aplysia* (Slater, N.T.) **278**, 266

Insect neurones; Cultured neurones; Nicotinic receptors; α-Bungarotoxin binding (Lees, G.) **288**, 49

non-quantal Acetylcholine release
Botulinum toxin; Neuromuscular junction (Stanley, E.F.) **261**, 172

Acetylcholinesterase
Neuromuscular junction; Miniature endplate potential; Giant potential; Paraoxon; Potassium (Carlson, C.G.) **264**, 285

Glial proliferation; Dentate gyrus; Axonal sprouting (Avendaño, C.) **265**, 160

Senile dementia of Alzheimer type; Aging; Human hippocampus; Human cortex; Human medial septum; Nucleus basalis of Meynert; Choline acetyltransferase (Henke, H.) **267**, 281

Lateral hypothalamus; Spinal cord; Bisbenzimide; [^{3}H]Choline; Basal forebrain; Cholinergic neurons (Haring, J.H.) **268**, 275

Dentate gyrus; Supramammillary; Submammillothalamic; Hippocampal afferents; Posterior hypothalamus (Harley, C.W.) **270**, 335

Reinnervation; Hippocampus; Septal lesion; Entorhinal ablation (Chen, L.-L.) **272**, 354

Acetylcholine; Dopamine; Caudate-putamen; Striosomes; 6-Hydroxydopamine; Nigrostriatal bundle; Basal ganglia; Neostriatum (Marhsall, J.F.) **274**, 283

Murine dystrophy; Maturational defect (Skau, K.A.) **276**, 192

Lead neurotoxicity; Visual system; Muscarinic acetylcholine receptor; Scopolamine supersensitivity; Developmental toxicology; Neurotoxicology; Visual cortex (Costa, L.G.) **276**, 259

Zebra finch; Choline acetylase; Androgens; Estrogens; Muscle (Luine, V.N.) **279**, 339

Alzheimer-type dementia; Down's syndrome; Post-mortem brain; Noradrenaline; Dopamine; Choline acetyltransferase (Yates, C.M.) **280**, 119

Acetylcholine receptor; Desensitization; Muscle cultures (Sampson, S.R.) **289**, 338

Acetylcholinesterase-rich neuron
Cerebellum; Nodulus; Flocular stalk (Kamei, I.) **258**, 115

3-Acetylpyridine
Olivocerebellar projection; Climbing fibers; Rat; [^{3}H]Leucine; [^{3}H]Methionine (Campbell, N.C.) **275**, 215

N-Acetyltransferase
Pineal; Circadian rhythm; Phase-shift; Light pulse; Photoperiod (Illnerová, H.) **261**, 176

Retina; Melatonin (Iuvone, P.M.) **273**, 111

Pineal; Melatonin; Light; Irradiance; Hydroxyindole-O-methyltransferase (Reiter, R.J.) **288**, 151

Acid phosphatase
Capillaries; Blood-brain barrier; Glucose-6-phosphatase; Endothelium; Endoplasmic reticulum (Schmidley, J.W.) **262**, 9

Acoustico-lateral processing
Rhombo-mesencephalic pathway; Mormyrid fish; HRP labeling (Haugedé-Carré, F.) **268**, 1

Acrylamide
Retina; Neuropeptides; Receptors; Neurotransmitters; Kainic acid (Ali, S.F.) **274**, 115

Action potential
Adenosine triphosphate; voltage-dependent K$^+$ current; Sympathetic ganglion cell; Bullfrog (Akasu, T.) **258**, 313

Axons; β-Receptors; cAMP; Catecholamines; Frequency-following ability (Seelig, T.L.) **279**, 303

Tetanus toxin; Ca spike; Na spike; Channel blocker; Neuroblastoma cells (Higashida, H.) **279**, 363

Sympathetic ganglion cell; Bullfrog; Late slow EPSP; Luteinizing hormone-releasing hormone; Voltage-dependent K$^+$ current (Akasu, T.) **280**, 349

Action potential mechanism
Cortical tissue culture; Calcium spike; Cortical neuron (Dichter, M.A.) **289**, 99

Action potentials
Tetanus toxin receptor; Glutamic acid decarboxylase; Clones; Quail; Neuroretina cell cultures (Pessac, B.) **275**, 53

Cultured vertebrate neurons; Spinal neurons (Smith, T.G. Jr.) **288**, 381

Activation
Choline acetyltransferase; CM-cellulose chromatograph; Inhibition; Endogenous inhibitor (Cozzari, C.) **276**, 109

Active avoidance
RHA/Verh. rat; RLA/Verh. rat; Septal rage; Self-stimulation (Lieblich, I.) **263**, 113

Active channel blocker
Glutamate; Trimethaphan; Glutamate inhibitor; Crayfish neuromuscular junction (Shinozaki, H.) **268**, 295

Active sleep
Differential environment; Clonidine; Rat; Development (Mirmiran, M.) **261**, 331

Activity rhythm
Circadian clocks; Suprachiasmatic nucleus; Retinohypothalamic tract (Pickard, G.E.) **268**, 201

Acute L-DOPA
Dopamine release; Homovanillic acid; Dihydroxyphenylacetic acid; 3-Methoxytyramine (Ponzio, F.) **273**, 45

Adaptive behavior
Microneurography; Human skin; Reinnervation; Mechanoreceptors; Receptive fields; Distribution density; Sensory recovery (Mackel, R.) **268**, 49

Addiction
Benzodiazepine; Tolerance; Receptor; Cell culture; Chronic treatment (Prezioso, P.J.) **288**, 354

Adenohypophyseal hormones
Excitotoxic amino acids (Mason, G.A.) **289**, 366

Adenosine
Hippocampus; Receptor; Slice (Lee, K.S.) **260**, 156

Ischemia; Histamine; cAMP; Adenylate cyclase; Norepinephrine; Pyramidal neurons (Karnushina, I.) **268**, 87

Cerebral endothelium; Kinetics; Uptake (Beck, D.W.) **271**, 180

Deoxycoformycin; REM sleep; Slow-wave sleep (S_2) (Radulovacki, M.) **271**, 392

Adenosine analogs
Intracerebroventricular injection; Locomotor activity; Mice; Caffeine (Barraco, R.A.) **272**, 392

Adenosine 3',5'-monophosphate
Insect; Neurosecretory cell; Synaptic transmission (Orchard, I.) **258**, 152

Circadian rhythm; Suprachiasmatic nucleus; Corticosterone; Food restriction; Free run; Ventromedial hypothalamus (Murakami, N.) **276**, 297

Adenosine 3'5'-monophosphate
Insect; Hormone release; Adipokinetic hormone; Neurosecretory cell; Synaptic transmission (Orchard, I.) **288**, 349

Adenosine receptors
Adenylate cyclase inhibition; Astrocytes; Neurons (Ebersolt, C.) **267**, 123

5'-N-Ethylcarboxamidoadenosine; N^6-Cyclohexyladenosine; Autoradiography (Buckley, N.) **269**, 374

Adenosine triphosphate
Action potential; voltage-dependent K^+ current; Sympathetic ganglion cell; Bullfrog (Akasu, T.) **258**, 313

Adenylate cyclase
Dopamine; Tyrosine hydroxylase; Forskolin; cAMP; Synaptosomes; Retina (Katz, I.R.) **264**, 173

Ischemia; Histamine; cAMP; Adenosine; Norepinephrine; Pyramidal neurons (Karnushina, I.) **268**, 87

Adenylate cyclase inhibition
Adenosine receptors; Astrocytes; Neurons (Ebersolt, C.) **267**, 123

Adenylate cyclase inhibitor
Detergent; Guanine nucleotide (Sano, M.) **264**, 157

Adenylate cyclase inhibitors
Aplysia; Heterosynaptic facilitation; endogenous cAMP; Sensitization (Belardetti, F.) **288**, 95

Adipokinetic hormone
Insect; Adenosine 3'5'-monophosphate; Hormone release; Neurosecretory cell; Synaptic transmission (Orchard, I.) **288**, 349

Adrenal cortical tropic hormone
Serotonin; Fluoxetine; Corticotropin releasing factor; Vasopressin; Hypophysial portal blood (Gibbs, D.M.) **280**, 176

Adrenalectomy
Castration; Serotonin; 5-Hydroxytryptophan biosynthesis; CNS (Long, J.B.) **277**, 289

Adrenal epinephrine
Bombesin; Somatostatin; Plasma catecholamines (Brown, M.R.) **276**, 253

Adrenaline
Synaptic modulation; Interaction of facilitation and depression; Bullfrog sympathetic ganglia (Kumamoto, E.) **265**, 344

Noreadrenaline; Dopamine; Stress; Rat brain (Sudo, A.) **276**, 372

Adrenaline-containing neurons
Catecholamine synthesizing enzymes; Dopamine-β-hydroxylase; Medulla oblongata; Noradrenaline-containing neurons; Phenylethanolamine-N-methyltransferase; Brainstem; Tyrosine hydroxylase (Chamba, G.) **259**, 95

Dopamine-β-hydroxylase; Medulla oblongata; Noradrenaline-containing neurons; Phenylethanolamine-N-methyltransferase; Tractus intermediolateralis; Tyrosine hydroxylase; 6-Hydroxydopamine (Fety, R.) **272**, 277

Adrenaline neurons
Ventrolateral medulla; Tonic vasomotor control (Ross, C.A.) **273**, 356

Adrenal medulla
Catecholamine; Calcium re-introduction; Cyanide; Monoiodoacetate; 2-Deoxyglucose; Na-dependent Ca influx (Sorimachi, M.) **258**, 156

Brain grafts; Tissue transplantation; Catecholamines; Dopamine; Chromaffin cells (Freed, W.J.) **269**, 184

Adrencorticotropin
Corticosterone; Prolactin; Acetylcholine; Nicotinic receptors; Antibodies (Weidenfeld, J.) **265**, 152

Adrenergic antagonists
Opiate antagonist; Luteinizing hormone; Hypothalamus; Opiate receptors; Monoamines; Rats (Blank, M.S.) **279**, 153

β-Adrenergic binding
β-Adrenergic receptor; Brain cortex; Hypothalamus; Anterior pituitary; $[^{125}I]$Iodocyanopindolol; β_1-Adrenergic receptor; β_2-Adrenergic receptor (Petrovic, S.L.) **261**, 249

Adrenergic neurons
Tissue culture; Autonomic nervous system; Enteric nervous system; Maintenance of differentiation in culture; Neuronal survival; VIP-containing neurons; GABAergic neurons (Jessen, K.R.) **262**, 49

β-Adrenergic pathways
Tracheal smooth muscle; Cholinergic pathways; Capsaicin; Airway caliber; Dogs (Rybicki, K.J.) **270**, 159

β-Adrenergic receptor
Brain cortex; Hypothalamus; Anterior pituitary; $[^{125}I]$Iodocyanopindolol; β-Adrenergic binding; β_1-Adrenergic receptor; β_2-Adrenergic receptor (Petrovic, S.L.) **261**, 249

β_1-Adrenergic receptor
β-Adrenergic receptor; Brain cortex; Hypothalamus; Anterior pituitary; [^{125}I]Iodocyanopindolol; β-Adrenergic binding; β_2-Adrenergic receptor (Petrovic, S.L.) **261**, 249

β_2-Adrenergic receptor
β-Adrenergic receptor; Brain cortex; Hypothalamus; Anterior pituitary; [^{125}I]Iodocyanopindolol; β-Adrenergic binding; β_1-Adrenergic receptor (Petrovic, S.L.) **261**, 249

α-Adrenergic receptor
[^{3}H]Prazosin binding; Prazosin; Guinea pig brain; Estradiol; Progesterone; Steriod hormone (Nock, B.) **262**, 163

Norepinephrine; Depolarization; Astrocyte cultures (Hirata, H.) **270**, 358

Naltrexone; Morphine; Opiate receptor; Locus coeruleus; Receptor supersensitivity (Bardo, M.T.) **289**, 223

α-Adrenergic receptors
Na$^+$,K$^+$-ATPase; β-Adrenergic receptors; Yohimbine; Prazosin; Propranolol; Norepinephrine, biochemical effects (Swann, A.C.) **260**, 338

β-Adrenergic receptors
Na$^+$,K$^+$-ATPase; α-Adrenergic receptors; Yohimbine; Prazosin; Propranolol; Norepinephrine, biochemical effects (Swann, A.C.) **260**, 338

Adrenergic receptors
Cerebral cortex; cAMP; Supersensitivity; Brain energy metabolism; Glycogen (Magistretti, P.J.) **261**, 159

α-Adrenergic receptors
Locus coeruleus; 6-Hydroxydopamine; Central noradrenergic neurons; single-unit Electrophysiological activity (Chiodo, L.A.) **264**, 123

β-Adrenergic receptors
Catecholamines; Down-regulation; Heart; Lung; Brain (Minneman, K.P.) **264**, 328

Adrenergic receptors
Estrous cycle; Hypothalamic norepinephrine; cAMP; Adrenoblockers (Zubin, P.) **271**, 273

central α_1-Adrenergic receptors
Electroconvulsive treatment; [^{3}H]Prazosin binding sites (Vetulani, J.) **275**, 392

α-2 Adrenergic receptors
Noradrenergic neurons; Nucleus tractus solitarius; Iontophoresis (Moore, S.D.) **276**, 188

α-Adrenergic receptors
β-Adrenergic receptors; Db-cAMP; Db-cGMP; Muscarinic receptors; Phosphodiesterase inhibitors; Protein synthesis inhibitors (Kandasamy, S.B.) **277**, 311

β-Adrenergic receptors
α-Adrenergic receptors; Db-cAMP; Db-cGMP; Muscarinic receptors; Phosphodiesterase inhibitors; Protein synthesis inhibitors (Kandasamy, S.B.) **277**, 311

Adrenergic stimulation
Pineal; Hydroxyindole-O-methyltransferase; Norepinephrine; Isoproterenol (Sugden, D.) **265**, 348

β-Adrenergic subsensitivity
Desmethylimipramine; Time-dependency; Antidepressants (Lace, J.W.) **278**, 359

Adrenoblockers
Estrous cycle; Adrenergic receptors; Hypothalamic norepinephrine; cAMP (Zubin, P.) **271**, 273

α_1-Adrenoceptor
Norepinephrine; Lateral geniculate; Microiontophoresis; Single unit; Receptor binding; Denervation; Supersensitivity (Menkes, D.B.) **272**, 1

α_1-Adrenoceptors
Startle; Prazosin; 6-Hydroxydopamine; Spinal cord (Astrachan, D.I.) **260**, 81

Adrenoceptors
Circadian rhythms; WKY/SHR rats (Wirz-Justice, A.) **262**, 233

α_2-Adrenoceptors
Afterhyperpolarization; Calcium; intracellular EGTA; Locus coeruleus; Noradrenergic neuron; Potassium (Aghajanian, G.K.) **273**, 237

α-Adrenoceptors
Kainic acid; Hippocampus; Muscarinic receptors; Serotonin receptors; β-Adrenoceptors (Forloni, G.L.) **274**, 165

β-Adrenoceptors
Kainic acid; Hippocampus; Muscarinic receptors; Serotonin receptors; α-Adrenoceptors (Forloni, G.L.) **274**, 165

α_1-Adrenoceptors
Startle; Prazosin; Spinal cord; Desensitization (Astrachan, D.I.) **276**, 183

Adrenoceptors
Intrathecal; Iontophoresis; Locus coeruleus; Clonidine; Oxymetazoline; Piperoxane; Lipophilic drugs; Local administration (Marwaha, J.) **276**, 379

β-Adrenoceptors
α-Adrenoceptors; Sleep stages; Prenalterol; Salbutamol; Atenolol; Metoprolol; Propranolol; Clonidine; Prazosin; Phentolamine (Hilakivi, I.) **277**, 109

α-Adrenoceptors
β-Adrenoceptors; Sleep stages; Prenalterol; Salbutamol; Atenolol; Metoprolol; Propranolol; Clonidine; Prazosin; Phentolamine (Hilakivi, I.) **277**, 109

Ethanol; Immobilization stress (Lynch, M.) **288**, 145

Adrenocortical function
6-Hydroxydopamine; Medial forebrain bundle; Glucocorticoid feedback (Feldman, S.) **260**, 297

Adreno cortical tropic hormone
β-Endorphin; Nucleus tractus solitarius; Reticular formation; Brainstem; Immunohistochemistry (Schwartzberg, D.G.) **276**, 351

Adreno corticaltropic hormone
Cerebrospinal fluid; β-Endorphin; Met-Enkephalin; Rats; Stress (Kiser, R.S.) **288**, 187

Adreno cortical tropic hormone$_{1\text{-}39}$
Opiocortin; Catecholamine; Immunocytochemistry; Brainstem; Rat (Romagnano, M.A.) **276**, 1

Adrenocorticotropic hormone
Prolactin; Reserpine; Calcium; Thyrotropin-releasing hormone; Dopamine (Login, I.S.) **260**, 99

Endorphins; Enkephalin; Dynorphin; pro-Opiomelanocortin; Opioid peptides; Immunocytochemistry; Hypothalamus (McGinty, J.F.) **278**, 145

Adrenocorticotropin
Prolactin; Grooming behavior; Endogenous hyerprolactinaemia; Cross-tolerance; Dopamine (Drago, F.) **263**, 277

Adrenocorticotropin immunoreactivity
Arcuate nucleus; Opiocortin; Hypothalamic adrenocorticotropin (Kiss, J.Z.) **263**, 14

Adrenomedulla
Homoestasis; Tyrosine hydroxylase; Cold exposure; Hypoglycemia; Enzyme activation; Enzyme induction; Stress (Fluharty, S.J.) **267**, 384

α_1-Adrenoreceptors
Dorsal raphe nucleus; Serotonergic neurons; Brain slices; Extracellular recording; Intracellular recording; Norepinephrine; LSD (Vandermaelen, C.P.) **289**, 109

Adult rat
Sympathetic innervation; Central noradrenergic projections; Sprouting; Habenula; Partial deafferentation; Norepinephrine (Gottesfeld, Z.) **268**, 359

Barrels; Infraorbital nerve; Trigeminal system; Transganglionic HRP transport; Lesion-induced reorganization (Jacquin, M.F.) **269**, 137

Cholinergic neurons; Recovery of cholinergic enzymes; Hippocampus; Septohippocampal pathway; Partial fimbrial lesions; Sprouting; Homotypic regeneration (Dravid, A.R.) **277**, 169

Adult visual system
Cytochrome oxidase; Impulse blockage; Tetrodotoxin (Wong-Riley, M.) **261**, 185

Afferent C fibers
Apamin; Ascending axons; Primary sensory afferents; Intrathecal injection; Facilitation (Jurna, I.) **280**, 186

Afferent inhibition
Sensory convergence; Sensory interactions; Forelimb afferents; Somatosensory cortex (Macgillis, M.) **276**, 329

Afferent input
Neuronal sprouting; Hippocampus; Sympathetic nervous system (Madison, R.) **270**, 1

Afferent source
Neurotensin; Dorsomedial thalamic nucleus (Inagaki, S.) **260**, 143

Afferents to hypoglossal neurons
Hypoglossal neurons; HRP; Retrograde tracing (Borke, R.C.) **269**, 47

Afferent termination
Spinal cord; 2-Deoxyglucose; Functional organization (Piepmeier, J.M.) **259**, 167

Affinity chromatography
Synaptic vesicle; Calmodulin; Phosphorylation; ATPase activity; Affinity-purified antibody (Moskowitz, N.) **263**, 243

Affinity-purified antibody
Synaptic vesicle; Calmodulin; Phosphorylation; ATPase activity; Affinity chromatography (Moskowitz, N.) **263**, 243

After-effect
Muscle spindle; Fusimotor neuron; Sinusoidal stretching; Dynamic sensitivity; Control of posture (Baumann, T.K.) **258**, 139

Afterhyperpolarization
Pyramidal tract neurons; Intracellular recording; Potassium conductance (Baldissera, F.) **259**, 143

Ca^{2+}-dependent K^{+}-conductance; Intracellular release of Ca^{2+}; D-600; Caffeine; Bullfrog sympathetic ganglion cell (Nohmi, M.) **268**, 158

α_2-Adrenoceptors; Calcium; intracellular EGTA; Locus coeruleus; Noradrenergic neuron; Potassium (Aghajanian, G.K.) **273**, 237

Ageing
Neurotransmitter release; Amino acids; Human brain (Smith, C.C.T.) **269**, 103

Aggression
Rat; Hypothalamus; Discriminant analysis; Attack; Brain stimulation; Computer-plotted histology; 3D-reconstruction (Kruk, M.R.) **260**, 61

Quiet biting attack; Hippocampal formation; Trigeminal sensory field; [^{14}C]2-Deoxyglucose autoradiography (Watson, R.E. Jr.) **269**, 327

Aging
Met-Enkephalin; Opiate receptors (Missale, C.) **262**, 160

Senile dementia of Alzheimer-type; Human cortex; Human hippocampus; Autoradiography; Scopolamine; α-Bungarotoxin; Cholinergic receptor (Lang, W.) **267**, 271

Senile dementia of Alzheimer type; Human hippocampus; Human cortex; Human medial septum; Nucleus basalis of Meynert; Choline acetyltransferase; Acetylcholinesterase (Henke, H.) **267**, 281

Benzodiazepines; BDZ_1 and BDZ_2 receptor subtypes; Triazolopyridazine CL218,872; Cortical receptors; Diazepam (Reeves, P.M.) **270**, 376

Analgesia; Diurnal rhythm; Light-dark cycle; Morphine; Opioid; Thermal stimulus (Kavaliers, M.) **279**, 387

Sleep; Rat (Van Gool, W.A.) **279**, 394

Hippocampus; Amygdala; Glucocorticoids; Receptors; Negative feedback (Sapolsky, R.M.) **289**, 235

Agonists
Glutamate analogues; Perforant path; Antagonists; γ-Substitution; Extracellular recording (Koerner, J.F.) **272**, 299

GABA; Etazolate; Benzodiazepine receptors; Antagonists; Receptor interactions; Inverse agonists; [^{3}H]Muscimol (Borea, P.A.) **280**, 383

α-2 Agonists
Antinociception; Clonidine; Periaqueductal gray (Ossipov, M.H.) **289**, 349

Airway caliber
Tracheal smooth muscle; Cholinergic pathways; β-Adrenergic pathways; Capsaicin; Dogs (Rybicki, K.J.) **270**, 159

Albinism
Evoked potentials; Auditory system (Creel, D.) **260**, 1

Albino rabbit
Dorsal lateral geniculate nucleus; Slow relay cells; Recurrent inhibition (Lo, F.-S.) **271**, 335

Dorsal lateral geniculate nucleus; Monocular segment; Binocular inhibition (Lo, F.-S.) **271**, 339

Misrouting; Pretectal nuclei; Optokinetic nystagmus; Autoradiography (Klooster, J.) **288**, 1

Albumin immunohistochemistry
Blood-brain barrier; Macromolecular transport; cGMP; Pinocytosis (Joó, F.) **278**, 165

Alcohol
Ethanol; *Aplysia* neuron; Bursting pacemaker; Pacemaker; Voltage clamp (Schwartz, M.H.) **278**, 341

Aldosterone
Corticosterone; Receptor; Hippocampus; Serotonin (De Kloet, E.R.) **264**, 323

Alert rabbit
Vestibulo ocular reflex; Natural vestibular stimulation; Eye muscles; EMG; Macular convergence; Ampullar convergence (Favilla, M.) **280**, 277

Allocortex
Cortico-cortical connections; Prefrontal cortex; Horseradish peroxidase; Cat (Cavada, C.) **260**, 117

Alternating fixation
Optically-induced strabismus; Visual field; Esotropia; Unilateral fixation; Binocularity; Cats (Elberger, A.J.) **268**, 147

Alternation behavior
Compensatory collateral sprouting; Regeneration; Functional recovery; Cingulate cortex; Fimbria-fornix; Hippocampus; Acetylcholine; Noradrenaline; Serotonin; T-maze (Gage, F.H.) **268**, 39

Aluminum
Maytansine; Neurofibrillary tangles; Neurofilament; Polypeptide subunits; Antibodies (Ghetti, B.) **276**, 388

Aluminum accumulation
Suboptimal zinc intake; CNS (Wenk, G.L.) **288**, 393

Alzheimer dementia
Synaptosomes; Choline transport; Hippocampus; Cortex (Rylett, R.J.) **289**, 169

Alzheimer disease
Parkinson's disease; Choline acetyltransferase; Muscarinic receptors; Cerebral cortex; Substantia innominata; Human brain (Dubois, B.) **288**, 213

Alzheimer's disease
Senile dementia; Senile (neuritic) plaque; Amyloid; Amino acid composition (Allsop, D.) **259**, 348

Neurotransmitter release; Amino acids; Human brain; Temporal neocortex (Smith, C.C.T.) **264**, 138

Benzodiazepine receptors; Gliosis (Owen, F.) **278**, 373

Somatostatin; Parkinson's disease; Dementia; Post-mortem; Human; Cortex; Hippocampus (Epelbaum, J.) **278**, 376

Basal nucleus; Immunhistochemistry; Choline acetyltransferase (Pearson, R.C.A.) **289**, 375

Alzheimer-type dementia
Thyrotropin-releasing hormone; Luteinizing hormone-releasing hormone; Substance P; Choline acetyltransferase; Post-mortem brain; Post-mortem spinal cord; Down's syndrome (Yates, C.M.) **258**, 45

Down's syndrome; Post-mortem brain; Noradrenaline; Dopamine; Choline acetyltransferase; Acetylcholinesterase (Yates, C.M.) **280**, 119

Amacrine
Rod input; Teleost retina; HRP; Electron microscopy; Dace (Sakai, H.) **270**, 345

Amacrine cell
Retina; Dopamine turnover; Apomorphine; Haloperidol; Homovanillic acid; 3,4-Dihydroxyphenylacetic acid (Cohen, J.) **260**, 125

Ambiguus motoneuron
Antidromic identification; Ultrasonic vocalization; Superior and recurrent nerves; Ventral and dorsal formations; Rat (Yajima, Y.) **288**, 302

Amine accumulation
L-DOPA; Catecholamine depletion; 6-Hydroxydopamine; Locomotor behavior; Motor reflex control; LH syndrome; Catecholamine agonists (Willis, G.L.) **266**, 279

Colchicine; Consummatory behaviour; Motor reflex control; Locomotory behaviour; Lateral hypothalamus; Thermoregulation (Willis, G.L.) **276**, 119

Amino acid
Olfactory bulbar response; Odorant; Receptor potential; Carp; Rainbow trout; Bullfrog (Yoshii, K.) **274**, 239

Amino acid antagonists
Kynurenic acid; Quinolinic acid; Synaptic antagonists; Hippocampus; Spinal cord (Ganong, A.H.) **273**, 170

Aspartate; Glutamate; Kindling; Amygdala (Peterson, D.W.) **275**, 169

Amino acid composition
Alzheimer's disease; Senile dementia; Senile (neuritic) plaque; Amyloid (Allsop, D.) **259**, 348

Amino acid inhibition
Phenylketonuria; Synaptosomal tyrosine uptake; Hyperphenylalaninemia; Brain catecholamines (Peterson, N.A.) **272**, 189

Amino acid neurotransmitter
Muscle degeneration; Insect muscle; Calcium channels; Excitotoxicity; Amino acid receptors (Donaldson, P.L.) **274**, 261

Muscle; Insect; Neurotoxicity; Receptor; Excitotoxicity (Duce, I.R.) **263**, 77

Amino acid neurotransmitters
Substantia gelatinosa; Single unit recording; adult Rat spinal cord in vitro; Microiontophoresis; Opioid peptides (Zieglgänsberger, W.) **279**, 316

Amino acid receptor
Kainic acid; Lateral geniculate nucleus; α-Ketokainic acid; Dihydrokainic acid; Excitant (King, D.J.) **262**, 172

Amino acid receptors
Amino acid neurotransmitter; Muscle degeneration; Insect muscle; Calcium channels; Excitotoxicity (Donaldson, P.L.) **274**, 261

Amino acid release
Presynaptic excitatory amino acid receptors; Olfactory cortex (Collins, G.G.S.) **265**, 157

Amino acids
Streptomycin; Quisqualic acid; Glutamate (Stone, T.W.) **260**, 347

Neurotransmitter release; Human brain; Temporal neocortex; Alzheimer's disease (Smith, C.C.T.) **264**, 138

Neurotransmitter release; Human brain; Ageing (Smith, C.C.T.) **269**, 103

Blood-brain barrier; Brain-uptake index; Peptides; A system; L system; Rats (Zlokovic, B.V.) **271**, 65

Somatostatin; Cerebral cortex; Cell culture; Neurotransmitters (Robbins, R.J.) **273**, 374

Taste response; Receptor potential; Eel; Phase boundary potential; Transduction mechanisms (Yoshii, K.) **280**, 63

Amino acid transport
Glutamine; Synaptosomes; Tyrosine hydroxylase; Tryptophan hydroxylase; DOPA decarboxylase (Katz, I.R.) **264**, 160

Amino acid uptake
D-Aspartic acid; Hippocampal slices (Wieraszko, A.) **259**, 324

D- and L-α-Aminoadipic acids
Glutamate; Aspartate; GABA; Spontaneous and K^+-induced efflux; Exchange diffusion; Antagonist of amino acid-induced excitation (Charles, A.K.) **259**, 331

γ-Aminobutyric acid
Caffeine; Benzodiazepine; Spinal cord; Calcium; Bicuculline (Nistri, A.) **258**, 263

Glutamic acid decarboxylase; Immunocytochemistry; Intracellular injection; HRP; Red nucleus (Murakami, F.) **267**, 357

GABA; Receptors; Mammalian peripheral nerves; Amphibian peripheral nerves; Myelinated fibers; Depolarization; Pharmacological characterization (Morris, M.E.) **278**, 117

GABA; Receptors; Potassium ions; Peripheral nerve; Myelinated fibers; Dorsal root; Ventral root; Depolarization; Localization (Morris, M.E.) **278**, 127

***cis*-3-Aminocyclohexane carboxylic acid transport**
Cultured astrocyte; Cultured neuron; GABA transport; GABA neurotransmission (Larsson, O.M.) **260**, 279

[^{3}H]α-Amino-3-hydroxy-5-methyl-4-isoxazole-propionic acid
Binding; Autoradiography; Tissue culture; Spinal cord; Brainstem (Hösli, E.) **268**, 177

6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide (TAG)
Taurine; Transmitter; Purkinje cell; Purkinje cell dendrite; Taurine antagonist; Reversal potential; Intracellular recording; Cerebellum (Okamoto, K.) **265**, 163

Aminooxyacetic acid
Hyperbaric oxygen; Anticonvulsant activity (Davison, A.J.) **276**, 384

Aminopyridine
Hippocampus; Evoked activity; Ca binding sites; Electron microscopy; In vitro (Kuhnt, U.) **279**, 19

4-Aminopyridine
Voltage-dependent calcium channel; Neuronal cell culture; Voltage clamp (Rogawski, M.A.) **280**, 180

Sympathetic ganglia; Synapses; Freeze-fracture; Ultrastructure; Guinea pig; Rat (Andersson Forsman, C.) **280**, 355

4-Aminoquinoline
Transmitter release; Miniature endplate potentials; Botulinum toxin (Thesleff, S.) **264**, 89

2-Amino-4-phosphonobutyrate
Cl^-/Ca^{2+}-activated Glutamate receptors; Spinal cord; Cerebellum (Whittemore, S.R.) **277**, 99

2-Amino-4-phosphonobutyric acid
Glutamate receptors; Excitatory amino acids (Monaghan, D.T.) **278**, 137

Ammonium ion
Dorsal root ganglia; GABA-receptor; Temperature; pH; Chloride pump; SITS; Furosemide; Bumetanide (Gallagher, J.P.) **267**, 249

Amnesia
Memory; Hippocampus; Amygdala; Limbic system (Murray, E.A.) **270**, 340

Amphetamine
Apomorphine; Dopamine metabolism; Dopamine receptors; Repeated administration; Behavioral sensitization (Kuczenski, R.) **258**, 333

Turning; Head movement; Pontine reticular formation; Apomorphine; Nigrostriatal bundle; Lesion; Labyrinthectomy (Sirkin, D.W.) **260**, 291

D-Amphetamine
Ascorbic acid; Dopamine; In vivo electrochemistry; Electrophysiology; Neostriatum (Ewing, V.G.) **261**, 101

Amphetamine
2-Deoxyglucose autoradiography; Basal ganglia; Apomorphine; Dopamine (Wooten, G.F.) **263**, 267

Catecholamines; Hypothalamus; Dopamine; Norepinephrine; Epinephrine (Leibowitz, S.F.) **266**, 348

D-Amphetamine
Dopamine binding sites; Striatum; Nucleus accumbens; Phencyclidine (Robertson, H.A.) **267**, 179

Amphetamine
Slow-release pellet; Dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; Neurotoxicity (Ellison, G.) **268**, 387

Rotational behavior; Enkephalin; Apomorphine; Nigrostriatum; Supersensitivity (Hirschhorn, I.D.) **270**, 109

D-Amphetamine
Neuronal activity; Liquid chromatography; Nucleus accumbens; Neostriatum (Alloway, K.D.) **273**, 71

Amphetamine
Dopamine; Dendrites; Substantia nigra; Locomotor activity (Jacksn, E.A.) **278**, 366

Amphetamine stereotype
Enkephalin; Dopamine; Caudate; Naloxone; In vivo electrochemistry (Broderick, P.A.) **269**, 378

Amphibian
Morphine; Naloxone; Analgesia; Explosive motor behavior (Pezalla, P.D.) **273**, 297

Analgesia; Stress; Naloxone; Opiates (Pezalla, P.D.) **278**, 354

Amphibian peripheral nerves
GABA; γ-Aminobutyric acid; Receptors; Mammalian peripheral nerves; Myelinated fibers; Depolarization; Pharmacological characterization (Morris, M.E.) **278**, 117

Ampicillin
Minocycline; Protein synthesis inhibitors; Human sleep; Slow wave sleep; REM sleep (Nonaka, K.) **288**, 253

Amplification in sensory organ
Voltage-clamp of solitary photoreceptor in culture; Internal messenger for transduction and adaptation; Inverse relation of cGMP and Ca^{2+}; Minimizing voltage-dependent currents (Lipton, S.A.) **265**, 41

Ampullar convergence
Vestibulo ocular reflex; Natural vestibular stimulation; Eye muscles; EMG; Alert rabbit; Macular convergence (Favilla, M.) **280**, 277

Amygdala
Rabbit; Parabrachial nuclei; Gustation; Substantia innominata; Thalamus (Block, C.H.) **259**, 1

Kindling; Transfer; Carbachol; Electrical stimulation (Cain, D.P.) **260**, 135

Dopamine; Catecholamine fluorescence; Retrograde dyes; Substantia nigra; Ventral tegmental area (Loughlin, S.E.) **262**, 334

Preoptic area; Hypothalamus; Rat brain; Protein phosphorylation; Sexual dimorphism; Sexual differentiation; Testosterone (Angelbeck, J.H.) **264**, 277

Cortical projection; Glutamergic projection; Aspartergic projection; Thalamus (Walker, J.E.) **267**, 371

Bed nucleus of the stria terminalis; Medial preoptic-anterior hypothalamic area; Vomeronasal system; Olfactory system; Hamster (Lehman, M.N.) **268**, 139

Substantia innominata; Stria terminalis; Cat; Single-unit analysis; Lateral olfactory tract; Temporal cortex (Femano, P.A.) **269**, 119

Memory; Hippocampus; Limbic system; Amnesia (Murray, E.A.) **270**, 340

Kindling; Muscarinic stimulation (Wasterlain, C.G.) **271**, 311

Pyriform cortex; Electrical kindling; Vasopressin; Brattleboro rat (Gillis, B.J.) **271**, 375

Nucleus centralis; Dopamine release (Charriere, B.) **271**, 386

Amygdaloid complex; Limbic system; Forebrain; Neurogenesis; Development; Autoradiography (McConnell, J.) **272**, 150

Aspartate; Glutamate; Amino acid antagonists; Kindling (Peterson, D.W.) **275**, 169

Benzodiazepines; Benzodiazepine receptors; Multiple receptors; Triazolopyridazines; Autoradiography (Niehof, D.L.) **276**, 237

Histamine; Tele-methylhistamine; Brain; Hypothalamus; Histaminergic neuron (Oishi, R.) **280**, 172

Vasopressin; Hippocampus; Behavior (Laczi, F.) **280**, 309

Cholecystokinin; Vasoactive intestinal polypeptide; Substance P; Neurotensin; Somatostatin; Schizophrenia; Hippocampus (Roberts, G.W.) **288**, 199

Naloxone; Kindling; Post-ictal depression (Jarvis, M.F.) **288**, 235

Aging; Hippocampus; Glucocorticoids; Receptors; Negative feedback (Sapolsky, R.M.) **289**, 235

Amygdala kindling
REM sleep; Slow-wave-sleep (Shouse, M.N.) **271**, 196

[^{3}H]Flunitrazepam; [^{3}H]Ro5-4864; central-type Benzodiazepine receptors; peripheral-type Benzodiazepine receptors (Burnham, W.M.) **279**, 359

Amygdalofugal projections
Amygdaloid complex; Premotor cortex; Area 6 (Avendaño, C.) **264**, 111

Amygdaloid complex
Premotor cortex; Area 6; Amygdalofugal projections (Avendaño, C.) **264**, 111

Amygdala; Limbic system; Forebrain; Neurogenesis; Development; Autoradiography (McConnell, J.) **272**, 150

Neurotensin; Nervus ventromedialis hypothalami; Rat (Inagaki, S.) **273**, 229

Amygdaloid lesions
Kainic acid; Hippocampus; Epilepsy; Neuropathology (Cavalheiro, E.A.) **262**, 201

Amygdaloid stimulation
Memory; Inhibitory avoidance; Naloxone; Bed nucleus of the stria terminalis; Endogenous opioids (Liang, K.C.) **271**, 41

Memory; Avoidance learning; Lesions; Stria terminalis; Rats (Liang, K.C.) **274**, 309

Amyloid
Alzheimer's disease; Senile dementia; Senile (neuritic) plaque; Amino acid composition (Allsop, D.) **259**, 348

Analgesia
Nucleus raphe magnus; 5-Hydroxytryptamine (Llewelyn, M.B.) **258**, 59

Enkephalin; Electroconvulsive shock; Naltrexone (Urca, G.) **260**, 271

Stimulation-produced analgesia; Pain; Nucleus raphe magnus; Periaqueductal gray matter; Opioid peptides (Prieto, G.J.) **261**, 53

Nucleus reticularis paragigantocellularis; Nucleus raphe magnus; L-Glutamate; Descending noradrenergic system; Descending serotonergic system (Satoh, M.) **261**, 361

Dorsolateral funiculus; Opioid peptides; Stress analgesia; Footshock-induced analgesia; Pain (Lewis, J.W.) **267**, 139

Paralemniscal reticular formation; Rat; Nociception; Periaqueductal gray; HRP; Microiontophoresis; Norepinephrine (Hardy, S.G.P.) **267**, 217

Lanthanum; Opiate receptors; Central gray; Pain; Naloxone (Rosenfeld, J.P.) **268**, 189

Opioid peptides; Nucleus raphe magnus; Stress analgesia; Morphine; Brainstem (Cannon, J.T.) **269**, 231

Opioid peptides; Naltrexone; Scopolamine; Stress analgesia; Oxotremorine (Lewis, J.W.) **270**, 289

5-Hydroxytryptamine; Brainstem; Morphine-induced; *p*-Chloroamphetamine; *p*-Chlorophenylalanine; Zimelidine; Test-dependent effects (Berge, O.-G.) **271**, 51

Opiate; Enkephalin; Naloxazone; μ-Receptor; δ-Receptor (Ling, G.S.F.) **271**, 152

Pain; Nucleus raphe magnus; Nucleus reticularis paragigantocellularis; Morphine; Microinjection (Heinricher, M.M.) **272**, 382

Morphine; Spinal cord; Inhibition; Naloxone (Soja, P.J.) **273**, 1

Morphine; Naloxone; Amphibian; Explosive motor behavior (Pezalla, P.D.) **273**, 297

Pregnancy; Opioid-mediation (Gintzler, A.R.) **277**, 186

Stress; Naloxone; Amphibian; Opiates (Pezalla, P.D.) **278**, 354

5-Hydroxytryptamine; Footshock; Memory; Learning (Hutson, P.H.) **279**, 105

Aging; Diurnal rhythm; Light-dark cycle; Morphine; Opioid; Thermal stimulus (Kavaliers, M.) **279**, 387

Periaqueductal gray; Immunoreactive enkephalin; Pain control; Opiates (Moss, M.S.) **289**, 27

Pharmacokinetics; Pain; Opiates (Levine, J.) **289**, 391

Analgesic pathways
Serotonergic neurons; Raphe nuclei; Lysergic acid diethylamide (Wessendorf, M.W.) **279**, 93

Analogue interactions
Kainic acid; Cerebellum (Slevin, J.T.) **265**, 169

Anaphylactic shock
Naloxone; Endorphin; Sympathetic nervous system; Mice (Amir, S.) **274**, 180

Anastomoses
PNS-CNS transitional region; Regeneration; Electron microscopy (Carlstedt, T.) **272**, 162

Androgen receptors
Hamster; Estrogen receptors; Hypothalamus-preoptic area; Sex differences; Species differences (Vito, C.C.) **264**, 132

In vitro cytosol assay; in vitro Cell nuclear exchange assay (McGinnis, M.Y.) **275**, 75

Androgens
Zebra finch; Acetylcholinesterase; Choline acetylase; Estrogens; Muscle (Luine, V.N.) **279**, 339

Anesthesia
Vestibular afferents; Decerebration; Linear forces; Gerbils (Perachio, A.A.) **280**, 287

Anesthetic
Rat; Spinal cord; Dorsal horn; Somatosensory; Inhibition; non-Segmental inhibition; Time-course; Pain; Noxious inhibitory controls (Tomlinson, R.W.W.) **279**, 291

Angiotensin
Vasopressin; Brattleboro rat; Diabetes insipidus; Subfornical organ; Pituitary neural lobe; [^{14}C]Deoxyglucose (Kadekaro, M.) **275**, 189

Subfornical organ; Blood pressure; Drinking; Rat (Lind, R.W.) **275**, 361

Angiotensin-converting enzyme
Angiotensin II; Bradykinin; Vasopressin; Brattleboro rats; Diabetes insipidus; Brainstem nuclei; Septal nuclei (Chevillard, C.) **272**, 283

Angiotensin II
Olfactory bulb; Dipsogenesis; Peptide (Chen, F.-C.M.) **259**, 335

Area postrema; Carbamylcholine; Serotonin; Dopamine; Neostigmine; Atropine (Brooks, M.J.) **261**, 85

GABA; hypertonic CSF; Pressor responses (Brennan, T.J.) **267**, 261

Cerebral blood flow; Rabbit; [^{14}C]Ethanol tissue sampling technique; Heat clearance technique; Mass spectrometry technique; Central effect (Reynier-Rebuffel, A.-M.) **269**, 91

Glucoprivic feeding; Area postrema; Nucleus of the solitary tract; Drinking (Bird, E.) **270**, 193

Angiotensin-converting enzyme; Bradykinin; Vasopressin; Brattleboro rats; Diabetes insipidus; Brainstem nuclei; Septal nuclei (Chevillard, C.) **272**, 283

Angiotensinogen
Rat brain; Biosynthesis; Renin-substrate; Concanavalin A; Cycloheximide; Vinblastine (Sernia, C.) **259**, 275

Anisatin
Picrotoxinin; Chloride ion; GABA receptor (Matsumoto, K.) **270**, 103

Anorexia
[^{14}C]2-Deoxy-D-glucose autoradiography; Brain metabolism; Ethanolamine-O-sulfate; Food intake; GABA; GABA-T inhibition; Sensorimotor tests; Tail-pinch (Nobrega, J.N.) **262**, 243

Antagonism
Dorsal lateral geniculate nucleus; Acetylcholine; Receptive field properties; Centre; Surround; Arousal; Reticular facilitation (Sillito, A.M.) **280**, 299

Antagonist
Synapse; Neurotransmitter; Glutamic acid; Hippocampus (Sawada, S.) **267**, 156

Antagonist of amino acid-induced excitation
D- and L-α-Aminoadipic acids; Glutamate; Aspartate; GABA; Spontaneous and K^+-induced efflux; Exchange diffusion (Charles, A.K.) **259**, 331

Antagonists
Glutamate analogues; Perforant path; Agonists; γ-Substitution; Extracellular recording (Koerner, J.F.) **272**, 299

GABA; Etazolate; Benzodiazepine receptors; Receptor interactions; Inverse agonists; $[^3H]$Muscimol; Agonists (Borea, P.A.) **280**, 383

Anterior hypothalamic-preoptic region
Cat; Thermoresponsive neurons; Wakefulness; Sleep (Parmeggiani, P.L.) **269**, 382

Anterior neocortex
Kindling; 6-Hydroxydopamine; Noradrenaline; Experimental epilepsy (Altman, I.M.) **270**, 174

Anterior periventricular nucleus
Growth hormone; Electrical stimulation; Ventromedial nucleus of hypothalamus; Lesions (Kato, M.) **280**, 69

Anterior pituitary
β-Adrenergic receptor; Brain cortex; Hypothalamus; $[^{125}I]$Iodocyanopindolol; β-Adrenergic binding; β_1-Adrenergic receptor; β_2-Adrenergic receptor (Petrovic, S.L.) **261**, 249

Substance P; Neonatal imprinting; Testosterone (Yoshikawa, K.) **273**, 362

Anterior pretectal nucleus
Motor cortex; Dorsal accessory olive; HRP; Electron microscopy (Kitao, Y.) **280**, 139

Anterior thalamic nucleus
Subicular cortex; Fluorescent dye; Entorhinal cortex; Mammillary body; Ventral medial hypothalamus (Donovan, M.K.) **259**, 181

Anterior third ventricle
Dehydration; Natriuresis; Hypernatremia; Brain lesion; Sheep (McKinley, M.J.) **263**, 340

Anterograde autoradiography
Superior colliculus; Pulvinar nucleus; Squirrel monkey; Horseradish peroxidase; Sublamination of SGS (Huerta, M.F.) **261**, 119

Anterograde degeneration
Lateral cervical nucleus; Mesencephalon; Anterograde transport; Lectin conjugate; Horseradish peroxidase (Flink, R.) **259**, 11

Anterograde transport
Lateral cervical nucleus; Mesencephalon; Anterograde degeneration; Lectin conjugate; Horseradish peroxidase (Flink, R.) **259**, 11

HRP; Trigeminal sensory nerve endings; Cornea; Tooth pulp; Peripheral nervous system (Marfurt, C.F.) **261**, 1

HRP; Wheat germ agglutinin (WGA); Retrograde transport; Golgi method; Pontine nuclei; Cerebellum; Cerebral cortex (Brodal, P.) **267**, 1

Anterograde transport of WGA-HRP
Pontocerebellar fibers; Cerebellar nuclei (Dietrichs, E.) **259**, 127

Cerebellar nuclear afferents; Lateral reticular nucleus (Dietrichs, E.) **288**, 320

Anteroventral third ventricular region (AV3V)
Subfornical organ; Median preoptic nucleus; Paraventricular nucleus; Parabrachial nucleus; Nucleus of the solitary tract (Saper, C.B.) **288**, 21

Anti-acetylcholine receptor antibodies
α-Bungarotoxin binding sites; Brain (Morley, B.J.) **262**, 109

Antibodies
Adrencorticotropin; Corticosterone; Prolactin; Acetylcholine; Nicotinic receptors (Weidenfeld, J.) **265**, 152

Monoamine oxidase; Radioimmunoassay; Immunocytochemistry; Rat tissues; Immune fixation (Pintar, J.E.) **276**, 127

Aluminum; Maytansine; Neurofibrillary tangles; Neurofilament; Polypeptide subunits (Ghetti, B.) **276**, 388

Anticonvulsant action
Opiates; Endogenous opioids; Convulsant action; Naloxone (Urca, G.) **259**, 103

Anticonvulsant activity
Aminooxyacetic acid; Hyperbaric oxygen (Davison, A.J.) **276**, 384

Anticonvulsants
L-Glutamate; Convulsions; Phenytoin; Muscimol; Glutamate antagonists (Stone, W.E.) **264**, 165

Antidepressant
Desmethylimipramine; Phenelzine; 2-Deoxyglucose technique; Local cerebral metabolism (Gerber, J.C. III) **269**, 319

Antidepressants
Noradrenaline (re)uptake; 5-Hydroxytryptamine (re)uptake; Brain slices (rat); Brain slices (human) post-mortem (Harms, H.H.) **275**, 99

Desmethylimipramine; β-Adrenergic subsensitivity; Time-dependency (Lace, J.W.) **278**, 359

Antidromic activation
Locus coeruleus; Norepinephrine; Impulse conduction (Segal, M.) **274**, 381

Nucleus ambiguus; Central respiratory control; Motor nucleus (Delgado-García, J.M.) **277**, 231

Dorsal respiratory group; R_β Neurons; Phrenic motoneurons; EPSPs; Spike-triggered averaging; Cat (Lipski, J.) **288**, 105

Antidromic identification
Ambiguus motoneuron; Ultrasonic vocalization; Superior and recurrent nerves; Ventral and dorsal formations; Rat (Yajima, Y.) **288**, 302

Antidromic spike
Paraventricular neurosecretory neuron; Recurrent inhibition; Silent phase; Electrical properties; Threshold; Latency; Rat (Akaishi, T.) **262**, 151

Antidromic stimulation
Pontine visual area; Superior colliculus; Axon collaterals; Bifurcation; Visual cortex; Area 18; Lateral suprasylvian (Baker, J.) **265**, 227

Antiestrogen
Enclomiphene; Progestin receptor; Lordosis; Estrogen; Progesterone (Wilcox, J.N.) **266**, 243

Antimitotic drugs
Neuronal cell culture; Olfactory bulb (Burry, R.W.) **261**, 261

Antimuscarinic
Barrel rotation; Vestibular nuclear complex; Chlorpromazine methiodide; Somatostatin (Burke, R.E.) **288**, 273

Antinociception
α-2 Agonists; Clonidine; Periaqueductal gray (Ossipov, M.H.) **289**, 349

Anti-oxytocin serum
Oxytocin; des-Glycinamide-oxytocin; DA utilization; Mesencephalon (Kovács, G.L.) **268**, 307

Anti-somatostatin antibody
Kindling; Cysteamine; Somatostatin; Seizures; Epilepsy (Higuchi, T.) **288**, 359

Anxiogenic effect
Ro5-3663; Chlordiazepoxide; Picrotoxin site (File, S.E.) **278**, 370

Aortic depressor nerves
Ventrolateral medulla; Central autonomic area of thoracic cord; Carotid sinus; Paraventricular nucleus; Sympatho-excitatory pathways; Sympatho inhibitory pathways; Bulbospinal cardiovascular reflex pathways (Caverson, M.M.) **274**, 354

Apamin
Ascending axons; Primary sensory afferents; Afferent C fibers; Intrathecal injection; Facilitation (Jurna, I.) **280**, 186

Aplysia
Glyoxylic acid; Catecholamine; Serotonin (Tritt, S.H.) **259**, 159

Bursting pacemaker; Osmoregulation (Bablanian, G.M.) **271**, 342

[^{3}H]Serotonin uptake; Presynaptic facilitation; Identified neurons; Serotonin; Sensitization; Synaptic modulation (Bailey, C.H.) **272**, 71

Vipoxin; Russell's viper venom; Acetylcholine receptors (Slater, N.T.) **278**, 266

Heterosynaptic facilitation; endogenous cAMP; Adenylate cyclase inhibitors; Sensitization (Belardetti, F.) **288**, 95

Neuropeptide; Egg-laying hormone; Buccal ganglion; Identified motoneuron (Ram, J.L.) **288**, 177

***Aplysia* neuron**
Alcohol; Ethanol; Bursting pacemaker; Pacemaker; Voltage clamp (Schwartz, M.H.) **278**, 341

***Aplysia* neurons**
K^+ conductance; Carbachol; Histamine; Dopamine (Chesnoy-Marchais, D.) **259**, 57

***Aplysia* retina**
Bulla retina; Circadian rhythms (Block, G.D.) **265**, 134

Apomorphine
Dopamine metabolism; Dopamine receptors; Amphetamine; Repeated administration; Behavioral sensitization (Kuczenski, R.) **258**, 333

Nucleus accumbens; Area postrema; Taste aversion (Van der Kooy, D.) **259**, 111

Retina; Amacrine cell; Dopamine turnover; Haloperidol; Homovanillic acid; 3,4-Dihydroxyphenylacetic acid (Cohen, J.) **260**, 125

Turning; Head movement; Pontine reticular formation; Amphetamine; Nigrostriatal bundle; Lesion; Labyrinthectomy (Sirkin, D.W.) **260**, 291

Cerebral blood flow; Iodoantipyrine; Caudate-putamen; Nigrostriatal pathway; Supersensitivity (Ingvar, M.) **262**, 259

2-Deoxyglucose autoradiography; Basal ganglia; Amphetamine; Dopamine (Wooten, G.F.) **263**, 267

Sensory imbalance; Dopamine; Sensory neglect; Circling; Rotational behaviour (Szechtman, H.) **264**, 332

Glucocorticoids; Dopamine; Receptors; Spinal cord (Hall, E.D.) **267**, 380

Rotational behavior; Enkephalin; Amphetamine; Nigrostriatum; Supersensitivity (Hirschhorn, I.D.) **270**, 109

Self-stimulation behavior; Dopamine; Reward (Leith, N.J.) **277**, 129

APP
FMRF-amide; Immunohistochemistry; Neuropeptides (Williams, R.G.) **276**, 213

Appetite regulation
Cyclo (His-Pro) (Mori, M.) **268**, 181

Arachidonic acid
Brain edema; Phospholipid degradation; Cold-injury; Na$^+$,K$^+$-ATPase (Chan, P.H.) **277**, 329

Arcuate concavity
Prefrontal cortex; Unit activity; Monkey; Functional heterogeneity; Principal sulcus; Inferior convexity (Aou, S.) **260**, 121

Arcuate hypothalamic nucleus
N-Methylaspartate; GABA; Luteinizing hormone-releasing hormone; Glutamate; Neuroactive amino acids; Suprapituitary mechanism (Tal, J.) **273**, 179

Arcuate/median eminence
Castration; Testosterone; Medial preoptic/anterior hypothalamus; Lateral septum; Medial forebrain bundle (Kendrick, K.M.) **262**, 137

Arcuate nucleus
Adrenocorticotropin immunoreactivity; Opiocortin; Hypothalamic adrenocorticotropin (Kiss, J.Z.) **263**, 14

Neurotensin; Dopamine; Coexistence; Immunohistochemistry; Fluorescence histochemistry; Rat (Ibata, Y.) **269**, 177

Norepinephrine; Dopamine; Hypothalamus; Obese mice; Paraventricular nucleus; Lateral hypothalamus; Obesity (Oltmans, G.A.) **273**, 369

Arcuate-ventromedial hypothalamus
Morphine; Dopamine; Prolactin; Neural activity (Haskins, J.T.) **268**, 185

Area CA1
Recurrent inhibition; Hippocampal slice (Harris, K.M.) **268**, 339

Area postrema
Apomorphine; Nucleus accumbens; Taste aversion (Van der Kooy, D.) **259**, 111

Carbamylcholine; Serotonin; Angiotensin II; Dopamine; Neostigmine; Atropine (Brooks, M.J.) **261**, 85

Glucoprivic feeding; Nucleus of the solitary tract; Angiotensin II; Drinking (Bird, E.) **270**, 193

Pain; Naloxone; Morphine; Nucleus tractus solitarius; EEG activity; Cortical synchronization (Bronzino, J.D.) **271**, 33

Nucleus of the solitary tract; Food intake; Capsaicin; Feeding behavior; Drinking behavior (South, E.H.) **288**, 243

Area 17
Cell numbers; Geniculo-cortical boutons (Winfield, D.A.) **277**, 223

Area 18
Pontine visual area; Superior colliculus; Axon collaterals; Bifurcation; Visual cortex; Antidromic stimulation; Lateral suprasylvian (Baker, J.) **265**, 227

Area 20
Visual cortex; Cortico-cortical connections; Thalamo-cortical connections; Basal forebrain-cortical connections; Brainstem-cortical connections; HRP; Cat (Cavada, C.) **270**, 319

Area 6
Amygdaloid complex; Premotor cortex; Amygdalofugal projections (Avendaño, C.) **264**, 111

Arginine vasopressin
Convulsions; Hemorrhage; Neuropeptides (Burnard, D.M.) **273**, 59

non-Monoaminergic AADC neurons; Suprachiasmatic nucleus; Brattleboro rat; Hypothalamus (Jaeger, C.B.) **276**, 362

Aromatization
Brain androgen metabolism; Estrogen; Swiss-Webster mouse (Sheridan, P.J.) **273**, 285

Sexual differentiation; Cervical stimulation; Prolactin (Krey, L.C.) **274**, 188

Arousal
Serotonin; Lesion; Feeding; Mollusc; Neuromodulation; Hunger (Rosen, S.C.) **260**, 151

Corticotropin releasing factor; EEG; Seizures; Epilepsy; Kindling (Ehlers, C.L.) **278**, 332

Dorsal lateral geniculate nucleus; Acetylcholine; Receptive field properties; Centre; Surround; Antagonism; Reticular facilitation (Sillito, A.M.) **280**, 299

Visual cortex; Acetylcholine; Cholinergic mechanism; Cortical lamination (Sillito, A.M.) **289**, 143

Arrhenius equation
Carotid body; Sensory discharges; Temperature (Ito, H.) **279**, 286

Arthritic rats
Morphine; Enkephalinase inhibitor; Threshold for vocalization (Kayser, V.) **267**, 131

Ventrobasal thalamic neuron; Joint stimuli; Morphine; Naloxone (Kayser, V.) **267**, 187

Arthritis
Rat; Somatosensory cortex; Somatic peripheral receptive fields; Laminar distribution (Lamour, Y.) **273**, 183

Ascending axons
Apamin; Primary sensory afferents; Afferent C fibers; Intrathecal injection; Facilitation (Jurna, I.) **280**, 186

Ascending pathway
Milk ejection; 2-Deoxyglucose; Paraventricular and supraoptic nuclei; Pituitary gland (Sutherland, R.C.) **273**, 291

Ascorbic acid
D-Amphetamine; Dopamine; In vivo electrochemistry; Electrophysiology; Neostriatum (Ewing, V.G.) **261**, 101

In vivo electrochemistry; Pergolide; Voltammetry; Dopamine agonists (Clemens, J.A.) **267**, 183

Brain slices; in vivo Electrochemistry (Schenk, J.O.) **277**, 1

Aspartate
3-Mercaptopropionic acid; Convulsants; Neurotransmitter release; Glutamate (Skerritt, J.H.) **258**, 165

Convulsants; Barbiturates; GABA; Ion channels; Neurotransmitter release (Skerritt, J.H.) **258**, 271

D- and L-α-Aminoadipic acids; Glutamate; GABA; Spontaneous and K^+-induced efflux; Exchange diffusion; Antagonist of amino acid-induced excitation (Charles, A.K.) **259**, 331

Hippocampus; Glutamate; Homocysteate; Excitatory amino acid receptors; Desensitization (Fagni, L.) **261**, 167

Glutamate; Acetylcholine; Spinal neurone excitation; Post-excitatory depression (Peet, M.J.) **263**, 162

N-methyl-D-Aspartate
Transmitter-sensitive conductance; Neocortical neurons; Depolarization shift; Inward rectification (Flatman, J.A.) **266**, 169

Aspartate
Immunocytochemistry; GABA; Taurine; Somatostatin; Rat retina (Lin, C.T.) **270**, 273

Glutamate; Amino acid antagonists; Kindling; Amygdala (Peterson, D.W.) **275**, 169

Sympathetic preganglionic neurons; Glutamate; D,L-Homocysteic acid (Backman, S.B.) **277**, 370

Primary astroglial culture; Autoradiography; GABA; Glutamate; Dopamine; Norepinephrine; Serotonin; Enkephalin; Valine (Hansson, E.) **289**, 189

Aspartate transmitter
Cortex; Medial frontal cortex; Glutamate transmitter (Walker, J.E.) **278**, 283

Aspartergic projection
Cortical projection; Glutamergic projection; Amygdala; Thalamus (Walker, J.E.) **267**, 371

D-Aspartic acid
Hippocampal slices; Amino acid uptake (Wieraszko, A.) **259**, 324

Aspartic acid
Release of neurotransmitter; Kainic acid; Glutamic acid; Hippocampus (Ferkany, J.W.) **278**, 279

Assemblies
Astrocytes; Differential centrifugation; Freeze-fracture; Plasma membrane; Intramembranous particles; Rearrangement; Trypsinization (Anders, J.J.) **278**, 81

Associative conditioning
Ca^{2+} conductance; Depolarizing response; Hyperpolarizing response; Voltage-dependence (Walters, E.T.) **280**, 165

Associative learning
Molluscan CNS; Chemoreception (Culligan, N.) **266**, 319

Locomotion; Conditioning; *Hermissenda*; Phototactic behavior (Crow, T.) **271**, 301

Associative potentiation/depression
Long-term potentiation; Hippocampus; Competition (Desmond, N.L.) **265**, 21

Astrocyte
Synapse; Visual cortex; Rat (Edmunds, S.M.) **259**, 285

Mitogen supplement; Cell culture (Kim, S.U.) **274**, 79

Astrocyte cultures
α-Adrenergic receptor; Norepinephrine; Depolarization (Hirata, H.) **270**, 358

Astrocytes
Adenosine receptors; Adenylate cyclase inhibition; Neurons (Ebersolt, C.) **267**, 123

L-Glutamic acid uptake; SITS; Synaptosomes; Glia (Waniewski, R.A.) **268**, 390

Spinal cord; Intraspinal Schwann cells and myelin; X-radiation (Sims, T.J.) **276**, 17

Membrane structure; Freeze-fracture; Tissue culture; Glial fibrillary acidic protein (Landis, D.M.D.) **276**, 31

Nerve grafts; Spinal cord; Schwann cells; Immunohistochemistry; Axonal elongation (Fishman, P.S.) **277**, 175

Chloride permeability; Furosemide; Glial cells; Membrane potential; Ouabain; Potassium homeostasis (Walz, W.) **277**, 321

Differential centrifugation; Freeze-fracture; Plasma membrane; Intramembranous particles; Assemblies; Rearrangement; Trypsinization (Anders, J.J.) **278**, 81

Astroprotein
Immunohistochemistry; Human brain; Creatine kinase BB-isoenzyme; Tubulin (Yoshimine, T.) **265**, 101

Asymmetric junctions
Cerebellum; major Postsynaptic density protein; Concanavalin A binding glycoproteins; Transmitter receptors (Groswald, D.E.) **278**, 63

Asymmetry
Motoneuron somata; Sensory axons; Nerve root; Fiddler crabs; Hypertrophy; Hyperplasia (Young, R.E.) **280**, 251

Atenolol
β-Adrenoceptors; α-Adrenoceptors; Sleep stages; Prenalterol; Salbutamol; Metoprolol; Propranolol; Clonidine; Prazosin; Phentolamine (Hilakivi, I.) **277**, 109

Atropine
Area postrema; Carbamylcholine; Serotonin; Angiotensin II; Dopamine; Neostigmine (Brooks, M.J.) **261**, 85

Diisopropylfluorophosphate; Muscarinic receptors; Choline uptake; Regional adaptation (Yamada, S.) **268**, 315

Atropine insensitive
Slow IPSP; Prevertebral ganglia (Ma, R.C.) **270**, 350

Attack
Aggression; Rat; Hypothalamus; Discriminant analysis; Brain stimulation; Computer-plotted histology; 3D-reconstruction (Kruk, M.R.) **260**, 61

Audiogenic mice
Metals; Zn^{2+}; Cu^{2+} (Chung, S.-H.) **280**, 323

Audiogenic seizures
Auditory pathology; Neural degeneration; Paroxysmal mutant; Seizure model; Seizure-prone chick (Beck, M.M.) **260**, 11

Recombinant inbred strains; Genetic heterogeneity; Epilepsy; Mouse (Seyfried, T.N.) **271**, 325

Audio-motor reflexes
Lip motor units; Human (McClean, M.D.) **264**, 293

Auditory
Cortex; Rat; Connections; Thalamic; Callosal (Vaughan, D.W.) **260**, 181

Ferret; Midbrain; Tuning; Tonotopicity; Binaural (Moore, D.R.) **269**, 69

Auditory brain stem response
Auditory evoked potential (Hinman, C.L.) **264**, 57

Auditory cortex
Multi unit recording; Response to sound; Interactions; Plasticity (Frostig, R.D.) **272**, 211

Auditory evoked potential
Auditory brain stem response (Hinman, C.L.) **264**, 57

Auditory input
Somatosensory pathways; Lemniscal pathways; Dorsal columns; Ventral spinal cord; Visual input; Inferior colliculus; Cat (Tawil, R.N.) **269**, 149

Auditory mapping
CF-FM bats; Cerebellar auditory neurons (Sun, X.) **271**, 162

Auditory neurons
Superior colliculus (Sun, X.) **275**, 148

Auditory pathology
Audiogenic seizures; Neural degeneration; Paroxysmal mutant; Seizure model; Seizure-prone chick (Beck, M.M.) **260**, 11

Auditory pathways
Genetic deafness; Mouse mutants (Deol, M.S.) **258**, 177

Auditory receptive fields
Cerebellar granule cells; Sound localization; Cat (Aitkin, L.M.) **265**, 317

Auditory stimulation
Dopamine; Sleep-waking; Substantia nigra; Dopaminergic unit activity; REM sleep (Steinfels, G.F.) **277**, 150

Auditory stimulus
Ponto-geniculo-occipital spikes; REM sleep (Drucker-Colín, R.) **278**, 308

Auditory system
Evoked potentials; Albinism (Creel, D.) **260**, 1

2-Deoxyglucose; Cochlear ablation; Hearing loss (Woolf, N.K.) **274**, 119

Pretectum; Midbrain reticular formation; Inferior colliculus; Cat (Kudo, M.) **288**, 13

Autonomic ganglia pharmacology
α-Neurotoxin; Neuronal nicotinic receptor; Ciliary ganglion (Chiappinelli, V.A.) **277**, 9

α-Bungarotoxin; ϰ-Bungarotoxin; Neuronal nicotinic receptors; Intracellular recording; Ciliary ganglion (Dryer, S.E.) **289**, 317

Autonomic nervous system
Tissue culture; Enteric nervous system; Histogenesis; Neuroglia interactions; Myenteric plexus; Submucous plexus (Jessen, K.R.) **262**, 17

Tissue culture; Enteric nervous system; Electron microscopy; Histotypic aggregation; Myenteric plexus (Bałuk, P.) **262**, 37

Tissue culture; Enteric nervous system; Maintenance of differentiation in culture; Neuronal survival; VIP-containing neurons; GABAergic neurons; Adrenergic neurons (Jessen, K.R.) **262**, 49

Neurotensin; Central nervous system; Pituitary gland; Gastrointestinal tract; Radioimmunoassay; Gel chromatography (Goedert, M.) **272**, 291

Visceral cortex; Medial frontal cortex; Solitary nucleus; Rat (Terreberry, R.R.) **278**, 245

Autoradiography

Calcitonin; Rat; Pituitary; Binding (Maurer, R.) **261**, 346

Calcitonin; Binding sites; Brain; Spinal cord; Regional distribution (Olgiati, V.R.) **265**, 209

Macaque monkey; Visual cortex; Middle temporal area; Frontal eye field; Cortico-cortical connections (Maioli, M.G.) **265**, 294

Self-stimulation; 2-Deoxyglucose; Medial frontal bundle; Medial prefrontal cortex; Locus coeruleus (Yadin, E.) **266**, 39

Carotid body innervation; Synaptic morphology; Domestic fowl (Taha, A.A.M.) **266**, 193

Hypothalamus; Superior salivatory nucleus; HRP; Rat (Hosoya, Y.) **266**, 329

Senile dementia of Alzheimer-type; Aging; Human cortex; Human hippocampus; Scopolamine; α-Bungarotoxin; Cholinergic receptor (Lang, W.) **267**, 271

Centre median-parafascicular complex; Subthalamic nucleus; Electron microscopy; HRP; Rat (Sugimoto, T.) **267**, 335

Ground squirrel; Retinal projections; Ventral lateral geniculate nucleus; Visual system (Kicliter, E.) **267**, 340

Binding; $[^3H]$α-Amino-3-hydroxy-5-methyl-4-isoxazole-propionic acid; Tissue culture; Spinal cord; Brainstem (Hösli, E.) **268**, 177

Deoxy-sugars; Glucose utilization (Kelly, P.A.T.) **269**, 165

5'-N-Ethylcarboxamidoadenosine; N^6-Cyclohexyladenosine; Adenosine receptors (Buckley, N.) **269**, 374

Epinephrine; Spinal cord; Development; Preganglionic sympathetic nucleus; Phenylethanolamine-N-methyltransferase; Uptake (Caserta, M.T.) **270**, 11

Nodose ganglion; Nucleus of the solitary tract; Serotonin; Cat (Gaudin-Chazal, G.) **270**, 239

Olivocerebellar projections; Staggerer mutant mouse (Dupont, J.-L.) **270**, 330

Amygdala; Amygdaloid complex; Limbic system; Forebrain; Neurogenesis; Development (McConnell, J.) **272**, 150

Grey squirrel; Lateral geniculate; Striate cortex; Laminar specificity; Geniculostriate (Harting, J.K.) **272**, 341

Calcium; Hypothalamus; Periventricular gray; Reticular formation (Henke, H.) **272**, 373

Somatosensory system; Cortical connections; Monkey (Friedman, D.P.) **273**, 147

Progestogen; $[^3H]$R5020; Hamster; Brain; Pituitary; Immunohistochemistry (Rogers Munn, A. III) **274**, 1

Retinofugal projections; Shark; *Hemiscyllium plagiosum* (Jen, L.S.) **274**, 135

Serotonin receptors; $[^3H]$LSD binding; Human brain; Brainstem; Raphe nuclei (Palacios, J.M.) **274**, 150

$[^3H]$6-Hydroxydopamine; Catecholamines; High-affinity uptake; Uptake 2; Rat CNS (Sievers, H.) **275**, 23

Subthalamic nucleus; Caudate nucleus; Putamen; Wheatgerm agglutinin; HRP (Beckstead, R.M.) **275**, 137

Brain, metabolism: regional; Glucose utilization: local; Opiate antagonists: naloxone; γ-Hydroxybutyrate (Crosby, G.) **275**, 194

Benzodiazepines; Benzodiazepine receptors; Amygdala; Multiple receptors; Triazolopyridazines (Niehof, D.L.) **276**, 237

Vestibular system; Transneuronal transport; Vestibulo-ocular pathway; Vestibulospinal pathway; Pigeon (Correia, M.J.) **278**, 53

Binding; $[^3H]$Delta sleep-including peptide (DSIP); Tissue culture; Brainstem (Hösli, E.) **279**, 374

Oxygen toxicity; Oxygen; Brain oxygen toxicity; Brain glucose metabolism; 2-Deoxyglucose; Convulsions (Torbati, D.) **279**, 382

Albino rabbit; Misrouting; Pretectal nuclei; Optokinetic nystagmus (Klooster, J.) **288**, 1

β-Endorphin; Opiate receptor; Morphine; Enkephalin (Goodman, R.R.) **288**, 334

Primary astroglial culture; GABA; Glutamate; Aspartate; Dopamine; Norepinephrine; Serotonin; Enkephalin; Valine (Hansson, E.) **289**, 189

2-Deoxyglucose; Cellular localization (Hökfelt, T.) **289**, 311

Taurine; Neostriatum; Striatonigral neurons; Retrograde transport; Electron microscopy (Clarke, D.J.) **289**, 342

Autoradiography, 2-deoxyglucose

Oxygen poisoning; Brain oxygen toxicity; Oxygen; Brain metabolism; Hyperbaric oxygen; EEG; Brain glucose utilization (Torbati, D.) **262**, 267

Autoreceptors

Single-unit; Continuous amphetamine; Substantia nigra; Dopamine (Ellinwood, E.H. Jr.) **273**, 379

Aversive stimulation

Self-stimulation; Mesencephalic central gray; Lateral hypothalamus (Cazala, P.) **273**, 143

Avian pancreatic polypeptide
Vasoactive intestinal polypeptide; Neuropeptides; Peripheral nervous system; Immunohistochemistry; Thiamine pyrophosphatase staining; Golgi apparatus (Johansson, O.) **262**, 71

Avian pineal
Pineal photoreception; Indoleamine metabolism; Light sensitive enzyme; Avian retina; In vitro pineal light sensitivity (Hamm, H.E.) **266**, 287

Avian retina
Pineal photoreception; Indoleamine metabolism; Avian pineal; Light sensitive enzyme; In vitro pineal light sensitivity (Hamm, H.E.) **266**, 287

Avoidance conditioning
Octopamine; Catecholamines; Rat strains; Intracerebroventricular injections (Delacour, J.) **288**, 169

Avoidance learning
Unit recording; Prefrontal cortex; Mediodorsal thalamic nucleus; Discriminative conditioning; Rabbit (Orona, E.) **263**, 295

Memory; Lesions; Stria terminalis; Amygdaloid stimulation; Rats (Liang, K.C.) **274**, 309

Axo-axonic cell
Initial segment; Synapse; Granule cell; Chandelier cell; Basket cell; Dentate gyrus (Kosaka, T.) **274**, 129

Axo-axonic interneuron
Hippocampus; Pyramidal neurons; Axon initial segment; Axo-axonic synapses; Epilepsy (Somogyi, P.) **259**, 137

Axo-axonic synapses
Hippocampus; Pyramidal neurons; Axon initial segment; Axo-axonic interneuron; Epilepsy (Somogyi, P.) **259**, 137

Axo-dendritic contact
Enkephalin; δ-Receptor; Motor function; Facial nucleus; Fine structure (Senba, E.) **274**, 17

Axolemmal fraction
Schwann cells; Mitogenic factor (Sobue, G.) **280**, 263

Axon
Nerve regeneration; Visual pathway; Axonal transport; Vision; Goldfish optic nerve; Tetrodotoxin (Edwards, D.L.) **269**, 1

Axonal collaterals
Nucleus basalis; Diagonal band; Cerebral cortex; Fluorescent axonal tracers (Price, J.L.) **269**, 352

Axonal elongation
Nerve grafts; Spinal cord; Astrocytes; Schwann cells; Immunohistochemistry (Fishman, P.S.) **277**, 175

Axonal guidance
Optic nerve; Optic tract; *Rana pipiens*; Topographic organization; Fiber-filling; HRP (Scalia, F.) **266**, 121

Regeneration (Politis, M.J.) **278**, 229

Axonal necrosis
Nerve regeneration; Wallerian degeneration; Batrachotoxin (Moore, G.R.W.) **279**, 246

Axonal regeneration
Collateral sprouting; Partial denervation; Sciatic nerve; Rat (Sparrow, J.R.) **269**, 133

Axonal sprouting
Glial proliferation; Dentate gyrus; Acetylcholinesterase (Avendaño, C.) **265**, 160

Dorsal root; Spinal hemisection (Hulsebosch, C.E.) **265**, 187

Dorsal root; Unmyelinated axons; Regeneration (Hulsebosch, C.E.) **288**, 77

Axonal transport
Substantia nigra; GABA; Nigrotegmental; Pedunculopontine nucleus; Glutamic acid decarboxylase; γ-vinyl-GABA (Childs, J.A.) **258**, 109

fucose-specific Lectin; Glycoproteins (Ohlson, C.) **264**, 99

Nerve regeneration; Visual pathway; Vision; Axon; Goldfish optic nerve; Tetrodotoxin (Edwards, D.L.) **269**, 1

Synaptic transmission; Nerve regeneration; Goldfish optic nerve; Tetrodotoxin (Schmidt, J.T.) **269**, 15

Axon-myelin transfer; Phospholipids; Myelin (Ledeen, R.W.) **269**, 267

Ricin; Wheat germ agglutinin (WGA); HRP; Nucleus tractus solitarius; Nodose ganglion; Caudate nucleus (Wiley, R.G.) **269**, 357

Sensory ganglia; α-Bungarotoxin; Nicotinic receptor; Spinal cord; Sciatic nerve; Dorsal roots (Ninkovic, M.) **272**, 57

Retrograde transport; Light microscopy; Dynein; *Erythro*-9-[3-(2-hydroxynonyl(]adenine (Forman, D.S.) **272**, 194

Heparin; Fucose-specific lectin; Glycoproteins (Ohlson, C.) **274**, 303

Cholecystokinin; Gastrin; Neuropeptides; Radioimmunoassay; Biosynthesis (Rehfeld, J.F.) **275**, 341

cAMP; Cycloheximide; Nerve regeneration; Optic nerve; Proteins; Retinal ganglion cell (McQuarrie, I.G.) **279**, 377

Tissue cultured dorsal root ganglion cells; Nomarski optics; Colchicine; Disruption of microtubules; Morphology (Horie, H.) **288**, 85

Regeneration; Norepinephrine; Dopamine-β-hydroxylase; Tyrosine hydroxylase; 6-Hydroxydopamine; Locus coeruleus; Norepinephrine uptake (Levin, B.E.) **289**, 205

Axon collaterals
Spinal trigeminal nucleus; Nucleus reticularis gigantocellularis; Raphe magnus; Brainstem (Beitz, A.J.) **258**, 305

Pontine visual area; Superior colliculus; Bifurcation; Visual cortex; Antidromic stimulation; Area 18; Lateral suprasylvian (Baker, J.) **265**, 227

Superior colliculus; Callosal projections; Fluorescent dyes; Cat (Weber, J.T.) **276**, 333

Axon diameter
Myelin thickness; Conduction velocity; Nerve atrophy (Gillespie, M.J.) **259**, 41

Axon fusion
Regeneration; Axon segment; Sensory neuron; HRP; Leech (Deriemer, S.A.) **272**, 157

Axon initial segment
Hippocampus; Pyramidal neurons; Axo-axonic synapses; Axo-axonic interneuron; Epilepsy (Somogyi, P.) **259**, 137

Axon-myelin transfer
Phospholipids; Myelin; Axonal transport (Ledeen, R.W.) **269**, 267

Axons
Senile dementia, Alzheimer type; Neuritic plaques; Human hippocampus; Dendrites; Golgi impregnation technique (Probst, A.) **268**, 249

Striate cortex; Lateral geniculate nucleus; Geniculo-cortical afferents; Galago; Primate; Vision (Florence, S.L.) **270**, 127

Action potential; β-Receptors; cAMP; Catecholamines; Frequency-following ability (Seelig, T.L.) **279**, 303

β-Axons
Muscle spindle; Skeleto-fusimotor innervation (Emonet-Dénand, F.) **258**, 101

Axon/Schwann cells
Mutant mouse; Dystrophy; Myelin; Internode; Node of Ranvier; Morphometry; Peripheral nerve; Sensory nerve (Jaros, E.) **258**, 181

Axon segment
Regeneration; Axon fusion; Sensory neuron; HRP; Leech (Deriemer, S.A.) **272**, 157

Axoplasmic transport
Neuropathy; Smooth endoplasmic reticulum (Sahenk, Z.) **268**, 239

Axotomy
Sprouting; Synapse formation; Polyneuronal innervation (Ring, G.) **260**, 313

Serotonin; Hypothalamus; Neurotoxins; 5,7-Dihydroxytryptamine; 6-Hydroxydopamine; Immunocytochemistry (Frankfurt, M.) **261**, 91

cGMP; High extracellular K^+; Denervation; Preganglionic electrical stimulation; Rat superior cervical sympathetic ganglion (Ando, M.) **267**, 313

Fluorescent dye irradiation; Identified molluscan neurons; Neurite outgrowth; Organ culture; Video fluorescence microscopy (Cohan, C.S.) **270**, 93

Sympathetic neurons; Polyamine biosynthesis (Gilad, G.M.) **273**, 191

Granular coated vesicles; Mauthner cell (Wood, M.R.) **273**, 341

Cat spinal cord; Ventral funiculus; Ventral horn; Ventral root; Motoraxons; Regeneration; Electron microscopy; HRP (Risling, M.) **280**, 15

Azide
Calcium; Temperature; Miniature end-plate potentials (Anwyl, R.) **270**, 355

A1 catecholamine cell group
Ventrolateral medulla; Bulbospinal projection (Fleetwood-Walker, S.M.) **273**, 25

B

BAM-22P
Proenkephalin; Leu-Enkephalin; Dynorphin A (Khachaturian, H.) **279**, 369

BDZ_1 and BDZ_2 receptor subtypes
Benzodiazepines; Triazolopyridazine CL218,872; Cortical receptors; Aging; Diazepam (Reeves, P.M.) **270**, 376

BSP-2
Cerebellum; Immunocytochemistry; Cell surface; Glycoprotein (Hirn, M.) **265**, 87

Background potentials
Bicuculline; Dorsal root potentials; Occlusion (Mokha, S.S.) **259**, 313

Baclofen
GABA; GABA_B receptors (Karbon, E.W.) **274**, 393

Ballistic contraction
Voluntary force exertion; Ramp contraction; Isometric force; Surface e.m.g.; Integrated e.m.g.; Discharge rate; Force rate (Yoneda, T.) **275**, 305

Barbital treatment
Hexobarbital tolerance; Physical dependence; Convulsive threshold; Spontaneous convulsions (Wahlström, G.) **266**, 225

Barbiturate protection
Sex difference; Cerebral ischemia (Nakatomi, Y.) **270**, 146

Barbiturates
Convulsants; Aspartate; GABA; Ion channels; Neurotransmitter release (Skerritt, J.H.) **258**, 271

Functional tolerance; Glucocorticoids; Tryptophan hydroxylase; Serotonergic system; Mice (Yanai, J.) **269**, 297

Sympathetic discharges; Phrenic activity; Periodicities; Pulmonary afferents; Correlation techniques; Signal averaging techniques (Gootman, P.M.) **270**, 134

Baroreceptor reflex
L-Glutamic acid; Nucleus tractus solitarius; Push-pull cannulae; Neurotransmitter; Blood pressure (Granata, A.R.) **259**, 77

Inferior olivary nucleus; Dorsal motor nucleus; Solitary nucleus; Gigantocellular reticular nucleus; Vagus nerve (Liu, R.H.) **271**, 184

Bar-press feeding behavior
Acetylcholine; Basal nucleus of Meynert; Cholinergic mechanism; Monkey; Prefrontal cortex (Inoue, M.) **278**, 185

Barrel
Blood vessel; non-Random distribution; Somatosensory cortex (Patel, U.) **289**, 65

Barrel rotation
Vestibular nuclear complex; Chlorpromazine methiodide; Antimuscarinic; Somatostatin (Burke, R.E.) **288**, 273

Barrels
Infraorbital nerve; Adult rat; Trigeminal system; Transganglionic HRP transport; Lesion-induced reorganization (Jacquin, M.F.) **269**, 137

Basal forebrain
Lateral hypothalamus; Spinal cord; Bisbenzimide; Acetylcholinesterase; [^{3}H]Choline; Cholinergic neurons (Haring, J.H.) **268**, 275

Basal forebrain-cortical connections
Area 20; Visual cortex; Cortico-cortical connections; Thalamo-cortical connections; Brainstem-cortical connections; HRP; Cat (Cavada, C.) **270**, 319

Basal forebrain lesions
Fastigial nucleus; Cortical vasodilation (Iadecola, C.) **279**, 41

Basal ganglia
[^{14}C]2-Deoxyglucose; Dopamine; Neglect; Neostriatum; Recovery of function (Kozlowski, M.R.) **259**, 237

2-Deoxyglucose autoradiography; Apomorphine; Amphetamine; Dopamine (Wooten, G.F.) **263**, 267

Substance P-like immunoreactivity; Post-mortem human brain; Parkinson's disease (Mauborgne, A.) **268**, 167

Acetylcholine; Acetylcholinesterase; Dopamine; Caudate-putamen; Striosomes; 6-Hydroxydopamine; Nigrostriatal bundle; Neostriatum (Marhsall, J.F.) **274**, 283

Globus pallidus; HRP; Nucleus basalis of Meynert; Striatum; Wheat germ agglutinin (Jayaraman, A.) **275**, 279

Globus pallidus; Primate; Pallidal efferents; Fluorescence double-labeling; Extrapyramidal system (Parent, A.) **278**, 11

Somatostatin; Striatum (Beal, M.F.) **278**, 103

Substance P; Leu-Enkephalin; Huntington's disease; Immunocytochemistry (Marshall, P.E.) **289**, 11

Basal lamina
Basal lamina scaffold; Nerve regeneration; Schwann cell; Macrophage (Ide, C.) **288**, 61

Basal lamina scaffold
Basal lamina; Nerve regeneration; Schwann cell; Macrophage (Ide, C.) **288**, 61

Basal nucleus
Cortex; Monkey (Pearson, R.C.A.) **259**, 132

Retrograde cell degeneration; Cortex; Monkey; Man (Pearson, R.C.A.) **261**, 321

Retrograde cell degeneration; Cortex; Rat; Immunohistochemistry; Choline acetyltransferase (Sofroniew, M.V.) **289**, 370

Alzheimer's disease; Immunhistochemistry; Choline acetyltransferase (Pearson, R.C.A.) **289**, 375

Basal nucleus of Meynert
Acetylcholine; Cholinergic mechanism; Monkey; Prefrontal cortex; Bar-press feeding behavior (Inoue, M.) **278**, 185

Basilar artery contractions
Serotonin; 5-HT_1 receptors (Peroutka, S.J.) **259**, 327

Basket cell
Initial segment; Synapse; Granule cell; Axo-axonic cell; Chandelier cell; Dentate gyrus (Kosaka, T.) **274**, 129

Batrachotoxin
Nerve regeneration; Axonal necrosis; Wallerian degeneration (Moore, G.R.W.) **279**, 246

Bed nucleus of the stria terminalis
Amygdala; Medial preoptic-anterior hypothalamic area; Vomeronasal system; Olfactory system; Hamster (Lehman, M.N.) **268**, 139

Memory; Inhibitory avoidance; Amygdaloid stimulation; Naloxone; Endogenous opioids (Liang, K.C.) **271**, 41

Vasopressin; Oxytocin; Lateral septum; Paraventricular nucleus (De Vries, G.J.) **273**, 307

Behaving monkeys
Extracellular recordings; Striate cortex; Non-oriented cells; Corollary discharge; Movement perception (Galletti, C.) **260**, 128

Behavior
Sleep-waking; Substantia nigra; Dopamine; Unit activity; Sensory stimulation; Orientation; Cat (Steinfels, G.F.) **258**, 217

Locomotor activity; Limbic-midbrain region; Serotonin; Nucleus medianus raphe; 5,7-Dihydroxytryptamine (Asin, K.E.) **268**, 211

Vasopressin; Hippocampus; Amygdala (Laczi, F.) **280**, 309

Behavioral activation
Peptide hormone; Invertebrate peptides; Metamorphosis; Hormone action (Levine, R.B.) **279**, 335

Behavioral sensitization
Apomorphine; Dopamine metabolism; Dopamine receptors; Amphetamine; Repeated administration (Kuczenski, R.) **258**, 333

Benzodiazepine
γ-Aminobutyric acid; Caffeine; Spinal cord; Calcium; Bicuculline (Nistri, A.) **258**, 263

GABA; [^{3}H]Flunitrazepam; Cerebral cortical membranes (Fong, J.) **266**, 152

Diazepam; Inhibiton; Spinal cord cultures; GABA (Sher, P.K.) **268**, 171

Midazolam; Inhibition; Calcium-mediated potassium conductance; Hippocampus; CA1 cells (Carlen, P.L.) **271**, 358

β-Carboline; GABA; Hippocampus (Paterson, I.A.) **278**, 274

Tolerance; Addiction; Receptor; Cell culture; Chronic treatment (Prezioso, P.J.) **288**, 354

Benzodiazepine antagonist
Benzodiazepine receptors; Diazepam; Ro15-1788; Kindled seizures (Robertson, H.A.) **270**, 380

Ro14-7437; Excitation; Calcium-mediated potassium conductance; Hippocampus; CA1 cells (Carlen, P.L.) **271**, 115

Benzodiazepine binding
Triazolopyridazine; Ontogeny; Cortex; Hippocampus; Cerebellum; Binding subtypes (Chisholm, J.) **267**, 388

Benzodiazepine receptor
PK 8165; PK 9084; Benzodiazepine receptor antagonist; Selective anxiolytic; (+)Bicuculline; Quinoline derivatives; Diazepam (Gee, K.W.) **264**, 168

β-Carbolines; cGMP; GABA receptor; Cerebellum (Serra, M.) **273**, 347

Benzodiazepine receptor antagonist
Benzodiazepine receptor; PK 8165; PK 9084; Selective anxiolytic; (+)Bicuculline; Quinoline derivatives; Diazepam (Gee, K.W.) **264**, 168

Benzodiazepine receptors
Diazepam; Ro15-1788; Benzodiazepine antagonist; Kindled seizures (Robertson, H.A.) **270**, 380

Benzodiazepines; Amygdala; Multiple receptors; Triazolopyridazines; Autoradiography (Niehof, D.L.) **276**, 237

Limbic seizures; Hippocampus (Kraus, V.M.B.) **277**, 305

Gliosis; Alzheimer's disease (Owen, F.) **278**, 373

central-type Benzodiazepine receptors
[^{3}H]Flunitrazepam; [^{3}H]Ro5-4864; Amygdala kindling; peripheral-type Benzodiazepine receptors (Burnham, W.M.) **279**, 359

peripheral-type Benzodiazepine receptors
[^{3}H]Flunitrazepam; [^{3}H]Ro5-4864; Amygdala kindling; central-type Benzodiazepine receptors (Burnham, W.M.) **279**, 359

Benzodiazepine receptors
GABA; Etazolate; Antagonists; Receptor interactions; Inverse agonists; [^{3}H]Muscimol; Agonists (Borea, P.A.) **280**, 383

Benzodiazepines
Diazepam; Clonazepam; Ro 15-1788; Thyroid-stimulating hormone release; Cold-induced TSH release (Camoratto, A.M.) **265**, 339

BDZ$_1$ and BDZ$_2$ receptor subtypes; Triazolopyridazine CL218,872; Cortical receptors; Aging; Diazepam (Reeves, P.M.) **270**, 376

Benzodiazepine receptors; Amygdala; Multiple receptors; Triazolopyridazines; Autoradiography (Niehof, D.L.) **276**, 237

Epilepsy; Kindling; GABA; Hippocampus; Long-term potentiation (Tuff, L.P.) **277**, 91

GABA; Embryology; Receptors; Inhibition; Motility; Synaptic transmission (Maderdrut, J.L.) **289**, 385

Bethanechol
Sleep; REM; Cholinergic; Pontine brainstem (Hobson, J.A.) **275**, 127

Bicuculline
γ-Aminobutyric acid; Caffeine; Benzodiazepine; Spinal cord; Calcium (Nistri, A.) **258**, 263

Dorsal root potentials; Background potentials; Occlusion (Mokha, S.S.) **259**, 313

(+)Bicuculline
Benzodiazepine receptor; PK 8165; PK 9084; Benzodiazepine receptor antagonist; Selective anxiolytic; Quinoline derivatives; Diazepam (Gee, K.W.) **264**, 168

Bicuculline
Cat; Striate cortex; Simple cell; Lateral geniculate nucleus; X-cell; Y-cell; Iontophoresis (Tanaka, K.) **265**, 143

Optic tectum; Inhibition; Visual physiology; GABA; Picrotoxin (Sajovic, P.) **271**, 227

Superior colliculus; Substantia nigra; GABA; Muscimol; Saccades (Hikosaka, O.) **272**, 368

Substantia nigra; Midbrain tegmentum; Chemoconvulsants; maximal Electroshock; Seizures; Epilepsy (Garant, D.S.) **273**, 156

SI cortex; Receptive fields; Intracortical inhibition (Hicks, T.P.) **274**, 160

Hippocampal slice; Dentate gyrus; long-lasting Potentiation; Dendritic inhibition; Picrotoxin (Wigström, H.) **275**, 153

Sympathetic preganglionic neurons; GABA; Glycine; Strychnine (Backman, S.B.) **277**, 365

Strychnine; Glycine; GABA; Dopamine; Retina; Light; Rat (Morgan, W.W.) **278**, 362

Bicuculline insensitivity
Hippocampus; Synaptic activation; Inhibition (Kehl, S.J.) **279**, 278

Bifurcation
Pontine visual area; Superior colliculus; Axon collaterals; Visual cortex; Antidromic stimulation; Area 18; Lateral suprasylvian (Baker, J.) **265**, 227

Bilateral regulation
[^{3}H]GABA release; Muscimol; Caudate nucleus; Substantia nigra (Kemel, M.L.) **272**, 331

Bimodal and trimodal spike latencies
Olfactory bulb; Repetitive spikes; Centripetal axon collaterals; Collision test; Collision time (Westecker, M.E.) **288**, 119

Binaural
Ferret; Auditory; Midbrain; Tuning; Tonotopicity (Moore, D.R.) **269**, 69

Binding
Calcitonin; Autoradiography; Rat; Pituitary (Maurer, R.) **261**, 346

[^{3}H]α-Amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid; Autoradiography; Tissue culture; Spinal cord; Brainstem (Hösli, E.) **268**, 177

[^{3}H]Delta sleep-including peptide (DSIP); Autoradiography; Tissue culture; Brainstem (Hösli, E.) **279**, 374

Binding assay
Phencyclidine; Receptor; Opiate; σ Opiate (Zukin, S.R.) **258**, 277

Binding sites
Calcitonin; Autoradiography; Brain; Spinal cord; Regional distribution (Olgiati, V.R.) **265**, 209

17-β-Estradiol; Female rats; [^{3}H]Muscimol; [^{3}H]Flunitrazepam; Hypophysectomy (Hamon, M.) **279**, 141

Binding subtypes
Benzodiazepine binding; Triazolopyridazine; Ontogeny; Cortex; Hippocampus; Cerebellum (Chisholm, J.) **267**, 388

Binocular competition
Monocular deprivation; Visual fields; Cats; Electrophysiology (Tieman, D.G.) **280**, 41

Binocular inhibition
Albino rabbit; Dorsal lateral geniculate nucleus; Monocular segment (Lo, F.-S.) **271**, 339

Binocularity
Optically-induced strabismus; Visual field; Esotropia; Unilateral fixation; Alternating fixation; Cats (Elberger, A.J.) **268**, 147

Lateral suprasylvian cortex; Corpus callosum; Striate cortex; Visual development; Strabismus; Cat (Elberger, A.J.) **278**, 295

Bioassay
Hypothalamic neuropeptides; High-performance liquid chromatography; Immunocytochemistry; α-MSH radioimmunoassay (Jegou, S.) **260**, 91

Biogenic amines
Cephalopod retina; Centrifugal neurons; Dopamine (Silver, S.C.) **273**, 366

Biosynthesis
Angiotensinogen; Rat brain; Renin-substrate; Concanavalin A; Cycloheximide; Vinblastine (Sernia, C.) **259**, 275

Octopamine; *Lumbricus*; Blood; Ventral nerve cord; Modulation (Tanaka, K.R.) **260**, 160

Cholecystokinin; Gastrin; Neuropeptides; Radioimmunoassay; Axonal transport (Rehfeld, J.F.) **275**, 341

Biotransformation
Vasotocin; Synaptic membranes; Proteolytic enzymes; Neurohypophyseal hormones; Neuropeptides (Wang, X.-C.) **275**, 83

Biphasic response
GABA; Conductance decrease; Inhibition; Ionic mechanism (Mayer, M.L.) **260**, 233

Biplexiform cell
Intracellular recording; HRP-staining; Rod-cone interaction; Primate ganglion cell; Retinal circuitry (Zrenner, E.) **262**, 181

Bisbenzimide
Fluorescent tracers; Gustatory neocortex; Medial parabrachial nucleus; Pontine taste area; Posterior ventromedial thalamic nucleus; Propidium iodide; Rat (Lasiter, P.S.) **258**, 299

Lateral hypothalamus; Spinal cord; Acetylcholinesterase; [^{3}H]Choline; Basal forebrain; Cholinergic neurons (Haring, J.H.) **268**, 275

Bladder reflexes
Naloxone; Parasympathetic reflexes; Enkephalins (Roppolo, J.R.) **264**, 355

Blink reflex
Pretectum; Facial nucleus; Olivary pretectal nucleus; Dazzle reflex; Menace reflex; HRP; Cat (Itoh, K.) **274**, 332

Blood
CSF barrier; Choroid plexus; 2,4-Dichlorophenoxyacetic acid; Organic acid transport; Reye's syndrome (Kim, C.S.) **259**, 340

Octopamine; *Lumbricus*; Ventral nerve cord; Biosynthesis; Modulation (Tanaka, K.R.) **260**, 160

Blood-borne odorant
Olfaction (intravascular/hematogenic); Olfactory receptors; Odor (Maruniak, J.A.) **265**, 312

Blood-brain barrier
Capillaries; Glucose-6-phosphatase; Endothelium; Endoplasmic reticulum; Acid phosphatase (Schmidley, J.W.) **262**, 9

Vasopressin; Oxytocin; Cerebrospinal fluid; Cerebrospinal fluid clearance (Mens, W.B.J.) **262**, 143

Brain-uptake index; Peptides; Amino acids; A system; L system; Rats (Zlokovic, B.V.) **271**, 65

β-Hydroxybutyrate transport; Monocarboxylate transport; Trans effects; Symport (Regen, D.M.) **271**, 289

Macromolecular transport; cGMP; Pinocytosis; Albumin immunohistochemistry (Joó, F.) **278**, 165

Blood flow rate
Spinal cord; Iodoantipyrine; Rabbit (Zivin, J.A.) **258**, 197

Blood-nerve barrier
Sciatic nerve; Sucrose; Urea; Xenograft (Rosenberg, G.A.) **270**, 231

Blood pressure
L-Glutamic acid; Baroreceptor reflex; Nucleus tractus solitarius; Push-pull cannulae; Neurotransmitter (Granata, A.R.) **259**, 77

Met-Enkephalin; Leu-Enkephalin; D-Ala^2-Met^5-Enkephalin; Met-Enkephalin antiserum; Naloxone; Nucleus tractus solitarii (Petty, M.A.) **260**, 322

Fastigial nucleus; Cerebellum; Hypotension; Hemorrhage; Endotoxin (Lutherer, L.O.) **269**, 251

Spinal serotonin nerves; Immunohistochemistry; 5,7-Dihydroxytryptamine; Electrical stimulation (Howe, P.R.C.) **270**, 29

Nucleus of the solitary tract; Vasopressin; Oxytocin; Substance P; Enkephalin (Voorn, P.) **270**, 169

Subfornical organ; Angiotensin; Drinking; Rat (Lind, R.W.) **275**, 361

Nucleus tractus solitarii; Yohimbine (Tung, C.-S.) **277**, 193

A1 Noradrenaline cell group; Nucleus ambiguus; Medulla oblongata; Cardiovascular regulation; CNS catecholamines (Day, T.A.) **279**, 299

Carotid sinus nerve; Cardiovascular reflex; Neurotransmitter; Nucleus tractus solitarii; Naloxone; Opiate receptor; Heart rate (Miura, M.) **288**, 389

Brainstem; Cerebral blood vessels; Nucleus tractus solitarius (Koda, L.Y.) **289**, 71

Blood pressure regulation
Corticotropin releasing factor; Sympathetic nervous system (Brown, M.R.) **280**, 75

Blood vessel
non-Random distribution; Somatosensory cortex; Barrel (Patel, U.) **289**, 65

Bodian's silver method
Neurofilament protein; Molecular evolution (Phillips, L.L.) **278**, 219

Body fluid control
Preoptic area; Paraventricular nucleus; Periventricular nucleus; Neurosecretory cell; Thermo-sensitive neuron; Thermo-regulation (Matsumura, K.) **289**, 330

Body temperature
Voltammetry; 5-Hydroxyindoles; Cerebrospinal fluid; Caudate; Pargyline; para-Chlorophenylalanine; Cerebral ventricles (Hahn, Z.) **289**, 215

Boid snakes
Vagal nerve; Primary axons; Infrared sensory system; HRP; Transganglionic transport (Kishida, R.) **263**, 132

Bombesin
Enteric nervous system; Coeliac-superior mesenteric system (Schultzberg, M.) **269**, 190

Somatostatin; Adrenal epinephrine; Plasma catecholamines (Brown, M.R.) **276**, 253

Botulinum toxin
non-quantal Acetylcholine release; Neuromuscular junction (Stanley, E.F.) **261**, 172

Transmitter release; Miniature endplate potentials; 4-Aminoquinoline (Thesleff, S.) **264**, 89

Neuromuscular junction; Nerve terminal; Ca^{2+}-current; Tetanus toxin (Dreyer, F.) **270**, 373

Bötzinger complex
Respiratory neurones; Spike-triggered averaging; Post-synaptic potentials; Nucleus tractus solitarius; Nucleus retroambigualis (Merrill, E.G.) **263**, 43

Bovine cerebrum
2':3'-Cyclic nucleotide 3'-phosphodiesterase; Immunofluorescent microscopy; Oligodendrocyte (Sheedlo, H.J.) **288**, 330

Brachium conjunctivum
Hypothermia; 2-Deoxyglucose; White matter activation; Optical density ratios (Kilduff, T.S.) **269**, 168

Bradykinin
Angiotensin-converting enzyme; Angiotensin II; Vasopressin; Brattleboro rats; Diabetes insipidus; Brainstem nuclei; Septal nuclei (Chevillard, C.) **272**, 283

Polymodal receptor; Unitary discharges; Temperature effects; Nociceptor; Secondary pain; Inflammation pain; Hypertonic NaCl (Kumazawa, T.) **278**, 305

Brain
Hepatic encephalopathy; Zinc (Baraldi, M.) **258**, 170

Development; Tetrahydrobiopterin; Guanosine-5'-triphosphate cyclohydrolase; Pineal gland (Kapatos, G.) **258**, 351

Histamine; tele-Methylhistamine; Microwave irradiation; High-performance liquid chromatography; Compound 48/80; Liquid nitrogen freezing (Oishi, R.) **261**, 180

Anti-acetylcholine receptor antibodies; α-Bungarotoxin binding sites (Morley, B.J.) **262**, 109

Catecholamines; β-Adrenergic receptors; Down-regulation; Heart; Lung (Minneman, K.P.) **264**, 328

Calcitonin; Autoradiography; Binding sites; Spinal cord; Regional distribution (Olgiati, V.R.) **265**, 209

TSH; Synaptosome (Hojvat, S.) **265**, 259

Luteinizing hormone-releasing hormone; Hypophysectomy; Radioimmunoassay; Immunocytochemistry; Ovary; Neuroendocrinology; Platyfish (Schreibman, M.P.) **267**, 293

Progestogen; $[^3H]$R5020; Autoradiography; Hamster; Pituitary; Immunohistochemistry (Rogers Munn, A. III) **274**, 1

Fatty acids; Palmitate; Functional activity; Glucose utilization; Oxidative metabolism; Quantitative autoradiography; Rat; Lipids (Kimes, A.S.) **274**, 291

Calcium channels; Ontogeny; Nitrendipine; Mice; Heart (Erman, R.D.) **278**, 327

Catecholamines; Cerebrospinal fluid; Conjugated dopamine; Dopamine; Dopamine sulfate; Rhesus monkey (Elchisak, M.A.) **279**, 171

Histamine; Tele-methylhistamine; Hypothalamus; Amygdala; Histaminergic neuron (Oishi, R.) **280**, 172

Brain adrenaline
Neurogenic hypertension; Sinoaortic denervation; Brain catecholamines; Brain noradrenaline (Saavedra, J.M.) **274**, 388

Brain androgen metabolism
Estrogen; Swiss-Webster mouse; Aromatization (Sheridan, P.J.) **273**, 285

Brain capillaries
Cerebral vessels; Choline acetyltransferase; Muscarinic receptors; Capillary innervation; Cholinergic innervation; Neural control of cerebral circulation; Endothelial cells (Estrada, C.) **266**, 261

Brain catecholamines
Phenylketonuria; Synaptosomal tyrosine uptake; Hyperphenylalaninemia; Amino acid inhibition (Peterson, N.A.) **272**, 189

Neurogenic hypertension; Sinoaortic denervation; Brain noradrenaline; Brain adrenaline (Saavedra, J.M.) **274**, 388

Brain cell culture
Galactocerebroside; Oligodendrocytes; Hypomyelination; Jimpy mutant (Bologa, L.) **275**, 369

Brain cell nuclei
Caudate-putamen; Corticosterone binding; Cytosol receptors; Glucocorticoid receptor (Defiore, C.H.) **278**, 93

Brain cortex
β-Adrenergic receptor; Hypothalamus; Anterior pituitary; $[^{125}I]$Iodocyanopindolol; β-Adrenergic binding; β$_1$-Adrenergic receptor; β$_2$-Adrenergic receptor (Petrovic, S.L.) **261**, 249

Brain cortical slices
Taurine release; Sodium gradients (Korpi, E.R.) **289**, 197

Primary brain cultures
Norepinephrine; Dopamine; Radioenzymatic assay; Fluorescence (Sumners, C.) **264**, 267

Brain damage
Nerve growth factor; Recovery of function; Entorhinal cortex (Stein, D.G.) **261**, 127

Brain development
5-Hydroxytryptamine; Vitamin B_1; Tryptophan hydroxylase; Serotonin cell groups (Howe, P.R.C.) **270**, 19

Ethanol; Cerebellum; Neurogenesis; External granular layer (Borges, S.) **271**, 388

Brain edema
Phospholipid degradation; Cold-injury; Arachidonic acid; Na^+,K^+-ATPase (Chan, P.H.) **277**, 329

Brain energy metabolism
Cerebral cortex; cAMP; Adrenergic receptors; Supersensitivity; Glycogen (Magistretti, P.J.) **261**, 159

Brain extract
Nerve cell culture; Cholinergic properties (Barakat, I.) **279**, 207

Brain glucose metabolism
Oxygen toxicity; Oxygen; Brain oxygen toxicity; 2-Deoxyglucose; Autoradiography; Convulsions (Torbati, D.) **279**, 382

Brain glucose utilization
Oxygen poisoning; Brain oxygen toxicity; Oxygen; Brain metabolism; Hyperbaric oxygen; EEG; Autoradiography, 2-deoxyglucose (Torbati, D.) **262**, 267

Brain grafts
Adrenal medulla; Tissue transplantation; Catecholamines; Dopamine; Chromaffin cells (Freed, W.J.) **269**, 184

Brain injury
CNS regeneration; Hippocampus; Neuronotrophic factors; Neuronal survival (Manthorpe, M.) **267**, 47

Brain lesion
Dehydration; Natriuresis; Hypernatremia; Anterior third ventricle; Sheep (McKinley, M.J.) **263**, 340

Brain metabolism
Anorexia; [^{14}C]2-Deoxy-D-glucose autoradiography; Ethanolamine-O-sulfate; Food intake; GABA; GABA-T inhibition; Sensorimotor tests; Tail-pinch (Nobrega, J.N.) **262**, 243

Oxygen poisoning; Brain oxygen toxicity; Oxygen; Hyperbaric oxygen; EEG; Brain glucose utilization; Autoradiography, 2-deoxyglucose (Torbati, D.) **262**, 267

Brain, metabolism: regional
Glucose utilization: local; Autoradiography; Opiate antagonists: naloxone; γ-Hydroxybutyrate (Crosby, G.) **275**, 194

Brain microvessels, isolated
Rat; Insulin; 2-Deoxy-D-[^{3}H]glucose entrance (Djuričić, B.M.) **275**, 186

Brain noradrenaline
Neurogenic hypertension; Sinoaortic denervation; Brain catecholamines; Brain adrenaline (Saavedra, J.M.) **274**, 388

Brain nuclei
Circadian rhythm; β-Endorphin; Pituitary (Kerdelhue, B.) **261**, 243

Somatostatin; Vasopressin; Brattleboro rats; Diabetes insipidus; Pituitary gland; Intermediate pituitary lobe; Posterior pituitary lobe (Saavedra, J.M.) **277**, 23

Brain opioid peptides
Enkephalin precursors; Preproenkephalin; Neuropeptide immunohistochemistry (Bloch, B.) **263**, 251

Brain oxygen toxicity
Oxygen poisoning; Oxygen; Brain metabolism; Hyperbaric oxygen; EEG; Brain glucose utilization; Autoradiography, 2-deoxyglucose (Torbati, D.) **262**, 267

Oxygen toxicity; Oxygen; Brain glucose metabolism; 2-Deoxyglucose; Autoradiography; Convulsions (Torbati, D.) **279**, 382

Brain pH
Umbelliferone fluorescence; Cats; Rats; Cerebral ischemia (Csiba, L.) **289**, 334

Brain regions (rat)
Immobilization stress; Noredrenaline; 3-Methoxy-4-hydroxyphenylethyleneglycol sulfate; Morphine; Naloxone; Hyperemotionality; Corticosterone (Tanaka, M.) **275**, 105

Brain slice
Endogenous GABA release; Red nucleus; Cat (Kubota, M.) **270**, 190

in vitro Brain slices
Ethanol; LS mice; SS mice; Cerebellum; Purkinje cells (Basile, A.) **264**, 69

Brain slices
in vivo Electrochemistry; Ascorbic acid (Schenk, J.O.) **277**, 1

Dorsal raphe nucleus; Serotonergic neurons; Extracellular recording; Intracellular recording; Norepinephrine; LSD; α_1-Adrenoreceptors (Vandermaelen, C.P.) **289**, 109

Brain slices (human) post-mortem
Antidepressants; Noradrenaline (re)uptake; 5-Hydroxytryptamine (re)uptake; Brain slices (rat) (Harms, H.H.) **275**, 99

Brain slices (rat)
Antidepressants; Noradrenaline (re)uptake; 5-Hydroxytryptamine (re)uptake; Brain slices (human) post-mortem (Harms, H.H.) **275**, 99

Brainstem
Spinal trigeminal nucleus; Axon collaterals; Nucleus reticularis gigantocellularis; Raphe magnus (Beitz, A.J.) **258**, 305

Adrenaline-containing neurons; Catecholamine synthesizing enzymes; Dopamine-β-hydroxylase; Medulla oblongata; Noradrenaline-containing neurons; Phenylethanolamine-N-methyltransferase; Tyrosine hydroxylase (Chamba, G.) **259**, 95

Paraventricular nucleus hypothalami; Lesions; Vasopressin; Oxytocin; Spinal cord; High-performance liquid chromatography (Lang, R.E.) **260**, 326

Spontaneously hypertensive rat; Neuroanal size; Brain volume; Neuronal density (Nelson, D.O.) **261**, 145

Respiratory neurons; Accessory respiratory motoneurons; Nucleus ambiguus; Retroambigualis; HRP (Bystrzycka, E.K.) **266**, 183

Epilepsy; E1 mouse; 2-Deoxyglucose; Hippocampus; Focus; Neocortex; Excitation (Suzuki, J.) **266**, 359

Facial nucleus; Reticular formation; Oral-facial behavior; Facial reflexes (Panneton, W.M.) **267**, 19

Binding; $[^{3}H]\alpha$-Amino-3-hydroxy-5-methyl-4-isoxazole-propionic acid; Autoradiography; Tissue culture; Spinal cord (Hösli, E.) **268**, 177

Tissue culture; Oval neuron; Enkephalin; Transmitter (Okada, J.) **268**, 377

Opioid peptides; Nucleus raphe magnus; Analgesia; Stress analgesia; Morphine (Cannon, J.T.) **269**, 231

5-Hydroxytryptamine; Morphine-induced; Analgesia; *p*-Chloroamphetamine; *p*-Chlorophenylalanine; Zimelidine; Test-dependent effects (Berge, O.-G.) **271**, 51

Classical conditioning; Learning; Cerebellum (McCormick, D.A.) **271**, 73

Serotonin receptors; $[^{3}H]$LSD binding; Human brain; Raphe nuclei; Autoradiography (Palacios, J.M.) **274**, 150

Adreno cortical tropic hormone$_{1\text{-}39}$; Opiocortin; Catecholamine; Immunocytochemistry; Rat (Romagnano, M.A.) **276**, 1

Adreno cortical tropic hormone; β-Endorphin; Nucleus tractus solitarius; Reticular formation; Immunohistochemistry (Schwartzberg, D.G.) **276**, 351

Thyrotropin-releasing hormone; Radioimmunoassay (Eskay, R.L.) **277**, 159

Binding; $[^{3}H]$Delta sleep-including peptide (DSIP); Autoradiography; Tissue culture (Hösli, E.) **279**, 374

Blood pressure; Cerebral blood vessels; Nucleus tractus solitarius (Koda, L.Y.) **289**, 71

Brainstem-cortical connections
Area 20; Visual cortex; Cortico-cortical connections; Thalamo-cortical connections; Basal forebrain-cortical connections; HRP; Cat (Cavada, C.) **270**, 319

Brainstem nuclei
Angiotensin-converting enzyme; Angiotensin II; Bradykinin; Vasopressin; Brattleboro rats; Diabetes insipidus; Septal nuclei (Chevillard, C.) **272**, 283

Brain steroids
Pregnenolone; Dehydroepiandrosterone; Sulfate-esters; Neuro-steroids (Corpéchot, C.) **270**, 119

Brain stimulation
Caudate nucleus; Dentate nucleus; Movement initiation; Handedness; Instrumental conditioning (Moroz, V.M.) **259**, 298

Aggression; Rat; Hypothalamus; Discriminant analysis; Attack; Computer-plotted histology; 3D-reconstruction (Kruk, M.R.) **260**, 61

Psychophysics (animal); Detection thresholds; Reward threshold (Wheeling, H.S.) **272**, 13

Pain; Thalamus; Opioids (Benabid, A.L.) **280**, 217

Brain stimulation reward
Lateral hypothalamus; Medial forebrain bundle; Self-stimulation (Gratton, A.) **274**, 25

Brain testosterone metabolism
Sexual dimorphism; Japanese quail; 5β-Reductase (Schumacher, M.) **278**, 337

Brain-uptake index
Blood-brain barrier; Peptides; Amino acids; A system; L system; Rats (Zlokovic, B.V.) **271**, 65

Brain vessel morphometry
Meningeal vessel; Freeze substitution (Hart, M.N.) **260**, 178

Brain volume
Spontaneously hypertensive rat; Brainstem; Neuroanal size; Neuronal density (Nelson, D.O.) **261**, 145

Branching efferent fibers
Frog labyrinth; Vestibular efferent system; Efferent responses; Widespread control (Prigioni, I.) **269**, 83

Brattleboro rat
Amygdala; Pyriform cortex; Electrical kindling; Vasopressin (Gillis, B.J.) **271**, 375

Vasopressin; Diabetes insipidus; Subfornical organ; Pituitary neural lobe; Angiotensin; $[^{14}C]$Deoxyglucose (Kadekaro, M.) **275**, 189

Vasopressin; Diabetes insipidus; Histamine; Hypothalamus; Supraoptic nucleus (Correa, F.M.A.) **276**, 247 non-Monoaminergic AADC neurons; Suprachiasmatic nucleus; Arginine-vasopressin; Hypothalamus (Jaeger, C.B.) **276**, 362

Cathepsin D; Proteinases; Radioimmunoassay; Supraoptic nucleus; Vasopressin (Whitaker, J.N.) **277**, 181

Metabolic activity; Cytochrome oxidase histochemistry; Paraventricular nucleus; Supraoptic nucleus; Nucleus circularis (Krukoff, T.L.) **280**, 160

Brattleboro rats
Dynorphin; α-Neo-Endorphin; Vasopressin; Radioimmunoassay; Hypothalamus; Posterior pituitary (Weber, E.) **260**, 166

2-Deoxyglucose; Neurohypophysis; Paraventricular nucleus; Osmotic stimulus (Sutherland, R.C.) **271**, 101

Angiotensin-converting enzyme; Angiotensin II; Bradykinin; Vasopressin; Diabetes insipidus; Brainstem nuclei; Septal nuclei (Chevillard, C.) **272**, 283

Somatostatin; Vasopressin; Diabetes insipidus; Pituitary gland; Intermediate pituitary lobe; Posterior pituitary lobe; Brain nuclei (Saavedra, J.M.) **277**, 23

Breadth of responsiveness
Taste; Spontaneous rates; Cortex; Thalamus; Single neurons (Funakoshi, M.) **262**, 155

Bronchoconstriction
Horseradish peroxidase; Recurrent laryngeal nerve; Superior laryngeal nerve; Dogs; Cells of origin (Wallach, J.H.) **261**, 307

Buccal ganglion
Neuropeptide; *Aplysia*; Egg-laying hormone; Identified motoneuron (Ram, J.L.) **288**, 177

Bulbar evoked potential
Glossopharyngeal nerve; Fasciculus solitarius; Bullfrog (Hanamori, T.) **260**, 51

Bulbospinal cardiovascular reflex pathways
Ventrolateral medulla; Central autonomic area of thoracic cord; Carotid sinus; Aortic depressor nerves; Paraventricular nucleus; Sympatho-excitatory pathways; Sympatho inhibitory pathways (Caverson, M.M.) **274**, 354

Bulbospinal projection
A1 catecholamine cell group; Ventrolateral medulla (Fleetwood-Walker, S.M.) **273**, 25

Bulk isolation
Glia; Müller cells; Retina; Mammal; Enzymatic dissociation (Trachtenberg, M.C.) **261**, 43

***Bulla* retina**
Aplysia retina; Circadian rhythms (Block, G.D.) **265**, 134

Bullfrog
Adenosine triphosphate; Action potential; voltage-dependent K^+ current; Sympathetic ganglion cell (Akasu, T.) **258**, 313

Glossopharyngeal nerve; Bulbar evoked potential; Fasciculus solitarius (Hanamori, T.) **260**, 51

HRP; Glossopharyngeal neuron; Intraganglionic distribution; Fasciculus solitarius (Hanamori,T.) **260**, 191

Olfactory bulbar response; Amino acid; Odorant; Receptor potential; Carp; Rainbow trout (Yoshii, K.) **274**, 239

Sympathetic ganglion cell; Late slow EPSP; Luteinizing hormone-releasing hormone; Action potential; Voltage-dependent K^+ current (Akasu, T.) **280**, 349

Bullfrog, *Rana catesbiana*
Cholecystokinin (CCK) peptides; Hypothalamus; Pituitary; Evolution (Beinfeld, M.C.) **268**, 192

Bullfrog sympathetic ganglia
Adrenaline; Synaptic modulation; Interaction of facilitation and depression (Kumamoto, E.) **265**, 344

Bullfrog sympathetic ganglion cell
Ca^{2+}-dependent K^+-conductance; Afterhyperpolarization; Intracellular release of Ca^{2+}; D-600; Caffeine (Nohmi, M.) **268**, 158

Bumetanide
Dorsal root ganglia; GABA-receptor; Temperature; pH; Chloride pump; SITS; Furosemide; Ammonium ion (Gallagher, J.P.) **267**, 249

Bungarotoxin
Acetylcholine receptors; Ganglionic transmission; Ganglion blockers (Toldi, J.) **262**, 323

α-Bungarotoxin
Senile dementia of Alzheimer-type; Aging; Human cortex; Human hippocampus; Autoradiography; Scopolamine; Cholinergic receptor (Lang, W.) **267**, 271

Sensory ganglia; Nicotinic receptor; Spinal cord; Axonal transport; Sciatic nerve; Dorsal roots (Ninkovic, M.) **272**, 57

Estrogen; Cholinergic receptors; Hypothalamus (Morley, B.J.) **278**, 262

Sympathetic ganglion; Radioautography; Cholinergic receptor (Smolen, A.J.) **289**, 177

ϰ-Bungarotoxin; Neuronal nicotinic receptors; Intracellular recording; Ciliary ganglion; Autonomic ganglia pharmacology (Dryer, S.E.) **289**, 317

κ-Bungarotoxin
α-Bungarotoxin; Neuronal nicotinic receptors; Intracellular recording; Ciliary ganglion; Autonomic ganglia pharmacology (Dryer, S.E.) **289**, 317

α-Bungarotoxin binding
Insect neurones; Cultured neurones; Acetylcholine receptors; Nicotinic receptors (Lees, G.) **288**, 49

α-Bungarotoxin binding sites
Anti-acetylcholine receptor antibodies; Brain (Morley, B.J.) **262**, 109

α-Bungarotoxin receptors
Chick ciliary ganglion; Ultrastructural autoradiography; Tissue culture; Synapses (Messing, A.) **269**, 172

Bursting activity
Cyclic nucleotide; Calcium; Pentylenetetrazole; Snail neuron; Protein kinase; Seizure discharge (Onozuka, M.) **269**, 277

Bursting pacemaker
Osmoregulation; *Aplysia* (Bablanian, G.M.) **271**, 342

Alcohol; Ethanol; *Aplysia* neuron; Pacemaker; Voltage clamp (Schwartz, M.H.) **278**, 341

C

$[Ca^{2+}]_0$
Presynaptic Ca^{2+} entry; GABA; Hippocampal slice; Rat (Konnerth, A.) **270**, 185

Ca binding sites
Hippocampus; Aminopyridine; Evoked activity; Electron microscopy; In vitro (Kuhnt, U.) **279**, 19

Ca channels
Taurine; Intradendritic recording; Purkinje cell dendrite; Ca spikes; Cl conductance; Cerebellar slices; Transmitter; Stellate cell (Okamoto, K.) **260**, 261

Na-dependent Ca influx
Adrenal medulla; Catecholamine; Calcium re-introduction; Cyanide; Monoiodoacetate; 2-Deoxyglucose (Sorimachi, M.) **258**, 156

Ca spike
Tetanus toxin; Action potential; Na spike; Channel blocker; Neuroblastoma cells (Higashida, H.) **279**, 363

Ca spikes
Taurine; Stellate cell; Purkinje cell; Na spikes; Transmitter; Cerebellar slice; Intracellular recording (Okamoto, K.) **260**, 249

Taurine; Intradendritic recording; Purkinje cell dendrite; Cl conductance; Ca channels; Cerebellar slices; Transmitter; Stellate cell (Okamoto, K.) **260**, 261

CA1 cells
Benzodiazepine antagonist; Ro14-7437; Excitation; Calcium-mediated potassium conductance; Hippocampus (Carlen, P.L.) **271**, 115

Benzodiazepine; Midazolam; Inhibition; Calcium-mediated potassium conductance; Hippocampus (Carlen, P.L.) **271**, 358

CA1 pyramidal cells
Hippocampus; In vitro slice; Penicillin epileptogenesis; Acetylcholine; Epilepsy (Kriegstein, A.R.) **266**, 137

Hippocampus; Long-term potentiation; Kainic acid; Schaffer collateral; Commissural afferents (Wheal, H.V.) **272**, 247

CA1 stratum pyramidale
Hippocampal slice; Dye coupling; Electrotonic coupling; Glial cells; Potassium (Alger, B.E.) **270**, 137

Ca^{2+}
Neurite formation; Pheochromocytoma; Nerve growth factor; Mg^{2+} (Koike, T.) **289**, 293

Ca^{2+} conductance
Depolarizing response; Hyperpolarizing response; Associative conditioning; Voltage-dependence (Walters, E.T.) **280**, 165

Ca^{2+}-current
Neuromuscular junction; Nerve terminal; Botulinum toxin; Tetanus toxin (Dreyer, F.) **270**, 373

Ca^{2+}-dependent K^+-conductance
Afterhyperpolarization; Intracellular release of Ca^{2+}; D-600; Caffeine; Bullfrog sympathetic ganglion cell (Nohmi, M.) **268**, 158

CF-FM bats
Cerebellar auditory neurons; Auditory mapping (Sun, X.) **271**, 162

^{14}C-^{3}H
2-Deoxyglucose autoradiography; Spatial resolution (Gallistel, C.R.) **267**, 323

Cl conductance
Taurine; Intradendritic recording; Purkinje cell dendrite; Ca spikes; Ca channels; Cerebellar slices; Transmitter; Stellate cell (Okamoto, K.) **260**, 261

Taurine; Cerebellar slice; Purkinje cell; Purkinje cell dendrite; Transmitter; Intradendritic recording; Reversal potential (Okamoto, K.) **259**, 319

CM-cellulose chromatograph
Choline acetyltransferase; Activation; Inhibition; Endogenous inhibitor (Cozzari, C.) **276**, 109

CNS
Castration; Adrenalectomy; Serotonin; 5-Hydroxytryptophan biosynthesis (Long, J.B.) **277**, 289

Hydrogen peroxide; Oxygen; Catalase (Walton, K.) **278**, 387

Prostanoids; Prostaglandins; Hypothalamus; Pituitary gland; Rat (Gerozissis, K.) **279**, 133

Aluminum accumulation; Suboptimal zinc intake (Wenk, G.L.) **288**, 393

CNS catecholamines
A1 Noradrenaline cell group; Nucleus ambiguus; Medulla oblongata; Cardiovascular regulation; Blood pressure (Day, T.A.) **279**, 299

CNS myelin
Myelin basic protein; Hypomyelination; PNS myelin; *Mld* mutant mouse (Ginalski-Winkelmann, H.) **277**, 386

CNS plasticity
Regeneration; Sprouting; Red nucleus; Hemispherectomy (Olmstead, C.E.) **274**, 336

CNS regeneration
Hippocampus; Neuronotrophic factors; Neuronal survival; Brain injury (Manthorpe, M.) **267**, 47

CO_2 reactivity
Cerebral blood flow; Prostacyclin; 6-keto-Prostaglandin $F_{1\alpha}$ (Uyama, O.) **259**, 344

CSF barrier
Blood; Choroid plexus; 2,4-Dichlorophenoxyacetic acid; Organic acid transport; Reye's syndrome (Kim, C.S.) **259**, 340

Cu^{2+}
Metals; Zn^{2+}; Audiogenic mice (Chung, S.-H.) **280**, 323

hypertonic CSF
GABA; Angiotensin II; Pressor responses (Brennan, T.J.) **267**, 261

Caffeine
γ-Aminobutyric acid; Benzodiazepine; Spinal cord; Calcium; Bicuculline (Nistri, A.) **258**, 263

Ca^{2+}-dependent K^+-conductance; Afterhyperpolarization; Intracellular release of Ca^{2+}; D-600; Bullfrog sympathetic ganglion cell (Nohmi, M.) **268**, 158

Adenosine analogs; Intracerebroventricular injection; Locomotor activity; Mice (Barraco, R.A.) **272**, 392

Calcitonin
Autoradiography; Rat; Pituitary; Binding (Maurer, R.) **261**, 346

Autoradiography; Binding sites; Brain; Spinal cord; Regional distribution (Olgiati, V.R.) **265**, 209

Calcium
γ-Aminobutyric acid; Caffeine; Benzodiazepine; Spinal cord; Bicuculline (Nistri, A.) **258**, 263

Prolactin; Reserpine; Thyrotropin-releasing hormone; Adrenocorticotropic hormone; Dopamine (Login, I.S.) **260**, 99

Dendritic spine; Spine apparatus; Dentate fascia (Fifková, E.) **266**, 163

Cyclic nucleotide; Pentylenetetrazole; Bursting activity; Snail neuron; Protein kinase; Seizure discharge (Onozuka, M.) **269**, 277

Azide; Temperature; Miniature end-plate potentials (Anwyl, R.) **270**, 355

Autoradiography; Hypothalamus; Periventricular gray; Reticular formation (Henke, H.) **272**, 373

Melatonin; Dopamine release; Hypothalamus (Zisapel, N.) **272**, 378

α_2-Adrenoceptors; Afterhyperpolarization; intracellular EGTA; Locus coeruleus; Noradrenergic neuron; Potassium (Aghajanian, G.K.) **273**, 237

Neurofilaments; Mouse; Proteolysis; Posttranslational modification; Retinal ganglion cells; Cytoskeletal proteins; Optic pathway (Nixon, R.A.) **275**, 384

Calcium binding protein
Kindling; Epilepsy; Hippocampus (Miller, J.J.) **278**, 322

Calcium channels
Synaptosomes; Cobalt ions (Meyer, E.M.) **265**, 173

Amino acid neurotransmitter; Muscle degeneration; Insect muscle; Excitotoxicity; Amino acid receptors (Donaldson, P.L.) **274**, 261

Frog muscle spindle; Ruthenium ions (Ito, F.) **276**, 277

Ontogeny; Nitrendipine; Mice; Heart; Brain (Erman, R.D.) **278**, 327

Calcium dependent potassium conductance
Nicotinic receptors; Myenteric neuron (Tokimasa, T.) **263**, 57

Calcium in brain
Calmodulin; Feeding; Food intake; Intracerebroventricular infusion; Temperature regulation (Myers, R.D.) **266**, 178

Calcium-mediated potassium conductance
Benzodiazepine antagonist; Ro14-7437; Excitation; Hippocampus; CA1 cells (Carlen, P.L.) **271**, 115

Benzodiazepine; Midazolam; Inhibition; Hippocampus; CA1 cells (Carlen, P.L.) **271**, 358

Calcium re-introduction
Adrenal medulla; Catecholamine; Cyanide; Monoiodoacetate; 2-Deoxyglucose; Na-dependent Ca influx (Sorimachi, M.) **258**, 156

Calcium spike
Action potential mechanism; Cortical tissue culture; Cortical neuron (Dichter, M.A.) **289**, 99

Calcium spikes
Reeler mice; Purkinje cells; Sodium spikes (Dupont, J.-L.) **274**, 350

Callosal
Cortex; Auditory; Rat; Connections; Thalamic (Vaughan, D.W.) **260**, 181

Callosal projections
Superior colliculus; Axon collaterals; Fluorescent dyes; Cat (Weber, J.T.) **276**, 333

Calmodulin
Synaptic vesicle; Phosphorylation; ATPase activity; Affinity-purified antibody; Affinity chromatography (Moskowitz, N.) **263**, 243

Feeding; Food intake; Intracerebroventricular infusion; Temperature regulation; Calcium in brain (Myers, R.D.) **266**, 178

Intracellular pH; Phosphodiesterase; *Pleurobanchaea*; Phenothiazine; cAMP (Calhoon, R.D.) **271**, 371

Phenothiazine; cAMP; Phosphodiesterase; *Pleurobranchaea* (Gillette, R.) **273**, 384

Calmodulin antagonist
Glia maturation factor; Growth inhibition; Growth factor; Glioblast (Okumura-Noji, K.) **273**, 17

Calorimetry
Heat production; Heat loss; Sleep-wakefulness cycle; Paradoxical sleep; Environmental temperature (Schmidek, W.R.) **288**, 261

Cannula
Dopamine; Deoxyglucose; Striatum; Subthalamic nucleus; Entopeduncular nucleus; Rotation behavior (Brown, L.L.) **261**, 213

Capillaries
Blood-brain barrier; Glucose-6-phosphatase; Endothelium; Endoplasmic reticulum; Acid phosphatase (Schmidley, J.W.) **262**, 9

Capillary innervation
Brain capillaries; Cerebral vessels; Choline acetyltransferase; Muscarinic receptors; Cholinergic innervation; Neural control of cerebral circulation; Endothelial cells (Estrada, C.) **266**, 261

Capsaicin
Conduction block; Cutaneous afferent; Nociceptor; Cold receptor (Petsche, U.) **265**, 233

Rat; Inferior alveolar nerve; Pulpal axons; Nociception (Holje, L.) **266**, 133

Tracheal smooth muscle; Cholinergic pathways; β-Adrenergic pathways; Airway caliber; Dogs (Rybicki, K.J.) **270**, 159

Serotonin; Substance P; Spinal cord; *p*-Chloroamphetamine (Bergstrom, L.) **270**, 181

Area postrema; Nucleus of the solitary tract; Food intake; Feeding behavior; Drinking behavior (South, E.H.) **288**, 243

Carbachol
Aplysia neurons; K^+ conductance; Histamine; Dopamine (Chesnoy-Marchais, D.) **259**, 57

Kindling; Transfer; Electrical stimulation; Amygdala (Cain, D.P.) **260**, 135

Cholesterol; Hippocampal pyramidal cell firing (Crews, F.T.) **261**, 155

Carbamylcholine
Area postrema; Serotonin; Angiotensin II; Dopamine; Neostigmine; Atropine (Brooks, M.J.) **261**, 85

Carbocaine
Synaptic vesicle recycling; HRP uptake; Muscle fiber degeneration (Tal, M.) **270**, 131

β-Carboline
Benzodiazepine; GABA; Hippocampus (Paterson, I.A.) **278**, 274

β-Carbolines
Benzodiazepine receptor; cGMP; GABA receptor; Cerebellum (Serra, M.) **273**, 347

Carbon dioxide
pH; Spreading depression; Chick; Retina (Skelton, J.L.) **288**, 229

Carbonic anhydrase
Shiverer mouse; Myelin; Myelin basic protein; Myelin proteolipid protein; 2',3'-Cyclic nucleotide-3'-phosphohydrolase; 5'-Nucleotidase (Cammer, W.) **265**, 73

Cardiac afferent fibre
Cat; Left inferior cardiac sympathetic nerve (Maksymowicz, W.) **262**, 209

Cardiac afferents
Coronary arteries; Sympathetic nerves (Vance, W.H.) **258**, 96

Cardiocardiac reflexes
Myocardial infarction; Vagus nerve; Hypothalamic nuclei; Raphe nuclei; Serotonin turnover (Sole, M.J.) **265**, 55

Cardiovascular reflex
Carotid sinus nerve; Neurotransmitter; Nucleus tractus solitarii; Naloxone; Opiate receptor; Blood pressure; Heart rate (Miura, M.) **288**, 389

Cardiovascular regulation
[^{14}C]2-Deoxyglucose; Noradrenergic systems; Medulla; Hypothalamus; Habenula (Savaki, H.E.) **271**, 109

A1 Noradrenaline cell group; Nucleus ambiguus; Medulla oblongata; Blood pressure; CNS catecholamines (Day, T.A.) **279**, 299

Cardiovascular system
α-Melanocyte stimulating hormone; Hypothalamus (Diz, D.I.) **270**, 265

Carotid artery
Piglet, newborn; Cerebral blood flow; Microspheres (Laptook, A.R.) **276**, 51

Carotid baroreceptors
Paraventricular nucleus neurons; Dorsomedial medulla; Neurosecretory neurons; Rat; Electrophysiology; Connection (Kannan, H.) **279**, 31

Carotid body
Ischemia; Chemosensory discharge (Monti-Bloch, L.) **270**, 63

Transplant; Chemosensory discharge (Monti-Bloch, L.) **270**, 77

Rat; Glomus cells; Serotonin-like immunoreactivity (Grönblad, M.) **276**, 348

Sensory discharges; Temperature; Arrhenius equation (Ito, H.) **279**, 286

Carotid body innervation
Autoradiography; Synaptic morphology; Domestic fowl (Taha, A.A.M.) **266**, 193

Carotid sinus
Ventrolateral medulla; Central autonomic area of thoracic cord; Aortic depressor nerves; Paraventricular nucleus; Sympatho-excitatory pathways; Sympatho inhibitory pathways; Bulbospinal cardiovascular reflex pathways (Caverson, M.M.) **274**, 354

Carotid sinus nerve
Cardiovascular reflex; Neurotransmitter; Nucleus tractus solitarii; Naloxone; Opiate receptor; Blood pressure; Heart rate (Miura, M.) **288**, 389

Caroverine
Glutamate; Open channel blocker; Crayfish neuromuscular junction (Ishida, M.) **266**, 174

Carp
Olfactory bulbar response; Amino acid; Odorant; Receptor potential; Rainbow trout; Bullfrog (Yoshii, K.) **274**, 239

Gustatory response; Double-layer potential (Yoshii, K.) **279**, 185

Carp retina
6-Hydroxydopamine; Interplexiform cells; Horizontal cells (Cohen J.L.) **264**, 307

Castration
Testosterone; Medial preoptic/anterior hypothalamus; Lateral septum; Medial forebrain bundle; Arcuate/median eminence (Kendrick, K.M.) **262**, 137

Adrenalectomy; Serotonin; 5-Hydroxytryptophan biosynthesis; CNS (Long, J.B.) **277**, 289

Dopamine-stimulated adenylate cyclase; Hypothalamus; Pituitary estrous cycle; Gonadal hormones; Dopamine receptors; Sex differences; Down- and up-regulation of receptors (Barr, G.A.) **277**, 299

Cat
HRP; Cortex; Intralaminar nuclei; Thalamus (Royce, G.J.) **258**, 11

Sleep-waking; Substantia nigra; Dopamine; Unit activity; Sensory stimulation; Orientation; Behavior (Steinfels, G.F.) **258**, 217

Neuronal-plasticity; Vestibuloocular reflex; Catecholamines; 6-Hydroxydopamine; Visual adaptation (Keller, E.L.) **258**, 323

Ventral nucleus of the lateral lemniscus; Medial geniculate nucleus; Extralemniscal auditory paths (Henkel, C.K.) **259**, 21

Cortico-cortical connections; Prefrontal cortex; Allocortex; Horseradish peroxidase (Cavada, C.) **260**, 117

Dopaminergic neurons; Substantia nigra; Glucose; Single unit activity; Feeding (Strecker, R.E.) **260**, 317

Left inferior cardiac sympathetic nerve; Cardiac afferent fibre (Maksymowicz, W.) **262**, 209

Muscle spindles; Long chain fibers; Skeletofusimotor innervation (Kucera, J.) **262**, 309

Spinal cord; Renshaw cell; Quantitative synaptology; Ultrastructure (Lagerbäck, P.-Å.) **264**, 215

Control of respiration; Phrenic nerve; Serotonin (Millhorn, D.E.) **264**, 349

Chloral hydrate anesthesia; Excitatory response; Dorsal raphe neurons; Phasic auditory stimuli; Visual stimuli (Trulson, M.E.) **265**, 129

Long term potentiation; Magnocellular medial geniculate (Gerren, R.A.) **265**, 138

Striate cortex; Simple cell; Lateral geniculate nucleus; X-cell; Y-cell; Iontophoresis; Bicuculline (Tanaka, K.) **265**, 143

Cerebellar granule cells; Auditory receptive fields; Sound localization (Aitkin, L.M.) **265**, 317

[^{14}C]2-Deoxyglucose; Ocular dominance; Visual cortex (Tieman, S.B.) **267**, 35

Nociception; Spinal dorsal horn; HRP; Immunocytochemistry; Serotonin; Descending inhibition (Hoffert, M.J.) **267**, 361

Motor cortex; Cerebellothalamocortical pathway; EPSP; intracellular HRP staining; Stellate cell; Pyramidal cell (Noda, T.) **268**, 153

Substantia innominata; Amygdala; Stria terminalis; Single-unit analysis; Lateral olfactory tract; Temporal cortex (Femano, P.A.) **269**, 119

Somatosensory pathways; Lemniscal pathways; Dorsal columns; Ventral spinal cord; Auditory input; Visual input; Inferior colliculus (Tawil, R.N.) **269**, 149

Ethanol; Juxtacellular microinjection; Intracellular microinjection; Trigeminal motoneuron (Baranyi, A.) **269**, 159

Anterior hypothalamic-preoptic region; Thermoresponsive neurons; Wakefulness; Sleep (Parmeggiani, P.L.) **269**, 382

Endogenous GABA release; Red nucleus; Brain slice (Kubota, M.) **270**, 190

Nodose ganglion; Nucleus of the solitary tract; Autoradiography; Serotonin (Gaudin-Chazal, G.) **270**, 239

Area 20; Visual cortex; Cortico-cortical connections; Thalamo-cortical connections; Basal forebrain-cortical connections; Brainstem-cortical connections; HRP (Cavada, C.) **270**, 319

Pretectum; Inferior olive; WGA-HRP (Itoh, K.) **272**, 350

Motor cortex; Nucleus of Darkschewitsch; Inferior olive; HRP; Electron microscopy (Nakamura, Y.) **274**, 140

Corpus callosum; Strabismus; Effects of experience; Interhemispheric connections; Visual cortex (Berman, N.E.) **274**, 201

Pretectum; Facial nucleus; Olivary pretectal nucleus; Blink reflex; Dazzle reflex; Menace reflex; HRP (Itoh, K.) **274**, 332

Retinal projection; Optic fibers; Lateroposterior nucleus; Pulvinar nucleus; HRP (Itoh, K.) **276**, 325

Superior colliculus; Callosal projections; Axon collaterals; Fluorescent dyes (Weber, J.T.) **276**, 333

CSF; DOPAC; Homovanillic acid; 5-Hydroxyindoleacetic acid (5-HIAA); Dopamine (Degrell, I.) **277**, 283

Locus coeruleus; Electromagnetic flow probes; Vasodilatation; Facial nerve; Electrical stimulation (Goadsby, P.J.) **278**, 175

Lateral suprasylvian cortex; Corpus callosum; Binocularity; Striate cortex; Visual development; Strabismus (Elberger, A.J.) **278**, 295

Receptive field; non-Linear estimate; Spatial interaction; Stimulus; Spatiotemporal white noise; Cortex (Citron, M.C.) **279**, 271

Parabigeminal nuclei; Superior colliculus; Visual field; HRP (Roldán, M.) **280**, 1

Intracellular recording; Intracellular and intra-axonal injection; Ventrobasal complex; Reticular nucleus (Yen, C.-T.) **280**, 148

Auditory system; Pretectum; Midbrain reticular formation; Inferior colliculus (Kudo, M.) **288**, 13

Dorsal respiratory group; R_β Neurons; Antidromic activation; Phrenic motoneurons; EPSPs; Spike-triggered averaging (Lipski, J.) **288**, 105

Serotonin; Sympathetic preganglionic neurons (McCall, R.B.) **289**, 121

Catalase
Hydrogen peroxide; Oxygen; CNS (Walton, K.) **278**, 387

Catecholamine
Adrenal medulla; Calcium re-introduction; Cyanide; Monoiodoacetate; 2-Deoxyglucose; Na-dependent Ca influx (Sorimachi, M.) **258**, 156

Aplysia; Glyoxylic acid; Serotonin (Tritt, S.H.) **259**, 159

Conjugated norepinephrine; Conjugated dopamine (Karoum, F.) **259**, 261

Dorsal root ganglion; Ventral root (Stevens, R.T.) **261**, 151

Orbitofrontal cortex; Unit recording; Monkey; Microiontophoresis; Noradrenaline; Dopamine; Reward (Aou, S.) **267**, 165

Adreno cortical tropic hormone$_{1\text{-}39}$; Opiocortin; Immunocytochemistry; Brainstem; Rat (Romagnano, M.A.) **276**, 1

Catecholamine agonists
Amine accumulation; L-DOPA; Catecholamine depletion; 6-Hydroxydopamine; Locomotor behavior; Motor reflex control; LH syndrome (Willis, G.L.) **266**, 279

Catecholamine depletion
Amine accumulation; L-DOPA; 6-Hydroxydopamine; Locomotor behavior; Motor reflex control; LH syndrome; Catecholamine agonists (Willis, G.L.) **266**, 279

Catecholamine fluorescence
Dopamine; Retrograde dyes; Amygdala; Substantia nigra; Ventral tegmental area (Loughlin, S.E.) **262**, 334

Catecholamine metabolism
Locus coeruleus; In vivo voltammetry; Noradrenaline; DOPAC (Buda, M.) **273**, 197

Locus coeruleus; Voltammetry; Noradrenaline; DOPAC (Gonon, F.) **273**, 207

Catecholamine response
Neuroblastoma x glioma hybrid; Electrophysiology; Membrane excitability; Serotonin response (Ogura, A.) **258**, 243

Catecholaminergic innervation
Superior colliculus; Plasticity (Rhoades, R.W.) **261**, 353

Catecholamines
Neuronal-plasticity; Vestibuloocular reflex; 6-Hydroxydopamine; Visual adaptation; Cat (Keller, E.L.) **258**, 323

Insulin; Hypothalamic slices (Sauter, A.) **260**, 330

β-Adrenergic receptors; Down-regulation; Heart; Lung; Brain (Minneman, K.P.) **264**, 328

Self-stimulation; High-performance liquid chromatography; Mouse (Garrigues, A.-M.) **265**, 265

Amphetamine; Hypothalamus; Dopamine; Norepinephrine; Epinephrine (Leibowitz, S.F.) **266**, 348

Ventral tegmental area; Electrical stimulation; Rat brain (Van Heuven-Nolsen, D.) **268**, 362

Adrenal medulla; Brain grafts; Tissue transplantation; Dopamine; Chromaffin cells (Freed, W.J.) **269**, 184

Cortical lesions; Rat; Serotonin; Subcortical structures (Finklestein, S.) **271**, 279

$[^3H]$6-Hydroxydopamine; High-affinity uptake; Uptake 2; Rat CNS; Autoradiography (Sievers, H.) **275**, 23

Phenylethanolamine-N-methyltransferase; Epinephrine; Norepinephrine; Hypothalamic nuclei; Midbrain transections; Rat brain (Saavedra, J.M.) **276**, 367

Brain; Cerebrospinal fluid; Conjugated dopamine; Dopamine; Dopamine sulfate; Rhesus monkey (Elchisak, M.A.) **279**, 171

Action potential; Axons; β-Receptors; cAMP; Frequency-following ability (Seelig, T.L.) **279**, 303

Octopamine; Rat strains; Intracerebroventricular injections; Avoidance conditioning (Delacour, J.) **288**, 169

Catecholamine synthesizing enzymes
Adrenaline-containing neurons; Dopamine-β-hydroxylase; Medulla oblongata; Noradrenaline-containing neurons; Phenylethanolamine-N-methyltransferase; Brainstem; Tyrosine hydroxylase (Chamba, G.) **259**, 95

Catecholestrogens
Neonatal estrogenization; Estradiol; Moxestrol; Monohydroxytamoxifen; Luteinizing hormone surges; Progestin receptors (Ghraf, R.) **258**, 133

Neonatal estrogenization; Estradiol; Luteinizing hormone surges; Progestin receptors; Pituitary gland; Uterus (Kirchhoff, J.) **268**, 382

Synaptosomes; Norepinephrine uptake; Estradiol-17β; Estradiol-17α; Ethinylestradiol; Methylestrogens (Ghraf, R.) **277**, 163

Cathepsin D
Brattleboro rat; Proteinases; Radioimmunoassay; Supraoptic nucleus; Vasopressin (Whitaker, J.N.) **277**, 181

Cationic ferritin
Myelin cytochemistry; Negative charges; Labelling (Dermietzel, R.) **262**, 225

Cat muscle in vivo
Motor unit types; Dantrolene sodium; Unfused contraction; Potentiation (Jami, L.) **261**, 285

Cats
HRP; Mandibular incisors; Peripheral cross-innervation (Wilson, S.) **260**, 287

Optically-induced strabismus; Visual field; Esotropia; Unilateral fixation; Alternating fixation; Binocularity (Elberger, A.J.) **268**, 147

Visual deprivation; Recovery; Visual fields; Unequal alternating exposure (Tieman, S.B.) **271**, 170

Cerebellar lesions; Locomotion; Motor control (Yu, J.) **273**, 121

Pyramidal tract; Thalamus; Ventrobasal complex; Ventroanterior nucleus; Ventrolateral nucleus; Ventromedial nucleus (Giuffrida, R.) **279**, 254

Nicotinamide adenine dinucleotide; Pyridine nucleotide; Hypoglycemia; Cerebral redox state (Bryan, R.M. Jr.) **279**, 266

Monocular deprivation; Visual fields; Binocular competition; Electrophysiology (Tieman, D.G.) **280**, 41

Brain pH; Umbelliferone fluorescence; Rats; Cerebral ischemia (Csiba, L.) **289**, 334

Cat spinal cord
Hindlimb α-motoneurone; HRP; Light microscopy (Ulfhake, B.) **264**, 1

Ia boutons; Electron microscopy; Horseradish peroxidase (Conradi, S.) **265**, 31

Ventral funiculus; Ventral horn; Ventral root; Motoraxons; Axotomy; Regeneration; Electron microscopy; HRP (Risling, M.) **280**, 15

Cat visual pathways
Superior colliculus; Retinal synapses; W,X,Y,system; Electron microscope autoradiography (Mize, R.R.) **269**, 211

Caudal medulla
Trigeminothalamic projections; Origin of cells (Shigenaga, Y.) **277**, 201

Caudal trigeminal
Substance P; Nociception; Iontophoresis; Primary afferent transmitters (Salt, T.E.) **273**, 217

Caudate
Intracellular response; Thalamus (Schneider, J.S.) **265**, 322

Enkephalin; Dopamine; Naloxone; Amphetamine stereotype; In vivo electrochemistry (Broderick, P.A.) **269**, 378

Intracellular response; Polysensory (Wilson, J.S.) **270**, 197

Voltammetry; 5-Hydroxyindoles; Cerebrospinal fluid; Pargyline; para-Chlorophenylalanine; Body temperature; Cerebral ventricles (Hahn, Z.) **289**, 215

Caudate nucleus
Dentate nucleus; Movement initiation; Handedness; Brain stimulation; Instrumental conditioning (Moroz, V.M.) **259**, 298

Ricin; Wheat germ agglutinin (WGA); HRP; Axonal transport; Nucleus tractus solitarius; Nodose ganglion (Wiley, R.G.) **269**, 357

$[^3H]$GABA release; Muscimol; Substantia nigra; Bilateral regulation (Kemel, M.L.) **272**, 331

Subthalamic nucleus; Putamen; Wheatgerm agglutinin; HRP; Autoradiography (Beckstead, R.M.) **275**, 137

Voltammetry; Stress; Striatum; Electrochemistry; Dopamine; Homeostasis; Sensory stimulation (Keller, R.W. Jr.) **279**, 159

Caudate-putamen
Apomorphine; Cerebral blood flow; Iodoantipyrine; Nigrostriatal pathway; Supersensitivity (Ingvar, M.) **262**, 259

Acetylcholine; Acetylcholinesterase; Dopamine; Striosomes; 6-Hydroxydopamine; Nigrostriatal bundle; Basal ganglia; Neostriatum (Marhsall, J.F.) **274**, 283

Corticosterone binding; Cytosol receptors; Brain cell nuclei; Glucocorticoid receptor (Defiore, C.H.) **278**, 93

Cebus monkeys
Somatosensory cortex; Primates; Somatotopic organization (Felleman, D.J.) **268**, 15

Celiac ganglia
Serotonin; non-cholinergic EPSP (Kiraly, M.) **275**, 378

Celiac ganglion
Gastrin releasing peptide; Immunocytochemistry; Rat (Kondo, H.) **289**, 326

Cell body response
Peripheral nerve; Regeneration; Conditioning effect; Frog (Carlsen, R.C.) **279**, 9

Cell culture
Somatostatin; Cerebral cortex; Amino acids; Neurotransmitters (Robbins, R.J.) **273**, 374

Astrocyte; Mitogen supplement (Kim, S.U.) **274**, 79

Rat Schwann cells; Panning technique (Assouline, J.G.) **277**, 389

Benzodiazepine; Tolerance; Addiction; Receptor; Chronic treatment (Prezioso, P.J.) **288**, 354

Cell cultures
voltage-dependent Na channel; Neuronal cell; Glial-ion transport (Reiser, G.) **261**, 335

Cell death
Motoneurons; Primary afferents; Frog; Spinal cord (Davis, M.R.) **265**, 283

Cell density
Quantitative histology; Electron microscopy; Synaptic boutons density; Hypothalamus; Paraventricular nucleus (Kiss, J.Z.) **262**, 217

Cell isolation
Oligodendroglia; Long-term culture; Immunocytochemistry; Morphology; Myelin antigens; Galactocerebroside; Myelin basic protein (Norton, W.T.) **270**, 295

Cell line culture
α-Scorpion toxin; Differentiation; Phenotypic specificity; Sodium channel; Neuronal maturation (Martin-Moutot, N.) **274**, 267

Cell membrane
Nerve regeneration; Protein biosynthesis; Endoplasmic reticulum; Golgi apparatus; Nucleoprotein biosynthesis (Whitnall, M.H.) **272**, 49

Cell migration
Motoneurons; Spinal cord; Frog; Development (Liuzzi, F.J.) **262**, 299

Microglia; Nerve injury; Tissue culture; Leech; Weak silver carbonate (Morgese, V.J.) **272**, 166

in vitro Cell nuclear exchange assay
Androgen receptors; In vitro cytosol assay (McGinnis, M.Y.) **275**, 75

Cell number
Cell size; Optical monitoring; Gastropod molluscs (Boyle, M.B.) **266**, 305

Cell numbers
Area 17; Geniculo-cortical boutons (Winfield, D.A.) **277**, 223

X Cells
Y Cells; Dorsolateral geniculate nucleus; Centre surround antagonism; GABA; Inhibitory processes (Sillito, A.M.) **277**, 63

Y Cells
X Cells; Dorsolateral geniculate nucleus; Centre surround antagonism; GABA; Inhibitory processes (Sillito, A.M.) **277**, 63

Cell size
Cell number; Optical monitoring; Gastropod molluscs (Boyle, M.B.) **266**, 305

Cells of origin
Horseradish peroxidase; Recurrent laryngeal nerve; Superior laryngeal nerve; Dogs; Bronchoconstriction (Wallach, J.H.) **261**, 307

Cell-specific marker
Monoclonal antibody; Sustentacular cell; Localization; Lesioning (Hempstead, J.L.) **288**, 289

Cell surface
BSP-2; Cerebellum; Immunocytochemistry; Glycoprotein (Hirn, M.) **265**, 87

Cellular localization
2-Deoxyglucose; Autoradiography (Hökfelt, T.) **289**, 311

Cell volume
Cytotoxic brain edema; Regulatory volume decrease; C6 Glioma cells (Kempski, O.) **279**, 217

Central autonomic area of thoracic cord
Ventrolateral medulla; Carotid sinus; Aortic depressor nerves; Paraventricular nucleus; Sympatho-excitatory pathways; Sympatho inhibitory pathways; Bulbospinal cardiovascular reflex pathways (Caverson, M.M.) **274**, 354

Central autonomic pathway
Hyperdipsia; Dorsal rostral pons; Locus coeruleus; Periaqueductal gray; Hemodynamic signal; Fluid balance (Ward, D.G.) **262**, 314

Central cervical nucleus
Vestibular nuclei; Extraocular nuclei; Cerebellum; Fastigial nucleus; Interstitial nucleus of Cajal; Perihypoglossal nuclei; Reticular formation (Carleton, S.C.) **278**, 29

Central chemoreceptors
Medulla; Slice; Respiratory; pH (Miles, R.) **271**, 349

Central control of water balance
Subfornical organ; Electrically induced drinking (Robertson, A.) **274**, 197

Central effect
Angiotensin II; Cerebral blood flow; Rabbit; [^{14}C]Ethanol tissue sampling technique; Heat clearance technique; Mass spectrometry technique (Reynier-Rebuffel, A.-M.) **269**, 91

Central gray
Lanthanum; Opiate receptors; Pain; Analgesia; Naloxone (Rosenfeld, J.P.) **268**, 189

Central myelin
Shiverer mouse; Radial component; Electron lucent linear structure; Major dense line (Nagara, H.) **263**, 336

Central nervous system
Thyrotropin releasing hormone; Receptors; Down regulation; Muscarinic ACh-receptors (Ogawa, N.) **263**, 348

HRP; Electron microscopy; Mormyrid fish (Szabo, T.) **266**, 1

Neurotensin; Autonomic nervous system; Pituitary gland; Gastrointestinal tract; Radioimmunoassay; Gel chromatography (Goedert, M.) **272**, 291

Central noradrenergic neurons
Locus coeruleus; 6-Hydroxydopamine; α-Adrenergic receptors; single-unit Electrophysiological activity (Chiodo, L.A.) **264**, 123

Central noradrenergic projections
Sympathetic innervation; Sprouting; Habenula; Partial deafferentation; Norepinephrine; Adult rat (Gottesfeld, Z.) **268**, 359

Habenula; Deafferentation; Norepinephrine; Sympathetic innervation; Rat (Gottesfeld, Z.) **275**, 299

Central nucleus of amygdala
Dorsal motor nucleus of vagus nerve; HRP; Degeneration (Takeuchi, Y.) **280**, 143

Central respiratory control
Nucleus ambiguus; Antidromic activation; Motor nucleus (Delgado-García, J.M.) **277**, 231

Central respiratory pattern generator
Coherence analysis; Power spectrum (Ackerson, L.M.) **271**, 346

Central respiratory pattern generators
Diaphragm EMG; Coherence spectrum; Power spectrum (Bruce, E.N.) **269**, 259

Central-type benzodiazepine receptors
Peripheral-type benzodiazepine receptors; Ethanol; Ro5-4864; Propyl-β-carboline-3-carboxylate (Schoemaker, H.) **258**, 347

Centre
Dorsal lateral geniculate nucleus; Acetylcholine; Receptive field properties; Surround; Antagonism; Arousal; Reticular facilitation (Sillito, A.M.) **280**, 299

Centre median-parafascicular complex
Subthalamic nucleus; Autoradiography; Electron microscopy; HRP; Rat (Sugimoto, T.) **267**, 335

Centre surround antagonism
X Cells; Y Cells; Dorsolateral geniculate nucleus; GABA; Inhibitory processes (Sillito, A.M.) **277**, 63

Centrifugal neurons
Biogenic amines; Cephalopod retina; Dopamine (Silver, S.C.) **273**, 366

Centrifugal optic pathway
Fluorescent tracers; Rat; Primary visual system; Orthograde and transcellular transport; Retrograde labeling (Weidner, C.) **272**, 129

Centripetal axon collaterals
Olfactory bulb; Bimodal and trimodal spike latencies; Repetitive spikes; Collision test; Collision time (Westecker, M.E.) **288**, 119

Centromedian nucleus of thalamus
Entopeduncular nucleus; Ventral anterior thalamic nucleus; Ventral lateral thalamic nucleus (Nakano, K.) **262**, 283

Cephalopod retina
Biogenic amines; Centrifugal neurons; Dopamine (Silver, S.C.) **273**, 366

Cerebellar auditory neurons
CF-FM bats; Auditory mapping (Sun, X.) **271**, 162

Cerebellar cortex
Nodulus; Purkinje cell; Nuclear morphology; Nucleolar differences; Hamster neurons (LaVelle, F.W.) **265**, 119

Lobule I; Primary vestibular afferent; Vestibular nucleus neuron; Mossy fiber response (Hirai, N.) **277**, 145

Synaptogenesis; Polylysine-coated beads; Electron microscopy (Burry, R.W.) **278**, 236

Cerebellar cultures
Climbing fibers; Synapses; Electrophysiology (Blank, N.K.) **271**, 135

Cerebellar granule cells
Auditory receptive fields; Sound localization; Cat (Aitkin, L.M.) **265**, 317

Cerebellar interpositus nucleus
Red nucleus; Multiple fluorescent tracers; Collateralization (Huisman, A.M.) **264**, 181

Cerebellar lesions
Cats; Locomotion; Motor control (Yu, J.) **273**, 121

Cerebellar neuron
Na-Ca spike; Tissue culture (Mori-Okamoto, J.) **258**, 318

Cerebellar nuclear afferents
Lateral reticular nucleus; Anterograde transport of WGA-HRP (Dietrichs, E.) **288**, 320

Cerebellar nuclei
Pontocerebellar fibers; Anterograde transport of WGA-HRP (Dietrichs, E.) **259**, 127

Cerebellar stimulation; Deoxyglucose (Bardin, J.M.) **272**, 171

Monkey; HRP; Thalamocortical neurons; Corticothalamic neurons; Thalamic organization (Miyata, M.) **274**, 213

Fastigial nucleus; Paleocerebellum; Cerebellum; Motor control; Voluntary movement; Primate (Bava, A.) **288**, 371

Cerebellar slice
Taurine; Purkinje cell; Purkinje cell dendrite; Cl-conductance; Transmitter; Intradendritic recording; Reversal potential (Okamoto, K.) **259**, 319

Taurine; Stellate cell; Purkinje cell; Ca spikes; Na spikes; Transmitter; Intracellular recording (Okamoto, K.) **260**, 249

Cerebellar slices
Taurine; Intradendritic recording; Purkinje cell dendrite; Ca spikes; Cl conductance; Ca channels; Transmitter; Stellate cell (Okamoto, K.) **260**, 261

Cerebellar stimulation
Cerebellar nuclei; Deoxyglucose (Bardin, J.M.) **272**, 171

Cerebellar vermis
Microstimulation; Saccadic eye movements; Intrasaccadic stimulation; Ocular dysmetria; Monkey (Keller, E.L.) **288**, 131

Cerebellothalamocortical pathway
Motor cortex; EPSP; intracellular HRP staining; Stellate cell; Pyramidal cell; Cat (Noda, T.) **268**, 153

Cerebellum
Acetylcholinesterase-rich neuron; Nodulus; Flocular stalk (Kamei, I.) **258**, 115

Ethanol; LS mice; SS mice; Purkinje cells; in vitro Brain slices (Basile, A.) **264**, 69

BSP-2; Immunocytochemistry; Cell surface; Glycoprotein (Hirn, M.) **265**, 87

Taurine; Transmitter; Purkinje cell; Purkinje cell dendrite; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide (TAG); Taurine antagonist; Reversal potential; Intracellular recording (Okamoto, K.) **265**, 163

Kainic acid; Analogue interactions (Slevin, J.T.) **265**, 169

HRP; Wheat germ agglutinin (WGA); Anterograde transport; Retrograde transport; Golgi method; Pontine nuclei; Cerebral cortex (Brodal, P.) **267**, 1

Benzodiazepine binding; Triazolopyridazine; Ontogeny; Cortex; Hippocampus; Binding subtypes (Chisholm, J.) **267**, 388

Fastigial nucleus; Blood pressure; Hypotension; Hemorrhage; Endotoxin (Lutherer, L.O.) **269**, 251

Dominantly-inherited cerebellar ataxias; GABA; GABA receptor; Purkinje neurone; Dentate nucleus (Kish, S.J.) **269**, 370

Ventral lateral nucleus; Thalamus; Cholinesterase; Cytoarchitecture; Dog (Sakai, S.T.) **271**, 1

Classical conditioning; Brainstem; Learning (McCormick, D.A.) **271**, 73

Nucleo-cortical neurones; Retrograde fluorescent double-labelling (Payne, J.N.) **271**, 141

Ethanol; Brain development; Neurogenesis; External granular layer (Borges, S.) **271**, 388

Lateral vestibular nucleus; Corticovestibular; Fastigiovestibular; Spatial distribution (Akaike, T) **272**, 223

β-Carbolines; Benzodiazepine receptor; cGMP; GABA receptor (Serra, M.) **273**, 347

Reverberating circuit; Red nucleus; Cooling; Precerebellar nucleus (Tsukahara, N.) **274**, 249

Cl^-/Ca^{2+}-activated Glutamate receptors; Spinal cord; 2-Amino-4-phosphonobutyrate (Whittemore, S.R.) **277**, 99

Postsynaptic density; Glycoproteins; Concanavalin A; Forebrain; Nitrocellulose blot (Gordon-Weeks, P.R.) **277**, 380

Vestibular nuclei; Extraocular nuclei; Fastigial nucleus; Interstitial nucleus of Cajal; Perihypoglossal nuclei; Central cervical nucleus; Reticular formation (Carleton, S.C.) **278**, 29

Asymmetric junctions; major Postsynaptic density protein; Concanavalin A binding glycoproteins; Transmitter receptors (Groswald, D.E.) **278**, 63

Fastigial nucleus; Paleocerebellum; Cerebellar nuclei; Motor control; Voluntary movement; Primate (Bava, A.) **288**, 371

Inferior olive; Climbing fiber branching; Fluorescent tracers (Rosina, A.) **289**, 45

Cerebellum development
Zinc deficiency (trace elements); Undernutrition; Malnutrition; Granule cells (Dvergsten, C.L.) **271**, 217

Cerebral arteries
Regional distribution; Dopamine; Norepinephrine; Pre- or postganglionic sympathetic denervation; High-performance liquid chromatography (Suzuki, Y.) **258**, 53

Retial arteries; Sympathetic stimulation; Cerebrovascular resistance (Diéguez, G.) **289**, 281

Cerebral blood flow
Prostacyclin; 6-keto-Prostaglandin $F_{1\alpha}$; CO_2 reactivity (Uyama, O.) **259**, 344

Fastigial nucleus; Cerebral metabolism; Neurogenic vasodilation (Nakai, M.) **260**, 35

Apomorphine; Iodoantipyrine; Caudate-putamen; Nigrostriatal pathway; Supersensitivity (Ingvar, M.) **262**, 259

Locus coeruleus; Cyclic nucleotides; Seizure (Ingvar, M.) **264**, 225

Angiotensin II; Rabbit; $[^{14}C]$Ethanol tissue sampling technique; Heat clearance technique; Mass spectrometry technique; Central effect (Reynier-Rebuffel, A.-M.) **269**, 91

Piglet, newborn; Microspheres; Carotid artery (Laptook, A.R.) **276**, 51

Cerebral blood vessels
Brainstem; Blood pressure; Nucleus tractus solitarius (Koda, L.Y.) **289**, 71

Cerebral cortex
Focal interictal epileptiform discharges; Penicillin; Electrophoresis; Depth profile; Rat (Lockton, J.W.) **258**, 79

cAMP; Adrenergic receptors; Supersensitivity; Brain energy metabolism; Glycogen (Magistretti, P.J.) **261**, 159

Immunohistochemistry; pro-Somatostatin; Peptides (Morrison, J.H.) **262**, 344

HRP; Wheat germ agglutinin (WGA); Anterograde transport; Retrograde transport; Golgi method; Pontine nuclei; Cerebellum (Brodal, P.) **267**, 1

Nucleus basalis; Diagonal band; Fluorescent axonal tracers; Axonal collaterals (Price, J.L.) **269**, 352

Somatostatin; Cell culture; Amino acids; Neurotransmitters (Robbins, R.J.) **273**, 374

Cholecystokinin; Peptides; Sulfate; Turnover (Meek, J.L.) **276**, 375

GABA; Laminal distribution; Inhibitory transmitter; Rat (Ishikawa, K.) **277**, 361

Rabbit; Dominant focus; cAMP; Histamine (Hattori, Y.) **279**, 308

Vasoactive intestinal polypeptide; Cholecystokinin; Ventricles; Release (Wang, J.-Y.) **280**, 105

Parkinson's disease; Alzheimer disease; Choline acetyltransferase; Muscarinic receptors; Substantia innominata; Human brain (Dubois, B.) **288**, 213

Cerebral cortical membranes
GABA; Benzodiazepine; $[^3H]$Flunitrazepam (Fong, J.) **266**, 152

Cerebral endothelium
Adenosine; Kinetics; Uptake (Beck, D.W.) **271**, 180

Cerebral ischemia
Sex difference; Barbiturate protection (Nakatomi, Y.) **270**, 146

α-Tocopherol; reduced Ubiquinone; oxidized Ubiquinone; Free radicals; Rat brain (Abe, K.) **273**, 166

Brain pH; Umbelliferone fluorescence; Cats; Rats (Csiba, L.) **289**, 334

Cerebral metabolism
Fastigial nucleus; Cerebral blood flow; Neurogenic vasodilation (Nakai, M.) **260**, 35

Sleep; Rhesus monkey; Macaque monkey; 2-Deoxyglucose; Hypnogenic center (Nakamura, R.K.) **268**, 372

Cerebral nuclei
Methionine-enkephalin; Opioid neurons; Development; Spontaneously hypertensive rats (Nakamura, K.) **271**, 21

Cerebral redox state
Nicotinamide adenine dinucleotide; Pyridine nucleotide; Hypoglycemia; Cats (Bryan, R.M. Jr.) **279**, 266

Cerebral ventricles
Voltammetry; 5-Hydroxyindoles; Cerebrospinal fluid; Caudate; Pargyline; para-Chlorophenylalanine; Body temperature (Hahn, Z.) **289**, 215

Cerebral vessels
Brain capillaries; Choline acetyltransferase; Muscarinic receptors; Capillary innervation; Cholinergic innervation; Neural control of cerebral circulation; Endothelial cells (Estrada, C.) **266**, 261

Cerebro-cerebellar interaction
Visually initiated hand movement; Premovement cortical potentials; Motor learning; Monkey (Sasaki, K.) **277**, 41

Cerebrospinal fluid
Prolactin; Cortisol; Morphine; Thyrotropin-releasing hormone; 5-Hydroxytryptophan; Monkey (Herbert, J.) **258**, 251

Endorphins; Enkephalin; β-Endorphin; Electrophoresis (Nyberg, F.) **259**, 267

Vasopressin; Oxytocin; Circadian rhythms; Suprachiasmatic nuclei (Reppert, S.M.) **261**, 341

Vasopressin; Oxytocin; Blood-brain barrier; Cerebrospinal fluid clearance (Mens, W.B.J.) **262**, 143

Vasopressin; Circadian rhythm; Suprachiasmatic nucleus; Memory (Schwartz, W.J.) **263**, 105

Brain; Catecholamines; Conjugated dopamine; Dopamine; Dopamine sulfate; Rhesus monkey (Elchisak, M.A.) **279**, 171

β-Endorphin; Adreno corticaltropic hormone; Met-Enkephalin; Rats; Stress (Kiser, R.S.) **288**, 187

Voltammetry; 5-Hydroxyindoles; Caudate; Pargyline; para-Chlorophenylalanine; Body temperature; Cerebral ventricles (Hahn, Z.) **289**, 215

Cerebrospinal fluid clearance
Vasopressin; Oxytocin; Cerebrospinal fluid; Blood-brain barrier (Mens, W.B.J.) **262**, 143

Cerebrovascular resistance
Retial arteries; Cerebral arteries; Sympathetic stimulation (Diéguez, G.) **289**, 281

Cerebrovascular smooth muscle culture: isolation, dissociation, propagation
Myofilaments; Free ribosomes; Rough endoplasmic reticulum (Spatz, M.) **280**, 387

Cerebrum
Liver; Triiodothyronine; Receptor; Nuclei; Pathological conditions (Thrall, C.L.) **279**, 177

Cervical cord segment
Corticospinal neurons; Corticospinal tract; Lumbosacral cord segments; HRP; Development; Rats (Leong, S.K.) **265**, 1

Cervical spinal cord
Perfused spinal cord; Fluorocarbon emulsion (Deutschmann, W.) **280**, 239

Cervical stimulation
Sexual differentiation; Aromatization; Prolactin (Krey, L.C.) **274**, 188

Cervico-ocular reflex
Eye movements; Nystagmus; Vestibulo-ocular reflex (Böhmer, A.) **277**, 241

Chandelier cell
Initial segment; Synapse; Granule cell; Axo-axonic cell; Basket cell; Dentate gyrus (Kosaka, T.) **274**, 129

Channel blocker
Tetanus toxin; Action potential; Ca spike; Na spike; Neuroblastoma cells (Higashida, H.) **279**, 363

K^+ Channel blockers
Frog muscle spindle; Spindle potential; Na^+-free effects (Ito, F.) **277**, 352

Chemoconvulsants
Substantia nigra; Midbrain tegmentum; maximal Electroshock; Bicuculline; Seizures; Epilepsy (Garant, D.S.) **273**, 156

Chemoreception
Associative learning; Molluscan CNS (Culligan, N.) **266**, 319

Epiglottis; Superior laryngeal nerve; Neurophysiology; Sheep (Bradley, R.M.) **276**, 81

Chemosensory discharge
Ischemia; Carotid body (Monti-Bloch, L.) **270**, 63

Carotid body; Transplant (Monti-Bloch, L.) **270**, 77

Chick
Glucose; 3-Hydroxybutyrate; 3-Hydroxybutyrate dehydrogenase; 3-Oxo acid-CoA transferase; Acetoacetyl-CoA thiolase; Fasting (Nehlig, A.) **262**, 177

Oxytoxin; Vasopressin; Neuropeptide; Memory; L-prolyl-L-leucyl-Glycineamide (PLG) (Davis, J.L.) **266**, 355

Carbon dioxide; pH; Spreading depression; Retina (Skelton, J.L.) **288**, 229

Chick ciliary ganglion
α-Bungarotoxin receptors; Ultrastructural autoradiography; Tissue culture; Synapses (Messing, A.) **269**, 172

Chick embryo
Acetylcholine receptor; Myotubes; Regulation; Potassium; Depolarization (Shieh, B.-H.) **263**, 259

Chloral hydrate anesthesia
Excitatory response; Dorsal raphe neurons; Phasic auditory stimuli; Visual stimuli; Cat (Trulson, M.E.) **265**, 129

Chlordiazepoxide
Ro5-3663; Picrotoxin site; Anxiogenic effect (File, S.E.) **278**, 370

Chloride ion
Anisatin; Picrotoxinin; GABA receptor (Matsumoto, K.) **270**, 103

Chloride permeability
Astrocytes; Furosemide; Glial cells; Membrane potential; Ouabain; Potassium homeostasis (Walz, W.) **277**, 321

Chloride pump
Dorsal root ganglia; GABA-receptor; Temperature; pH; SITS; Furosemide; Bumetanide; Ammonium ion (Gallagher, J.P.) **267**, 249

Chlorisondamine
Glutamate; Excitatory transmitter; Open channel blocker; Crayfish neuromuscular junction (Shinozaki, H.) **273**, 325

p-Chloroamphetamine
Serotonin; Substance P; Spinal cord; Capsaicin (Bergstrom, L.) **270**, 181

5-Hydroxytryptamine; Brainstem; Morphine-induced; Analgesia; *p*-Chlorophenylalanine; Zimelidine; Test-dependent effects (Berge, O.-G.) **271**, 51

N-(2-Chloroethyl)-N-ethyl-2-bromobenzylamine (DSP4)
Hippocampus; Noradrenergic afferents (Dunwiddie, T.V.) **269**, 311

p-Chlorophenylalanine
Paradoxical sleep; Slow-wave sleep; Sleep deprivation; Indolamine (Sallanon, M.) **268**, 95

In vivo voltammetry; Serotonin release; Hippocampus; α-Methyl-*p*-tyrosine; L-Tryptophan; L-Tyrosine; L-Valine; Immobilization stress (Joseph, M.H.) **270**, 251

5-Hydroxytryptamine; Brainstem; Morphine-induced; Analgesia; *p*-Chloroamphetamine; Zimelidine; Test-dependent effects (Berge, O.-G.) **271**, 51

Serotonin; Tryptophan hydroxylase; 5-Hydroxytrytophan decarboxylase; 3-Hydroxybenzylhydrazine (Pandey, A.) **273**, 67

Electrochemical detection; 5-Hydroxyindoles; Rat somatosensory cortex; Serotonergic pathways; Electrical stimulation (Rivot, J.P.) **275**, 164

Hypothyroidism; Serotonin; Spinal cord; Substance P; Thyrotropin-releasing hormone (Savard, P.) **277**, 263

para-Chlorophenylalanine
Voltammetry; 5-Hydroxyindoles; Cerebrospinal fluid; Caudate; Pargyline; Body temperature; Cerebral ventricles (Hahn, Z.) **289**, 215

m-Chlorophenylpiperazine
Serotonin; Thyrotropin stimulating hormone; 5,7-Dihydroxytryptamine; Supersensitivity of central 5-HT receptors (Schettini, G.) **261**, 349

Chlorpromazine methiodide
Barrel rotation; Vestibular nuclear complex; Antimuscarinic; Somatostatin (Burke, R.E.) **288**, 273

Cholecystokinin
Nucleus raphe magnus; Somatostatin; Neurotensin; Serotonin (Beitz, A.J.) **261**, 132

Neuropeptides; Nucleus tractus solitarius; Respiratory neurons; Iontophoresis (Morin, M.P.) **265**, 333

Immunocytochemistry; Hippocampus; Rat; Guinea pig; Hedgehog; Enkephalin; Heavy metals (Stengaard-Pedersen, K.) **273**, 81

Gastrin; Neuropeptides; Radioimmunoassay; Biosynthesis; Axonal transport (Rehfeld, J.F.) **275**, 341

Peptides; Sulfate; Cerebral cortex; Turnover (Meek, J.L.) **276**, 375

Vasoactive intestinal polypeptide; Cerebral cortex; Ventricles; Release (Wang, J.-Y.) **280**, 105

Vasoactive intestinal polypeptide; Substance P; Neurotensin; Somatostatin; Schizophrenia; Amygdala; Hippocampus (Roberts, G.W.) **288**, 199

Cholecystokinin (CCK) peptides
Hypothalamus; Bullfrog, *Rana catesbiana*; Pituitary; Evolution (Beinfeld, M.C.) **268**, 192

Cholecystokinin octapeptide
Cholecystokinin receptor; Food deprivation; Olfactory bulb; Hypothalamus; Midbrain (Finkelstein, J.A.) **288**, 193

Striatum; $[^3\text{H}]$Spiperone; Homovanillic acid; DOPAC; 5-Hydroxyindoleacetic acid (5-HIAA) (Mashal, R.D.) **277**, 375

Cholecystokinin receptor
Food deprivation; Cholecystokinin octapeptide; Olfactory bulb; Hypothalamus; Midbrain (Finkelstein, J.A.) **288**, 193

Cholesterol
Carbachol; Hippocampal pyramidal cell firing (Crews, F.T.) **261**, 155

$[^3\text{H}]$Choline
Lateral hypothalamus; Spinal cord; Bisbenzimide; Acetylcholinesterase; Basal forebrain; Cholinergic neurons (Haring, J.H.) **268**, 275

$[^3\text{H}]$Choline accumulation
$[^3\text{H}]$Quinuclidinylbenzilate binding; Hippocampus; Rat strains; Stress (Gilad, G.M.) **267**, 171

Choline acetylase
Zebra finch; Acetylcholinesterase; Androgens; Estrogens; Muscle (Luine, V.N.) **279**, 339

Choline acetyltransferase
Thyrotropin-releasing hormone; Luteinizing hormone-releasing hormone; Substance P; Post-mortem brain; Post-mortem spinal cord; Alzheimer-type dementia; Down's syndrome (Yates, C.M.) **258**, 45

Acetylcholine; Turtle cortex (Höhmann, C.F.) **258**, 120

GABA; Glutamic acid decarboxylase; Folic acid (McGeer, P.L.) **260**, 107

Immunohistochemistry; Monoclonal antibody; Human (Nagai, T.) **265**, 300

Sympathetic ganglia; Spinal cord; Development; Tyrosine hydroxylase (Hamill, R.W.) **266**, 21

Cholinergic neurons; Morphology; Immunocytochemistry; Monoclonal antibody (Houser, C.R.) **266**, 97

Brain capillaries; Cerebral vessels; Muscarinic receptors; Capillary innervation; Cholinergic innervation; Neural control of cerebral circulation; Endothelial cells (Estrada, C.) **266**, 261

Regeneration; Septohippocampal pathway; Cholinergic neurotrophic factor; Heart conditioned medium; $[^3\text{H}]$Quinuclidinylbenzilate (Schonfeld, A.R.) **266**, 271

Neuronotrophic factors; Motoneurons; Regeneration; Spinal cord neurons; Neuron survival (Manthorpe, M.) **267**, 57

Senile dementia of Alzheimer type; Aging; Human hippocampus; Human cortex; Human medial septum; Nucleus basalis of Meynert; Acetylcholinesterase (Henke, H.) **267**, 281

Acetylcholine; GABA; Glutamate decarboxylase; Habenula; Nucleus interpeduncularis; Septum; Nucleus triangularis septi; Nucleus septo-fimbrialis (Contestabile, A.) **275**, 287

CM-cellulose chromatograph; Activation; Inhibition; Endogenous inhibitor (Cozzari, C.) **276**, 109

Alzheimer-type dementia; Down's syndrome; Post-mortem brain; Noradrenaline; Dopamine; Acetylcholinesterase (Yates, C.M.) **280**, 119

Parkinson's disease; Alzheimer disease; Muscarinic receptors; Cerebral cortex; Substantia innominata; Human brain (Dubois, B.) **288**, 213

Retrograde cell degeneration; Cortex; Basal nucleus; Rat; Immunohistochemistry (Sofroniew, M.V.) **289**, 370

Alzheimer's disease; Basal nucleus; Immunhistochemistry (Pearson, R.C.A.) **289**, 375

Cholinergic
Sleep; REM; Pontine brainstem; Bethanechol (Hobson, J.A.) **275**, 127

Cholinergic innervation
Brain capillaries; Cerebral vessels; Choline acetyltransferase; Muscarinic receptors; Capillary innervation; Neural control of cerebral circulation; Endothelial cells (Estrada, C.) **266**, 261

Cholinergic mechanism
Acetylcholine; Basal nucleus of Meynert; Monkey; Prefrontal cortex; Bar-press feeding behavior (Inoue, M.) **278**, 185

Visual cortex; Acetylcholine; Cortical lamination; Arousal (Sillito, A.M.) **289**, 143

Cholinergic mediation
Kainic acid; REM sleep; Pontine giant cells (Drucker-Colín, R.) **272**, 387

Cholinergic neurons
Starburst amacrine cells; Rabbit retina (Famiglietti, E.V. Jr.) **261**, 138

Choline acetyltransferase; Morphology; Immunocytochemistry; Monoclonal antibody (Houser, C.R.) **266**, 97

Lateral hypothalamus; Spinal cord; Bisbenzimide; Acetylcholinesterase; $[^3\text{H}]$Choline; Basal forebrain (Haring, J.H.) **268**, 275

Adult rat; Recovery of cholinergic enzymes; Hippocampus; Septohippocampal pathway; Partial fimbrial lesions; Sprouting; Homotypic regeneration (Dravid, A.R.) **277**, 169

Cholinergic neurotransmission
Guanylate cyclase; Immunohistochemistry; Postsynaptic components; Monoclonal antibody; cGMP; Rat brain (Nakane, M.) **273**, 9

Cholinergic neurotrophic factor
Regeneration; Septohippocampal pathway; Heart conditioned medium; Choline acetyltransferase; [^{3}H]Quinuclidinylbenzilate (Schonfeld, A.R.) **266**, 271

Cholinergic nuclei
Striatum; Claustrum; Cortex (Pearson, R.C.A.) **261**, 327

Cholinergic pathway
Vasoactive intestinal polypeptide; Push-pull cannula; Fourth ventricle (Kaji, H.) **269**, 303

Cholinergic pathways
Tracheal smooth muscle; β-Adrenergic pathways; Capsaicin; Airway caliber; Dogs (Rybicki, K.J.) **270**, 159

Cholinergic properties
Nerve cell culture; Brain extract (Barakat, I.) **279**, 207

Cholinergic receptor
Muscarinic receptor; Nicotinic receptor; Synapse; Modulation; Retina (Siman, R.G.) **262**, 99

Senile dementia of Alzheimer-type; Aging; Human cortex; Human hippocampus; Autoradiography; Scopolamine; α-Bungarotoxin (Lang, W.) **267**, 271

α-Bungarotoxin; Sympathetic ganglion; Radioautography (Smolen, A.J.) **289**, 177

Cholinergic receptors
Estrogen; Hypothalamus; α-Bungarotoxin (Morley, B.J.) **278**, 262

Cholinesterase
Ventral lateral nucleus; Thalamus; Cytoarchitecture; Cerebellum; Dog (Sakai, S.T.) **271**, 1

Dorsal lateral geniculate nucleus; Cytochrome oxidase (Hess, D.T.) **289**, 322

Choline transport
Synaptosomes; Alzheimer dementia; Hippocampus; Cortex (Rylett, R.J.) **289**, 169

Choline uptake
Diisopropylfluorophosphate; Atropine; Muscarinic receptors; Regional adaptation (Yamada, S.) **268**, 315

Choroid plexus
Blood; CSF barrier; 2,4-Dichlorophenoxyacetic acid; Organic acid transport; Reye's syndrome (Kim, C.S.) **259**, 340

Chromaffin cells
Adrenal medulla; Brain grafts; Tissue transplantation; Catecholamines; Dopamine (Freed, W.J.) **269**, 184

Chronically lesioned rats
Subthalamic nucleus; Entopeduncular output neurons; Inhibitory response; Miroiontophoresis; GABA glycine; Acetylcholine (Rouzaire-Dubois, B.) **271**, 11

Chronic cannula
Dopamine; Striatum; Rotation behavior; Drug distribution (Wolfson, L.I.) **261**, 205

Chronic haloperidol
Conditioned suppression; Naloxone; Motility (Kameyama, T.) **275**, 389

Chronic intracellular recording
Lateral geniculate body relay neuron; Membrane potential; Current injection; Paradoxical sleep; Slow sleep (Hirsch, J.C.) **259**, 308

Chronic treatment
Benzodiazepine; Tolerance; Addiction; Receptor; Cell culture (Prezioso, P.J.) **288**, 354

Ciliary ganglion
Substance P; Edinger-Westphal nucleus; Oculomotor complex (Maciewicz, R.) **270**, 217

α-Neurotoxin; Neuronal nicotinic receptor; Autonomic ganglia pharmacology (Chiappinelli, V.A.) **277**, 9

α-Bungarotoxin; ϰ-Bungarotoxin; Neuronal nicotinic receptors; Intracellular recording; Autonomic ganglia pharmacology (Dryer, S.E.) **289**, 317

Cingulate
Hippocampus; Papez circuit; Primate; Limbic system (Dagi, T.F.) **259**, 229

Cingulate cortex
Compensatory collateral sprouting; Regeneration; Functional recovery; Fimbria-fornix; Hippocampus; Acetylcholine; Noradrenaline; Serotonin; T-maze; Alternation behavior (Gage, F.H.) **268**, 39

Circadian clocks
Suprachiasmatic nucleus; Activity rhythm; Retinohypothalamic tract (Pickard, G.E.) **268**, 201

Circadian fluctuations
Voltammetry; 5-Hydroxyindoles; 5-Hydroxyindoleacetic acid (5-HIAA); Suprachiasmatic nuclei; Rest-activity (Faradji, H.) **279**, 111

Circadian pacemaker
Ventromedial hypothalamic nucleus; Restricted feeding schedule; Multiple unit activity; Motor activity; Suprachiasmatic nucleus; Rat (Inouye, S.-I.T.) **279**, 53

Circadian rhythm
Pineal; N-Acetyltransferase; Phase-shift; Light pulse; Photoperiod (Illnerová, H.) **261**, 176

β-Endorphin; Pituitary; Brain nuclei (Kerdelhue, B.) **261**, 243

Vasopressin; Cerebrospinal fluid; Suprachiasmatic nucleus; Memory (Schwartz, W.J.) **263**, 105

Pineal; Superior cervical ganglia; Melatonin (Cassone, V.M.) **272**, 311

Adenosine-3',5'-monophosphate; Suprachiasmatic nucleus; Corticosterone; Food restriction; Free run; Ventromedial hypothalamus (Murakami, N.) **276**, 297

Pineal; Melatonin; Serotonin; Suprachiasmatic nuclei (Cassone, V.M.) **289**, 129

Circadian rhythmicity
Suprachiasmatic nuclei; ^{14}C-Deoxyglucose (Schwartz, W.J.) **274**, 184

Circadian rhythms
Long-term potentiation; Hippocampus; Development; Hippocampal slice (Harris, K.M.) **261**, 69

Vasopressin; Oxytocin; Cerebrospinal fluid; Suprachiasmatic nuclei (Reppert, S.M.) **261**, 341

Adrenoceptors; WKY/SHR rats (Wirz-Justice, A.) **262**, 233

Aplysia retina; *Bulla* retina (Block, G.D.) **265**, 134

Circadian variations
Differential pulse voltammetry; Oxidation peak 3; Raphe dorsalis; Raphe magnus; Monoamine oxidase inhibitors (Crespi, F.) **272**, 263

Circle of Willis
Substance P; Trigeminal nerve; Immunohistochemistry; Innervation of cerebral arteries (Liu-Chen, L.-Y.) **268**, 162

Circling
Sensory imbalance; Dopamine; Sensory neglect; Apomorphine; Rotational behaviour (Szechtman, H.) **264**, 332

Clarke's column
Dorsal spinocerebellar tract (DSCT); Golgi tendon organs; Cross-correlation analysis; Muscle contraction; Spinal cord (Osborn, C.E.) **280**, 339

Classical conditioning
Brainstem; Learning; Cerebellum (McCormick, D.A.) **271**, 73

Fear; Emotion; Spontaneously hypertensive rats; Strain differences (Ledoux, J.E.) **277**, 137

Classically conditioned analgesia
Footshock induced analgesia; Nucleus raphe magnus; Nucleus reticularis; Paragigantocellularis; Nucleus raphe alatus (Watkins, L.R.) **276**, 305

Claustrum
Striatum; Cholinergic nuclei; Cortex (Pearson, R.C.A.) **261**, 327

Climbing fiber branching
Inferior olive; Cerebellum; Fluorescent tracers (Rosina, A.) **289**, 45

Climbing fiber projection
Flocculus; Floccular zone (Sato, Y.) **272**, 27

Climbing fibers
Cerebellar cultures; Synapses; Electrophysiology (Blank, N.K.) **271**, 135

Olivocerebellar projection; Rat; [^{3}H]Leucine; [^{3}H]Methionine; 3-Acetylpyridine (Campbell, N.C.) **275**, 215

Vestibulocerebellum-vestibular input; Somestethic input; Motor control; Frog (Amat, J.) **278**, 287

Clonazepam
Benzodiazepines; Diazepam; Ro 15-1788; Thyroid-stimulating hormone release; Cold-induced TSH release (Camoratto, A.M.) **265**, 339

Clones
Tetanus toxin receptor; Glutamic acid decarboxylase; Action potentials; Quail; Neuroretina cell cultures (Pessac, B.) **275**, 53

Clonidine
Differential environment; Active sleep; Rat; Development (Mirmiran, M.) **261**, 331

Intrathecal; Iontophoresis; Locus coeruleus; Adrenoceptors; Oxymetazoline; Piperoxane; Lipophilic drugs; Local administration (Marwaha, J.) **276**, 379

β-Adrenoceptors; α-Adrenoceptors; Sleep stages; Prenalterol; Salbutamol; Atenolol; Metoprolol; Propranolol; Prazosin; Phentolamine (Hilakivi, I.) **277**, 109

Antinociception; α-2 Agonists; Periaqueductal gray (Ossipov, M.H.) **289**, 349

Clorgyline
Self-stimulation; Posterior hypothalamus; Rats; Long-term (Aulakh, C.S.) **270**, 383

Club endings
Mauthner cell; Saccular nerve; Synaptic distribution; Endbulbs (Lin, J.-W.) **274**, 319

Cobalt
Goldfish; Retina; Topography; Optic tract; Optic tectum (Springer, A.D.) **273**, 152

Cobalt-induced epilepsy
Noradrenaline; Serotonin uptake; Rat; Dihydroxyphenylethyleneglycol; 5-Hydroxyindoleacetic acid (Trottier, S.) **272**, 255

Cobalt ions
Calcium channels; Synaptosomes (Meyer, E.M.) **265**, 173

Cobalt staining
Nucleus isthmi; Nucleus profundus mesencephali; Optic tectum; HRP; Golgi-Cox method; Single cell recordings; Lizard (Wang, S.-R.) **275**, 355

Cochlear ablation
Auditory system; 2-Deoxyglucose; Hearing loss (Woolf, N.K.) **274**, 119

Cockroach
Lectin receptors; Muscles; Intercellular recognition; Regeneration (Denburg, J.L.) **289**, 241

Lectin receptors; Muscles; Denervation; Regeneration; Intracellular recognition (Denburg, J.L.) **289**, 253

Lectin receptors; Neuronal glycoproteins; Intercellular recognition (Denburg, J.L.) **289**, 269

Coeliac-superior mesenteric system
Bombesin; Enteric nervous system (Schultzberg, M.) **269**, 190

Coexistence
Neurotensin; Dopamine; Arcuate nucleus; Immunohistochemistry; Fluorescence histochemistry; Rat (Ibata, Y.) **269**, 177

Coherence analysis
Central respiratory pattern generator; Power spectrum (Ackerson, L.M.) **271**, 346

Coherence spectrum
Diaphragm EMG; Power spectrum; Central respiratory pattern generators (Bruce, E.N.) **269**, 259

Colchicine
Hippocampus; Sprouting; Sympathetic fibers; Target cells; Kainic acid (Peterson, G.M.) **264**, 21

Amine accumulation; Consummatory behaviour; Motor reflex control; Locomotory behaviour; Lateral hypothalamus; Thermoregulation (Willis, G.L.) **276**, 119

Tissue cultured dorsal root ganglion cells; Nomarski optics; Disruption of microtubules; Axonal transport; Morphology (Horie, H.) **288**, 85

Cold
Hypothalamus; Warm; Perception; Self-stimulation (Cabanac, M.) **264**, 79

Cold exposure
Adrenomedulla; Homoestasis; Tyrosine hydroxylase; Hypoglycemia; Enzyme activation; Enzyme induction; Stress (Fluharty, S.J.) **267**, 384

Cold-induced TSH release
Benzodiazepines; Diazepam; Clonazepam; Ro 15-1788; Thyroid-stimulating hormone release (Camoratto, A.M.) **265**, 339

Cold-injury
Brain edema; Phospholipid degradation; Arachidonic acid; Na^+,K^+-ATPase (Chan, P.H.) **277**, 329

Cold receptor
Capsaicin; Conduction block; Cutaneous afferent; Nociceptor (Petsche, U.) **265**, 233

Nociceptor; Mechanoreceptor; C-Fiber; Sensitization; Rat (Fleischer, E.) **267**, 81

Collateral inhibition
Mauthner reflex; Cranial relay neuron (CRN); Synaptic transmission (Hackett, J.T.) **264**, 302

Collateralization
Red nucleus; Cerebellar interpositus nucleus; Multiple fluorescent tracers (Huisman, A.M.) **264**, 181

Collateral sprouting
Trigeminal nerve; Trigeminal sensory root section; Transmedian innervation (Robinson, P.P.) **259**, 177

Axonal regeneration; Partial denervation; Sciatic nerve; Rat (Sparrow, J.R.) **269**, 133

Cutaneous nerves (Jackson, P.C.) **273**, 277

Red nucleus; Shrinkage (Bromberg, M.B.) **276**, 154

Collision test
Olfactory bulb; Bimodal and trimodal spike latencies; Repetitive spikes; Centripetal axon collaterals; Collision time (Westecker, M.E.) **288**, 119

Collision time
Olfactory bulb; Bimodal and trimodal spike latencies; Repetitive spikes; Centripetal axon collaterals; Collision test (Westecker, M.E.) **288**, 119

Color-opponent
Monkey; Lateral pulvinar; Single unit; Extrageniculate (Felsten, G.) **288**, 363

Command neurons
Spinal cord; Regeneration; Lamprey (Currie, S.N.) **279**, 238

Commissural afferents
Non-pyramidal neurons; Hippocampus; Golgi/EM method (Frotscher, M.) **265**, 289

Hippocampus; Long-term potentiation; Kainic acid; Schaffer collateral; CA1 pyramidal cells (Wheal, H.V.) **272**, 247

Vasoactive intestinal polypeptide; Hippocampus; Electron miscroscopic immunostaining; non-Pyramidal neurons (Léránth, C.) **276**, 357

Compensatory collateral sprouting
Hippocampal formation; Noradrenaline; Acetylcholine (Gage, F.H.) **268**, 27

Regeneration; Functional recovery; Cingulate cortex; Fimbria-fornix; Hippocampus; Acetylcholine; Noradrenaline; Serotonin; T-maze; Alternation behavior (Gage, F.H.) **268**, 39

Compensatory response
Intrauterine enucleation; Ultrastructural analysis; Dorsal lateral geniculate nucleus; Mouse (Kaiserman-Abramof, I.R.) **270**, 149

Competition
Long-term potentiation; Hippocampus; Associative potentiation/depression (Desmond, N.L.) **265**, 21

Complex environment
Rat visual cortex; Dendrite; Middle-age; Plasticity (Green, E.J.) **264**, 233

Compound 48/80
Histamine; tele-Methylhistamine; Brain; Microwave irradiation; High-performance liquid chromatography; Liquid nitrogen freezing (Oishi, R.) **261**, 180

Computerized autoradiography
Serotonin$_1$ receptor subtypes; Spiperone displacement (Deshmukh, P.P.) **288**, 338

Computer microscope
Purkinje cell dendrites; Organotypic cultures; intracellular HRP; Quantitative morphology; Discriminant analysis (Calvet, M.-C.) **280**, 199

Computer model
Interictal spike; Inhibitory surround; Epilepsy; Hippocampus (Traub, R.D.) **261**, 277

Computer-plotted histology
Aggression; Rat; Hypothalamus; Discriminant analysis; Attack; Brain stimulation; 3D-reconstruction (Kruk, M.R.) **260**, 61

Concanavalin A
Angiotensinogen; Rat brain; Biosynthesis; Renin-substrate; Cycloheximide; Vinblastine (Sernia, C.) **259**, 275

Postsynaptic density; Glycoproteins (Gurd, J.W.) **276**, 141

Postsynaptic density; Glycoproteins; Cerebellum; Forebrain; Nitrocellulose blot (Gordon-Weeks, P.R.) **277**, 380

Concanavalin A binding glycoproteins
Cerebellum; Asymmetric junctions; major Postsynaptic density protein; Transmitter receptors (Groswald, D.E.) **278**, 63

Conditioned suppression
Chronic haloperidol; Naloxone; Motility (Kameyama, T.) **275**, 389

Conditioning
Locomotion; *Hermissenda*; Phototactic behavior; Associative learning (Crow, T.) **271**, 301

Startle; Lateral lemniscus; Superior colliculus; Visual cortex; Lateral geniculate (Tischler, M.D.) **276**, 55

Conditioning effect
Peripheral nerve; Regeneration; Cell body response; Frog (Carlsen, R.C.) **279**, 9

Conductance decrease
GABA; Inhibition; Ionic mechanism; Biphasic response (Mayer, M.L.) **260**, 233

Conduction block
Capsaicin; Cutaneous afferent; Nociceptor; Cold receptor (Petsche, U.) **265**, 233

Conduction velocity
Axon diameter; Myelin thickness; Nerve atrophy (Gillespie, M.J.) **259**, 41

Tooth-pulp nerves; Electrical stimulation; Thresholds (Cadden, S.W.) **261**, 31

Cone response
Electroretinogram; Sodium aspartate; Spectral sensitivity; Ground squirrel (Raisanen, J.) **270**, 311

Conjugated dopamine
Catecholamine; Conjugated norepinephrine (Karoum, F.) **259**, 261

Brain; Catecholamines; Cerebrospinal fluid; Dopamine; Dopamine sulfate; Rhesus monkey (Elchisak, M.A.) **279**, 171

Conjugated norepinephrine
Catecholamine; Conjugated dopamine (Karoum, F.) **259**, 261

Connection
Paraventricular nucleus neurons; Dorsomedial medulla; Neurosecretory neurons; Carotid baroreceptors; Rat; Electrophysiology (Kannan, H.) **279**, 31

Connections
Cortex; Auditory; Rat; Thalamic; Callosal (Vaughan, D.W.) **260**, 181

Consummatory behaviour
Amine accumulation; Colchicine; Motor reflex control; Locomotory behaviour; Lateral hypothalamus; Thermoregulation (Willis, G.L.) **276**, 119

Continuous amphetamine
Single-unit; Substantia nigra; Dopamine; Autoreceptors (Ellinwood, E.H. Jr.) **273**, 379

Continuous light
Pineal gland; β-Receptors; Isoproterenol; Norepinephrine (Heydorn, W.E.) **267**, 175

Contralateral controls
Quantal content; Sprouting (Pockett, S.) **268**, 349

Contralateral rotation
Dopamine depletion; Dopamine receptors; Dopamine agonists (Gershanik, O.) **261**, 358

Contraversive rotation
Met^5-Enkephalin; Substantia nigra; Microinjection; Parkinsonism (Jacquet, Y.F.) **264**, 340

Control of breathing
Naloxone; Opioids (Wheeler, M.E.) **258**, 343

Control of posture
Muscle spindle; Fusimotor neuron; After-effect; Sinusoidal stretching; Dynamic sensitivity (Baumann, T.K.) **258**, 139

Control of respiration
Phrenic nerve; Serotonin; Cat (Millhorn, D.E.) **264**, 349

Convergence
pyramidal EPSP; Neck motoneuron; Reticular formation (Alstermark, B.) **259**, 151

Convulsant action
Opiates; Endogenous opioids; Anticonvulsant action; Naloxone (Urca, G.) **259**, 103

Convulsants
3-Mercaptopropionic acid; Neurotransmitter release; Aspartate; Glutamate (Skerritt, J.H.) **258**, 165

Barbiturates; Aspartate; GABA; Ion channels; Neurotransmitter release (Skerritt, J.H.) **258**, 271

Convulsions
L-Glutamate; Phenytoin; Anticonvulsants; Muscimol; Glutamate antagonists (Stone, W.E.) **264**, 165

Arginine vasopressin; Hemorrhage; Neuropeptides (Burnard, D.M.) **273**, 59

Oxygen toxicity; Oxygen; Brain oxygen toxicity; Brain glucose metabolism; 2-Deoxyglucose; Autoradiography (Torbati, D.) **279**, 382

Convulsive threshold
Barbital treatment; Hexobarbital tolerance; Physical dependence; Spontaneous convulsions (Wahlström, G.) **266**, 225

Cooling
Reverberating circuit; Cerebellum; Red nucleus; Precerebellar nucleus (Tsukahara, N.) **274**, 249

Coordination
Proprioception; Muscle receptor organ; Leg joint; Locust (Bräunig, P.) **274**, 341

Core cooling
Short latency reflex; Long latency reflex; Differential latency shift (Bawa, P.) **264**, 320

Core temperature
Noradrenaline; Ventral noradrenergic bundle; Endorphins; Food intake; Water intake; Open-field behaviour; Stress (Millan, M.J.) **263**, 283

Coriolis force
Vestibulo-ocular reflex; Semicircular canals; Otolith organs; Pitch; Nystagmus; Velocity storage (Raphan, T.) **276**, 165

Cornea
HRP; Anterograde transport; Trigeminal sensory nerve endings; Tooth pulp; Peripheral nervous system (Marfurt, C.F.) **261**, 1

Corollary discharge
Behaving monkeys; Extracellular recordings; Striate cortex; Non-oriented cells; Movement perception (Galletti, C.) **260**, 128

REM sleep; Ponto-geniculo-occipital waves; Eye movements; Human cerebral potentials (McCarley, R.W.) **274**, 359

Coronary arteries
Cardiac afferents; Sympathetic nerves (Vance, W.H.) **258**, 96

Corpus callosum
Strabismus; Effects of experience; Interhemispheric connections; Visual cortex; Cat (Berman, N.E.) **274**, 201

Lateral suprasylvian cortex; Binocularity; Striate cortex; Visual development; Strabismus; Cat (Elberger, A.J.) **278**, 295

Visual cortex; Infragranular cortex (Olavarria, J.) **279**, 233

Corpus striatum
Neurotensin; Met-Enkephalin; Striosomes; Immunohistochemistry (Goedert, M.) **274**, 176

Ergot derivatives; Guanine nucleotides; D-2 Receptors; [^{3}H]Spiperone (Gundlach, A.L.) **278**, 155

Correlation techniques
Sympathetic discharges; Phrenic activity; Periodicities; Barbiturates; Pulmonary afferents; Signal averaging techniques (Gootman, P.M.) **270**, 134

Cortex
HRP; Intralaminar nuclei; Thalamus; Cat (Royce, G.J.) **258**, 11

Basal nucleus; Monkey (Pearson, R.C.A.) **259**, 132

Auditory; Rat; Connections; Thalamic; Callosal (Vaughan, D.W.) **260**, 181

Retrograde cell degeneration; Basal nucleus; Monkey; Man (Pearson, R.C.A.) **261**, 321

Striatum; Claustrum; Cholinergic nuclei (Pearson, R.C.A.) **261**, 327

Taste; Breadth of responsiveness; Spontaneous rates; Thalamus; Single neurons (Funakoshi, M.) **262**, 155

PHI; Rat brain; Development; Hippocampus (Christofides, N.D.) **264**, 359

Benzodiazepine binding; Triazolopyridazine; Ontogeny; Hippocampus; Cerebellum; Binding subtypes (Chisholm, J.) **267**, 388

Medial frontal cortex; Glutamate transmitter; Aspartate transmitter (Walker, J.E.) **278**, 283

Somatostatin; Parkinson's disease; Dementia; Alzheimer's disease; Post-mortem; Human; Hippocampus (Epelbaum, J.) **278**, 376

Lithium; Motoneurons; Glial cells; Spinal cord; Hippocampus; Potassium (Grafe, P.) **279**, 65

Receptive field; non-Linear estimate; Spatial interaction; Stimulus; Spatiotemporal white noise; Cat (Citron, M.C.) **279**, 271

Synaptosomes; Choline transport; Alzheimer dementia; Hippocampus (Rylett, R.J.) **289**, 169

Retrograde cell degeneration; Basal nucleus; Rat; Immunohistochemistry; Choline acetyltransferase (Sofroniew, M.V.) **289**, 370

Cortical areas
GABA uptake; Radioautography (Harandi, M.) **260**, 306

Parkinson's disease; Hippocampus; Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; Noradrenaline; Serotonin; 5-Hydroxyindoleacetic acid (Scatton, B.) **275**, 321

Cortical connections
Somatosensory system; Autoradiography; Monkey (Friedman, D.P.) **273**, 147

Cortical lamination
Visual cortex; Acetylcholine; Cholinergic mechanism; Arousal (Sillito, A.M.) **289**, 143

Cortical lesions
Rat; Catecholamines; Serotonin; Subcortical structures (Finklestein, S.) **271**, 279

Cortical neuron
Action potential mechanism; Cortical tissue culture; Calcium spike (Dichter, M.A.) **289**, 99

Cortical neurons
Spike-wave discharges; Penicillin epilepsy (Kostopoulos, G.) **278**, 207

Cortical projection
Glutamergic projection; Aspartergic projection; Amygdala; Thalamus (Walker, J.E.) **267**, 371

Cortical receptors
Benzodiazepines; BDZ$_1$ and BDZ$_2$ receptor subtypes; Triazolopyridazine CL218,872; Aging; Diazepam (Reeves, P.M.) **270**, 376

Cortical synchronization
Pain; Naloxone; Morphine; Area postrema; Nucleus tractus solitarius; EEG activity (Bronzino, J.D.) **271**, 33

Cortical tissue culture
Action potential mechanism; Calcium spike; Cortical neuron (Dichter, M.A.) **289**, 99

Cortical vasodilation
Basal forebrain lesions; Fastigial nucleus (Iadecola, C.) **279**, 41

Cortico-cortical connections
Prefrontal cortex; Allocortex; Horseradish peroxidase; Cat (Cavada, C.) **260**, 117

Macaque monkey; Visual cortex; Middle temporal area; Frontal eye field; Autoradiography (Maioli, M.G.) **265**, 294

Area 20; Visual cortex; Thalamo-cortical connections; Basal forebrain-cortical connections; Brainstem-cortical connections; HRP; Cat (Cavada, C.) **270**, 319

Corticoliberin
Monoamines; Reserpine; Monoamine oxidase inhibitors; Rat median eminence; Immunocytochemistry (Bugnon, C.) **275**, 198

Corticomotoneuronal
Monkey; Motor cortex; Finger movements (Muir, R.B.) **261**, 312

Corticospinal neurons
Corticospinal tract; Cervical cord segment; Lumbosacral cord segments; HRP; Development; Rats (Leong, S.K.) **265**, 1

Corticospinal tract
Corticospinal neurons; Cervical cord segment; Lumbosacral cord segments; HRP; Development; Rats (Leong, S.K.) **265**, 1

Corticosterone
Aldosterone; Receptor; Hippocampus; Serotonin (De Kloet, E.R.) **264**, 323

Adrencorticotropin; Prolactin; Acetylcholine; Nicotinic receptors; Antibodies (Weidenfeld, J.) **265**, 152

Immobilization stress; Noredrenaline; 3-Methoxy-4-hydroxyphenylethyleneglycol sulfate; Morphine; Naloxone; Brain regions (rat); Hyperemotionality (Tanaka, M.) **275**, 105

Adenosine-3',5'-monophosphate; Circadian rhythm; Suprachiasmatic nucleus; Food restriction; Free run; Ventromedial hypothalamus (Murakami, N.) **276**, 297

Corticosterone binding
Caudate-putamen; Cytosol receptors; Brain cell nuclei; Glucocorticoid receptor (Defiore, C.H.) **278**, 93

Corticosterone receptors
Hippocampus; Rat brain; Quantitative autoradiography; LKB Ultrofilm; Steroid receptors (Sapolsky, R.M.) **271**, 331

Hippocampus; Novelty-induced behavior; Kainic acid lesion (Nyakas, C.) **288**, 219

Corticotectal projections
Superior colliculus; Synaptogenesis; Monoclonal antibodies; Radioimmunoassay; Retinotectal projections; Rabbit visual system (Greif, K.F.) **275**, 143

Corticothalamic neurons
Monkey; HRP; Thalamocortical neurons; Thalamic organization; Cerebellar nuclei (Miyata, M.) **274**, 213

Corticotropin releasing factor
EEG; Seizures; Epilepsy; Kindling; Arousal (Ehlers, C.L.) **278**, 332

Blood pressure regulation; Sympathetic nervous system (Brown, M.R.) **280**, 75

Serotonin; Fluoxetine; Vasopressin; Adrenal cortical tropic hormone; Hypophysial portal blood (Gibbs, D.M.) **280**, 176

Locus coeruleus; Pituitary; Peptide hormone; Norepinephrine; Stress; Hypothalamus; Median eminence (Valentino, R.J.) **270**, 363

Corticotropin Releasing Factor (CRF)
Immunocytochemistry; Medulla oblongata; Spinal cord; Mapping; Corticotropin releasing factor neurons (Schipper, J.) **267**, 145

Corticotropin releasing factor neurons
Corticotropin Releasing Factor (CRF); Immunocytochemistry; Medulla oblongata; Spinal cord; Mapping (Schipper, J.) **267**, 145

Corticovestibular
Lateral vestibular nucleus; Cerebellum; Fastigiovestibular; Spatial distribution (Akaike, T) **272**, 223

Cortisol
Prolactin; Cerebrospinal fluid; Morphine; Thyrotropin-releasing hormone; 5-Hydroxytryptophan; Monkey (Herbert, J.) **258**, 251

Neurotransmitters; Rat mediobasal hypothalamus; Iontophoresis; Extracellular recording (Mandelbrod, I.) **272**, 115

Sodium - rat mediobasal hypothalamus; Iontophoresis; Extracellular recording; Osmoreception (Mandelbrod, I.) **273**, 35

Coupling
Lumbar motoneurons; Frog (Brenowitz, G.L.) **274**, 371

Cranial relay neuron (CRN)
Mauthner reflex; Collateral inhibition; Synaptic transmission (Hackett, J.T.) **264**, 302

Crayfish
Neurosecretion; Photoreception; Neurosecretory cells (Glantz, R.M.) **265**, 307

Sustaining fiber; Visual field contour sensitivity; Lucifer Yellow; Dendrite frequency (Kirk, M.D.) **274**, 231

Crayfish neuromuscular junction
Glutamate; Caroverine; Open channel blocker (Ishida, M.) **266**, 174

Glutamate; Trimethaphan; Glutamate inhibitor; Active channel blocker (Shinozaki, H.) **268**, 295

Glutamate; Chlorisondamine; Excitatory transmitter; Open channel blocker (Shinozaki, H.) **273**, 325

Creatine kinase BB-isoenzyme
Immunohistochemistry; Human brain; Tubulin; Astroprotein (Yoshimine, T.) **265**, 101

Cross-anastomosis
Substance P; Immunofluorescence; Vagus nerve; Nodose ganglion; Superior cervical ganglion (Hayashi, H.) **270**, 178

Cross-correlation analysis
Clarke's column; Dorsal spinocerebellar tract (DSCT); Golgi tendon organs; Muscle contraction; Spinal cord (Osborn, C.E.) **280**, 339

Cross-correlation techniques
Muscle stretch evoked EPSPs; Spinal motoneurons (Harrison, P.J.) **264**, 316

Crossed mesostriatal projection
Development; Dopamine neurons; Neonatal brain lesion; 6-Hydroxydopamine; Fluorescent dyes; Retrograde labeling (Altar, A.) **279**, 1

Cross-strain transplantation
Embryonic septum; Reinnervation; Hippocampal formation (Low, W.C.) **262**, 328

Cross-tolerance
Stress analgesia; Opioid peptides; Tolerance (Terman, G.W.) **260**, 147

Prolactin; Adrenocorticotropin; Grooming behavior; Endogenous hyerprolactinaemia; Dopamine (Drago, F.) **263**, 277

CSF
DOPAC; Homovanillic acid; 5-Hydroxyindoleacetic acid (5-HIAA); Dopamine; Cat (Degrell, I.) **277**, 283

Culture
Purkinje neuron; Endogenous activity; Synaptic activity; Putative neurotransmitter (Gruol, D.L.) **263**, 223

Serotonin; Fetal pancreas; Perikarya; Radioautography (Koevary, S.B.) **280**, 368

Cultured astrocyte
Cultured neuron; GABA transport; *cis*-3-Aminocyclohexane carboxylic acid transport; GABA neurotransmission (Larsson, O.M.) **260**, 279

Cultured neuron
Cultured astrocyte; GABA transport; *cis*-3-Aminocyclohexane carboxylic acid transport; GABA neurotransmission (Larsson, O.M.) **260**, 279

Cultured neurones
Insect neurones; Acetylcholine receptors; Nicotinic receptors; α-Bungarotoxin binding (Lees, G.) **288**, 49

Cultured neurons
Post-translational modification of α-tubulin (Black, M.M.) **289**, 355

Cultured vertebrate neurons
Action potentials; Spinal neurons (Smith, T.G. Jr.) **288**, 381

Current injection
Chronic intracellular recording; Lateral geniculate body relay neuron; Membrane potential; Paradoxical sleep; Slow sleep (Hirsch, J.C.) **259**, 308

Cutaneous afferent
Capsaicin; Conduction block; Nociceptor; Cold receptor (Petsche, U.) **265**, 233

Cutaneous afferents
Primary afferent depolarization; Decerebrate control; Sacral spinal cord (Wójcik, G.) **266**, 233

Cutaneous mechanoreceptor
Cutaneous nociceptor; Flexor reflex afferent; Spinal reflex pathway (Behrends, T.) **260**, 131

Group II muscle afferent; Flexor reflex afferent; Spinal reflex pathway (Behrends, T.) **265**, 125

Cutaneous nerves
Collateral sprouting (Jackson, P.C.) **273**, 277

Cutaneous nociceptor
Cutaneous mechanoreceptor; Flexor reflex afferent; Spinal reflex pathway (Behrends, T.) **260**, 131

Cyanide
Adrenal medulla; Catecholamine; Calcium re-introduction; Monoiodoacetate; 2-Deoxyglucose; Na-dependent Ca influx (Sorimachi, M.) **258**, 156

2',3'-Cyclic nucleotide
Photoreceptors; Cyclic nucleotides; 3'-Phosphohydrolase; Histochemistry; Immunohistochemistry (Giulian, D.) **265**, 217

Cyclic nucleotide
Calcium; Pentylenetetrazole; Bursting activity; Snail neuron; Protein kinase; Seizure discharge (Onozuka, M.) **269**, 277

2':3'-Cyclic nucleotide 3'-phosphodiesterase
Immunofluorescent microscopy; Bovine cerebrum; Oligodendrocyte (Sheedlo, H.J.) **288**, 330

2',3'-Cyclic nucleotide-3'-phosphohydrolase
Shiverer mouse; Myelin; Myelin basic protein; Myelin proteolipid protein; 5'-Nucleotidase; Carbonic anhydrase (Cammer, W.) **265**, 73

Cyclic nucleotides
Locus coeruleus; Cerebral blood flow; Seizure (Ingvar, M.) **264**, 225

Photoreceptors; 2',3'-Cyclic nucleotide; 3'-Phosphohydrolase; Histochemistry; Immunohistochemistry (Giulian, D.) **265**, 217

Cycloheximide
Angiotensinogen; Rat brain; Biosynthesis; Renin-substrate; Concanavalin A; Vinblastine (Sernia, C.) **259**, 275

Axonal transport; cAMP; Nerve regeneration; Optic nerve; Proteins; Retinal ganglion cell (McQuarrie, I.G.) **279**, 377

N^6-Cyclohexyladenosine
5'-N-Ethylcarboxamidoadenosine; Adenosine receptors; Autoradiography (Buckley, N.) **269**, 374

Cyclo (His-Pro)
Appetite regulation (Mori, M.) **268**, 181

Cyproheptadine
Serotonin; Vasoactive intestinal polypeptide; Hypothalamus; Perifusion (Shimatsu, A.) **264**, 148

Cysteamine
Kindling; Anti-somatostatin antibody; Somatostatin; Seizures; Epilepsy (Higuchi, T.) **288**, 359

Cytoarchitecture
Ventral lateral nucleus; Thalamus; Cholinesterase; Cerebellum; Dog (Sakai, S.T.) **271**, 1

Cytochrome oxidase
Impulse blockage; Tetrodotoxin; Adult visual system (Wong-Riley, M.) **261**, 185

Dorsal lateral geniculate nucleus; Cholinesterase (Hess, D.T.) **289**, 322

Cytochrome oxidase histochemistry
Brattleboro rat; Metabolic activity; Paraventricular nucleus; Supraoptic nucleus; Nucleus circularis (Krukoff, T.L.) **280**, 160

Cytoskeletal protein metabolism
experimental allergic Encephalomyelitis; Glial fibrillary acidic protein; Gliosis (Smith, M.E.) **264**, 241

Cytoskeletal proteins
Neurofilaments; Mouse; Proteolysis; Posttranslational modification; Retinal ganglion cells; Calcium; Optic pathway (Nixon, R.A.) **275**, 384

Cytoskeleton
Dendrite; Microtubules; Microtubule-associated proteins (Sasaki, S.) **259**, 193

Cytosol receptors
Caudate-putamen; Corticosterone binding; Brain cell nuclei; Glucocorticoid receptor (Defiore, C.H.) **278**, 93

Cytotoxic brain edema
Cell volume; Regulatory volume decrease; C6 Glioma cells (Kempski, O.) **279**, 217

D

DA neurons
Sulpiride; Substantia nigra; Firing; Tyrosine hydroxylase activity DA receptors (Mereu, G.) **264**, 105

DEAE-cellulose separation
Tyrosine hydroxylase; Tyrosine hydroxylase phosphorylation; Tyrosine hydroxylase, two forms (Sze, P.Y.) **268**, 129

α-methyl DOPA
Hypertensive rat; Hypertension (LeDoux, J.E.) **259**, 69

DOPA accumulation
Prolactin; Placental lactogen; Growth hormone; Tuberoinfundibular dopaminergic neurons (Demarest, K.T.) **272**, 175

DOPAC
Locus coeruleus; Catecholamine metabolism; In vivo voltammetry; Noradrenaline (Buda, M.) **273**, 197

Locus coeruleus; Catecholamine metabolism; Voltammetry; Noradrenaline (Gonon, F.) **273**, 207

CSF; Homovanillic acid; 5-Hydroxyindoleacetic acid (5-HIAA); Dopamine; Cat (Degrell, I.) **277**, 283

Cholecystokinin-octapeptide; Striatum; [^{3}H]Spiperone; Homovanillic acid; 5-Hydroxyindoleacetic acid (5-HIAA) (Mashal, R.D.) **277**, 375

DOPA decarboxylase
Glutamine; Synaptosomes; Tyrosine hydroxylase; Tryptophan hydroxylase; Amino acid transport (Katz, I.R.) **264**, 160

DOPA synthesis
Morphine; Dopamine release; Dopamine synthesis; Hypophysial portal blood; Dopaminergic neurons (Reymond, M.J.) **262**, 253

3D-reconstruction
Aggression; Rat; Hypothalamus; Discriminant analysis; Attack; Brain stimulation; Computer-plotted histology (Kruk, M.R.) **260**, 61

D_2/D_3 binding
Dopamine receptor genetics; Receptor phenotype; Serotonin receptor phenotype (Boehme, R.E.) **266**, 51

D-600
Ca^{2+}-dependent K^+-conductance; Afterhyperpolarization; Intracellular release of Ca^{2+}; Caffeine; Bullfrog sympathetic ganglion cell (Nohmi, M.) **268**, 158

Dace
Rod input; Amacrine; Teleost retina; HRP; Electron microscopy (Sakai, H.) **270**, 345

Dantrolene sodium
Cat muscle in vivo; Motor unit types; Unfused contraction; Potentiation (Jami, L.) **261**, 285

DA utilization
Oxytocin; des-Glycinamide-oxytocin; Anti-oxytocin serum; Mesencephalon (Kovács, G.L.) **268**, 307

Dazzle reflex
Pretectum; Facial nucleus; Olivary pretectal nucleus; Blink reflex; Menace reflex; HRP; Cat (Itoh, K.) **274**, 332

Deafferentation
HRP; Motoneurons; Rat; Spinal cord; Retrograde transport (Peyronnard, J.-M.) **275**, 203

Habenula; Norepinephrine; Sympathetic innervation; Central noradrenergic projections; Rat (Gottesfeld, Z.) **275**, 299

Deafferented hypothalamus
Reinnervation; Rat (Nagy, L.) **268**, 354

Deafferentiation
Locus coeruleus; Nucleus raphe magnus; Dorsal horn (Hodge, C.J. Jr.) **288**, 325

Decerebrate cat
Dorsal column stimulation; Stretch reflexes; Spasticity (Chapman, C.E.) **258**, 211

Decerebrate control
Primary afferent depolarization; Cutaneous afferents; Sacral spinal cord (Wójcik, G.) **266**, 233

Decerebration
Footshock induced analgesia; Opiate analgesia; Non-opiate analgesia; Periaqueductal gray (Watkins, L.R.) **276**, 317

Vestibular afferents; Anesthesia; Linear forces; Gerbils (Perachio, A.A.) **280**, 287

Deep innervation
Sural nerve; Pain; Nociceptor (Chang, S.C.) **279**, 262

Defensive reflexes
Abducens nerve; Accessory abducens nucleus; Oculomotor control; Retractor bulbi; Nictitating membrane reflex (Berthier, N.E.) **258**, 201

Degeneration
Hagfish; Retinal projections; HRP (Kusunoki, T.) **262**, 295

Giant interneuron; Ultrastructure; Regeneration (Meiri, H.) **263**, 1

Vestibular compensation; Neuronal plasticity; Labyrinthectomy; Regeneration; Guinea pig (Jensen, D.W.) **273**, 175

Central nucleus of amygdala; Dorsal motor nucleus of vagus nerve; HRP (Takeuchi, Y.) **280**, 143

Dehydration
Natriuresis; Hypernatremia; Brain lesion; Anterior third ventricle; Sheep (McKinley, M.J.) **263**, 340

Dehydroepiandrosterone
Pregnenolone; Sulfate-esters; Brain steroids; Neuro-steroids (Corpéchot, C.) **270**, 119

Deiters' nucleus
Lateral vestibulospinal tract; Medial vestibulospinal tract; Somatotopy; Vestibular activation (Akaike, T.) **259**, 217

[^{3}H]Delta sleep-including peptide (DSIP)
Binding; Autoradiography; Tissue culture; Brainstem (Hösli, E.) **279**, 374

Dementia
Somatostatin; Parkinson's disease; Alzheimer's disease; Post-mortem; Human; Cortex; Hippocampus (Epelbaum, J.) **278**, 376

Demyelinating antibodies
Myelination-inhibiting antibodies; Nerve tissue cultures; Myelin proteins; Immunoblot technique (Seil, F.J.) **288**, 384

Demyelination
Peripheral nerve; Lysolecithin; Remyelination; PNS myelin protein; P_0 (Smith, M.E.) **270**, 37

Dendrite
Microtubules; Microtubule-associated proteins; Cytoskeleton (Sasaki, S.) **259**, 193

Rat visual cortex; Middle-age; Complex environment; Plasticity (Green, E.J.) **264**, 233

Stimulation; Spine; Optic tectum; Fish (Burgess, J.W.) **266**, 217

Gap junction; Interneuron; non-Pyramidal cell; Hippocampus; Rat; Mammal (Kosaka, T.) **271**, 157

Dendrite frequency
Crayfish; Sustaining fiber; Visual field contour sensitivity; Lucifer Yellow (Kirk, M.D.) **274**, 231

Dendrites
Senile dementia, Alzheimer type; Neuritic plaques; Human hippocampus; Axons; Golgi impregnation technique (Probst, A.) **268**, 249

Dopamine; Substantia nigra; Locomotor activity; Amphetamine (Jacksn, E.A.) **278**, 366

Dendritic inhibition
Hippocampal slice; Dentate gyrus; long-lasting Potentiation; Picrotoxin; Bicuculline (Wigström, H.) **275**, 153

Dendritic spine
Spine apparatus; Calcium; Dentate fascia (Fifková, E.) **266**, 163

Denervation
Disuse; Acetylcholine receptor; Rat neuromuscular junction; Receptor development (Labovitz, S.S.) **266**, 155

Axotomy; cGMP; High extracellular K$^+$; Preganglionic electrical stimulation; Rat superior cervical sympathetic ganglion (Ando, M.) **267**, 313

α_1-Adrenoceptor; Norepinephrine; Lateral geniculate; Microiontophoresis; Single unit; Receptor binding; Supersensitivity (Menkes, D.B.) **272**, 1

Dopamine receptor; Striatum; Neuroleptics (Reches, A.) **275**, 183

Temperature; Membranes; Glomus cells (Eyzaguirre, C.) **279**, 282

Lectin receptors; Muscles; Regeneration; Intracellular recognition; Cockroach (Denburg, J.L.) **289**, 253

Densitometry
[^{14}C]2-Deoxyglucose; Inferior colliculus; Stimulus rate effects (Sargent Jones, L.) **279**, 85

Dentate fascia
Dendritic spine; Spine apparatus; Calcium (Fifková, E.) **266**, 163

Dentate gyrus
Hypothalamus; Electron microscopic autoradiography (Dent, J.A.) **258**, 1

Glial proliferation; Acetylcholinesterase; Axonal sprouting (Avendaño, C.) **265**, 160

Hippocampus; Granule cells; Theta cells; Learning and memory (Rose, G.) **266**, 29

Supramammillary; Acetylcholinesterase; Submammillothalamic; Hippocampal afferents; Posterior hypothalamus (Harley, C.W.) **270**, 335

Norepinephrine; Hippocampus; Plasticity (Neuman, R.S.) **273**, 162

Initial segment; Synapse; Granule cell; Axo-axonic cell; Chandelier cell; Basket cell (Kosaka, T.) **274**, 129

Hippocampal slice; long-lasting Potentiation; Dendritic inhibition; Picrotoxin; Bicuculline (Wigström, H.) **275**, 153

Epilepsy; Kindling; Long-term potentiation; GABA (Tuff, L.P.) **277**, 79

Gap junction; Interneuron; Hippocampus; Rat; Mammal (Kosaka, T.) **277**, 347

Dentate hilus
Hippocampus; Granule cells; Retrograde tracing; Rat (Gaarskjaer, F.B.) **274**, 11

Dentate nucleus
Caudate nucleus; Movement initiation; Handedness; Brain stimulation; Instrumental conditioning (Moroz, V.M.) **259**, 298

Dominantly-inherited cerebellar ataxias; Cerebellum; GABA; GABA receptor; Purkinje neurone (Kish, S.J.) **269**, 370

Deoxycoformycin
REM sleep; Slow-wave sleep (S_2); Adenosine (Radulovacki, M.) **271**, 392

Deoxycorticosterone acetate salt
Nucleus locus coeruleus; Electrical stimulation; Lesioning; Hypertension (Chida, K.) **273**, 53

2-Deoxyglucose
Adrenal medulla; Catecholamine; Calcium re-introduction; Cyanide; Monoiodoacetate; Na-dependent Ca influx (Sorimachi, M.) **258**, 156

Spinal cord; Functional organization; Afferent termination (Piepmeier, J.M.) **259**, 167

[^{14}C]2-Deoxyglucose
Basal ganglia; Dopamine; Neglect; Neostriatum; Recovery of function (Kozlowski, M.R.) **259**, 237

2-Deoxyglucose
Functional mapping; Deoxy sugar (Kelly, P.A.T.) **260**, 172

Deoxyglucose
Dopamine; Cannula; Striatum; Subthalamic nucleus; Entopeduncular nucleus; Rotation behavior (Brown, L.L.) **261**, 213

2-Deoxyglucose
Hibernation; Paratrigeminal nucleus; Nuclei insulae cuneati lateralis; Thermoafferent pathway (Kilduff, T.S.) **262**, 117

Local cerebral glucose utilization; Neuroanatomical mapping; Optical density ratios (Sharp, F.R.) **263**, 97

Self-stimulation; Autoradiography; Medial frontal bundle; Medial prefrontal cortex; Locus coeruleus (Yadin, E.) **266**, 39

Epilepsy; El mouse; Hippocampus; Focus; Neocortex; Excitation; Brainstem (Suzuki, J.) **266**, 359

[^{14}C]2-Deoxyglucose
Ocular dominance; Visual cortex; Cat (Tieman, S.B.) **267**, 35

2-Deoxyglucose
Sleep; Rhesus monkey; Macaque monkey; Hypnogenic center; Cerebral metabolism (Nakamura, R.K.) **268**, 372

Hypothermia; Brachium conjunctivum; White matter activation; Optical density ratios (Kilduff, T.S.) **269**, 168

Neurohypophysis; Paraventricular nucleus; Brattleboro rats; Osmotic stimulus (Sutherland, R.C.) **271**, 101

[^{14}C]2-Deoxyglucose
Cardiovascular regulation; Noradrenergic systems; Medulla; Hypothalamus; Habenula (Savaki, H.E.) **271**, 109

Reticular formation; Metabolic vasodilation; [^{14}C]Iodoantipyrine; Local cerebral blood flow; Local cerebral metabolism (Iadecola, C.) **272**, 101

Deoxyglucose
Cerebellar stimulation; Cerebellar nuclei (Bardin, J.M.) **272**, 171

2-Deoxyglucose
Milk ejection; Ascending pathway; Paraventricular and supraoptic nuclei; Pituitary gland (Sutherland, R.C.) **273**, 291

Auditory system; Cochlear ablation; Hearing loss (Woolf, N.K.) **274**, 119

^{14}C-Deoxyglucose
Circadian rhythmicity; Suprachiasmatic nuclei (Schwartz, W.J.) **274**, 184

2-Deoxyglucose
Morphine withdrawal; Limbic system; Dose dependency (Geary, W.A. II) **275**, 117

[^{14}C]Deoxyglucose
Vasopressin; Brattleboro rat; Diabetes insipidus; Subfornical organ; Pituitary neural lobe; Angiotensin (Kadekaro, M.) **275**, 189

[^{14}C]2-Deoxyglucose
Inferior colliculus; Densitometry; Stimulus rate effects (Sargent Jones, L.) **279**, 85

2-Deoxyglucose
Oxygen toxicity; Oxygen; Brain oxygen toxicity; Brain glucose metabolism; Autoradiography; Convulsions (Torbati, D.) **279**, 382

Autoradiography; Cellular localization (Hökfelt, T.) **289**, 311

[^{14}C]2-Deoxy-D-glucose autoradiography
Anorexia; Brain metabolism; Ethanolamine-O-sulfate; Food intake; GABA; GABA-T inhibition; Sensorimotor tests; Tail-pinch (Nobrega, J.N.) **262**, 243

2-Deoxyglucose autoradiography
Basal ganglia; Apomorphine; Amphetamine; Dopamine (Wooten, G.F.) **263**, 267

Spatial resolution; ^{14}C-^{3}H (Gallistel, C.R.) **267**, 323

[^{14}C]2-Deoxyglucose autoradiography
Aggression; Quiet biting attack; Hippocampal formation; Trigeminal sensory field (Watson, R.E. Jr.) **269**, 327

2-Deoxy-D-[^{3}H]glucose entrance
Rat; Brain microvessels, isolated; Insulin (Djuričić, B.M.) **275**, 186

2-Deoxyglucose technique
Antidepressant; Desmethylimipramine; Phenelzine; Local cerebral metabolism (Gerber, J.C. III) **269**, 319

Deoxy sugar
2-Deoxyglucose; Functional mapping (Kelly, P.A.T.) **260**, 172

Deoxy-sugars
Autoradiography; Glucose utilization (Kelly, P.A.T.) **269**, 165

Depolarization
Acetylcholine receptor; Chick embryo; Myotubes; Regulation; Potassium (Shieh, B.-H.) **263**, 259

α-Adrenergic receptor; Norepinephrine; Astrocyte cultures (Hirata, H.) **270**, 358

GABA; γ-Aminobutyric acid; Receptors; Mammalian peripheral nerves; Amphibian peripheral nerves; Myelinated fibers; Pharmacological characterization (Morris, M.E.) **278**, 117

GABA; γ-Aminobutyric acid; Receptors; Potassium ions; Peripheral nerve; Myelinated fibers; Dorsal root; Ventral root; Localization (Morris, M.E.) **278**, 127

Depolarization shift
N-methyl-D-Aspartate; Transmitter-sensitive conductance; Neocortical neurons; Inward rectification (Flatman, J.A.) **266**, 169

Depolarizing response
Ca^{2+} conductance; Hyperpolarizing response; Associative conditioning; Voltage-dependence (Walters, E.T.) **280**, 165

Depth profile
Focal interictal epileptiform discharges; Cerebral cortex; Penicillin; Electrophoresis; Rat (Lockton, J.W.) **258**, 79

Descending brainstem pathways
Fluorescent neuronal tracers (Huisman, A.M.) **289**, 305

Descending control
Voluntary movements; Reflex pathways (Fournier, E.) **288**, 375

Descending controls
Spinal cord; Sensory pathways; Visceral pain (Cervero, F.) **275**, 251

Descending inhibition
Nociception; Spinal dorsal horn; HRP; Immunocytochemistry; Serotonin; Cat (Hoffert, M.J.) **267**, 361

Descending noradrenergic system
Analgesia; Nucleus reticularis paragigantocellularis; Nucleus raphe magnus; L-Glutamate; Descending serotonergic system (Satoh, M.) **261**, 361

Descending noradrenergic systems
Spinal cord; Dopamine-β-hydroxylase; Immunocytochemistry; Locus coeruleus; Subcoeruleus (Westlund, K.N.) **263**, 15

Descending serotonergic system
Analgesia; Nucleus reticularis paragigantocellularis; Nucleus raphe magnus; L-Glutamate; Descending noradrenergic system (Satoh, M.) **261**, 361

Desensitization
Hippocampus; Glutamate; Aspartate; Homocysteate; Excitatory amino acid receptors (Fagni, L.) **261**, 167

α_1-Adrenoceptors; Startle; Prazosin; Spinal cord (Astrachan, D.I.) **276**, 183

Acetylcholinesterase; Acetylcholine receptor; Muscle cultures (Sampson, S.R.) **289**, 338

Desmethylimipramine
Antidepressant; Phenelzine; 2-Deoxyglucose technique; Local cerebral metabolism (Gerber, J.C. III) **269**, 319

β-Adrenergic subsensitivity; Time-dependency; Antidepressants (Lace, J.W.) **278**, 359

Detection of neuronal responses
Latency estimations; Stimulus- and movement-related changes in neuronal activity (Seal, J.) **278**, 382

Detection thresholds
Brain stimulation; Psychophysics (animal); Reward threshold (Wheeling, H.S.) **272**, 13

Detergent
Adenylate cyclase inhibitor; Guanine nucleotide (Sano, M.) **264**, 157

Development
Tetrahydrobiopterin; Guanosine-5′-triphosphate cyclohydrolase; Brain; Pineal gland (Kapatos, G.) **258**, 351

Long-term potentiation; Hippocampus; Circadian rhythms; Hippocampal slice (Harris, K.M.) **261**, 69

Differential environment; Active sleep; Clonidine; Rat (Mirmiran, M.) **261**, 331

Neuroblastoma; Growth inhibition; Growth inhibitory factor; Glioblast (Sakazaki, Y.) **262**, 125

Motoneurons; Cell migration; Spinal cord; Frog (Liuzzi, F.J.) **262**, 299

Spinal cord; Noradrenergic innervation; Dopaminergic innervation; Fetus; Neonate (Commissiong, J.W.) **264**, 197

PHI; Rat brain; Cortex; Hippocampus (Christofides, N.D.) **264**, 359

Corticospinal neurons; Corticospinal tract; Cervical cord segment; Lumbosacral cord segments; HRP; Rats (Leong, S.K.) **265**, 1

Sympathetic ganglia; Spinal cord; Tyrosine hydroxylase; Choline acetyltransferase (Hamill, R.W.) **266**, 21

Epinephrine; Spinal cord; Preganglionic sympathetic nucleus; Phenylethanolamine-N-methyltransferase; Uptake; Autoradiography (Caserta, M.T.) **270**, 11

Methionine-enkephalin; Opioid neurons; Cerebral nuclei; Spontaneously hypertensive rats (Nakamura, K.) **271**, 21

Amygdala; Amygdaloid complex; Limbic system; Forebrain; Neurogenesis; Autoradiography (McConnell, J.) **272**, 150

Synapse elimination; Segmental root distribution; Mammalian muscle (Brown, M.C.) **273**, 188

Crossed mesostriatal projection; Dopamine neurons; Neonatal brain lesion; 6-Hydroxydopamine; Fluorescent dyes; Retrograde labeling (Altar, A.) **279**, 1

Testosterone; Pituitary; Met^5-Enkephalin (Yoshikawa, K.) **279**, 343

Developmental toxicology
Lead neurotoxicity; Visual system; Muscarinic acetylcholine receptor; Acetylcholinesterase; Scopolamine supersensitivity; Neurotoxicology; Visual cortex (Costa, L.G.) **276**, 259

Dexamethasone
Glucocorticoids; Tyrosine hydroxylase; Superior cervical ganglion (Sze, P.Y.) **265**, 81

Diabetes insipidus
Angiotensin-converting enzyme; Angiotensin II; Bradykinin; Vasopressin; Brattleboro rats; Brainstem nuclei; Septal nuclei (Chevillard, C.) **272**, 283

Vasopressin; Brattleboro rat; Subfornical organ; Pituitary neural lobe; Angiotensin; [^{14}C]Deoxyglucose (Kadekaro, M.) **275**, 189

Vasopressin; Histamine; Brattleboro rat; Hypothalamus; Supraoptic nucleus (Correa, F.M.A.) **276**, 247

Somatostatin; Vasopressin; Brattleboro rats; Pituitary gland; Intermediate pituitary lobe; Posterior pituitary lobe; Brain nuclei (Saavedra, J.M.) **277**, 23

Diagonal band
Nucleus basalis; Cerebral cortex; Fluorescent axonal tracers; Axonal collaterals (Price, J.L.) **269**, 352

Diaphragm EMG
Coherence spectrum; Power spectrum; Central respiratory pattern generators (Bruce, E.N.) **269**, 259

Diazepam
Benzodiazepine receptor; PK 8165; PK 9084; Benzodiazepine receptor antagonist; Selective anxiolytic; (+)Bicuculline; Quinoline derivatives (Gee, K.W.) **264**, 168

Benzodiazepines; Clonazepam; Ro 15-1788; Thyroid-stimulating hormone release; Cold-induced TSH release (Camoratto, A.M.) **265**, 339

Benzodiazepine; Inhibiton; Spinal cord cultures; GABA (Sher, P.K.) **268**, 171

Benzodiazepines; BDZ$_1$ and BDZ$_2$ receptor subtypes; Triazolopyridazine CL218,872; Cortical receptors; Aging (Reeves, P.M.) **270**, 376

Benzodiazepine receptors; Ro15-1788; Benzodiazepine antagonist; Kindled seizures (Robertson, H.A.) **270**, 380

2,4-Dichlorophenoxyacetic acid
Blood; CSF barrier; Choroid plexus; Organic acid transport; Reye's syndrome (Kim, C.S.) **259**, 340

Difference threshold
Turtle; Nucleus rotundus; Reptiles; Vision (Schade Powers, A.) **264**, 47

Differential activation
Forelimb movement; Fast and slow muscles; Electromyography (Alstermark, B.) **259**, 155

Differential centrifugation
Astrocytes; Freeze-fracture; Plasma membrane; Intramembranous particles; Assemblies; Rearrangement; Trypsinization (Anders, J.J.) **278**, 81

Differential environment
Active sleep; Clonidine; Rat; Development (Mirmiran, M.) **261**, 331

Differential latency shift
Core cooling; Short latency reflex; Long latency reflex (Bawa, P.) **264**, 320

Differential pulse voltammetry
Oxidation potential; Peak 3; Electrochemical detection; 5-Hydroxyindoles; Raphe nuclei (Crespi, F.) **270**, 45

Oxidation peak 3; Raphe dorsalis; Raphe magnus; Circadian variations; Monoamine oxidase inhibitors (Crespi, F.) **272**, 263

Differentiation
α-Scorpion toxin; Cell line culture; Phenotypic specificity; Sodium channel; Neuronal maturation (Martin-Moutot, N.) **274**, 267

Differentiation in vitro
Oligodendrocytes; Extracellular matrix (Lubetzki-Korn, I.) **267**, 151

Dihydrokainic acid
Kainic acid; Lateral geniculate nucleus; α-Ketokainic acid; Amino acid receptor; Excitant (King, D.J.) **262**, 172

Dihydromorphine
Opiate binding; Enkephalins (Yaksh, T.L.) **268**, 119

3,4-Dihydroxyphenylacetic acid
Retina; Amacrine cell; Dopamine turnover; Apomorphine; Haloperidol; Homovanillic acid (Cohen, J.) **260**, 125

Amphetamine; Slow-release pellet; Dopamine; Homovanillic acid; Neurotoxicity (Ellison, G.) **268**, 387

Dihydroxyphenylacetic acid
Acute L-DOPA; Dopamine release; Homovanillic acid; 3-Methoxytyramine (Ponzio, F.) **273**, 45

Parkinson's disease; Cortical areas; Hippocampus; Dopamine; Homovanillic acid; Noradrenaline; Serotonin; 5-Hydroxyindoleacetic acid (Scatton, B.) **275**, 321

Dihydroxyphenylethyleneglycol
Cobalt-induced epilepsy; Noradrenaline; Serotonin uptake; Rat; 5-Hydroxyindoleacetic acid (Trottier, S.) **272**, 255

5,7-Dihydroxytryptamine
Serotonin; Hypothalamus; Neurotoxins; 6-Hydroxydopamine; Immunocytochemistry; Axotomy (Frankfurt, M.) **261**, 91

Serotonin; Thyrotropin stimulating hormone; *m*-Chlorophenylpiperazine; Supersensitivity of central 5-HT receptors (Schettini, G.) **261**, 349

Kainic acid; Reticular formation; Noradrenaline; Serotonin; Turning behavior; 6-Hydroxydopamine (Porceddu, M.L.) **262**, 187

Lordosis behavior; Serotonin (Luine, V.N.) **264**, 344

Serotonin; In vitro release; Parachloroamphetamine; Pancreas; Radioautography (Koevary, S.B.) **265**, 328

Locomotor activity; Limbic-midbrain region; Serotonin; Behavior; Nucleus medianus raphe (Asin, K.E.) **268**, 211

Monoaminergic neurons; Sexual behavior; 6-Hydroxydopamine (Hansen, S.) **268**, 285

Blood pressure; Spinal serotonin nerves; Immunohistochemistry; Electrical stimulation (Howe, P.R.C.) **270**, 29

Diisopropylfluorophosphate
Atropine; Muscarinic receptors; Choline uptake; Regional adaptation (Yamada, S.) **268**, 315

$[^3H]$Diprenorphine
Spinal cord; Opiate receptors; μ-, δ, κ-Types; $[^3H]$RX 78006 (H-Tyr-D-Ala-Gly-MePhe-NH $(CH_2)_2OH$); Sequential displacement; Human (Członkowski, A.) **267**, 392

Dipsogenesis
Angiotensin II; Olfactory bulb; Peptide (Chen, F.-C.M.) **259**, 335

Discharge rate
Voluntary force exertion; Ballistic contraction; Ramp contraction; Isometric force; Surface e.m.g.; Integrated e.m.g.; Force rate (Yoneda, T.) **275**, 305

Discriminant analysis
Aggression; Rat; Hypothalamus; Attack; Brain stimulation; Computer-plotted histology; 3D-reconstruction (Kruk, M.R.) **260**, 61

Purkinje cell dendrites; Organotypic cultures; intracellular HRP; Computer microscope; Quantitative morphology (Calvet, M.-C.) **280**, 199

Discriminative conditioning
Unit recording; Prefrontal cortex; Mediodorsal thalamic nucleus; Avoidance learning; Rabbit (Orona, E.) **263**, 295

Unit recording; Prefrontal cortex; Learning; Mediodorsal thalamus; Reversal; Rabbits (Orona, E.) **263**, 313

Disease
Myelin; Genetic mutation; Morphology; Tissue culture (Wolf, M.K.) **271**, 121

Disruption of microtubules
Tissue cultured dorsal root ganglion cells; Nomarski optics; Colchicine; Axonal transport; Morphology (Horie, H.) **288**, 85

Dissociation
Phencyclidine; $[^3H]$TCP; Receptor; PCP analogues (Vignon, J.) **280**, 194

Distribution density
Microneurography; Human skin; Reinnervation; Mechanoreceptors; Adaptive behavior; Receptive fields; Sensory recovery (Mackel, R.) **268**, 49

Disuse
Denervation; Acetylcholine receptor; Rat neuromuscular junction; Receptor development (Labovitz, S.S.) **266**, 155

Diurnal rhythm
Aging; Analgesia; Light-dark cycle; Morphine; Opioid; Thermal stimulus (Kavaliers, M.) **279**, 387

Divalent cations
Neuromuscular junction; Miniature end-plate potentials; Power law; Transmitter release; Tetanic potentiation (Narita, K.) **289**, 79

Dog
Ventral lateral nucleus; Thalamus; Cholinesterase; Cytoarchitecture; Cerebellum (Sakai, S.T.) **271**, 1

Dogs
Horseradish peroxidase; Recurrent laryngeal nerve; Superior laryngeal nerve; Bronchoconstriction; Cells of origin (Wallach, J.H.) **261**, 307

Tracheal smooth muscle; Cholinergic pathways; β-Adrenergic pathways; Capsaicin; Airway caliber (Rybicki, K.J.) **270**, 159

Domestic fowl
Carotid body innervation; Autoradiography; Synaptic morphology (Taha, A.A.M.) **266**, 193

Dominant focus
Rabbit; Cerebral cortex; cAMP; Histamine (Hattori, Y.) **279**, 308

Dominantly-inherited cerebellar ataxias
Cerebellum; GABA; GABA receptor; Purkinje neurone; Dentate nucleus (Kish, S.J.) **269**, 370

L-DOPA
Amine accumulation; Catecholamine depletion; 6-Hydroxydopamine; Locomotor behavior; Motor reflex control; LH syndrome; Catecholamine agonists (Willis, G.L.) **266**, 279

Dopamine
Regional distribution; Norepinephrine; Cerebral arteries; Pre- or postganglionic sympathetic denervation; High-performance liquid chromatography (Suzuki, Y.) **258**, 53

Sleep-waking; Substantia nigra; Unit activity; Sensory stimulation; Orientation; Cat; Behavior (Steinfels, G.F.) **258**, 217

Striatum; Opiates; Naloxone; Substantia nigra (Chesselet, M.F.) **258**, 229

Aplysia neurons; K^+ conductance; Carbachol; Histamine (Chesnoy-Marchais, D.) **259**, 57

Basal ganglia; [^{14}C]2-Deoxyglucose; Neglect; Neostriatum; Recovery of function (Kozlowski, M.R.) **259**, 237

Prolactin; Reserpine; Calcium; Thyrotropin-releasing hormone; Adrenocorticotropic hormone (Login, I.S.) **260**, 99

Area postrema; Carbamylcholine; Serotonin; Angiotensin II; Neostigmine; Atropine (Brooks, M.J.) **261**, 85

D-Amphetamine; Ascorbic acid; In vivo electrochemistry; Electrophysiology; Neostriatum (Ewing, V.G.) **261**, 101

Striatum; Rotation behavior; Chronic cannula; Drug distribution (Wolfson, L.I.) **261**, 205

Deoxyglucose; Cannula; Striatum; Subthalamic nucleus; Entopeduncular nucleus; Rotation behavior (Brown, L.L.) **261**, 213

Catecholamine fluorescence; Retrograde dyes; Amygdala; Substantia nigra; Ventral tegmental area (Loughlin, S.E.) **262**, 334

2-Deoxyglucose autoradiography; Basal ganglia; Apomorphine; Amphetamine (Wooten, G.F.) **263**, 267

Prolactin; Adrenocorticotropin; Grooming behavior; Endogenous hyerprolactinaemia; Cross-tolerance (Drago, F.) **263**, 277

Ventral mesencephalic tegmental-A10; Locus coeruleus; Raphé dorsalis; Serotonin (McRae-Degueurce, A.) **263**, 344

Tyrosine hydroxylase; Forskolin; Adenylate cyclase; cAMP; Synaptosomes; Retina (Katz, I.R.) **264**, 173

Primary brain cultures; Norepinephrine; Radioenzymatic assay; Fluorescence (Sumners, C.) **264**, 267

Sensory imbalance; Sensory neglect; Apomorphine; Circling; Rotational behaviour (Szechtman, H.) **264**, 332

Amphetamine; Catecholamines; Hypothalamus; Norepinephrine; Epinephrine (Leibowitz, S.F.) **266**, 348

Hypothalamic slice; Oxytocin; Vasopressin; Haloperidol; Spiperone; Sulpiride; Flupenthixol (Mason, W.T.) **267**, 113

Orbitofrontal cortex; Unit recording; Monkey; Microiontophoresis; Catecholamine; Noradrenaline; Reward (Aou, S.) **267**, 165

Lithium; Neglect neostriatum; Recovery of function; [^{3}H]Spiroperidol binding (Kozlowski, M.R.) **267**, 301

Glucocorticoids; Apomorphine; Receptors; Spinal cord (Hall, E.D.) **267**, 380

Arcuate-ventromedial hypothalamus; Morphine; Prolactin; Neural activity (Haskins, J.T.) **268**, 185

Norepinephrine; Olfactory cortex; 6-Hydroxydopa; Odor preference (Cornwell-Jones, C.A.) **268**, 291

Amphetamine; Slow-release pellet; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; Neurotoxicity (Ellison, G.) **268**, 387

Neurotensin; Coexistence; Arcuate nucleus; Immunohistochemistry; Fluorescence histochemistry; Rat (Ibata, Y.) **269**, 177

Thalamus; Norepinephrine (Oke, A.) **269**, 180

Adrenal medulla; Brain grafts; Tissue transplantation; Catecholamines; Chromaffin cells (Freed, W.J.) **269**, 184

Enkephalin; Caudate; Naloxone; Amphetamine stereotype; In vivo electrochemistry (Broderick, P.A.) **269**, 378

Etomidate; Prolactin release; Synaptosomes; 5-Hydroxytryptophan; Haloperidol; GABA (Preziosi, P.) **271**, 379

5-Methoxy-N,N-dimethyltryptamine; Prolactin; Tuberoinfundibular neurons; Serotonin (Simonovic, M.) **272**, 269

Biogenic amines; Cephalopod retina; Centrifugal neurons (Silver, S.C.) **273**, 366

Norepinephrine; Hypothalamus; Obese mice; Paraventricular nucleus; Lateral hypothalamus; Arcuate nucleus; Obesity (Oltmans, G.A.) **273**, 369

Single-unit; Continuous amphetamine; Substantia nigra; Autoreceptors (Ellinwood, E.H. Jr.) **273**, 379

Reaggregates; Neuron survival; Substantia nigra; Neuronal culture (Hoffmann, P.C.) **274**, 275

Acetylcholine; Acetylcholinesterase; Caudate-putamen; Striosomes; 6-Hydroxydopamine; Nigrostriatal bundle; Basal ganglia; Neostriatum (Marhsall, J.F.) **274**, 283

Neurotensin; Release; Striatum; Rat (De Quidt, M.E.) **274**, 376

Parkinson's disease; Cortical areas; Hippocampus; Dihydroxyphenylacetic acid; Homovanillic acid; Noradrenaline; Serotonin; 5-Hydroxyindoleacetic acid (Scatton, B.) **275**, 321

Evoked potentials; Neuron model; Prefrontal cortex (Hernandez, A.) **276**, 195

Adrenaline; Noreadrenaline; Stress; Rat brain (Sudo, A.) **276**, 372

Apomorphine; Self-stimulation behavior; Reward (Leith, N.J.) **277**, 129

Sleep-waking; Auditory stimulation; Substantia nigra; Dopaminergic unit activity; REM sleep (Steinfels, G.F.) **277**, 150

CSF; DOPAC; Homovanillic acid; 5-Hydroxyindoleacetic acid (5-HIAA); Cat (Degrell, I.) **277**, 283

Retina; Somatostatin; Substance P; Kainic acid; Neurotoxin (Sagar, S.M.) **278**, 109

Strychnine; Bicuculline; Glycine; GABA; Retina; Light; Rat (Morgan, W.W.) **278**, 362

Dendrites; Substantia nigra; Locomotor activity; Amphetamine (Jacksn, E.A.) **278**, 366

Voltammetry; Stress; Striatum; Electrochemistry; Homeostasis; Caudate nucleus; Sensory stimulation (Keller, R.W. Jr.) **279**, 159

Brain; Catecholamines; Cerebrospinal fluid; Conjugated dopamine; Dopamine sulfate; Rhesus monkey (Elchisak, M.A.) **279**, 171

Alzheimer-type dementia; Down's syndrome; Post-mortem brain; Noradrenaline; Choline acetyltransferase; Acetylcholinesterase (Yates, C.M.) **280**, 119

Striatum; Monkey; $[^{18}F]$6-Fluoro-L-dopa; Positron emission tomography (Garnett, S.) **280**, 169

Primary astroglial culture; Autoradiography; GABA; Glutamate; Aspartate; Norepinephrine; Serotonin; Enkephalin; Valine (Hansson, E.) **289**, 189

Dopamine agonists
Dopamine depletion; Dopamine receptors; Contralateral rotation (Gershanik, O.) **261**, 358

In vivo electrochemistry; Pergolide; Ascorbic acid; Voltammetry (Clemens, J.A.) **267**, 183

Dopamine binding sites
Striatum; Nucleus accumbens; D-Amphetamine; Phencyclidine (Robertson, H.A.) **267**, 179

Dopamine depletion
Dopamine receptors; Dopamine agonists; Contralateral rotation (Gershanik, O.) **261**, 358

Dopamine-β-hydroxylase
Adrenaline-containing neurons; Catecholamine synthesizing enzymes; Medulla oblongata; Noradrenaline-containing neurons; Phenylethanolamine-N-methyltransferase; Brainstem; Tyrosine hydroxylase (Chamba, G.) **259**, 95

Descending noradrenergic systems; Spinal cord; Immunocytochemistry; Locus coeruleus; Subcoeruleus (Westlund, K.N.) **263**, 15

Adrenaline-containing neurons; Medulla oblongata; Noradrenaline-containing neurons; Phenylethanolamine-N-methyltransferase; Tractus intermediolateralis; Tyrosine hydroxylase; 6-Hydroxydopamine (Fety, R.) **272**, 277

Regeneration; Axonal transport; Norepinephrine; Tyrosine hydroxylase; 6-Hydroxydopamine; Locus coeruleus; Norepinephrine uptake (Levin, B.E.) **289**, 205

Dopamine metabolism
Apomorphine; Dopamine receptors; Amphetamine; Repeated administration; Behavioral sensitization (Kuczenski, R.) **258**, 333

Dopamine release; Striatum; Nicotinic drugs; Lobeline; Acetylcholine; Methamphetamine; high K^+ stimulation (Takano, Y.) **279**, 330

Dopamine neurons
Morphine; Ventral tegmental area; Mesolimbic system (Gysling, K.) **277**, 119

Crossed mesostriatal projection; Development; Neonatal brain lesion; 6-Hydroxydopamine; Fluorescent dyes; Retrograde labeling (Altar, A.) **279**, 1

Dopamine receptor
Striatum; Denervation; Neuroleptics (Reches, A.) **275**, 183

Dopamine receptor genetics
Receptor phenotype; D_2/D_3 binding; Serotonin receptor phenotype (Boehme, R.E.) **266**, 51

Dopamine receptors
Apomorphine; Dopamine metabolism; Amphetamine; Repeated administration; Behavioral sensitization (Kuczenski, R.) **258**, 333

Dopamine depletion; Dopamine agonists; Contralateral rotation (Gershanik, O.) **261**, 358

Dopamine-stimulated adenylate cyclase; Hypothalamus; Pituitary estrous cycle; Castration; Gonadal hormones; Sex differences; Down- and up-regulation of receptors (Barr, G.A.) **277**, 299

Mouse striatum; [^{3}H]N-Propylnorapomorphine; [^{3}H]Spiperone; 6-Hydroxydopamine; Kainic acid; Frontal cortical ablation (Severson, J.A.) **279**, 295

Dopamine release
Morphine; Dopamine synthesis; Hypophysial portal blood; Dopaminergic neurons; DOPA synthesis (Reymond, M.J.) **262**, 253

Amygdala; Nucleus centralis (Charriere, B.) **271**, 386

Melatonin; Calcium; Hypothalamus (Zisapel, N.) **272**, 378

Acute L-DOPA; Homovanillic acid; Dihydroxyphenylacetic acid; 3-Methoxytyramine (Ponzio, F.) **273**, 45

Neurointermediate lobe; Hypophysis; Pituitary stalk; Electrical stimulation (Holzbauer, M.) **277**, 47

Dopamine metabolism; Striatum; Nicotinic drugs; Lobeline; Acetylcholine; Methamphetamine; high K$^+$ stimulation (Takano, Y.) **279**, 330

Dopaminergic innervation
Spinal cord; Noradrenergic innervation; Development; Fetus; Neonate (Commissiong, J.W.) **264**, 197

Dopaminergic neurons
Substantia nigra; Glucose; Cat; Single unit activity; Feeding (Strecker, R.E.) **260**, 317

Morphine; Dopamine release; Dopamine synthesis; Hypophysial portal blood; DOPA synthesis (Reymond, M.J.) **262**, 253

Dopaminergic regulation
Prolactin; Growth hormone; Pituitary tumor; Rat (Cheung, C.Y.) **270**, 165

Dopaminergic unit activity
Dopamine; Sleep-waking; Auditory stimulation; Substantia nigra; REM sleep (Steinfels, G.F.) **277**, 150

Dopamine-stimulated adenylate cyclase
Hypothalamus; Pituitary estrous cycle; Castration; Gonadal hormones; Dopamine receptors; Sex differences; Down- and up-regulation of receptors (Barr, G.A.) **277**, 299

Dopamine sulfate
Brain; Catecholamines; Cerebrospinal fluid; Conjugated dopamine; Dopamine; Rhesus monkey (Elchisak, M.A.) **279**, 171

Dopamine synthesis
Morphine; Dopamine release; Hypophysial portal blood; Dopaminergic neurons; DOPA synthesis (Reymond, M.J.) **262**, 253

Dopamine turnover
Retina; Amacrine cell; Apomorphine; Haloperidol; Homovanillic acid; 3,4-Dihydroxyphenylacetic acid (Cohen, J.) **260**, 125

Dopamine unit activity
Substantia nigra; Ventral tegmental area; Sleep-waking stages (Miller, J.D.) **273**, 133

Dorsal accessory olive
Motor cortex; Anterior pretectal nucleus; HRP; Electron microscopy (Kitao, Y.) **280**, 139

Dorsal bundle
Extinction effect; Norepinephrine; Gustatory neophobia (Tombaugh, T.N.) **261**, 231

Dorsal columns
Somatosensory pathways; Lemniscal pathways; Ventral spinal cord; Auditory input; Visual input; Inferior colliculus; Cat (Tawil, R.N.) **269**, 149

Dorsal column stimulation
Stretch reflexes; Spasticity; Decerebrate cat (Chapman, C.E.) **258**, 211

Dorsal horn
Spinal cord; Somatotopic organization; Peripheral nerve injury (Lisney, S.J.W.) **259**, 31

Nociception; Sensory neurotransmitters; L-glutamate; Substance P; Iontophoresis; Piperidine dicarboxylate (Salt, T.E.) **263**, 167

Spinal cord; Somatotopic organization; Peripheral nerve injury (Lisney, S.J.W.) **271**, 166

Nociception; Medulla oblongata (Edeson, R.O.) **271**, 251

Substance P; Ultrastructure; Immunohistochemistry; Primate (de Lanerolle, N.C.) **274**, 31

met Enkephalin; Ultrastructure; Immunohistochemistry; Primate (LaMotte, C.C.) **274**, 51

Serotonin; Ultrastructure; Immunohistochemistry; Primate (LaMotte, C.C.) **274**, 65

Spinal cord; Hemisection; Plasticity; Somatotopy (Brenowitz, G.L.) **279**, 250

Rat; Spinal cord; Somatosensory; Inhibition; non-Segmental inhibition; Time-course; Anesthetic; Pain; Noxious inhibitory controls (Tomlinson, R.W.W.) **279**, 291

Ionophoresis; Noradrenaline; 5-Hydroxytryptamine (Todd, A.J.) **288**, 159

Locus coeruleus; Nucleus raphe magnus; Deafferentiation (Hodge, C.J. Jr.) **288**, 325

Dorsal horn neurones
Tonic descending inhibition; Lateral reticular nucleus; Selective inhibition (Morton, C.R.) **275**, 13

Dorsal horn neurons
Propriospinal neurons; Nociception; Inhibition (Cadden, S.W.) **275**, 1

Dorsal lateral geniculate nucleus
Intrauterine enucleation; Compensatory response; Ultrastructural analysis; Mouse (Kaiserman-Abramof, I.R.) **270**, 149

Albino rabbit; Slow relay cells; Recurrent inhibition (Lo, F.-S.) **271**, 335

Albino rabbit; Monocular segment; Binocular inhibition (Lo, F.-S.) **271**, 339

Acetylcholine; Receptive field properties; Centre; Surround; Antagonism; Arousal; Reticular facilitation (Sillito, A.M.) **280**, 299

Cholinesterase; Cytochrome oxidase (Hess, D.T.) **289**, 322

Dorsal motor nucleus
Dorsal root ganglion; Renal afferent; Fluorescent dye; Kidney; Renal sensory receptor (Donovan, M.K.) **259**, 119

Inferior olivary nucleus; Solitary nucleus; Gigantocellular reticular nucleus; Vagus nerve; Baroreceptor reflex (Liu, R.H.) **271**, 184

Dorsal motor nucleus of vagus nerve
Central nucleus of amygdala; HRP; Degeneration (Takeuchi, Y.) **280**, 143

Dorsal noradrenergic bundle
Electrical stimulation; Locus coeruleus; 6-Hydroxydopamine; Learning (Velley, L.) **265**, 273

Locus coeruleus; Noradrenaline; Spatial alternation; Selective attention; Place memory; Fear (Pisa, M.) **272**, 319

Dorsal raphe
Pain; Serotonin; Thalamus (Andersen, E.) **269**, 57

Ponto-geniculo-occipital waves; EMG; Sleep cycle averaging (Lydic, R.) **274**, 365

Dorsal raphé
GABA; GABA agonist and antagonist agents; Serotonergic neurons; 5-Hydroxytryptophan accumulation; Striatum (Nishikawa, T.) **279**, 325

Dorsal raphe neurons
Chloral hydrate anesthesia; Excitatory response; Phasic auditory stimuli; Visual stimuli; Cat (Trulson, M.E.) **265**, 129

Dorsal raphe nucleus
Electrochemistry; Serotonin; 5-Hydroxyindole acetic acid; Norepinephrine; Urethane-anesthetized rats (Echizen, H.) **277**, 55

Serotonin; Serotonergic neurons; Motor systems; Muscle relaxant drugs; Freely moving cats (Steinfels, G.F.) **279**, 77

Serotonergic neurons; Brain slices; Extracellular recording; Intracellular recording; Norepinephrine; LSD; α_1-Adrenoreceptors (Vandermaelen, C.P.) **289**, 109

Dorsal respiratory group
R_β Neurons; Antidromic activation; Phrenic motoneurons; EPSPs; Spike-triggered averaging; Cat (Lipski, J.) **288**, 105

Dorsal root
Axonal sprouting; Spinal hemisection (Hulsebosch, C.E.) **265**, 187

GABA; γ-Aminobutyric acid; Receptors; Potassium ions; Peripheral nerve; Myelinated fibers; Ventral root; Depolarization; Localization (Morris, M.E.) **278**, 127

Axonal sprouting; Unmyelinated axons; Regeneration (Hulsebosch, C.E.) **288**, 77

Dorsal root ganglia
GABA-receptor; Temperature; pH; Chloride pump; SITS; Furosemide; Bumetanide; Ammonium ion (Gallagher, J.P.) **267**, 249

Pylorus; Substance P; Immunohistochemistry; Retrograde axonal tracing; Vagal ganglia; Guinea pig (Lindh, B.) **269**, 365

Quantitative histology; Electron microscopy; Sciatic nerve resection; Neuroma excision; Dorsal roots; Kitten (Aldskogius, H.) **289**, 358

Dorsal root ganglion
Renal afferent; Fluorescent dye; Dorsal motor nucleus; Kidney; Renal sensory receptor (Donovan, M.K.) **259**, 119

Catecholamine; Ventral root (Stevens, R.T.) **261**, 151

Swelling of neurons; Mechanical response; Spinal cord (Tasaki, I.) **272**, 360

Dorsal root potentials
Bicuculline; Background potentials; Occlusion (Mokha, S.S.) **259**, 313

isolated perfused Frog spinal cord; Hypoxia; Glucose free medium; Presynaptic inhibition; Ventral root potentials (Haji, A.) **274**, 107

Dorsal roots
Sensory ganglia; α-Bungarotoxin; Nicotinic receptor; Spinal cord; Axonal transport; Sciatic nerve (Ninkovic, M.) **272**, 57

Quantitative histology; Electron microscopy; Sciatic nerve resection; Neuroma excision; Dorsal root ganglia; Kitten (Aldskogius, H.) **289**, 358

Dorsal rostral pons
Hyperdipsia; Locus coeruleus; Periaqueductal gray; Hemodynamic signal; Fluid balance; Central autonomic pathway (Ward, D.G.) **262**, 314

Dorsal spinocerebellar tract (DSCT)
Clarke's column; Golgi tendon organs; Cross-correlation analysis; Muscle contraction; Spinal cord (Osborn, C.E.) **280**, 339

Dorsolateral funiculus
Hyperalgesia; Monoamine levels (Davies, J.E.) **261**, 59

Analgesia; Opioid peptides; Stress analgesia; Footshock-induced analgesia; Pain (Lewis, J.W.) **267**, 139

Dorsolateral geniculate nucleus
X Cells; Y Cells; Centre surround antagonism; GABA; Inhibitory processes (Sillito, A.M.) **277**, 63

Dorsomedial medulla
Paraventricular nucleus neurons; Neurosecretory neurons; Carotid baroreceptors; Rat; Electrophysiology; Connection (Kannan, H.) **279**, 31

Dorsomedial thalamic nucleus
Neurotensin; Afferent source (Inagaki, S.) **260**, 143

Dose dependency
2-Deoxyglucose; Morphine withdrawal; Limbic system (Geary, W.A. II) **275**, 117

Dose-response curve
Luteinizing hormone-releasing hormone; Nicotinic ACh-receptor; Sensitivity; Sympathetic ganglion cells; Skeletal muscle end-plates (Akasu, T.) **279**, 347

Dose-response curves
Rat; Acetylcholine; Iontophoresis; Somatosensory cortex (Lamour, Y.) **289**, 157

Double labeling
Inferior olive; Lateral thalamus; Pretectum; Visual system (Robertson, R.T.) **258**, 91

Oculomotor internuclear pathway; Oculomotor nuclei; Abducens nucleus (Maciewicz, R.) **262**, 1

Double-labeling technique
Retino-tectal regeneration; *Rutilus* (Peyrichoux, J.) **263**, 125

Double-layer potential
Carp; Gustatory response (Yoshii, K.) **279**, 185

Dove
Testosterone-uptake; Metabolism; Preoptic area; Male; Sex behavior (Steimer, Th.) **274**, 193

Down- and up-regulation of receptors
Dopamine-stimulated adenylate cyclase; Hypothalamus; Pituitary estrous cycle; Castration; Gonadal hormones; Dopamine receptors; Sex differences (Barr, G.A.) **277**, 299

Down regulation
Thyrotropin releasing hormone; Receptors; Central nervous system; Muscarinic ACh-receptors (Ogawa, N.) **263**, 348

Catecholamines; β-Adrenergic receptors; Heart; Lung; Brain (Minneman, K.P.) **264**, 328

Down's syndrome
Thyrotropin-releasing hormone; Luteinizing hormone-releasing hormone; Substance P; Choline acetyltransferase; Post-mortem brain; Post-mortem spinal cord; Alzheimer-type dementia (Yates, C.M.) **258**, 45

Alzheimer-type dementia; Post-mortem brain; Noradrenaline; Dopamine; Choline acetyltransferase; Acetylcholinesterase (Yates, C.M.) **280**, 119

Drinking
Subfornical organ; Salt homeostasis; Salt appetite (Schulkin, J.) **263**, 351

Glucoprivic feeding; Area postrema; Nucleus of the solitary tract; Angiotensin II (Bird, E.) **270**, 193

Subfornical organ; Angiotensin; Blood pressure; Rat (Lind, R.W.) **275**, 361

Drinking behavior
Area postrema; Nucleus of the solitary tract; Food intake; Capsaicin; Feeding behavior (South, E.H.) **288**, 243

Drowsiness
EEG waves; Midbrain reticular formation; Slow rhythms; Synchronized sleep (Oakson, G.) **269**, 386

Drug distribution
Dopamine; Striatum; Rotation behavior; Chronic cannula (Wolfson, L.I.) **261**, 205

Dye coupling
Hippocampal slice; Electrotonic coupling; CA1 stratum pyramidale; Glial cells; Potassium (Alger, B.E.) **270**, 137

Dynamic sensitivity
Muscle spindle; Fusimotor neuron; After-effect; Sinusoidal stretching; Control of posture (Baumann, T.K.) **258**, 139

Dynein
Axonal transport; Retrograde transport; Light microscopy; *Erythro*-9-[3-(2-hydroxynonyl(]adenine (Forman, D.S.) **272**, 194

Dynorphin
α-Neo-Endorphin; Brattleboro rats; Vasopressin; Radioimmunoassay; Hypothalamus; Posterior pituitary (Weber, E.) **260**, 166

Endorphins; Enkephalin; pro-Opiomelanocortin; Adrenocorticotropic hormone; Opioid peptides; Immunocytochemistry; Hypothalamus (McGinty, J.F.) **278**, 145

α-Neo-endorphin; Supraoptic nucleus; Paraventricular nucleus; Median eminence; Posterior pituitary (Palkovits, M.) **278**, 258

Radioimmunoassay; Rat brain nuclei; Spinal cord (Zamir, N.) **280**, 81

Opioid peptides; Substance P; Human spinal cord/spinal ganglia; Radioimmunoassay (Przewłocki, R.) **280**, 95

Dynorphin A
Proenkephalin; Leu-Enkephalin; BAM-22P (Khachaturian, H.) **279**, 369

Dystrophy
Mutant mouse; Myelin; Internode; Node of Ranvier; Axon/Schwann cells; Morphometry; Peripheral nerve; Sensory nerve (Jaros, E.) **258**, 181

E

EEG
Oxygen poisoning; Brain oxygen toxicity; Oxygen; Brain metabolism; Hyperbaric oxygen; Brain glucose utilization; Autoradiography, 2-deoxyglucose (Torbati, D.) **262**, 267

Corticotropin releasing factor; Seizures; Epilepsy; Kindling; Arousal (Ehlers, C.L.) **278**, 332

EEG activity
Pain; Naloxone; Morphine; Area postrema; Nucleus tractus solitarius; Cortical synchronization (Bronzino, J.D.) **271**, 33

EEG spikes
Kindling; Hippocampus; Median raphe nucleus; Pyramidal cells; Hyerpolarizations (Fujita, Y.) **278**, 313

EEG waves
Midbrain reticular formation; Slow rhythms; Drowsiness; Synchronized sleep (Oakson, G.) **269**, 386

intracellular EGTA
α_2-Adrenoceptors; Afterhyperpolarization; Calcium; Locus coeruleus; Noradrenergic neuron; Potassium (Aghajanian, G.K.) **273**, 237

EMG
Dorsal raphe; Ponto-geniculo-occipital waves; Sleep cycle averaging (Lydic, R.) **274**, 365

Vestibulo ocular reflex; Natural vestibular stimulation; Eye muscles; Alert rabbit; Macular convergence; Ampullar convergence (Favilla, M.) **280**, 277

Sural stimulation; Reflex response; Thigh muscles; Human stepping (Kanda, K.) **288**, 378

pyramidal EPSP
Neck motoneuron; Reticular formation (Alstermark, B.) **259**, 147

Neck motoneuron; Reticular formation; Convergence (Alstermark, B.) **259**, 151

EPSP
Motor cortex; Cerebellothalamocortical pathway; intracellular HRP staining; Stellate cell; Pyramidal cell; Cat (Noda, T.) **268**, 153

non-cholinergic EPSP
Serotonin; Celiac ganglia (Kiraly, M.) **275**, 378

EPSPs
Dorsal respiratory group; R_β Neurons; Antidromic activation; Phrenic motoneurons; Spike-triggered averaging; Cat (Lipski, J.) **288**, 105

El mouse
Epilepsy; 2-Deoxyglucose; Hippocampus; Focus; Neocortex; Excitation; Brainstem (Suzuki, J.) **266**, 359

Early ablations
Reaching; Tactile discrimination; Parietal cortex (Brown, J.V.) **267**, 67

Early auditory deprivation
Humans; Peripheral visual system; Visual-evoked potentials (Neville, H.J.) **266**, 127

Edinger-Westphal nucleus
Oculomotor nucleus; Pretectum; Retrograde tracers; Olivary pretectal nucleus (Breen, L.A.) **261**, 303

Substance P; Ciliary ganglion; Oculomotor complex (Maciewicz, R.) **270**, 217

Eel
Taste response; Amino acids; Receptor potential; Phase boundary potential; Transduction mechanisms (Yoshii, K.) **280**, 63

Effects of experience
Corpus callosum; Strabismus; Interhemispheric connections; Visual cortex; Cat (Berman, N.E.) **274**, 201

Efferent connection
Mesodiencephalic junction; Stimulation-produced analgesia (Peschanski, M.) **263**, 181

Efferent projections
Pigeons; Wulst; HRP; Hyperstriatum accessorium; Tractus septomesencephalicus; Laminar organization (Reiner, A.) **275**, 349

Efferent responses
Frog labyrinth; Vestibular efferent system; Branching efferent fibers; Widespread control (Prigioni, I.) **269**, 83

Egg-laying hormone
Neuropeptide; *Aplysia*; Buccal ganglion; Identified motoneuron (Ram, J.L.) **288**, 177

Eighth nerve
Lateral line nerve; Lateralis branchlet; Octavolateralis area of the medulla; Teleost (McCormick, C.A.) **265**, 177

Elasmobranch
Spinal cord; Motor nuclei; HRP (Droge, M.H.) **276**, 201

Elasmobranch fish
Retina; Serotonin; Immunohistochemistry; Indoleamine accumulating cells (Ritchie, T.C.) **267**, 352

Elbow flexion
Precentral neuron activity; Learning; Movement amplitude (Maton, B.) **267**, 241

Elbow joints
Joint afferents (Baxendale, R.H.) **261**, 195

Electrical activity
Estrogenic action; Lordosis; Local anesthetics; Tetrodotoxin; Hypothalamus (Harlan, R.E.) **268**, 67

Electrical kindling
Amygdala; Pyriform cortex; Vasopressin; Brattleboro rat (Gillis, B.J.) **271**, 375

Electrically induced drinking
Subfornical organ; Central control of water balance (Robertson, A.) **274**, 197

Electrical properties
Paraventricular neurosecretory neuron; Recurrent inhibition; Antidromic spike; Silent phase; Threshold; Latency; Rat (Akaishi, T.) **262**, 151

Electrical stimulation
Kindling; Transfer; Carbachol; Amygdala (Cain, D.P.) **260**, 135

Tooth-pulp nerves; Thresholds; Conduction velocity (Cadden, S.W.) **261**, 31

Locus coeruleus; Dorsal noradrenergic bundle; 6-Hydroxydopamine; Learning (Velley, L.) **265**, 273

Ventral tegmental area; Catecholamines; Rat brain (Van Heuven-Nolsen, D.) **268**, 362

Blood pressure; Spinal serotonin nerves; Immunohistochemistry; 5,7-Dihydroxytryptamine (Howe, P.R.C.) **270**, 29

Nerve regeneration; Functional reinnervation; Rabbit (Nix, W.A.) **272**, 21

Deoxycorticosterone acetate salt; Nucleus locus coeruleus; Lesioning; Hypertension (Chida, K.) **273**, 53

Electrochemical detection; 5-Hydroxyindoles; Rat somatosensory cortex; Serotonergic pathways; *p*-Chlorophenylalanine (Rivot, J.P.) **275**, 164

Dopamine release; Neurointermediate lobe; Hypophysis; Pituitary stalk (Holzbauer, M.) **277**, 47

Locus coeruleus; Cat; Electromagnetic flow probes; Vasodilatation; Facial nerve (Goadsby, P.J.) **278**, 175

Growth hormone; Ventromedial nucleus of hypothalamus; Lesions; Anterior periventricular nucleus (Kato, M.) **280**, 69

Electrochemical detection
5-Hydroxyindoles; Rat somatosensory cortex; Serotonergic innervation; Laminar distribution (Lamour, Y.) **259**, 163

Differential pulse voltammetry; Oxidation potential; Peak 3; 5-Hydroxyindoles; Raphe nuclei (Crespi, F.) **270**, 45

5-Hydroxyindoles; Rat somatosensory cortex; Serotonergic pathways; Electrical stimulation; *p*-Chlorophenylalanine (Rivot, J.P.) **275**, 164

Electrochemistry
Serotonin; 5-Hydroxyindoleacetic acid; Spinal cord; Voltammetry (Rivot, J.P.) **275**, 311

in vivo Electrochemistry
Brain slices; Ascorbic acid (Schenk, J.O.) **277**, 1

Electrochemistry
Dorsal raphe nucleus; Serotonin; 5-Hydroxyindole acetic acid; Norepinephrine; Urethane-anesthetized rats (Echizen, H.) **277**, 55

Voltammetry; Stress; Striatum; Dopamine; Homeostasis; Caudate nucleus; Sensory stimulation (Keller, R.W. Jr.) **279**, 159

Electroconvulsive shock
Analgesia; Enkephalin; Naltrexone (Urca, G.) **260**, 271

Stress; Seizures; Endogenous opioids; Mice (Oliverio, A.) **271**, 193

Endogenous opioids; Gastrointestinal motility; Thermal analgesia (Galligan, J.J.) **271**, 354

Electroconvulsive treatment
central α_1-Adrenergic receptors; [^{3}H]Prazosin binding sites (Vetulani, J.) **275**, 392

Electrolytic lesion
Motor impairment; Substantia nigra; Pointing movement; Reaction time; Kinematic analysis; Recovery of function; Monkey (Viallet, F.) **279**, 193

Electromagnetic flow probes
Locus coeruleus; Cat; Vasodilatation; Facial nerve; Electrical stimulation (Goadsby, P.J.) **278**, 175

Electromyography
Forelimb movement; Fast and slow muscles; Differential activation (Alstermark, B.) **259**, 155

Response preparation; Long latency stretch response; Human (Bonnet, M.) **280**, 51

Electron lucent linear structure
Shiverer mouse; Central myelin; Radial component; Major dense line (Nagara, H.) **263**, 336

Electron microscope autoradiography
Superior colliculus; Retinal synapses; W,X,Y,system; Cat visual pathways (Mize, R.R.) **269**, 211

Electron microscopic autoradiography
Hypothalamus; Dentate gyrus (Dent, J.A.) **258**, 1

Electron microscopy
Somatostatin neuron; Periventricular nucleus; Median eminence hypothalamus; Immunohistochemistry; Rat (Ibata, Y.) **258**, 291

Tissue culture; Autonomic nervous system; Enteric nervous system; Histotypic aggregation; Myenteric plexus (Bałuk, P.) **262**, 37

Quantitative histology; Cell density; Synaptic boutons density; Hypothalamus; Paraventricular nucleus (Kiss, J.Z.) **262**, 217

Quantitative histology; Extrinsic/intrinsic connections; Hypothalamus; Paraventricular nucleus (Kiss, J.Z.) **265**, 11

Cat spinal cord; Ia boutons; Horseradish peroxidase (Conradi, S.) **265**, 31

HRP; Mormyrid fish; Central nervous system (Szabo, T.) **266**, 1

Centre median-parafascicular complex; Subthalamic nucleus; Autoradiography; HRP; Rat (Sugimoto, T.) **267**, 335

Nucleus reticularis thalami; Ventrobasal complex; Kainic acid (Peschanski, M.) **270**, 325

Rod input; Amacrine; Teleost retina; HRP; Dace (Sakai, H.) **270**, 345

PNS-CNS transitional region; Regeneration; Anastomoses (Carlstedt, T.) **272**, 162

Motor cortex; Nucleus of Darkschewitsch; Inferior olive; Cat; HRP (Nakamura, Y.) **274**, 140

Synaptogenesis; Polylysine-coated beads; Cerebellar cortex (Burry, R.W.) **278**, 236

Hippocampus; Aminopyridine; Evoked activity; Ca binding sites; In vitro (Kuhnt, U.) **279**, 19

Cat spinal cord; Ventral funiculus; Ventral horn; Ventral root; Motoraxons; Axotomy; Regeneration; HRP (Risling, M.) **280**, 15

Motor cortex; Anterior pretectal nucleus; Dorsal accessory olive; HRP (Kitao, Y.) **280**, 139

Spinal cord; HRP; Intracellular staining; Muscle spindle afferents (Maxwell, D.J.) **288**, 297

Taurine; Neostriatum; Striatonigral neurons; Autoradiography; Retrograde transport (Clarke, D.J.) **289**, 342

Quantitative histology; Sciatic nerve resection; Neuroma excision; Dorsal root ganglia; Dorsal roots; Kitten (Aldskogius, H.) **289**, 358

Insect optic lobe; Neuroanatomy; Serotonin; Immunocytochemistry; Golgi method (Nässel, D.R.) **280**, 361

Electron miscroscopic immunostaining
Vasoactive intestinal polypeptide; Hippocampus; Commissural afferents; non-Pyramidal neurons (Léránth, C.) **276**, 357

Electron spin resonance
Iron; Superoxide; Isocortex (Willmore, L.J.) **277**, 393

Electrophoresis
Focal interictal epileptiform discharges; Cerebral cortex; Penicillin; Depth profile; Rat (Lockton, J.W.) **258**, 79

Endorphins; Cerebrospinal fluid; Enkephalin; β-Endorphin (Nyberg, F.) **259**, 267

single-unit Electrophysiological activity
Locus coeruleus; 6-Hydroxydopamine; Central noradrenergic neurons; α-Adrenergic receptors (Chiodo, L.A.) **264**, 123

Electrophysiology
Neuroblastoma x glioma hybrid; Membrane excitability; Catecholamine response; Serotonin response (Ogura, A.) **258**, 243

D-Amphetamine; Ascorbic acid; Dopamine; In vivo electrochemistry; Neostriatum (Ewing, V.G.) **261**, 101

Olfaction; Salamander; Neuroreceptor cell; Intracellular recording (Trotier, D.) **268**, 225

Climbing fibers; Cerebellar cultures; Synapses (Blank, N.K.) **271**, 135

Paraventricular nucleus neurons; Dorsomedial medulla; Neurosecretory neurons; Carotid baroreceptors; Rat; Connection (Kannan, H.) **279**, 31

Monocular deprivation; Visual fields; Cats; Binocular competition (Tieman, D.G.) **280**, 41

Electroretinogram
Cone response; Sodium aspartate; Spectral sensitivity; Ground squirrel (Raisanen, J.) **270**, 311

maximal Electroshock
Substantia nigra; Midbrain tegmentum; Chemoconvulsants; Bicuculline; Seizures; Epilepsy (Garant, D.S.) **273**, 156

Electrotonic coupling
Hippocampal slice; Dye coupling; CA1 stratum pyramidale; Glial cells; Potassium (Alger, B.E.) **270**, 137

Embryology
Benzodiazepines; GABA; Receptors; Inhibition; Motility; Synaptic transmission (Maderdrut, J.L.) **289**, 385

Embryonic septum
Cross-strain transplantation; Reinnervation; Hippocampal formation (Low, W.C.) **262**, 328

Emotion
Fear; Classical conditioning; Spontaneously hypertensive rats; Strain differences (Ledoux, J.E.) **277**, 137

Encephalitogenic basic proteins
Tissue culture; Myelin proteins; Neuroglia; Proteolipid protein (Mithen, F.A.) **262**, 63

experimental allergic Encephalomyelitis
Glial fibrillary acidic protein; Gliosis; Cytoskeletal protein metabolism (Smith, M.E.) **264**, 241

Enclomiphene
Antiestrogen; Progestin receptor; Lordosis; Estrogen; Progesterone (Wilcox, J.N.) **266**, 243

Endbulbs
Mauthner cell; Saccular nerve; Synaptic distribution; Club endings (Lin, J.-W.) **274**, 319

Endocytosis
Intraneuronal transport; Golgi apparatus-endoplasmic-reticulum-lysosomes; Lectin-peroxidase conjugates (Trojanowski, J.Q.) **272**, 201

Endogenous activity
Purkinje neuron; Culture; Synaptic activity; Putative neurotransmitter (Gruol, D.L.) **263**, 223

Endogenous GABA release
Red nucleus; Brain slice; Cat (Kubota, M.) **270**, 190

Endogenous hyerprolactinaemia
Prolactin; Adrenocorticotropin; Grooming behavior; Cross-tolerance; Dopamine (Drago, F.) **263**, 277

Endogenous inhibitor
Choline acetyltransferase; CM-cellulose chromatograph; Activation; Inhibition (Cozzari, C.) **276**, 109

Endogenous opioids
Opiates; Convulsant action; Anticonvulsant action; Naloxone (Urca, G.) **259**, 103

Memory; Inhibitory avoidance; Amygdaloid stimulation; Naloxone; Bed nucleus of the stria terminalis (Liang, K.C.) **271**, 41

Stress; Seizures; Electroconvulsive shock; Mice (Oliverio, A.) **271**, 193

Electroconvulsive shock; Gastrointestinal motility; Thermal analgesia (Galligan, J.J.) **271**, 354

Endoplasmic reticulum
Capillaries; Blood-brain barrier; Glucose-6-phosphatase; Endothelium; Acid phosphatase (Schmidley, J.W.) **262**, 9

Nerve regeneration; Protein biosynthesis; Golgi apparatus; Cell membrane; Nucleoprotein biosynthesis (Whitnall, M.H.) **272**, 49

β-Endorphin
Endorphins; Cerebrospinal fluid; Enkephalin; Electrophoresis (Nyberg, F.) **259**, 267

α-Neo-Endorphin
Dynorphin; Brattleboro rats; Vasopressin; Radioimmunoassay; Hypothalamus; Posterior pituitary (Weber, E.) **260**, 166

β-Endorphin
Circadian rhythm; Pituitary; Brain nuclei (Kerdelhue, B.) **261**, 243

Endorphin
Opiate receptor; Enkephalin; Monosodium glutamate; Hypothalamus; Pain-opiate antagonist (Simantov, R.) **262**, 168

β-Endorphin
Neuromuscular blockade; Wakefulness; Sleep; Stress; Gallamine triethiodide (Foutz, A.S.) **263**, 119

cAMP; Hyperthermia; Naloxone-sensitive receptor; Non-peptide opioid; Peptide opioid; Prostaglandin; Transport system inhibitor (Kandasamy, S.B.) **265**, 63

Endorphin
Anaphylactic shock; Naloxone; Sympathetic nervous system; Mice (Amir, S.) **274**, 180

β-Endorphin
Adreno cortical tropic hormone; Nucleus tractus solitarius; Reticular formation; Brainstem; Immunohistochemistry (Schwartzberg, D.G.) **276**, 351

Cerebrospinal fluid; Adreno corticaltropic hormone; Met-Enkephalin; Rats; Stress (Kiser, R.S.) **288**, 187

Opiate receptor; Morphine; Enkephalin; Autoradiography (Goodman, R.R.) **288**, 334

Endorphin-containing systems
Opioids; Ethanol; Guinea pig (Gintzler, A.R.) **269**, 391

Endorphins
Cerebrospinal fluid; Enkephalin; β-Endorphin; Electrophoresis (Nyberg, F.) **259**, 267

Noradrenaline; Ventral noradrenergic bundle; Core temperature; Food intake; Water intake; Open-field behaviour; Stress (Millan, M.J.) **263**, 283

Enkephalin; Dynorphin; pro-Opiomelanocortin; Adrenocorticotropic hormone; Opioid peptides; Immunocytochemistry; Hypothalamus (McGinty, J.F.) **278**, 145

Endothelial cells
Brain capillaries; Cerebral vessels; Choline acetyltransferase; Muscarinic receptors; Capillary innervation; Cholinergic innervation; Neural control of cerebral circulation (Estrada, C.) **266**, 261

Endothelium
Capillaries; Blood-brain barrier; Glucose-6-phosphatase; Endoplasmic reticulum; Acid phosphatase (Schmidley, J.W.) **262**, 9

Endotoxin
Vasopressin; arginine-Vasopressin; Fever (Kasting, N.W.) **258**, 127

Fastigial nucleus; Cerebellum; Blood pressure; Hypotension; Hemorrhage (Lutherer, L.O.) **269**, 251

Endplates
Motor nerve; Terminal sprouting (Huang, C.L.-H.) **274**, 225

Preproenkephalin
Enkephalin precursors; Brain opioid peptides; Neuropeptide immunohistochemistry (Bloch, B.) **263**, 251

Met-Enkephalin
dibutryryl cGMP; Morphine; Nociception; Mesencephalic reticular formation (Hosford, D.A.) **258**, 147

Enkephalin
Endorphins; Cerebrospinal fluid; β-Endorphin; Electrophoresis (Nyberg, F.) **259**, 267

Analgesia; Electroconvulsive shock; Naltrexone (Urca, G.) **260**, 271

Met-Enkephalin
Leu-Enkephalin; D-Ala^2-Met^5-Enkephalin; Blood pressure; Met-Enkephalin antiserum; Naloxone; Nucleus tractus solitarii (Petty, M.A.) **260**, 322

Leu-Enkephalin
Met-Enkephalin; D-Ala^2-Met^5-Enkephalin; Blood pressure; Met-Enkephalin antiserum; Naloxone; Nucleus tractus solitarii (Petty, M.A.) **260**, 322

D-Ala^2-Met^5-Enkephalin
Met-Enkephalin; Leu-Enkephalin; Blood pressure; Met-Enkephalin antiserum; Naloxone; Nucleus tractus solitarii (Petty, M.A.) **260**, 322

Met-Enkephalin
Aging; Opiate receptors (Missale, C.) **262**, 160

Enkephalin
Opiate receptor; Endorphin; Monosodium glutamate; Hypothalamus; Pain-opiate antagonist (Simantov, R.) **262**, 168

Met-Enkephalin
Leu-Enkephalin; Lateral septum; Immunocytochemistry (Stengaard-Pedersen, K.) **264**, 152

Leu-Enkephalin
Met-Enkephalin; Lateral septum; Immunocytochemistry (Stengaard-Pedersen, K.) **264**, 152

Met^5-Enkephalin
Substantia nigra; Microinjection; Contraversive rotation; Parkinsonism (Jacquet, Y.F.) **264**, 340

Enkephalin
Tissue culture; Brainstem; Oval neuron; Transmitter (Okada, J.) **268**, 377

Dopamine; Caudate; Naloxone; Amphetamine stereotype; In vivo electrochemistry (Broderick, P.A.) **269**, 378

Rotational behavior; Apomorphine; Amphetamine; Nigrostriatum; Supersensitivity (Hirschhorn, I.D.) **270**, 109

Nucleus of the solitary tract; Vasopressin; Oxytocin; Substance P; Blood pressure (Voorn, P.) **270**, 169

Opiate; Naloxazone; Analgesia; μ-Receptor; δ-Receptor (Ling, G.S.F.) **271**, 152

Immunocytochemistry; Hippocampus; Rat; Guinea pig; Hedgehog; Cholecystokinin; Heavy metals (Stengaard-Pedersen, K.) **273**, 81

δ-Receptor; Motor function; Facial nucleus; Fine structure; Axo-dendritic contact (Senba, E.) **274**, 17

met Enkephalin
Dorsal horn; Ultrastructure; Immunohistochemistry; Primate (LaMotte, C.C.) **274**, 51

Met-Enkephalin
Neurotensin; Corpus striatum; Striosomes; Immunohistochemistry (Goedert, M.) **274**, 176

Enkephalin
Endorphins; Dynorphin; pro-Opiomelanocortin; Adrenocorticotropic hormone; Opioid peptides; Immunocytochemistry; Hypothalamus (McGinty, J.F.) **278**, 145

Met-Enkephalin
Enkephalin release; Substance P; Neuropeptides; Periaqueductal gray matter; Striatum (Del Río, J.) **279**, 121

Met^5-Enkephalin
Testosterone; Development; Pituitary (Yoshikawa, K.) **279**, 343

Leu-Enkephalin
Proenkephalin; BAM-22P; Dynorphin A (Khachaturian, H.) **279**, 369

Met-Enkephalin; Post-mortem; Human brain; Parkinson's disease (Taquet, H.) **280**, 379

Met-Enkephalin
Leu-Enkephalin; Post-mortem; Human brain; Parkinson's disease (Taquet, H.) **280**, 379

Enkephalin
Serotonin; Substance P; Thyrotropin-releasing hormone; Immunocytochemistry; Spinal cord; Raphe nuclei (Bowker, R.M.) **288**, 33

Met-Enkephalin
Cerebrospinal fluid; β-Endorphin; Adreno corticaltropic hormone; Rats; Stress (Kiser, R.S.) **288**, 187

Enkephalin
β-Endorphin; Opiate receptor; Morphine; Autoradiography (Goodman, R.R.) **288**, 334

Leu-Enkephalin
Substance P; Basal ganglia; Huntington's disease; Immunocytochemistry (Marshall, P.E.) **289**, 11

Enkephalin
Primary astroglial culture; Autoradiography; GABA; Glutamate; Aspartate; Dopamine; Norepinephrine; Serotonin; Valine (Hansson, E.) **289**, 189

Met^5-Enkephalin
Spinal cord; Met^5-Enkephalin-Arg^6,Phe^7; Opioid peptide; Neuropeptides (Majane, E.A.) **264**, 336

Met^5-Enkephalin-Arg^6,Phe^7
Spinal cord; Met^5-Enkephalin; Opioid peptide; Neuropeptides (Majane, E.A.) **264**, 336

Met-Enkephalin antiserum
Met-Enkephalin; Leu-Enkephalin; D-Ala^2-Met^5-Enkephalin; Blood pressure; Naloxone; Nucleus tractus solitarii (Petty, M.A.) **260**, 322

Enkephalinase inhibitor
Morphine; Arthritic rats; Threshold for vocalization (Kayser, V.) **267**, 131

Enkephalinergic inhibition
GABA; Naloxone; Parasympathetic ganglia (Simonds, W.F.) **271**, 365

Enkephalin precursors
Preproenkephalin; Brain opioid peptides; Neuropeptide immunohistochemistry (Bloch, B.) **263**, 251

Enkephalin release
Met-Enkephalin; Substance P; Neuropeptides; Periaqueductal gray matter; Striatum (Del Río, J.) **279**, 121

Enkephalins
Naloxone; Bladder reflexes; Parasympathetic reflexes (Roppolo, J.R.) **264**, 355

Dihydromorphine; Opiate binding (Yaksh, T.L.) **268**, 119

Enolase
PGP 9.5; Neuron-specific protein; APUD cells (Thompson, R.J.) **278**, 224

Enteric nervous system
Tissue culture; Autonomic nervous system; Histogenesis; Neuroglia interactions; Myenteric plexus; Submucous plexus (Jessen, K.R.) **262**, 17

Tissue culture; Autonomic nervous system; Electron microscopy; Histotypic aggregation; Myenteric plexus (Bałuk, P.) **262**, 37

Tissue culture; Autonomic nervous system; Maintenance of differentiation in culture; Neuronal survival; VIP-containing neurons; GABAergic neurons; Adrenergic neurons (Jessen, K.R.) **262**, 49

Bombesin; Coeliac-superior mesenteric system (Schultzberg, M.) **269**, 190

Entopeduncular nucleus
Dopamine; Deoxyglucose; Cannula; Striatum; Subthalamic nucleus; Rotation behavior (Brown, L.L.) **261**, 213

Ventral anterior thalamic nucleus; Ventral lateral thalamic nucleus; Centromedian nucleus of thalamus (Nakano, K.) **262**, 283

Lateral habenular nucleus; Lateral preoptic area; Raphe nuclei (Garland, J.C.) **263**, 33

Entopeduncular output neurons
Chronically lesioned rats; Subthalamic nucleus; Inhibitory response; Miroiontophoresis; GABA glycine; Acetylcholine (Rouzaire-Dubois, B.) **271**, 11

Entorhinal ablation
Reinnervation; Hippocampus; Septal lesion; Acetylcholinesterase (Chen, L.-L.) **272**, 354

Entorhinal afferents
Entorhinal cortex; Monkey hippocampal formation; Superior temporal gyrus (Amaral, D.G.) **275**, 263

Entorhinal cortex
Subicular cortex; Fluorescent dye; Mammillary body; Ventral medial hypothalamus; Anterior thalamic nucleus (Donovan, M.K.) **259**, 181

Nerve growth factor; Brain damage; Recovery of function (Stein, D.G.) **261**, 127

Entorhinal afferents; Monkey hippocampal formation; Superior temporal gyrus (Amaral, D.G.) **275**, 263

Epilepsy; Limbic system; Functional anatomy (Collins, R.C.) **280**, 25

Environmental temperature
Calorimetry; Heat production; Heat loss; Sleep-wakefulness cycle; Paradoxical sleep (Schmidek, W.R.) **288**, 261

Enzymatic dissociation
Glia; Müller cells; Bulk isolation; Retina; Mammal (Trachtenberg, M.C.) **261**, 43

Enzyme activation
Adrenomedulla; Homoestasis; Tyrosine hydroxylase; Cold exposure; Hypoglycemia; Enzyme induction; Stress (Fluharty, S.J.) **267**, 384

Enzyme induction
Adrenomedulla; Homoestasis; Tyrosine hydroxylase; Cold exposure; Hypoglycemia; Enzyme activation; Stress (Fluharty, S.J.) **267**, 384

Ependymal cells
Neural antigens; Monoclonal antibodies; Surface antigens (Tardieu, M.) **277**, 339

Epiglottis
Superior laryngeal nerve; Chemoreception; Neurophysiology; Sheep (Bradley, R.M.) **276**, 81

Epilepsy
Hippocampus; Pyramidal neurons; Axon initial segment; Axo-axonic synapses; Axo-axonic interneuron (Somogyi, P.) **259**, 137

Post-tetanic potentiation; Long-term potentiation; Kindling; Limbic system; Long-term memory (Racine, R.J.) **260**, 217

glial ATPase; Freeze lesion; (Na$^+$,K$^+$)-ATPase (Grisar, T.) **261**, 75

Interictal spike; Inhibitory surround; Hippocampus; Computer model (Traub, R.D.) **261**, 277

Kainic acid; Amygdaloid lesions; Hippocampus; Neuropathology (Cavalheiro, E.A.) **262**, 201

Hippocampus; CA1 pyramidal cells; In vitro slice; Penicillin epileptogenesis; Acetylcholine (Kriegstein, A.R.) **266**, 137

Folate compounds; Hippocampal slices; Kainic acid; Folic acid (Clifford, D.B.) **266**, 209

E1 mouse; 2-Deoxyglucose; Hippocampus; Focus; Neocortex; Excitation; Brainstem (Suzuki, J.) **266**, 359

Audiogenic seizures; Recombinant inbred strains; Genetic heterogeneity; Mouse (Seyfried, T.N.) **271**, 325

Hippocampus; Kainic acid (Westbrook, G.L.) **273**, 97

Substantia nigra; Midbrain tegmentum; Chemoconvulsants; maximal Electroshock; Bicuculline; Seizures (Garant, D.S.) **273**, 156

Kindling; Long-term potentiation; Dentate gyrus; GABA (Tuff, L.P.) **277**, 79

Kindling; GABA; Benzodiazepines; Hippocampus; Long-term potentiation (Tuff, L.P.) **277**, 91

Calcium binding protein; Kindling; Hippocampus (Miller, J.J.) **278**, 322

Corticotropin releasing factor; EEG; Seizures; Kindling; Arousal (Ehlers, C.L.) **278**, 332

Limbic system; Functional anatomy; Entorhinal cortex (Collins, R.C.) **280**, 25

Kindling; Cysteamine; Anti-somatostatin antibody; Somatostatin; Seizures (Higuchi, T.) **288**, 359

Epinephrine
Amphetamine; Catecholamines; Hypothalamus; Dopamine; Norepinephrine (Leibowitz, S.F.) **266**, 348

Spinal cord; Development; Preganglionic sympathetic nucleus; Phenylethanolamine-N-methyltransferase; Uptake; Autoradiography (Caserta, M.T.) **270**, 11

Phenylethanolamine-N-methyltransferase; Catecholamines; Norepinephrine; Hypothalamic nuclei; Midbrain transections; Rat brain (Saavedra, J.M.) **276**, 367

Erabutoxin-b
Acetylcholine receptor; Man; Neuromuscular junction; Muscle; Neurotoxin (Ishikawa, Y.) **266**, 159

Ergot derivatives
Guanine nucleotides; D-2 Receptors; [^{3}H]Spiperone; Corpus striatum (Gundlach, A.L.) **278**, 155

***Erythro* -9-[3-(2-hydroxynonyl(]adenine**
Axonal transport; Retrograde transport; Light microscopy; Dynein (Forman, D.S.) **272**, 194

Esotropia
Optically-induced strabismus; Visual field; Unilateral fixation; Alternating fixation; Binocularity; Cats (Elberger, A.J.) **268**, 147

Estradiol
Neonatal estrogenization; Catecholestrogens; Moxestrol; Monohydroxytamoxifen; Luteinizing hormone surges; Progestin receptors (Ghraf, R.) **258**, 133

[^{3}H]Prazosin binding; Prazosin; α-Adrenergic receptor; Guinea pig brain; Progesterone; Steriod hormone (Nock, B.) **262**, 163

Neonatal estrogenization; Catecholestrogens; Luteinizing hormone surges; Progestin receptors; Pituitary gland; Uterus (Kirchhoff, J.) **268**, 382

Neonatal androgenization; Luteinizing hormone surges; Progestin receptors; Hypothalamus; Pituitary gland; Uterus (Kirchhoff, J.) **275**, 173

17-β-Estradiol
Female rats; [^{3}H]Muscimol; [^{3}H]Flunitrazepam; Binding sites; Hypophysectomy (Hamon, M.) **279**, 141

Estradiol benzoate
Haloperidol-induced catalepsy; 2-Hydroxyestradiol; Hyperprolactinaemia; Medroxy acetate progesterone (Nicoletti, F.) **279**, 352

Estradiol-17α
Synaptosomes; Norepinephrine uptake; Estradiol-17β; Ethinylestradiol; Catecholestrogens; Methylestrogens (Ghraf, R.) **277**, 163

Estradiol-17β
Synaptosomes; Norepinephrine uptake; Estradiol-17α; Ethinylestradiol; Catecholestrogens; Methylestrogens (Ghraf, R.) **277**, 163

non-Steroidal antiestrogens; Estrogen receptors; Progestin receptors; Pituitary gland; Hypothalamus; Uterus (Kirchhoff, J.) **289**, 380

Estrogen
Antiestrogen; Enclomiphene; Progestin receptor; Lordosis; Progesterone (Wilcox, J.N.) **266**, 243

Brain androgen metabolism; Swiss-Webster mouse; Aromatization (Sheridan, P.J.) **273**, 285

A1 Noradrenergic neurons; Spike dissociation; Post-stimulus inhibition; 6-Hydroxydopamine (Kaba, H.) **274**, 156

Cholinergic receptors; Hypothalamus; α-Bungarotoxin (Morley, B.J.) **278**, 262

Estrogenic action
Lordosis; Local anesthetics; Tetrodotoxin; Hypothalamus; Electrical activity (Harlan, R.E.) **268**, 67

Estrogen receptors
Hamster; Androgen receptors; Hypothalamus-preoptic area; Sex differences; Species differences (Vito, C.C.) **264**, 132

non-Steroidal antiestrogens; Estradiol-17β; Progestin receptors; Pituitary gland; Hypothalamus; Uterus (Kirchhoff, J.) **289**, 380

Estrogens
Zebra finch; Acetylcholinesterase; Choline acetylase; Androgens; Muscle (Luine, V.N.) **279**, 339

Estrous cycle
Adrenergic receptors; Hypothalamic norepinephrine; cAMP; Adrenoblockers (Zubin, P.) **271**, 273

Etazolate
GABA; Benzodiazepine receptors; Antagonists; Receptor interactions; Inverse agonists; $[^{3}H]$Muscimol; Agonists (Borea, P.A.) **280**, 383

Ethanol
Peripheral-type benzodiazepine receptors; Central-type benzodiazepine receptors; Ro5-4864; Propyl-β-carboline-3-carboxylate (Schoemaker, H.) **258**, 347

LS mice; SS mice; Cerebellum; Purkinje cells; in vitro Brain slices (Basile, A.) **264**, 69

Juxtacellular microinjection; Intracellular microinjection; Trigeminal motoneuron; Cat (Baranyi, A.) **269**, 159

Opioids; Endorphin-containing systems; Guinea pig (Gintzler, A.R.) **269**, 391

Brain development; Cerebellum; Neurogenesis; External granular layer (Borges, S.) **271**, 388

Alcohol; *Aplysia* neuron; Bursting pacemaker; Pacemaker; Voltage clamp (Schwartz, M.H.) **278**, 341

Immobilization stress; α-Adrenoceptors (Lynch, M.) **288**, 145

Ethanolamine-O-sulfate
Anorexia; $[^{14}C]$2-Deoxy-D-glucose autoradiography; Brain metabolism; Food intake; GABA; GABA-T inhibition; Sensorimotor tests; Tail-pinch (Nobrega, J.N.) **262**, 243

$[^{14}C]$Ethanol tissue sampling technique
Angiotensin II; Cerebral blood flow; Rabbit; Heat clearance technique; Mass spectrometry technique; Central effect (Reynier-Rebuffel, A.-M.) **269**, 91

Ethinylestradiol
Synaptosomes; Norepinephrine uptake; Estradiol-17β; Estradiol-17α; Catecholestrogens; Methylestrogens (Ghraf, R.) **277**, 163

5'-N-Ethylcarboxamidoadenosine
N^{6}-Cyclohexyladenosine; Adenosine receptors; Autoradiography (Buckley, N.) **269**, 374

Etomidate
Prolactin release; Dopamine; Synaptosomes; 5-Hydroxytryptophan; Haloperidol; GABA (Preziosi, P.) **271**, 379

Evoked activity
Hippocampus; Aminopyridine; Ca binding sites; Electron microscopy; In vitro (Kuhnt, U.) **279**, 19

Evoked potentials
Auditory system; Albinism (Creel, D.) **260**, 1

Neuron model; Prefrontal cortex; Dopamine (Hernandez, A.) **276**, 195

Evolution
Cholecystokinin (CCK) peptides; Hypothalamus; Bullfrog, *Rana catesbiana*; Pituitary (Beinfeld, M.C.) **268**, 192

Exchange diffusion
D- and L-α-Aminoadipic acids; Glutamate; Aspartate; GABA; Spontaneous and K^{+}-induced efflux; Antagonist of amino acid-induced excitation (Charles, A.K.) **259**, 331

Excitant
Kainic acid; Lateral geniculate nucleus; α-Ketokainic acid; Dihydrokainic acid; Amino acid receptor (King, D.J.) **262**, 172

Excitant amino acid antagonists
Excitant amino acids; Synaptic excitation; Spinal cord (Peet, M.J.) **266**, 83

Excitant amino acids
Excitant amino acid antagonists; Synaptic excitation; Spinal cord (Peet, M.J.) **266**, 83

Excitation
Epilepsy; E1 mouse; 2-Deoxyglucose; Hippocampus; Focus; Neocortex; Brainstem (Suzuki, J.) **266**, 359

Benzodiazepine antagonist; Ro14-7437; Calcium-mediated potassium conductance; Hippocampus; CA1 cells (Carlen, P.L.) **271**, 115

Excitatory amino acid receptors
Hippocampus; Glutamate; Aspartate; Homocysteate; Desensitization (Fagni, L.) **261**, 167

Excitatory amino acids
Quinolinic acid; Microiontophoresis (Perkins, M.N.) **259**, 172

Glutamate receptors; 2-Amino-4-phosphonobutyric acid (Monaghan, D.T.) **278**, 137

Purkinje cells; Voltage clamp (Crepel, F.) **279**, 311

Excitatory response
Chloral hydrate anesthesia; Dorsal raphe neurons; Phasic auditory stimuli; Visual stimuli; Cat (Trulson, M.E.) **265**, 129

Excitatory transmitter
Glutamate; Chlorisondamine; Open channel blocker; Crayfish neuromuscular junction (Shinozaki, H.) **273**, 325

Excitotoxic amino acids
Adenohypophyseal hormones (Mason, G.A.) **289**, 366

Excitotoxicity
Amino-acid neurotransmitter; Muscle; Insect; Neurotoxicity; Receptor (Duce, I.R.) **263**, 77

Amino acid neurotransmitter; Muscle degeneration; Insect muscle; Calcium channels; Amino acid receptors (Donaldson, P.L.) **274**, 261

Experimental allergic neuritis
P_2 protein; Lewis rat (Cunningham, J.M.) **258**, 285

Experimental epilepsy
Kindling; Anterior neocortex; 6-Hydroxydopamine; Noradrenaline (Altman, I.M.) **270**, 174

Explosive motor behavior
Morphine; Naloxone; Amphibian; Analgesia (Pezalla, P.D.) **273**, 297

External granular layer
Ethanol; Brain development; Cerebellum; Neurogenesis (Borges, S.) **271**, 388

External pH
Mollusc giant neurones; Neurite formation in culture; Intracellular calcium (Kostenko, M.A.) **276**, 43

Extinction effect
Dorsal bundle; Norepinephrine; Gustatory neophobia (Tombaugh, T.N.) **261**, 231

Extra- and intracellular recording
Neurotensin; Iontophoresis; Microperfusion; Spinal neurons (Stanzione, P.) **268**, 111

Extracellular matrix
Oligodendrocytes; Differentiation in vitro (Lubetzki-Korn, I.) **267**, 151

Extracellular recording
Neurotransmitters; Rat mediobasal hypothalamus; Iontophoresis; Cortisol (Mandelbrod, I.) **272**, 115

Glutamate analogues; Perforant path; Agonists; Antagonists; γ-Substitution (Koerner, J.F.) **272**, 299

Sodium - rat mediobasal hypothalamus; Iontophoresis; Cortisol; Osmoreception (Mandelbrod, I.) **273**, 35

Dorsal raphe nucleus; Serotonergic neurons; Brain slices; Intracellular recording; Norepinephrine; LSD; α_1-Adrenoreceptors (Vandermaelen, C.P.) **289**, 109

Extracellular recordings
Behaving monkeys; Striate cortex; Non-oriented cells; Corollary discharge; Movement perception (Galletti, C.) **260**, 128

Extrageniculate
Monkey; Color-opponent; Lateral pulvinar; Single unit (Felsten, G.) **288**, 363

Extra-geniculate system
Lateral thalamus; Superior colliculus; Visual system (Donnelly, J.F.) **288**, 315

Extralemniscal auditory paths
Ventral nucleus of the lateral lemniscus; Medial geniculate nucleus; Cat (Henkel, C.K.) **259**, 21

Extraocular muscles
Semilunar ganglion; Stretch receptor; First-order neurons; Single unit; HRP; Rat (Daunicht, W.J.) **278**, 291

Extraocular nuclei
Vestibular nuclei; Cerebellum; Fastigial nucleus; Interstitial nucleus of Cajal; Perihypoglossal nuclei; Central cervical nucleus; Reticular formation (Carleton, S.C.) **278**, 29

Extrapyramidal system
Globus pallidus; Primate; Pallidal efferents; Fluorescence double-labeling; Basal ganglia (Parent, A.) **278**, 11

Extrinsic/intrinsic connections
Quantitative histology; Electron microscopy; Hypothalamus; Paraventricular nucleus (Kiss, J.Z.) **265**, 11

Eye-head movements
Vestibulo-ocular reflex summation; Saccades (Fuller, J.H.) **271**, 241

Eye movements
Reaction time; Monkey (Fischer, B.) **260**, 21

REM sleep; Ponto-geniculo-occipital waves; Human cerebral potentials; Corollary discharge (McCarley, R.W.) **274**, 359

Optokinetic nystagmus; Vestibular nystagmus; Velocity storage (Demer, J.L.) **276**, 173

Nystagmus; Vestibulo-ocular reflex; Cervico-ocular reflex (Böhmer, A.) **277**, 241

Eye muscles
Vestibulo ocular reflex; Natural vestibular stimulation; EMG; Alert rabbit; Macular convergence; Ampullar convergence (Favilla, M.) **280**, 277

F

FMRFamide
Radioimmunoassay; Neuropeptides; Pancreactic polypeptide (Dockray, G.J.) **266**, 295

FMRF-amide
Immunohistochemistry; Neuropeptides; APP (Williams, R.G.) **276**, 213

Facial nerve
Locus coeruleus; Cat; Electromagnetic flow probes; Vasodilatation; Electrical stimulation (Goadsby, P.J.) **278**, 175

Facial nucleus
Brainstem; Reticular formation; Oral-facial behavior; Facial reflexes (Panneton, W.M.) **267**, 19

Enkephalin; δ-Receptor; Motor function; Fine structure; Axo-dendritic contact (Senba, E.) **274**, 17

Pretectum; Olivary pretectal nucleus; Blink reflex; Dazzle reflex; Menace reflex; HRP; Cat (Itoh, K.) **274**, 332

Red nucleus; Rubrobulbar projection; Trigeminal nuclei; HRP; Snake (Ten Donkelaar, H.J.) **279**, 229

Facial reflexes
Facial nucleus; Brainstem; Reticular formation; Oral-facial behavior (Panneton, W.M.) **267**, 19

Facilitation
Apamin; Ascending axons; Primary sensory afferents; Afferent C fibers; Intrathecal injection (Jurna, I.) **280**, 186

False transmitter
Imipramine transport; Imipramine release; Hypothalamus (Allen, D.L.) **267**, 161

Fasciculi of accessory optic tract
Accessory optic system; Rats; Terminal nuclei; Silver impregnation; HRP (Yamadori, T.) **269**, 41

Fasciculus solitarius
Glossopharyngeal nerve; Bulbar evoked potential; Bullfrog (Hanamori, T.) **260**, 51

HRP; Glossopharyngeal neuron; Intraganglionic distribution; Bullfrog (Hanamori,T.) **260**, 191

Fast and slow muscles
Forelimb movement; Differential activation; Electromyography (Alstermark, B.) **259**, 155

Fast axonal transport
Quantitative electron microscopic autoradiography; Smooth endoplasmic reticulum; Ultrastructural morphometry (Papasozomenos, S.C.) **278**, 232

Fastigial nucleus
Cerebral blood flow; Cerebral metabolism; Neurogenic vasodilation (Nakai, M.) **260**, 35

Cerebellum; Blood pressure; Hypotension; Hemorrhage; Endotoxin (Lutherer, L.O.) **269**, 251

Vestibular nuclei; Extraocular nuclei; Cerebellum; Interstitial nucleus of Cajal; Perihypoglossal nuclei; Central cervical nucleus; Reticular formation (Carleton, S.C.) **278**, 29

Basal forebrain lesions; Cortical vasodilation (Iadecola, C.) **279**, 41

Paleocerebellum; Cerebellar nuclei; Cerebellum; Motor control; Voluntary movement; Primate (Bava, A.) **288**, 371

Fastigiovestibular
Lateral vestibular nucleus; Cerebellum; Corticovestibular; Spatial distribution (Akaike, T) **272**, 223

Fasting
Glucose; 3-Hydroxybutyrate; 3-Hydroxybutyrate dehydrogenase; 3-Oxo acid-CoA transferase; Acetoacetyl-CoA thiolase; Chick (Nehlig, A.) **262**, 177

Fatigue
Human; Stretch reflex; Triceps brachii (Darling, W.G.) **267**, 345

Reinnervation; Microneurography; Human skin; Mechanoreceptors; Multiple receptive fields (Mackel, R.) **276**, 339

Fatty acids
Palmitate; Functional activity; Brain; Glucose utilization; Oxidative metabolism; Quantitative autoradiography; Rat; Lipids (Kimes, A.S.) **274**, 291

Fear
Dorsal noradrenergic bundle; Locus coeruleus; Noradrenaline; Spatial alternation; Selective attention; Place memory (Pisa, M.) **272**, 319

Emotion; Classical conditioning; Spontaneously hypertensive rats; Strain differences (Ledoux, J.E.) **277**, 137

Feed-forward inhibition
Hippocampal theta; Projection cells; Interneurons (Buzsàki, G.) **266**, 334

Feeding
Serotonin; Lesion; Mollusc; Neuromodulation; Arousal; Hunger (Rosen, S.C.) **260**, 151

Dopaminergic neurons; Substantia nigra; Glucose; Cat; Single unit activity (Strecker, R.E.) **260**, 317

Calmodulin; Food intake; Intracerebroventricular infusion; Temperature regulation; Calcium in brain (Myers, R.D.) **266**, 178

Feeding behavior
Lateral hypothalamic area; Glucose-sensitive neuron; Hepatic portal vein; Glucose-sensitive unit; α-Noradrenergic pathway; Vagal afferent (Shimizu, N.) **265**, 49

Acetylcholine; Unit activity; Monkey; Orbitofrontal cortex; Microiontophoresis (Aou, S.) **275**, 178

Area postrema; Nucleus of the solitary tract; Food intake; Capsaicin; Drinking behavior (South, E.H.) **288**, 243

Feline generalized epilepsy
Recurrent inhibition; Pyramidal neurons; Spike and wave discharges (Kostopoulos, G.) **267**, 101

Female rats
17-β-Estradiol; [^{3}H]Muscimol; [^{3}H]Flunitrazepam; Binding sites; Hypophysectomy (Hamon, M.) **279**, 141

Ferret
Auditory; Midbrain; Tuning; Tonotopicity; Binaural (Moore, D.R.) **269**, 69

Fetal locus coeruleus
Spinal cord; Reinnervation (Commissiong, J.W.) **271**, 174

Fetal pancreas
Serotonin; Perikarya; Culture; Radioautography (Koevary, S.B.) **280**, 368

Fetus
Spinal cord; Noradrenergic innervation; Dopaminergic innervation; Development; Neonate (Commissiong, J.W.) **264**, 197

Fever
Vasopressin; arginine-Vasopressin; Endotoxin (Kasting, N.W.) **258**, 127

Hypothalamic temperature; Vasodilatation; Panting (Kruk, B.) **267**, 237

C-Fiber
Nociceptor; Cold receptor; Mechanoreceptor; Sensitization; Rat (Fleischer, E.) **267**, 81

group III Fiber
Joint afferent; Joint inflammation; Joint nociceptor; Joint pain; Knee joint; group IV Fiber; Pain (Coggeshall, R.E.) **272**, 185

group IV Fiber
Joint afferent; Joint inflammation; Joint nociceptor; Joint pain; Knee joint; group III Fiber; Pain (Coggeshall, R.E.) **272**, 185

A-δ Fiber afferents
Muscular afferents; C Fiber afferents; Respiratory reflex; Respiratory inhibition (Kumazawa, T.) **272**, 364

C Fiber afferents
Muscular afferents; A-δ Fiber afferents; Respiratory reflex; Respiratory inhibition (Kumazawa, T.) **272**, 364

Fiber diameter
Nociceptive reflex; Human (Willer, J.-C.) **278**, 318

Fiber-filling
Optic nerve; Optic tract; *Rana pipiens*; Topographic organization; Axonal guidance; HRP (Scalia, F.) **266**, 121

Fictive swimming
Lamprey; Spinal cord in vitro; Tail fin reflexes (McClellan, A.D.) **269**, 237

Fiddler crabs
Asymmetry; Motoneuron somata; Sensory axons; Nerve root; Hypertrophy; Hyperplasia (Young, R.E.) **280**, 251

Field potentials
Long-term potentiation; Phencyclidine; Ketamine; Hippocampus (Stringer, J.L.) **258**, 159

Fimbria-fornix
Compensatory collateral sprouting; Regeneration; Functional recovery; Cingulate cortex; Hippocampus; Acetylcholine; Noradrenaline; Serotonin; T-maze; Alternation behavior (Gage, F.H.) **268**, 39

Fimbria/fornix
Spatial memory; Radial maze; Mice; Acetylcholine (Reinstein, D.K.) **263**, 172

Fine structure
Enkephalin; δ-Receptor; Motor function; Facial nucleus; Axo-dendritic contact (Senba, E.) **274**, 17

Finger movements
Monkey; Motor cortex; Corticomotoneuronal (Muir, R.B.) **261**, 312

Fink-Heimer method
Lectin; Toxic ricin; Retrograde transport; Wallerian degeneration (Yamamoto, T.) **274**, 325

Firing
Sulpiride; Substantia nigra; Tyrosine hydroxylase activity DA receptors; DA neurons (Mereu, G.) **264**, 105

First-order neurons
Extraocular muscles; Semilunar ganglion; Stretch receptor; Single unit; HRP; Rat (Daunicht, W.J.) **278**, 291

First pain
Pain; Response latency; Warmth sensation; Thermal sensation (Campbell, J.N.) **266**, 203

Fish
Stimulation; Dendrite; Spine; Optic tectum (Burgess, J.W.) **266**, 217

Flexor pollicis longus
Long-latency stretch reflex; Voluntary reaction; Gain control; Premovement; Triceps brachii (Day, B.L.) **270**, 55

Flexor reflex afferent
Cutaneous mechanoreceptor; Cutaneous nociceptor; Spinal reflex pathway (Behrends, T.) **260**, 131

Group II muscle afferent; Cutaneous mechanoreceptor; Spinal reflex pathway (Behrends, T.) **265**, 125

Floccular zone
Flocculus; Climbing fiber projection (Sato, Y.) **272**, 27

Flocculus; Mossy fiber projection (Sato, Y.) **272**, 37

Flocculus
Floccular zone; Climbing fiber projection (Sato, Y.) **272**, 27

Floccular zone; Mossy fiber projection (Sato, Y.) **272**, 37

Flocular stalk
Acetylcholinesterase-rich neuron; Cerebellum; Nodulus (Kamei, I.) **258**, 115

Fluid balance
Hyperdipsia; Dorsal rostral pons; Locus coeruleus; Periaqueductal gray; Hemodynamic signal; Central autonomic pathway (Ward, D.G.) **262**, 314

[^{3}H]Flunitrazepam
GABA; Benzodiazepine; Cerebral cortical membranes (Fong, J.) **266**, 152

17-β-Estradiol; Female rats; [^{3}H]Muscimol; Binding sites; Hypophysectomy (Hamon, M.) **279**, 141

[^{3}H]Ro5-4864; Amygdala kindling; central-type Benzodiazepine receptors; peripheral-type Benzodiazepine receptors (Burnham, W.M.) **279**, 359

Fluorescence
Primary brain cultures; Norepinephrine; Dopamine; Radioenzymatic assay (Sumners, C.) **264**, 267

Fluorescence double-labeling
Globus pallidus; Primate; Pallidal efferents; Basal ganglia; Extrapyramidal system (Parent, A.) **278**, 11

Fluorescence histochemistry
Neurotensin; Dopamine; Coexistence; Arcuate nucleus; Immunohistochemistry; Rat (Ibata, Y.) **269**, 177

Fluorescent axonal tracers
Nucleus basalis; Diagonal band; Cerebral cortex; Axonal collaterals (Price, J.L.) **269**, 352

Fluorescent dye
Dorsal root ganglion; Renal afferent; Dorsal motor nucleus; Kidney; Renal sensory receptor (Donovan, M.K.) **259**, 119

Subicular cortex; Entorhinal cortex; Mammillary body; Ventral medial hypothalamus; Anterior thalamic nucleus (Donovan, M.K.) **259**, 181

Fluorescent dye irradiation
Axotomy; Identified molluscan neurons; Neurite outgrowth; Organ culture; Video fluorescence microscopy (Cohan, C.S.) **270**, 93

Fluorescent dyes
Superior colliculus; Callosal projections; Axon collaterals; Cat (Weber, J.T.) **276**, 333

Crossed mesostriatal projection; Development; Dopamine neurons; Neonatal brain lesion; 6-Hydroxydopamine; Retrograde labeling (Altar, A.) **279**, 1

Fluorescent neuronal tracers
Descending brainstem pathways (Huisman, A.M.) **289**, 305

Fluorescent retrograde tracers
Hyperstriatal-tectal projections; Pigeon (Miceli, D.) **276**, 147

Fluorescent tracers
Bisbenzimide; Gustatory neocortex; Medial parabrachial nucleus; Pontine taste area; Posterior ventromedial thalamic nucleus; Propidium iodide; Rat (Lasiter, P.S.) **258**, 299

Rat; Primary visual system; Centrifugal optic pathway; Orthograde and transcellular transport; Retrograde labeling (Weidner, C.) **272**, 129

Inferior olive; Cerebellum; Climbing fiber branching (Rosina, A.) **289**, 45

Fluorocarbon emulsion
Perfused spinal cord; Cervical spinal cord (Deutschmann, W.) **280**, 239

[^{18}F]6-Fluoro-L-dopa
Dopamine; Striatum; Monkey; Positron emission tomography (Garnett, S.) **280**, 169

Fluoxetine
Serotonin; Corticotropin releasing factor; Vasopressin; Adrenal cortical tropic hormone; Hypophysial portal blood (Gibbs, D.M.) **280**, 176

Flupenthixol
Dopamine; Hypothalamic slice; Oxytocin; Vasopressin; Haloperidol; Spiperone; Sulpiride (Mason, W.T.) **267**, 113

Focal interictal epileptiform discharges
Cerebral cortex; Penicillin; Electrophoresis; Depth profile; Rat (Lockton, J.W.) **258**, 79

Focus
Epilepsy; E1 mouse; 2-Deoxyglucose; Hippocampus; Neocortex; Excitation; Brainstem (Suzuki, J.) **266**, 359

Folate compounds
Hippocampal slices; Kainic acid; Epilepsy; Folic acid (Clifford, D.B.) **266**, 209

Folic acid
GABA; Choline acetyltransferase; Glutamic acid decarboxylase (McGeer, P.L.) **260**, 107

Folate compounds; Hippocampal slices; Kainic acid; Epilepsy (Clifford, D.B.) **266**, 209

Food aversion
Olfaction; Trigeminal receptors; Starlings; Methiocarb; Phenethyl alcohol (Mason, J.R.) **269**, 196

Food deprivation
Cholecystokinin receptor; Cholecystokinin octapeptide; Olfactory bulb; Hypothalamus; Midbrain (Finkelstein, J.A.) **288**, 193

Food intake
Anorexia; [^{14}C]2-Deoxy-D-glucose autoradiography; Brain metabolism; Ethanolamine-O-sulfate; GABA; GABA-T inhibition; Sensorimotor tests; Tail-pinch (Nobrega, J.N.) **262**, 243

Noradrenaline; Ventral noradrenergic bundle; Endorphins; Core temperature; Water intake; Open-field behaviour; Stress (Millan, M.J.) **263**, 283

Calmodulin; Feeding; Intracerebroventricular infusion; Temperature regulation; Calcium in brain (Myers, R.D.) **266**, 178

Sheep; Unit recording; Hypothalamus (Maddison, S.) **278**, 195

Area postrema; Nucleus of the solitary tract; Capsaicin; Feeding behavior; Drinking behavior (South, E.H.) **288**, 243

Food restriction
Adenosine-3',5'-monophosphate; Circadian rhythm; Suprachiasmatic nucleus; Corticosterone; Free run; Ventromedial hypothalamus (Murakami, N.) **276**, 297

Footshock
5-Hydroxytryptamine; Analgesia; Memory; Learning (Hutson, P.H.) **279**, 105

Footshock induced analgesia
Classically conditioned analgesia; Nucleus raphe magnus; Nucleus reticularis; Paragigantocellularis; Nucleus raphe alatus (Watkins, L.R.) **276**, 305

Opiate analgesia; Non-opiate analgesia; Periaqueductal gray; Decerebration (Watkins, L.R.) **276**, 317

Analgesia; Dorsolateral funiculus; Opioid peptides; Stress analgesia; Pain (Lewis, J.W.) **267**, 139

Force rate
Voluntary force exertion; Ballistic contraction; Ramp contraction; Isometric force; Surface e.m.g.; Integrated e.m.g.; Discharge rate (Yoneda, T.) **275**, 305

Forebrain
Amygdala; Amygdaloid complex; Limbic system; Neurogenesis; Development; Autoradiography (McConnell, J.) **272**, 150

Postsynaptic density; Glycoproteins; Concanavalin A; Cerebellum; Nitrocellulose blot (Gordon-Weeks, P.R.) **277**, 380

Forelimb afferents
Sensory convergence; Sensory interactions; Somatosensory cortex; Afferent inhibition (Macgillis, M.) **276**, 329

Forelimb movement
Fast and slow muscles; Differential activation; Electromyography (Alstermark, B.) **259**, 155

Fornix
Neuropeptides; Hippocampus; Rat; Monkey; Man (Roberts, G.W.) **263**, 151

Forskolin
Dopamine; Tyrosine hydroxylase; Adenylate cyclase; cAMP; Synaptosomes; Retina (Katz, I.R.) **264**, 173

Fourth ventricle
Vasoactive intestinal polypeptide; Push-pull cannula; Cholinergic pathway (Kaji, H.) **269**, 303

Freely moving cats
Serotonin; Serotonergic neurons; Dorsal raphe nucleus; Motor systems; Muscle relaxant drugs (Steinfels, G.F.) **279**, 77

Free radicals
α-Tocopherol; reduced Ubiquinone; oxidized Ubiquinone; Cerebral ischemia; Rat brain (Abe, K.) **273**, 166

Free ribosomes
Cerebrovascular smooth muscle culture: isolation, dissociation, propagation; Myofilaments; Rough endoplasmic reticulum (Spatz, M.) **280**, 387

Free run
Adenosine-3',5'-monophosphate; Circadian rhythm; Suprachiasmatic nucleus; Corticosterone; Food restriction; Ventromedial hypothalamus (Murakami, N.) **276**, 297

Freeze-fracture
Astrocytes; Membrane structure; Tissue culture; Glial fibrillary acidic protein (Landis, D.M.D.) **276**, 31

Astrocytes; Differential centrifugation; Plasma membrane; Intramembranous particles; Assemblies; Rearrangement; Trypsinization (Anders, J.J.) **278**, 81

Sympathetic ganglia; Synapses; 4-Aminopyridine; Ultrastructure; Guinea pig; Rat (Andersson Forsman, C.) **280**, 355

Freeze lesion
Epilepsy; glial ATPase; (Na^+,K^+)-ATPase (Grisar, T.) **261**, 75

Freeze substitution
Meningeal vessel; Brain vessel morphometry (Hart, M.N.) **260**, 178

Frequency facilitation
Paired pulse facilitation; Paired pulse depression; Post-tetanic potentiation; Limbic system; Memory (Racine, R.J.) **260**, 201

Frequency-following ability
Action potential; Axons; β-Receptors; cAMP; Catecholamines (Seelig, T.L.) **279**, 303

Frog
Motoneurons; Cell migration; Spinal cord; Development (Liuzzi, F.J.) **262**, 299

Streptomycin; Neuromuscular junction (Tamaki, M.) **265**, 241

Motoneurons; Primary afferents; Cell death; Spinal cord (Davis, M.R.) **265**, 283

Regeneration; Optic nerve; Influence of lesion site (Humphrey, M.F.) **269**, 153

Coupling; Lumbar motoneurons (Brenowitz, G.L.) **274**, 371

Vestibulocerebellum-vestibular input; Somesthetic input; Climbing fibers; Motor control (Amat, J.) **278**, 287

Peripheral nerve; Regeneration; Conditioning effect; Cell body response (Carlsen, R.C.) **279**, 9

Frog labyrinth
Vestibular efferent system; Branching efferent fibers; Efferent responses; Widespread control (Prigioni, I.) **269**, 83

Frog muscle spindle
Ruthenium ions; Calcium channels (Ito, F.) **276**, 277

Spindle potential; Na^+-free effects; K^+ Channel blockers (Ito, F.) **277**, 352

isolated perfused Frog spinal cord
Hypoxia; Glucose free medium; Presynaptic inhibition; Ventral root potentials; Dorsal root potentials (Haji, A.) **274**, 107

Frog spinal cord
Serotonin; Raphe nuclei; Methysergide; Homosynaptic depression; Monosynaptic responses of motoneurons (Cardona, A.) **280**, 373

Frontal cortical ablation
Mouse striatum; $[^3H]$N-Propylnorapomorphine; $[^3H]$Spiperone; Dopamine receptors; 6-Hydroxydopamine; Kainic acid (Severson, J.A.) **279**, 295

Frontal eye field
Macaque monkey; Visual cortex; Middle temporal area; Autoradiography; Cortico-cortical connections (Maioli, M.G.) **265**, 294

Frontal eye fields
Pretectum; Primate; Visual cortex; Retinal projections; Visual pathways (Dineen, J.T.) **278**, 250

Frozen brain
Gerbils; Seizures; NADH; Redox state; Ischemia; Stroke; Redox state mapping (Mayevsky, A.) **276**, 95

Fucose-specific lectin
Heparin; Axonal transport; Glycoproteins (Ohlson, C.) **274**, 303

Functional activity
Phosphorylase a histochemistry; Mouse cortical columns (Wallace, M.N.) **267**, 201

Fatty acids; Palmitate; Brain; Glucose utilization; Oxidative metabolism; Quantitative autoradiography; Rat; Lipids (Kimes, A.S.) **274**, 291

Functional anatomy
Epilepsy; Limbic system; Entorhinal cortex (Collins, R.C.) **280**, 25

Functional heterogeneity
Prefrontal cortex; Unit activity; Monkey; Arcuate concavity; Principal sulcus; Inferior convexity (Aou, S.) **260**, 121

Functional mapping
2-Deoxyglucose; Deoxy sugar (Kelly, P.A.T.) **260**, 172

Functional organization
Spinal cord; 2-Deoxyglucose; Afferent termination (Piepmeier, J.M.) **259**, 167

Functional recovery
Compensatory collateral sprouting; Regeneration; Cingulate cortex; Fimbria-fornix; Hippocampus; Acetylcholine; Noradrenaline; Serotonin; T-maze; Alternation behavior (Gage, F.H.) **268**, 39

Functional reinnervation
Electrical stimulation; Nerve regeneration; Rabbit (Nix, W.A.) **272**, 21

Functional tolerance
Barbiturates; Glucocorticoids; Tryptophan hydroxylase; Serotonergic system; Mice (Yanai, J.) **269**, 297

Furosemide
Dorsal root ganglia; GABA-receptor; Temperature; pH; Chloride pump; SITS; Bumetanide; Ammonium ion (Gallagher, J.P.) **267**, 249

Astrocytes; Chloride permeability; Glial cells; Membrane potential; Ouabain; Potassium homeostasis (Walz, W.) **277**, 321

Fusimotor neuron
Muscle spindle; After-effect; Sinusoidal stretching; Dynamic sensitivity; Control of posture (Baumann, T.K.) **258**, 139

G

GABA
Substantia nigra; Nigrotegmental; Pedunculopontine nucleus; Axonal transport; Glutamic acid decarboxylase; γ-vinyl-GABA (Childs, J.A.) **258**, 109

Convulsants; Barbiturates; Aspartate; Ion channels; Neurotransmitter release (Skerritt, J.H.) **258**, 271

Local cerebral blood flow; Local cerebral glucose utilization; Muscimol (Kelly, P.A.) **258**, 338

D- and L-α-Aminoadipic acids; Glutamate; Aspartate; Spontaneous and K$^+$-induced efflux; Exchange diffusion; Antagonist of amino acid-induced excitation (Charles, A.K.) **259**, 331

Choline acetyltransferase; Glutamic acid decarboxylase; Folic acid (McGeer, P.L.) **260**, 107

Conductance decrease; Inhibition; Ionic mechanism; Biphasic response (Mayer, M.L.) **260**, 233

Anorexia; [^{14}C]2-Deoxy-D-glucose autoradiography; Brain metabolism; Ethanolamine-O-sulfate; Food intake; GABA-T inhibition; Sensorimotor tests; Tail-pinch (Nobrega, J.N.) **262**, 243

Retina; Glutamate; Goldfish; Horizontal cell (Yazulla, S.) **263**, 63

Benzodiazepine; [^{3}H]Flunitrazepam; Cerebral cortical membranes (Fong, J.) **266**, 152

Angiotensin II; hypertonic CSF; Pressor responses (Brennan, T.J.) **267**, 261

Thyrotropin; Hypothalamic; Pituitary relation (Jordan, D.) **268**, 105

Benzodiazepine; Diazepam; Inhibiton; Spinal cord cultures (Sher, P.K.) **268**, 171

Dominantly-inherited cerebellar ataxias; Cerebellum; GABA receptor; Purkinje neurone; Dentate nucleus (Kish, S.J.) **269**, 370

[Ca^{2+}]$_0$; Presynaptic Ca^{2+} entry; Hippocampal slice; Rat (Konnerth, A.) **270**, 185

Immunocytochemistry; Taurine; Aspartate; Somatostatin; Rat retina (Lin, C.T.) **270**, 273

Optic tectum; Inhibition; Visual physiology; Picrotoxin; Bicuculline (Sajovic, P.) **271**, 227

Enkephalinergic inhibition; Naloxone; Parasympathetic ganglia (Simonds, W.F.) **271**, 365

Etomidate; Prolactin release; Dopamine; Synaptosomes; 5-Hydroxytryptophan; Haloperidol (Preziosi, P.) **271**, 379

Superior colliculus; Substantia nigra; Bicuculline; Muscimol; Saccades (Hikosaka, O.) **272**, 368

N-Methylaspartate; Luteinizing hormone-releasing hormone; Glutamate; Neuroactive amino acids; Suprapituitary mechanism; Arcuate hypothalamic nucleus (Tal, J.) **273**, 179

GABA$_B$ receptors; Baclofen (Karbon, E.W.) **274**, 393

Goldfish; Retina; Horizontal cells; Glutamate (Yazulla, S.) **275**, 61

Acetylcholine; Choline acetyltransferase; Glutamate decarboxylase; Habenula; Nucleus interpeduncularis; Septum; Nucleus triangularis septi; Nucleus septo-fimbrialis (Contestabile, A.) **275**, 287

Serotonin; Immunocytochemistry (Belin, M.F.) **275**, 329

X Cells; Y Cells; Dorsolateral geniculate nucleus; Centre surround antagonism; Inhibitory processes (Sillito, A.M.) **277**, 63

Epilepsy; Kindling; Long-term potentiation; Dentate gyrus (Tuff, L.P.) **277**, 79

Epilepsy; Kindling; Benzodiazepines; Hippocampus; Long-term potentiation (Tuff, L.P.) **277**, 91

Reward-gating; Inhibition; Glycine; Medial hypothalamus; Lateral hypothalamus; Self-stimulation (Porrino, L.J.) **277**, 269

Cerebral cortex; Laminal distribution; Inhibitory transmitter; Rat (Ishikawa, K.) **277**, 361

Sympathetic preganglionic neurons; Glycine; Bicuculline; Strychnine (Backman, S.B.) **277**, 365

γ-Aminobutyric acid; Receptors; Mammalian peripheral nerves; Amphibian peripheral nerves; Myelinated fibers; Depolarization; Pharmacological characterization (Morris, M.E.) **278**, 117

γ-Aminobutyric acid; Receptors; Potassium ions; Peripheral nerve; Myelinated fibers; Dorsal root; Ventral root; Depolarization; Localization (Morris, M.E.) **278**, 127

Myenteric plexus; Acetylcholine; Synaptosome; Release (Yau, W.M.) **278**, 271

β-Carboline; Benzodiazepine; Hippocampus (Paterson, I.A.) **278**, 274

Strychnine; Bicuculline; Glycine; Dopamine; Retina; Light; Rat (Morgan, W.W.) **278**, 362

GABA agonist and antagonist agents; Serotonergic neurons; 5-Hydroxytryptophan accumulation; Dorsal raphé; Striatum (Nishikawa, T.) **279**, 325

Etazolate; Benzodiazepine receptors; Antagonists; Receptor interactions; Inverse agonists; [^{3}H]Muscimol; Agonists (Borea, P.A.) **280**, 383

Primary afferent depolarization; Tooth pulp; Nucleus raphe magnus; Reticular formation; Serotonin; Opioid peptides (Lovick, T.A.) **289**, 135

Primary astroglial culture; Autoradiography; Glutamate; Aspartate; Dopamine; Norepinephrine; Serotonin; Enkephalin; Valine (Hansson, E.) **289**, 189

Benzodiazepines; Embryology; Receptors; Inhibition; Motility; Synaptic transmission (Maderdrut, J.L.) **289**, 385

GABA agonist and antagonist agents
GABA; Serotonergic neurons; 5-Hydroxytryptophan accumulation; Dorsal raphé; Striatum (Nishikawa, T.) **279**, 325

GABA$_B$ receptors
GABA; Baclofen (Karbon, E.W.) **274**, 393

GABAergic neurons
Tissue culture; Autonomic nervous system; Enteric nervous system; Maintenance of differentiation in culture; Neuronal survival; VIP-containing neurons; Adrenergic neurons (Jessen, K.R.) **262**, 49

GABA glycine
Chronically lesioned rats; Subthalamic nucleus; Entopeduncular output neurons; Inhibitory response; Miroiontophoresis; Acetylcholine (Rouzaire-Dubois, B.) **271**, 11

GABA neurotransmission
Cultured astrocyte; Cultured neuron; GABA transport; *cis*-3-Aminocyclohexane carboxylic acid transport (Larsson, O.M.) **260**, 279

GABA receptor
Dominantly-inherited cerebellar ataxias; Cerebellum; GABA; Purkinje neurone; Dentate nucleus (Kish, S.J.) **269**, 370

Anisatin; Picrotoxinin; Chloride ion (Matsumoto, K.) **270**, 103

β-Carbolines; Benzodiazepine receptor; cGMP; Cerebellum (Serra, M.) **273**, 347

Dorsal root ganglia; Temperature; pH; Chloride pump; SITS; Furosemide; Bumetanide; Ammonium ion (Gallagher, J.P.) **267**, 249

[^{3}H]GABA release
Muscimol; Caudate nucleus; Substantia nigra; Bilateral regulation (Kemel, M.L.) **272**, 331

GABA system
Optic tectum; Kainic acid; Neuroexcitation; Neurotoxicity (Contestabile, A.) **262**, 339

GABA-T inhibition
Anorexia; [^{14}C]2-Deoxy-D-glucose autoradiography; Brain metabolism; Ethanolamine-O-sulfate; Food intake; GABA; Sensorimotor tests; Tail-pinch (Nobrega, J.N.) **262**, 243

GABA transport
Cultured astrocyte; Cultured neuron; *cis*-3-Aminocyclohexane carboxylic acid transport; GABA neurotransmission (Larsson, O.M.) **260**, 279

GABA uptake
Cortical areas; Radioautography (Harandi, M.) **260**, 306

dibutryryl cGMP
Morphine; Met-Enkephalin; Nociception; Mesencephalic reticular formation (Hosford, D.A.) **258**, 147

cGMP
Axotomy; High extracellular K^{+}; Denervation; Preganglionic electrical stimulation; Rat superior cervical sympathetic ganglion (Ando, M.) **267**, 313

Guanylate cyclase; Immunohistochemistry; Postsynaptic components; Monoclonal antibody; Cholinergic neurotransmission; Rat brain (Nakane, M.) **273**, 9

β-Carbolines; Benzodiazepine receptor; GABA receptor; Cerebellum (Serra, M.) **273**, 347

Db-cGMP
α-Adrenergic receptors; β-Adrenergic receptors; Db-cAMP; Muscarinic receptors; Phosphodiesterase inhibitors; Protein synthesis inhibitors (Kandasamy, S.B.) **277**, 311

cGMP
Blood-brain barrier; Macromolecular transport; Pinocytosis; Albumin immunohistochemistry (Joó, F.) **278**, 165

Substance P; Somatostatin; Methionine-enkephalin; Immunofluorescence (Ariano, M.A.) **289**, 362

γ-vinyl-GABA
Substantia nigra; GABA; Nigrotegmental; Pedunculopontine nucleus; Axonal transport; Glutamic acid decarboxylase (Childs, J.A.) **258**, 109

Gain control
Long-latency stretch reflex; Voluntary reaction; Premovement; Flexor pollicis longus; Triceps brachii (Day, B.L.) **270**, 55

Galactocerebroside
Oligodendroglia; Long-term culture; Immunocytochemistry; Morphology; Myelin antigens; Myelin basic protein; Cell isolation (Norton, W.T.) **270**, 295

Oligodendrocytes; Brain cell culture; Hypomyelination; Jimpy mutant (Bologa, L.) **275**, 369

UDP-Galactose:ceramide
Myelinogenesis; Twitcher mice; Krabbe disease; Tissue culture; Galactosyltransferase; Galactosylceramidase (Bourque, E.A.) **261**, 295

Galactosylceramidase
Myelinogenesis; Twitcher mice; Krabbe disease; Tissue culture; UDP-Galactose:ceramide; Galactosyltransferase (Bourque, E.A.) **261**, 295

Galactosyltransferase
Myelinogenesis; Twitcher mice; Krabbe disease; Tissue culture; UDP-Galactose:ceramide; Galactosylceramidase (Bourque, E.A.) **261**, 295

Galago
Striate cortex; Lateral geniculate nucleus; Geniculo-cortical afferents; Axons; Primate; Vision (Florence, S.L.) **270**, 127

Gallamine triethiodide
β-Endorphin; Neuromuscular blockade; Wakefulness; Sleep; Stress (Foutz, A.S.) **263**, 119

Ganglion blockers
Bungarotoxin; Acetylcholine receptors; Ganglionic transmission (Toldi, J.) **262**, 323

Ganglionic transmission
Bungarotoxin; Acetylcholine receptors; Ganglion blockers (Toldi, J.) **262**, 323

GM_1 Ganglioside
Nigro-striatal DA neurons; Hemitransection; Sprouting response; Immunohistochemistry (Toffano, G.) **261**, 163

Gangliosides
Tay-Sachs disease; Gangliosidosis (Yu, R.K.) **275**, 47

Monoclonal antibody A2B5; Neuronal maturation; Tetrasialogangliosides (Kasai, N.) **277**, 155

Gangliosidosis
Tay-Sachs disease; Gangliosides (Yu, R.K.) **275**, 47

Gap junction
Dendrite; Interneuron; non-Pyramidal cell; Hippocampus; Rat; Mammal (Kosaka, T.) **271**, 157

Interneuron; Dentate gyrus; Hippocampus; Rat; Mammal (Kosaka, T.) **277**, 347

Gastrin
Cholecystokinin; Neuropeptides; Radioimmunoassay; Biosynthesis; Axonal transport (Rehfeld, J.F.) **275**, 341

Gastrin releasing peptide
Immunocytochemistry; Celiac ganglion; Rat (Kondo, H.) **289**, 326

Gastrointestinal motility
Electroconvulsive shock; Endogenous opioids; Thermal analgesia (Galligan, J.J.) **271**, 354

Gastrointestinal tract
Neurotensin; Central nervous system; Autonomic nervous system; Pituitary gland; Radioimmunoassay; Gel chromatography (Goedert, M.) **272**, 291

Gastropod molluscs
Cell size; Cell number; Optical monitoring (Boyle, M.B.) **266**, 305

Gel chromatography
Neurotensin; Central nervous system; Autonomic nervous system; Pituitary gland; Gastrointestinal tract; Radioimmunoassay (Goedert, M.) **272**, 291

2-D Gel electrophoresis
Goldfish; Optic nerve; Regeneration; Protein (Quitschke, W.) **258**, 69

Genetic deafness
Mouse mutants; Auditory pathways (Deol, M.S.) **258**, 177

Genetic heterogeneity
Audiogenic seizures; Recombinant inbred strains; Epilepsy; Mouse (Seyfried, T.N.) **271**, 325

Genetic mutation
Myelin; Disease; Morphology; Tissue culture (Wolf, M.K.) **271**, 121

Geniculo-cortical afferents
Striate cortex; Lateral geniculate nucleus; Axons; Galago; Primate; Vision (Florence, S.L.) **270**, 127

Geniculo-cortical boutons
Area 17; Cell numbers (Winfield, D.A.) **277**, 223

Geniculostriate
Grey squirrel; Lateral geniculate; Striate cortex; Laminar specificity; Autoradiography (Harting, J.K.) **272**, 341

Gerbils
Seizures; NADH; Redox state; Ischemia; Frozen brain; Stroke; Redox state mapping (Mayevsky, A.) **276**, 95

Vestibular afferents; Anesthesia; Decerebration; Linear forces (Perachio, A.A.) **280**, 287

Giant interneuron
Ultrastructure; Degeneration; Regeneration (Meiri, H.) **263**, 1

Giant potential
Neuromuscular junction; Miniature endplate potential; Paraoxon; Acetylcholinesterase; Potassium (Carlson, C.G.) **264**, 285

Gigantocellular reticular nucleus
Vestibular efferent fiber; Semicircular canal; Vestibular nucleus; Parvocellular reticular nucleus; Lateral reticular nucleus; Horseradish peroxidase (Ito, J.) **259**, 293

Inferior olivary nucleus; Dorsal motor nucleus; Solitary nucleus; Vagus nerve; Baroreceptor reflex (Liu, R.H.) **271**, 184

Glia
Müller cells; Bulk isolation; Retina; Mammal; Enzymatic dissociation (Trachtenberg, M.C.) **261**, 43

L-Glutamic acid uptake; SITS; Astrocytes; Synaptosomes (Waniewski, R.A.) **268**, 390

Glial cells
Na^+,K^+ pump; Leech; Neuropile; Ouabain (Walz, W.) **267**, 93

Hippocampal slice; Dye coupling; Electrotonic coupling; CA1 stratum pyramidale; Potassium (Alger, B.E.) **270**, 137

Leech; Neuropile; Intracellular potassium activity (Schlue, W.R.) **270**, 368

Astrocytes; Chloride permeability; Furosemide; Membrane potential; Ouabain; Potassium homeostasis (Walz, W.) **277**, 321

Lithium; Motoneurons; Spinal cord; Cortex; Hippocampus; Potassium (Grafe, P.) **279**, 65

Glial fibrillary acidic protein
Proteinase; Glial fibrillary acidic protein degradation; Immunoblot (DeArmond, S.J.) **262**, 275

experimental allergic Encephalomyelitis; Gliosis; Cytoskeletal protein metabolism (Smith, M.E.) **264**, 241

Astrocytes; Membrane structure; Freeze-fracture; Tissue culture (Landis, D.M.D.) **276**, 31

Glial fibrillary acidic protein degradation
Glial fibrillary acidic protein; Proteinase; Immunoblot (DeArmond, S.J.) **262**, 275

Glial fibrillary proteins
Leukodystrophy; Murine mutants; Immunocytochemistry; Myelination; Myelin proteins (Ulrich, J.) **268**, 267

Glial-ion transport
voltage-dependent Na channel; Cell cultures; Neuronal cell (Reiser, G.) **261**, 335

Glial proliferation
Dentate gyrus; Acetylcholinesterase; Axonal sprouting (Avendaño, C.) **265**, 160

Glia maturation factor
Calmodulin antagonist; Growth inhibition; Growth factor; Glioblast (Okumura-Noji, K.) **273**, 17

Glioblast
Neuroblastoma; Growth inhibition; Growth inhibitory factor; Development (Sakazaki, Y.) **262**, 125

Glia maturation factor; Calmodulin antagonist; Growth inhibition; Growth factor (Okumura-Noji, K.) **273**, 17

C6 Glioma cells
Cytotoxic brain edema; Cell volume; Regulatory volume decrease (Kempski, O.) **279**, 217

Gliosis
experimental allergic Encephalomyelitis; Glial fibrillary acidic protein; Cytoskeletal protein metabolism (Smith, M.E.) **264**, 241

Nerve degeneration (Politis, M.J.) **273**, 392

Benzodiazepine receptors; Alzheimer's disease (Owen, F.) **278**, 373

Globus pallidus
Basal ganglia; HRP; Nucleus basalis of Meynert; Striatum; Wheat germ agglutinin (Jayaraman, A.) **275**, 279

Primate; Pallidal efferents; Fluorescence double-labeling; Basal ganglia; Extrapyramidal system (Parent, A.) **278**, 11

Globus pallidus lesions
Nucleus accumbens; Substantia nigra; Striatum (Scarnati, E.) **265**, 249

Glomus cells
Carotid body; Rat; Serotonin-like immunoreactivity (Grönblad, M.) **276**, 348

Temperature; Denervation; Membranes (Eyzaguirre, C.) **279**, 282

Glossopharyngeal nerve
Bulbar evoked potential; Fasciculus solitarius; Bullfrog (Hanamori, T.) **260**, 51

Glossopharyngeal neuron
HRP; Intraganglionic distribution; Fasciculus solitarius; Bullfrog (Hanamori,T.) **260**, 191

Glucocorticoid feedback
6-Hydroxydopamine; Medial forebrain bundle; Adrenocortical function (Feldman, S.) **260**, 297

Glucocorticoid receptor
Caudate-putamen; Corticosterone binding; Cytosol receptors; Brain cell nuclei (Defiore, C.H.) **278**, 93

Glucocorticoids
Dexamethasone; Tyrosine hydroxylase; Superior cervical ganglion (Sze, P.Y.) **265**, 81

Apomorphine; Dopamine; Receptors; Spinal cord (Hall, E.D.) **267**, 380

Barbiturates; Functional tolerance; Tryptophan hydroxylase; Serotonergic system; Mice (Yanai, J.) **269**, 297

Hippocampus lesion; Ornithine decarboxylase (De Kloet, E.R.) **275**, 91

Aging; Hippocampus; Amygdala; Receptors; Negative feedback (Sapolsky, R.M.) **289**, 235

Glucoprivation
Somatostatin; Hypothalamic cells; Membrane depolarization (Richardson, S.B.) **266**, 75

Glucoprivic feeding
Area postrema; Nucleus of the solitary tract; Angiotensin II; Drinking (Bird, E.) **270**, 193

Glucose
Dopaminergic neurons; Substantia nigra; Cat; Single unit activity; Feeding (Strecker, R.E.) **260**, 317

3-Hydroxybutyrate; 3-Hydroxybutyrate dehydrogenase; 3-Oxo acid-CoA transferase; Acetoacetyl-CoA thiolase; Fasting; Chick (Nehlig, A.) **262**, 177

Glucose free medium
isolated perfused Frog spinal cord; Hypoxia; Presynaptic inhibition; Ventral root potentials; Dorsal root potentials (Haji, A.) **274**, 107

Glucose-6-phosphatase
Capillaries; Blood-brain barrier; Endothelium; Endoplasmic reticulum; Acid phosphatase (Schmidley, J.W.) **262**, 9

Glucose-sensitive neuron
Lateral hypothalamic area; Hepatic portal vein; Glucose-sensitive unit; Feeding behavior; α-Noradrenergic pathway; Vagal afferent (Shimizu, N.) **265**, 49

Glucose-sensitive unit
Lateral hypothalamic area; Glucose-sensitive neuron; Hepatic portal vein; Feeding behavior; α-Noradrenergic pathway; Vagal afferent (Shimizu, N.) **265**, 49

Glucose utilization
Deoxy-sugars; Autoradiography (Kelly, P.A.T.) **269**, 165

Fatty acids; Palmitate; Functional activity; Brain; Oxidative metabolism; Quantitative autoradiography; Rat; Lipids (Kimes, A.S.) **274**, 291

Glucose utilization: local
Brain, metabolism: regional; Autoradiography; Opiate antagonists: naloxone; γ-Hydroxybutyrate (Crosby, G.) **275**, 194

Glutamate
3-Mercaptopropionic acid; Convulsants; Neurotransmitter release; Aspartate (Skerritt, J.H.) **258**, 165

D- and L-α-Aminoadipic acids; Aspartate; GABA; Spontaneous and K^+-induced efflux; Exchange diffusion; Antagonist of amino acid-induced excitation (Charles, A.K.) **259**, 331

Streptomycin; Quisqualic acid; Amino acids (Stone, T.W.) **260**, 347

Hippocampus; Aspartate; Homocysteate; Excitatory amino acid receptors; Desensitization (Fagni, L.) **261**, 167

L-Glutamate
Analgesia; Nucleus reticularis paragigantocellularis; Nucleus raphe magnus; Descending noradrenergic system; Descending serotonergic system (Satoh, M.) **261**, 361

Glutamate
Retina; GABA; Goldfish; Horizontal cell (Yazulla, S.) **263**, 63

Aspartate; Acetylcholine; Spinal neurone excitation; Post-excitatory depression (Peet, M.J.) **263**, 162

L-Glutamate
Convulsions; Phenytoin; Anticonvulsants; Muscimol; Glutamate antagonists (Stone, W.E.) **264**, 165

Glutamate
Caroverine; Open channel blocker; Crayfish neuromuscular junction (Ishida, M.) **266**, 174

Trimethaphan; Glutamate inhibitor; Active channel blocker; Crayfish neuromuscular junction (Shinozaki, H.) **268**, 295

N-Methylaspartate; GABA; Luteinizing hormone-releasing hormone; Neuroactive amino acids; Suprapituitary mechanism; Arcuate hypothalamic nucleus (Tal, J.) **273**, 179

Chlorisondamine; Excitatory transmitter; Open channel blocker; Crayfish neuromuscular junction (Shinozaki, H.) **273**, 325

Goldfish; Retina; Horizontal cells; GABA (Yazulla, S.) **275**, 61

Aspartate; Amino acid antagonists; Kindling; Amygdala (Peterson, D.W.) **275**, 169

Hippocampus; Neurotransmitter receptors (Werling, L.L.) **276**, 344

Sympathetic preganglionic neurons; Aspartate; D,L-Homocysteic acid (Backman, S.B.) **277**, 370

Neurotoxin; Spider venom; Receptor; Squid giant synapse (Kawai, N.) **278**, 346

Primary astroglial culture; Autoradiography; GABA; Aspartate; Dopamine; Norepinephrine; Serotonin; Enkephalin; Valine (Hansson, E.) **289**, 189

Glutamate analogues
Perforant path; Agonists; Antagonists; γ-Substitution; Extracellular recording (Koerner, J.F.) **272**, 299

Glutamate antagonists
L-Glutamate; Convulsions; Phenytoin; Anticonvulsants; Muscimol (Stone, W.E.) **264**, 165

Glutamate decarboxylase
Acetylcholine; Choline acetyltransferase; GABA; Habenula; Nucleus interpeduncularis; Septum; Nucleus triangularis septi; Nucleus septo-fimbrialis (Contestabile, A.) **275**, 287

Glutamate inhibitor
Glutamate; Trimethaphan; Active channel blocker; Crayfish neuromuscular junction (Shinozaki, H.) **268**, 295

Glutamate receptors
Proteinase; Hippocampus; Synaptic plasticity (Baudry, M.) **270**, 142

Cl^-/Ca^{2+}-activated Glutamate receptors
Spinal cord; Cerebellum; 2-Amino-4-phosphonobutyrate (Whittemore, S.R.) **277**, 99

Glutamate receptors
2-Amino-4-phosphonobutyric acid; Excitatory amino acids (Monaghan, D.T.) **278**, 137

Glutamate transmitter
Cortex; Medial frontal cortex; Aspartate transmitter (Walker, J.E.) **278**, 283

Glutamergic projection
Cortical projection; Aspartergic projection; Amygdala; Thalamus (Walker, J.E.) **267**, 371

L-Glutamic acid
Baroreceptor reflex; Nucleus tractus solitarius; Push-pull cannulae; Neurotransmitter; Blood pressure (Granata, A.R.) **259**, 77

Glutamic acid
Synapse; Neurotransmitter; Antagonist; Hippocampus (Sawada, S.) **267**, 156

Release of neurotransmitter; Kainic acid; Aspartic acid; Hippocampus (Ferkany, J.W.) **278**, 279

Glutamic acid decarboxylase
Substantia nigra; GABA; Nigrotegmental; Pedunculopontine nucleus; Axonal transport; γ-vinyl-GABA (Childs, J.A.) **258**, 109

GABA; Choline acetyltransferase; Folic acid (McGeer, P.L.) **260**, 107

Rat; Striatum; Kainic acid; Neuron-specific enolase; Glutamine synthetase (Francis, A.) **263**, 89

Immunocytochemistry; Intracellular injection; HRP; γ-Aminobutyric acid; Red nucleus (Murakami, F.) **267**, 357

Tetanus toxin receptor; Action potentials; Clones; Quail; Neuroretina cell cultures (Pessac, B.) **275**, 53

L-Glutamic acid uptake
SITS; Astrocytes; Synaptosomes; Glia (Waniewski, R.A.) **268**, 390

Glutamine
Synaptosomes; Tyrosine hydroxylase; Tryptophan hydroxylase; DOPA decarboxylase; Amino acid transport (Katz, I.R.) **264**, 160

Glutamine synthetase
Rat; Striatum; Kainic acid; Neuron-specific enolase; Glutamic acid decarboxylase (Francis, A.) **263**, 89

des-Glycinamide-oxytocin
Oxytocin; Anti-oxytocin serum; DA utilization; Mesencephalon (Kovács, G.L.) **268**, 307

Glycine
Reward-gating; Inhibition; GABA; Medial hypothalamus; Lateral hypothalamus; Self-stimulation (Porrino, L.J.) **277**, 269

Sympathetic preganglionic neurons; GABA; Bicuculline; Strychnine (Backman, S.B.) **277**, 365

Strychnine; Bicuculline; GABA; Dopamine; Retina; Light; Rat (Morgan, W.W.) **278**, 362

L-prolyl-L-leucyl-Glycineamide (PLG)
Oxytoxin; Vasopressin; Neuropeptide; Memory; Chick (Davis, J.L.) **266**, 355

Glycogen
Cerebral cortex; cAMP; Adrenergic receptors; Supersensitivity; Brain energy metabolism (Magistretti, P.J.) **261**, 159

Glycoprotein
BSP-2; Cerebellum; Immunocytochemistry; Cell surface (Hirn, M.) **265**, 87

Glycoproteins
fucose-specific Lectin; Axonal transport (Ohlson, C.) **264**, 99

Synaptic junctions; Phosphorylation; cAMP; Protein kinase (Gurd, J.W.) **269**, 287

Heparin; Fucose-specific lectin; Axonal transport (Ohlson, C.) **274**, 303

Postsynaptic density; Concanavalin A (Gurd, J.W.) **276**, 141

Postsynaptic density; Concanavalin A; Cerebellum; Forebrain; Nitrocellulose blot (Gordon-Weeks, P.R.) **277**, 380

Glyoxylic acid
Aplysia; Catecholamine; Serotonin (Tritt, S.H.) **259**, 159

Goldfish
Optic nerve; Regeneration; Protein; 2-D Gel electrophoresis (Quitschke, W.) **258**, 69

Retina; GABA; Glutamate; Horizontal cell (Yazulla, S.) **263**, 63

Optic nerve; Regeneration; X-irradiation; Proliferation (Neuman, D.) **272**, 237

Retina; Topography; Cobalt; Optic tract; Optic tectum (Springer, A.D.) **273**, 152

Retina; Horizontal cells; GABA; Glutamate (Yazulla, S.) **275**, 61

Goldfish optic nerve
Nerve regeneration; Visual pathway; Axonal transport; Vision; Axon; Tetrodotoxin (Edwards, D.L.) **269**, 1

Synaptic transmission; Nerve regeneration; Axonal transport; Tetrodotoxin (Schmidt, J.T.) **269**, 15

Regeneration; Retinotectal projection (Schmidt, J.T.) **269**, 29

Golgi apparatus
Vasoactive intestinal polypeptide; Avian pancreatic polypeptide; Neuropeptides; Peripheral nervous system; Immunohistochemistry; Thiamine pyrophosphatase staining (Johansson, O.) **262**, 71

Nerve regeneration; Protein biosynthesis; Endoplasmic reticulum; Cell membrane; Nucleoprotein biosynthesis (Whitnall, M.H.) **272**, 49

Golgi apparatus-endoplasmic-reticulum-lysosomes
Endocytosis; Intraneuronal transport; Lectin-peroxidase conjugates (Trojanowski, J.Q.) **272**, 201

Golgi-Cox method
Nucleus isthmi; Nucleus profundus mesencephali; Optic tectum; HRP; Single cell recordings; Cobalt staining; Lizard (Wang, S.-R.) **275**, 355

Golgi/EM method
Non-pyramidal neurons; Hippocampus; Commissural afferents (Frotscher, M.) **265**, 289

Golgi impregnation technique
Senile dementia, Alzheimer type; Neuritic plaques; Human hippocampus; Axons; Dendrites (Probst, A.) **268**, 249

Golgi method
HRP; Wheat germ agglutinin (WGA); Anterograde transport; Retrograde transport; Pontine nuclei; Cerebellum; Cerebral cortex (Brodal, P.) **267**, 1

Insect optic lobe; Neuroanatomy; Serotonin; Immunocytochemistry; Electron-microscopy (Nässel, D.R.) **280**, 361

Golgi rapid
Post mortem fixation delay; Impregnation defects; Guinea-pig; Quantification (De Ruiter, J.P.) **266**, 143

Golgi tendon organs
Clarke's column; Dorsal spinocerebellar tract (DSCT); Cross-correlation analysis; Muscle contraction; Spinal cord (Osborn, C.E.) **280**, 339

Gonadal hormones
Dopamine-stimulated adenylate cyclase; Hypothalamus; Pituitary estrous cycle; Castration; Dopamine receptors; Sex differences; Down- and up-regulation of receptors (Barr, G.A.) **277**, 299

Granular coated vesicles
Mauthner cell; Axotomy (Wood, M.R.) **273**, 341

Granule cell
Initial segment; Synapse; Axo-axonic cell; Chandelier cell; Basket cell; Dentate gyrus (Kosaka, T.) **274**, 129

Granule cells
Hippocampus; Dentate gyrus; Theta cells; Learning and memory (Rose, G.) **266**, 29

Zinc deficiency (trace elements); Undernutrition; Malnutrition; Cerebellum development (Dvergsten, C.L.) **271**, 217

Hippocampus; Dentate hilus; Retrograde tracing; Rat (Gaarskjaer, F.B.) **274**, 11

Grey squirrel
Lateral geniculate; Striate cortex; Laminar specificity; Geniculostriate; Autoradiography (Harting, J.K.) **272**, 341

Grooming behavior
Prolactin; Adrenocorticotropin; Endogenous hyerprolactinaemia; Cross-tolerance; Dopamine (Drago, F.) **263**, 277

Ground squirrel
Retinal projections; Ventral lateral geniculate nucleus; Visual system; Autoradiography (Kicliter, E.) **267**, 340

Electroretinogram; Cone response; Sodium aspartate; Spectral sensitivity (Raisanen, J.) **270**, 311

Group II muscle afferent
Cutaneous mechanoreceptor; Flexor reflex afferent; Spinal reflex pathway (Behrends, T.) **265**, 125

Growth factor
Glia maturation factor; Calmodulin antagonist; Growth inhibition; Glioblast (Okumura-Noji, K.) **273**, 17

Growth hormone
Dopaminergic regulation; Prolactin; Pituitary tumor; Rat (Cheung, C.Y.) **270**, 165

Prolactin; Placental lactogen; Tuberoinfundibular dopaminergic neurons; DOPA accumulation (Demarest, K.T.) **272**, 175

Electrical stimulation; Ventromedial nucleus of hypothalamus; Lesions; Anterior periventricular nucleus (Kato, M.) **280**, 69

Growth inhibition
Neuroblastoma; Growth inhibitory factor; Glioblast; Development (Sakazaki, Y.) **262**, 125

Glia maturation factor; Calmodulin antagonist; Growth factor; Glioblast (Okumura-Noji, K.) **273**, 17

Growth inhibitory factor
Neuroblastoma; Growth inhibition; Glioblast; Development (Sakazaki, Y.) **262**, 125

Guanine nucleotide
Adenylate cyclase inhibitor; Detergent (Sano, M.) **264**, 157

Guanine nucleotides
Ergot derivatives; D-2 Receptors; $[^3H]$Spiperone; Corpus striatum (Gundlach, A.L.) **278**, 155

Guanosine-5'-triphosphate cyclohydrolase
Development; Tetrahydrobiopterin; Brain; Pineal gland (Kapatos, G.) **258**, 351

Guanylate cyclase
Immunohistochemistry; Postsynaptic components; Monoclonal antibody; cGMP; Cholinergic neurotransmission; Rat brain (Nakane, M.) **273**, 9

Guinea pig
Retinotectal pathways; Horseradish peroxidase (Jen, L.S.) **263**, 331

Pylorus; Substance P; Immunohistochemistry; Retrograde axonal tracing; Dorsal root ganglia; Vagal ganglia (Lindh, B.) **269**, 365

Opioids; Ethanol; Endorphin-containing systems (Gintzler, A.R.) **269**, 391

Immunocytochemistry; Hippocampus; Rat; Hedgehog; Enkephalin; Cholecystokinin; Heavy metals (Stengaard-Pedersen, K.) **273**, 81

Vestibular compensation; Neuronal plasticity; Labyrinthectomy; Regeneration; Degeneration (Jensen, D.W.) **273**, 175

Lateral cuneate nucleus; Vestibulo-somatosensory integration; Vestibular nerve; Spino-cerebellar (Jensen, D.W.) **280**, 335

Sympathetic ganglia; Synapses; 4-Aminopyridine; Freeze-fracture; Ultrastructure; Rat (Andersson Forsman, C.) **280**, 355

Golgi rapid; Post mortem fixation delay; Impregnation defects; Quantification (De Ruiter, J.P.) **266**, 143

Guinea pig brain
$[^3H]$Prazosin binding; Prazosin; α-Adrenergic receptor; Estradiol; Progesterone; Steriod hormone (Nock, B.) **262**, 163

Gustation
Rabbit; Parabrachial nuclei; Amygdala; Substantia innominata; Thalamus (Block, C.H.) **259**, 1

Gustatory neocortex
Bisbenzimide; Fluorescent tracers; Medial parabrachial nucleus; Pontine taste area; Posterior ventromedial thalamic nucleus; Propidium iodide; Rat (Lasiter, P.S.) **258**, 299

Gustatory neophobia
Dorsal bundle; Extinction effect; Norepinephrine (Tombaugh, T.N.) **261**, 231

Gustatory response
Carp; Double-layer potential (Yoshii, K.) **279**, 185

H

HRP
Cortex; Intralaminar nuclei; Thalamus; Cat (Royce, G.J.) **258**, 11

Glossopharyngeal neuron; Intraganglionic distribution; Fasciculus solitarius; Bullfrog (Hanamori,T.) **260**, 191

Mandibular incisors; Cats; Peripheral cross-innervation (Wilson, S.) **260**, 287

Anterograde transport; Trigeminal sensory nerve endings; Cornea; Tooth pulp; Peripheral nervous system (Marfurt, C.F.) **261**, 1

Visual cortex; Receptive field; Morphology; Rat (Parnavelas, J.G.) **261**, 21

Hagfish; Retinal projections; Degeneration (Kusunoki, T.) **262**, 295

Cat spinal cord; Hindlimb α-motoneurone; Light microscopy (Ulfhake, B.) **264**, 1

Pallido-subthalamic projection; Inhibitory postsynaptic response (Kita, H.) **264**, 255

Corticospinal neurons; Corticospinal tract; Cervical cord segment; Lumbosacral cord segments; Development; Rats (Leong, S.K.) **265**, 1

Electron microscopy; Mormyrid fish; Central nervous system (Szabo, T.) **266**, 1

Optic nerve; Optic tract; *Rana pipiens*; Topographic organization; Axonal guidance; Fiber-filling (Scalia, F.) **266**, 121

Brainstem; Respiratory neurons; Accessory respiratory motoneurons; Nucleus ambiguus; Retroambigualis (Bystrzycka, E.K.) **266**, 183

Hypothalamus; Superior salivatory nucleus; Autoradiography; Rat (Hosoya, Y.) **266**, 329

Wheat germ agglutinin (WGA); Anterograde transport; Retrograde transport; Golgi method; Pontine nuclei; Cerebellum; Cerebral cortex (Brodal, P.) **267**, 1

Paralemniscal reticular formation; Rat; Nociception; Analgesia; Periaqueductal gray; Microiontophoresis; Norepinephrine (Hardy, S.G.P.) **267**, 217

Centre median-parafascicular complex; Subthalamic nucleus; Autoradiography; Electron microscopy; Rat (Sugimoto, T.) **267**, 335

Glutamic acid decarboxylase; Immunocytochemistry; Intracellular injection; γ-Aminobutyric acid; Red nucleus (Murakami, F.) **267**, 357

Nociception; Spinal dorsal horn; Immunocytochemistry; Serotonin; Descending inhibition; Cat (Hoffert, M.J.) **267**, 361

WG-HRP; WG-FITC; Orthograde axonal transport (Trojanowski, J.Q.) **267**, 365

Accessory optic system; Rats; Fasciculi of accessory optic tract; Terminal nuclei; Silver impregnation (Yamadori, T.) **269**, 41

Hypoglossal neurons; Afferents to hypoglossal neurons; Retrograde tracing (Borke, R.C.) **269**, 47

Sympathetic preganglionic neurons; Neonatal rats (McKenna, K.E.) **269**, 201

Ricin; Wheat germ agglutinin (WGA); Axonal transport; Nucleus tractus solitarius; Nodose ganglion; Caudate nucleus (Wiley, R.G.) **269**, 357

Area 20; Visual cortex; Cortico-cortical connections; Thalamo-cortical connections; Basal forebrain-cortical connections; Brainstem-cortical connections; Cat (Cavada, C.) **270**, 319

Rod input; Amacrine; Teleost retina; Electron microscopy; Dace (Sakai, H.) **270**, 345

Regeneration; Axon segment; Axon fusion; Sensory neuron; Leech (Deriemer, S.A.) **272**, 157

Motor cortex; Nucleus of Darkschewitsch; Inferior olive; Cat; Electron microscopy (Nakamura, Y.) **274**, 140

Monkey; Thalamocortical neurons; Corticothalamic neurons; Thalamic organization; Cerebellar nuclei (Miyata, M.) **274**, 213

Pretectum; Facial nucleus; Olivary pretectal nucleus; Blink reflex; Dazzle reflex; Menace reflex; Cat (Itoh, K.) **274**, 332

Subthalamic nucleus; Caudate nucleus; Putamen; Wheatgerm agglutinin; Autoradiography (Beckstead, R.M.) **275**, 137

Motoneurons; Rat; Deafferentation; Spinal cord; Retrograde transport (Peyronnard, J.-M.) **275**, 203

Basal ganglia; Globus pallidus; Nucleus basalis of Meynert; Striatum; Wheat germ agglutinin (Jayaraman, A.) **275**, 279

Pigeons; Wulst; Hyperstriatum accessorium; Tractus septomesencephalicus; Efferent projections; Laminar organization (Reiner, A.) **275**, 349

Nucleus isthmi; Nucleus profundus mesencephali; Optic tectum; Golgi-Cox method; Single cell recordings; Cobalt staining; Lizard (Wang, S.-R.) **275**, 355

Spinal cord; Motor nuclei; Elasmobranch (Droge, M.H.) **276**, 201

Retinal projection; Optic fibers; Lateroposterior nucleus; Pulvinar nucleus; Cat (Itoh, K.) **276**, 325

Wheat germ agglutinin conjugate; Retrograde and anterograde transport; Uptake in passing fibers (Brodal, P.) **278**, 1

Extraocular muscles; Semilunar ganglion; Stretch receptor; First-order neurons; Single unit; Rat (Daunicht, W.J.) **278**, 291

Red nucleus; Rubrobulbar projection; Trigeminal nuclei; Facial nucleus; Snake (Ten Donkelaar, H.J.) **279**, 229

Parabigeminal nuclei; Superior colliculus; Visual field; Cat (Roldán, M.) **280**, 1

Cat spinal cord; Ventral funiculus; Ventral horn; Ventral root; Motoraxons; Axotomy; Regeneration; Electron microscopy (Risling, M.) **280**, 15

Motor cortex; Anterior pretectal nucleus; Dorsal accessory olive; Electron microscopy (Kitao, Y.) **280**, 139

Central nucleus of amygdala; Dorsal motor nucleus of vagus nerve; Degeneration (Takeuchi, Y.) **280**, 143

Spinal cord; Intracellular staining; Electron microscopy; Muscle spindle afferents (Maxwell, D.J.) **288**, 297

HRP labeling
Rhombo-mesencephalic pathway; Acousticolateral processing; Mormyrid fish (Haugedé-Carré, F.) **268**, 1

HRP-staining
Biplexiform cell; Intracellular recording; Rod-cone interaction; Primate ganglion cell; Retinal circuitry (Zrenner, E.) **262**, 181

HRP uptake
Synaptic vesicle recycling; Muscle fiber degeneration; Carbocaine (Tal, M.) **270**, 131

5-HT$_1$ receptors
Serotonin; Basilar artery contractions (Peroutka, S.J.) **259**, 327

Habenula
Sympathetic innervation; Central noradrenergic projections; Sprouting; Partial deafferentation; Norepinephrine; Adult rat (Gottesfeld, Z.) **268**, 359

Cardiovascular regulation; [^{14}C]2-Deoxyglucose; Noradrenergic systems; Medulla; Hypothalamus (Savaki, H.E.) **271**, 109

Acetylcholine; Choline acetyltransferase; GABA; Glutamate decarboxylase; Nucleus interpeduncularis; Septum; Nucleus triangularis septi; Nucleus septo-fimbrialis (Contestabile, A.) **275**, 287

Deafferentation; Norepinephrine; Sympathetic innervation; Central noradrenergic projections; Rat (Gottesfeld, Z.) **275**, 299

Opiatergic projections; Radioimmunohistochemistry (McLean, S.) **278**, 255

Hagfish
Retinal projections; HRP; Degeneration (Kusunoki, T.) **262**, 295

Haloperidol
Retina; Amacrine cell; Dopamine turnover; Apomorphine; Homovanillic acid; 3,4-Dihydroxyphenylacetic acid (Cohen, J.) **260**, 125

Dopamine; Hypothalamic slice; Oxytocin; Vasopressin; Spiperone; Sulpiride; Flupenthixol (Mason, W.T.) **267**, 113

Etomidate; Prolactin release; Dopamine; Synaptosomes; 5-Hydroxytryptophan; GABA (Preziosi, P.) **271**, 379

Haloperidol-induced catalepsy
Estradiol benzoate; 2-Hydroxyestradiol; Hyperprolactinaemia; Medroxy acetate progesterone (Nicoletti, F.) **279**, 352

Hamster
Androgen receptors; Estrogen receptors; Hypothalamus-preoptic area; Sex differences; Species differences (Vito, C.C.) **264**, 132

Amygdala; Bed nucleus of the stria terminalis; Medial preoptic-anterior hypothalamic area; Vomeronasal system; Olfactory system (Lehman, M.N.) **268**, 139

Progestogen; [^{3}H]R5020; Autoradiography; Brain; Pituitary; Immunohistochemistry (Rogers Munn, A. III) **274**, 1

Hamster neurons
Cerebellar cortex; Nodulus; Purkinje cell; Nuclear morphology; Nucleolar differences (LaVelle, F.W.) **265**, 119

Handedness
Caudate nucleus; Dentate nucleus; Movement initiation; Brain stimulation; Instrumental conditioning (Moroz, V.M.) **259**, 298

Hand muscles
Inter-spike interval variability; Neuronal spike-trains; Single fiber recording; Muscle spindle; Human (Nordh, E.) **271**, 89

Head movement
Turning; Pontine reticular formation; Amphetamine; Apomorphine; Nigrostriatal bundle; Lesion; Labyrinthectomy (Sirkin, D.W.) **260**, 291

Hearing loss
Auditory system; 2-Deoxyglucose; Cochlear ablation (Woolf, N.K.) **274**, 119

Heart
Catecholamines; β-Adrenergic receptors; Down-regulation; Lung; Brain (Minneman, K.P.) **264**, 328

Calcium channels; Ontogeny; Nitrendipine; Mice; Brain (Erman, R.D.) **278**, 327

Heart conditioned medium
Regeneration; Septohippocampal pathway; Cholinergic neurotrophic factor; Choline acetyltransferase; [^{3}H]Quinuclidinylbenzilate (Schonfeld, A.R.) **266**, 271

Heart rate
Carotid sinus nerve; Cardiovascular reflex; Neurotransmitter; Nucleus tractus solitarii; Naloxone; Opiate receptor; Blood pressure (Miura, M.) **288**, 389

Heat clearance technique
Angiotensin II; Cerebral blood flow; Rabbit; [^{14}C]Ethanol tissue sampling technique; Mass spectrometry technique; Central effect (Reynier-Rebuffel, A.-M.) **269**, 91

Heat increments
Pain thresholds; Nociceptors in humans (Robinson, C.J.) **274**, 87

Heat loss
Calorimetry; Heat production; Sleep-wakefulness cycle; Paradoxical sleep; Environmental temperature (Schmidek, W.R.) **288**, 261

Heat production
Calorimetry; Heat loss; Sleep-wakefulness cycle; Paradoxical sleep; Environmental temperature (Schmidek, W.R.) **288**, 261

Heavy metals
Immunocytochemistry; Hippocampus; Rat; Guinea pig; Hedgehog; Enkephalin; Cholecystokinin (Stengaard-Pedersen, K.) **273**, 81

Hedgehog
Immunocytochemistry; Hippocampus; Rat; Guinea pig; Enkephalin; Cholecystokinin; Heavy metals (Stengaard-Pedersen, K.) **273**, 81

Hemiscyllium plagiosum
Retinofugal projections; Autoradiography; Shark (Jen, L.S.) **274**, 135

Hemisection
Spinal cord; Plasticity; Dorsal horn; Somatotopy (Brenowitz, G.L.) **279**, 250

Hemispherectomy
CNS plasticity; Regeneration; Sprouting; Red nucleus (Olmstead, C.E.) **274**, 336

Hemitransection
GM_1 Ganglioside; Nigro-striatal DA neurons; Sprouting response; Immunohistochemistry (Toffano, G.) **261**, 163

Hemodynamic signal
Hyperdipsia; Dorsal rostral pons; Locus coeruleus; Periaqueductal gray; Fluid balance; Central autonomic pathway (Ward, D.G.) **262**, 314

Hemorrhage
Fastigial nucleus; Cerebellum; Blood pressure; Hypotension; Endotoxin (Lutherer, L.O.) **269**, 251

Arginine vasopressin; Convulsions; Neuropeptides (Burnard, D.M.) **273**, 59

Heparin
Fucose-specific lectin; Axonal transport; Glycoproteins (Ohlson, C.) **274**, 303

Hepatic encephalopathy
Brain; Zinc (Baraldi, M.) **258**, 170

Hepatic portal vein
Lateral hypothalamic area; Glucose-sensitive neuron; Glucose-sensitive unit; Feeding behavior; α-Noradrenergic pathway; Vagal afferent (Shimizu, N.) **265**, 49

Hermissenda
Locomotion; Conditioning; Phototactic behavior; Associative learning (Crow, T.) **271**, 301

Herpes simplex virus
Tissue culture (Fukuda, J.) **262**, 79

Nerve cell culture; Na currents (Fukuda, J.) **268**, 367

Herpes virus suis
Neuronal tracing; Trigeminal ganglion (Martin, X.) **273**, 253

Heterosynaptic facilitation
Aplysia; endogenous cAMP; Adenylate cyclase inhibitors; Sensitization (Belardetti, F.) **288**, 95

2,5-Hexandione
Microtubules; Neurofilaments; Reorganization (Zagoren, J.C.) **270**, 162

Hexobarbital tolerance
Barbital treatment; Physical dependence; Convulsive threshold; Spontaneous convulsions (Wahlström, G.) **266**, 225

Hibernation
Paratrigeminal nucleus; Nuclei insulae cuneati lateralis; 2-Deoxyglucose; Thermoafferent pathway (Kilduff, T.S.) **262**, 117

High-affinity uptake
[^{3}H]6-Hydroxydopamine; Catecholamines; Uptake 2; Rat CNS; Autoradiography (Sievers, H.) **275**, 23

High extracellular K^+
Axotomy; cGMP; Denervation; Preganglionic electrical stimulation; Rat superior cervical sympathetic ganglion (Ando, M.) **267**, 313

High-performance liquid chromatography
Regional distribution; Dopamine; Norepinephrine; Cerebral arteries; Pre- or postganglionic sympathetic denervation (Suzuki, Y.) **258**, 53

Hypothalamic neuropeptides; Immunocytochemistry; α-MSH radioimmunoassay; Bioassay (Jegou, S.) **260**, 91

Paraventricular nucleus hypothalami; Lesions; Vasopressin; Oxytocin; Brainstem; Spinal cord (Lang, R.E.) **260**, 326

Histamine; tele-Methylhistamine; Brain; Microwave irradiation; Compound 48/80; Liquid nitrogen freezing (Oishi, R.) **261**, 180

Self-stimulation; Catecholamines; Mouse (Garrigues, A.-M.) **265**, 265

Hindlimb α-motoneurone
Cat spinal cord; HRP; Light microscopy (Ulfhake, B.) **264**, 1

Hippocampal afferents
Dentate gyrus; Supramammillary; Acetylcholinesterase; Submammillothalamic; Posterior hypothalamus (Harley, C.W.) **270**, 335

Hippocampal efferents
Hippocampus; Subiculum; HRP; Rat; Limbic system; Tracing techniques (Finch, D.M.) **271**, 201

Hippocampal formation
Cross-strain transplantation; Embryonic septum; Reinnervation (Low, W.C.) **262**, 328

Compensatory collateral sprouting; Noradrenaline; Acetylcholine (Gage, F.H.) **268**, 27

Aggression; Quiet biting attack; Trigeminal sensory field; $[^{14}C]$2-Deoxyglucose autoradiography (Watson, R.E. Jr.) **269**, 327

Rat; Limbic system; Subiculum (Kosel, K.C.) **269**, 347

Hippocampal pyramidal cell firing
Carbachol; Cholesterol (Crews, F.T.) **261**, 155

Hippocampal slice
Hyperbaric oxygen; Oxygen toxicity; Potassium; Synaptic transmission (King, G.L.) **260**, 139

Long-term potentiation; Hippocampus; Development; Circadian rhythms (Harris, K.M.) **261**, 69

Recurrent inhibition; Area CA1 (Harris, K.M.) **268**, 339

Dye coupling; Electrotonic coupling; CA1 stratum pyramidale; Glial cells; Potassium (Alger, B.E.) **270**, 137

$[Ca^{2+}]_0$; Presynaptic Ca^{2+} entry; GABA; Rat (Konnerth, A.) **270**, 185

Dentate gyrus; long-lasting Potentiation; Dendritic inhibition; Picrotoxin; Bicuculline (Wigström, H.) **275**, 153

Hippocampal slices
D-Aspartic acid; Amino acid uptake (Wieraszko, A.) **259**, 324

Folate compounds; Kainic acid; Epilepsy; Folic acid (Clifford, D.B.) **266**, 209

Long-term potentiation; Protein phosphorylation; Rat brain; Synaptic plasticity (Tielen, A.M.) **277**, 189

Hippocampal theta
Projection cells; Interneurons; Feed-forward inhibition (Buzsàki, G.) **266**, 334

Hippocampus
Long-term potentiation; Phencyclidine; Ketamine; Field potentials (Stringer, J.L.) **258**, 159

Pyramidal neurons; Axon initial segment; Axo-axonic synapses; Axo-axonic interneuron; Epilepsy (Somogyi, P.) **259**, 137

Cingulate; Papez circuit; Primate; Limbic system (Dagi, T.F.) **259**, 229

Adenosine; Receptor; Slice (Lee, K.S.) **260**, 156

Long-term potentiation; Development; Circadian rhythms; Hippocampal slice (Harris, K.M.) **261**, 69

Glutamate; Aspartate; Homocysteate; Excitatory amino acid receptors; Desensitization (Fagni, L.) **261**, 167

Interictal spike; Inhibitory surround; Epilepsy; Computer model (Traub, R.D.) **261**, 277

Kainic acid; Amygdaloid lesions; Epilepsy; Neuropathology (Cavalheiro, E.A.) **262**, 201

Neuropeptides; Fornix; Rat; Monkey; Man (Roberts, G.W.) **263**, 151

Sprouting; Sympathetic fibers; Target cells; Kainic acid; Colchicine (Peterson, G.M.) **264**, 21

Corticosterone; Aldosterone; Receptor; Serotonin (De Kloet, E.R.) **264**, 323

PHI; Rat brain; Development; Cortex (Christofides, N.D.) **264**, 359

Long-term potentiation; Competition; Associative potentiation/depression (Desmond, N.L.) **265**, 21

Non-pyramidal neurons; Commissural afferents; Golgi/EM method (Frotscher, M.) **265**, 289

Dentate gyrus; Granule cells; Theta cells; Learning and memory (Rose, G.) **266**, 29

CA1 pyramidal cells; In vitro slice; Penicillin epileptogenesis; Acetylcholine; Epilepsy (Kriegstein, A.R.) **266**, 137

Epilepsy; E1 mouse; 2-Deoxyglucose; Focus; Neocortex; Excitation; Brainstem (Suzuki, J.) **266**, 359

CNS regeneration; Neuronotrophic factors; Neuronal survival; Brain injury (Manthorpe, M.) **267**, 47

Synapse; Neurotransmitter; Glutamic acid; Antagonist (Sawada, S.) **267**, 156

$[^{3}H]$Choline accumulation; $[^{3}H]$Quinuclidinylbenzilate binding; Rat strains; Stress (Gilad, G.M.) **267**, 171

Neonatal handling; Protein phosphorylation (Cain, S.) **267**, 192

Benzodiazepine binding; Triazolopyridazine; Ontogeny; Cortex; Cerebellum; Binding subtypes (Chisholm, J.) **267**, 388

Compensatory collateral sprouting; Regeneration; Functional recovery; Cingulate cortex; Fimbria-fornix; Acetylcholine; Noradrenaline; Serotonin; T-maze; Alternation behavior (Gage, F.H.) **268**, 39

Noradrenergic afferents; N-(2-Chloroethyl)-N-ethyl-2-bromobenzylamine (DSP4) (Dunwiddie, T.V.) **269**, 311

Neuronal sprouting; Afferent input; Sympathetic nervous system (Madison, R.) **270**, 1

Glutamate receptors; Proteinase; Synaptic plasticity (Baudry, M.) **270**, 142

In vivo voltammetry; Serotonin release; *p*-Chlorophenylalanine; *α*-Methyl-*p*-tyrosine; L-Tryptophan; L-Tyrosine; L-Valine; Immobilization stress (Joseph, M.H.) **270**, 251

Memory; Amygdala; Limbic system; Amnesia (Murray, E.A.) **270**, 340

Benzodiazepine antagonist; Ro14-7437; Excitation; Calcium-mediated potassium conductance; CA1 cells (Carlen, P.L.) **271**, 115

Gap junction; Dendrite; Interneuron; non-Pyramidal cell; Rat; Mammal (Kosaka, T.) **271**, 157

Hippocampal efferents; Subiculum; HRP; Rat; Limbic system; Tracing techniques (Finch, D.M.) **271**, 201

Corticosterone receptors; Rat brain; Quantitative autoradiography; LKB Ultrofilm; Steroid receptors (Sapolsky, R.M.) **271**, 331

Benzodiazepine; Midazolam; Inhibition; Calcium-mediated potassium conductance; CA1 cells (Carlen, P.L.) **271**, 358

Long-term potentiation; Kainic acid; Schaffer collateral; Commissural afferents; CA1 pyramidal cells (Wheal, H.V.) **272**, 247

Reinnervation; Septal lesion; Entorhinal ablation; Acetylcholinesterase (Chen, L.-L.) **272**, 354

Immunocytochemistry; Rat; Guinea pig; Hedgehog; Enkephalin; Cholecystokinin; Heavy metals (Stengaard-Pedersen, K.) **273**, 81

Epilepsy; Kainic acid (Westbrook, G.L.) **273**, 97

Norepinephrine; Plasticity; Dentate gyrus (Neuman, R.S.) **273**, 162

Kynurenic acid; Quinolinic acid; Amino acid antagonists; Synaptic antagonists; Spinal cord (Ganong, A.H.) **273**, 170

Zinc; Mossy fibers (Frederickson, C.J.) **273**, 335

Dentate hilus; Granule cells; Retrograde tracing; Rat (Gaarskjaer, F.B.) **274**, 11

Kainic acid; Muscarinic receptors; Serotonin receptors; *α*-Adrenoceptors; β-Adrenoceptors (Forloni, G.L.) **274**, 165

Sodium pump; K conductance; Pyramidal cell (Gustafsson, B.) **275**, 159

Parkinson's disease; Cortical areas; Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; Noradrenaline; Serotonin; 5-Hydroxyindoleacetic acid (Scatton, B.) **275**, 321

Glutamate; Neurotransmitter receptors (Werling, L.L.) **276**, 344

Vasoactive intestinal polypeptide; Electron miscroscopic immunostaining; Commissural afferents; non-Pyramidal neurons (Léránth, C.) **276**, 357

Epilepsy; Kindling; GABA; Benzodiazepines; Long-term potentiation (Tuff, L.P.) **277**, 91

Adult rat; Cholinergic neurons; Recovery of cholinergic enzymes; Septohippocampal pathway; Partial fimbrial lesions; Sprouting; Homotypic regeneration (Dravid, A.R.) **277**, 169

Benzodiazepine receptors; Limbic seizures (Kraus, V.M.B.) **277**, 305

Gap junction; Interneuron; Dentate gyrus; Rat; Mammal (Kosaka, T.) **277**, 347

β-Carboline; Benzodiazepine; GABA (Paterson, I.A.) **278**, 274

Release of neurotransmitter; Kainic acid; Aspartic acid; Glutamic acid (Ferkany, J.W.) **278**, 279

Kindling; Median raphe nucleus; Pyramidal cells; EEG spikes; Hyerpolarizations (Fujita, Y.) **278**, 313

Calcium binding protein; Kindling; Epilepsy (Miller, J.J.) **278**, 322

Somatostatin; Parkinson's disease; Dementia; Alzheimer's disease; Post-mortem; Human; Cortex (Epelbaum, J.) **278**, 376

Aminopyridine; Evoked activity; Ca binding sites; Electron microscopy; In vitro (Kuhnt, U.) **279**, 19

Lithium; Motoneurons; Glial cells; Spinal cord; Cortex; Potassium (Grafe, P.) **279**, 65

Synaptic activation; Inhibition; Bicuculline insensitivity (Kehl, S.J.) **279**, 278

Long-term potentiation; Phencyclidine; σ Opiates (Stringer, J.L.) **280**, 127

Vasopressin; Amygdala; Behavior (Laczi, F.) **280**, 309

Cholecystokinin; Vasoactive intestinal polypeptide; Substance P; Neurotensin; Somatostatin; Schizophrenia; Amygdala (Roberts, G.W.) **288**, 199

Corticosterone receptors; Novelty-induced behavior; Kainic acid lesion (Nyakas, C.) **288**, 219

Synaptosomes; Choline transport; Alzheimer dementia; Cortex (Rylett, R.J.) **289**, 169

Aging; Amygdala; Glucocorticoids; Receptors; Negative feedback (Sapolsky, R.M.) **289**, 235

Hippocampus lesion
Glucocorticoids; Ornithine decarboxylase (De Kloet, E.R.) **275**, 91

Histamine
Aplysia neurons; K^+ conductance; Carbachol; Dopamine (Chesnoy-Marchais, D.) **259**, 57

tele-Methylhistamine; Brain; Microwave irradiation; High-performance liquid chromatography; Compound 48/80; Liquid nitrogen freezing (Oishi, R.) **261**, 180

Ischemia; cAMP; Adenylate cyclase; Adenosine; Norepinephrine; Pyramidal neurons (Karnushina, I.) **268**, 87

Vasopressin; Diabetes insipidus; Brattleboro rat; Hypothalamus; Supraoptic nucleus (Correa, F.M.A.) **276**, 247

Rabbit; Cerebral cortex; Dominant focus; cAMP (Hattori, Y.) **279**, 308

Tele-methylhistamine; Brain; Hypothalamus; Amygdala; Histaminergic neuron (Oishi, R.) **280**, 172

Histaminergic neuron
Histamine; Tele-methylhistamine; Brain; Hypothalamus; Amygdala (Oishi, R.) **280**, 172

Histochemistry
Photoreceptors; Cyclic nucleotides; 2',3'-Cyclic nucleotide; 3'-Phosphohydrolase; Immunohistochemistry (Giulian, D.) **265**, 217

Histogenesis
Tissue culture; Autonomic nervous system; Enteric nervous system; Neuroglia interactions; Myenteric plexus; Submucous plexus (Jessen, K.R.) **262**, 17

Histotypic aggregation
Tissue culture; Autonomic nervous system; Enteric nervous system; Electron microscopy; Myenteric plexus (Bałuk, P.) **262**, 37

Homeostasis
Voltammetry; Stress; Striatum; Electrochemistry; Dopamine; Caudate nucleus; Sensory stimulation (Keller, R.W. Jr.) **279**, 159

Homocysteate
Hippocampus; Glutamate; Aspartate; Excitatory amino acid receptors; Desensitization (Fagni, L.) **261**, 167

D,L-Homocysteic acid
Sympathetic preganglionic neurons; Glutamate; Aspartate (Backman, S.B.) **277**, 370

Homoestasis
Adrenomedulla; Tyrosine hydroxylase; Cold exposure; Hypoglycemia; Enzyme activation; Enzyme induction; Stress (Fluharty, S.J.) **267**, 384

Homosynaptic depression
Serotonin; Raphe nuclei; Methysergide; Monosynaptic responses of motoneurons; Frog spinal cord (Cardona, A.) **280**, 373

Homotypic regeneration
Adult rat; Cholinergic neurons; Recovery of cholinergic enzymes; Hippocampus; Septohippocampal pathway; Partial fimbrial lesions; Sprouting (Dravid, A.R.) **277**, 169

Homovanillic acid
Retina; Amacrine cell; Dopamine turnover; Apomorphine; Haloperidol; 3,4-Dihydroxyphenylacetic acid (Cohen, J.) **260**, 125

Amphetamine; Slow-release pellet; Dopamine; 3,4-Dihydroxyphenylacetic acid; Neurotoxicity (Ellison, G.) **268**, 387

Acute L-DOPA; Dopamine release; Dihydroxyphenylacetic acid; 3-Methoxytyramine (Ponzio, F.) **273**, 45

Parkinson's disease; Cortical areas; Hippocampus; Dopamine; Dihydroxyphenylacetic acid; Noradrenaline; Serotonin; 5-Hydroxyindoleacetic acid (Scatton, B.) **275**, 321

CSF; DOPAC; 5-Hydroxyindoleacetic acid (5-HIAA); Dopamine; Cat (Degrell, I.) **277**, 283

Cholecystokinin-octapeptide; Striatum; [^{3}H]Spiperone; DOPAC; 5-Hydroxyindoleacetic acid (5-HIAA) (Mashal, R.D.) **277**, 375

Horizontal cell
Retina; GABA; Glutamate; Goldfish (Yazulla, S.) **263**, 63

Horizontal cells
6-Hydroxydopamine; Carp retina; Interplexiform cells (Cohen J.L.) **264**, 307

Goldfish; Retina; GABA; Glutamate (Yazulla, S.) **275**, 61

Hormone action
Peptide hormone; Behavioral activation; Invertebrate peptides; Metamorphosis (Levine, R.B.) **279**, 335

Hormone release
Insect; Adenosine 3'5'-monophosphate; Adipokinetic hormone; Neurosecretory cell; Synaptic transmission (Orchard, I.) **288**, 349

Horseradish peroxidase
Lateral cervical nucleus; Mesencephalon; Anterograde degeneration; Anterograde transport; Lectin conjugate (Flink, R.) **259**, 11

Vestibular efferent fiber; Semicircular canal; Vestibular nucleus; Parvocellular reticular nucleus; Gigantocellular reticular nucleus; Lateral reticular nucleus (Ito, J.) **259**, 293

Cortico-cortical connections; Prefrontal cortex; Allocortex; Cat (Cavada, C.) **260**, 117

Superior colliculus; Pulvinar nucleus; Squirrel monkey; Anterograde autoradiography; Sublamination of SGS (Huerta, M.F.) **261**, 119

Recurrent laryngeal nerve; Superior laryngeal nerve; Dogs; Bronchoconstriction; Cells of origin (Wallach, J.H.) **261**, 307

Retinotectal pathways; Guinea pig (Jen, L.S.) **263**, 331

Cat spinal cord; Ia boutons; Electron microscopy (Conradi, S.) **265**, 31

HRP
Vagal nerve; Primary axons; Infrared sensory system; Transganglionic transport; Boid snakes (Kishida, R.) **263**, 132

Internuclear connections; Vestibular complex; Vestibular nuclei (Rubertone, J.A.) **263**, 137

Hippocampus; Hippocampal efferents; Subiculum; Rat; Limbic system; Tracing techniques (Finch, D.M.) **271**, 201

intracellular HRP
Purkinje cell dendrites; Organotypic cultures; Computer microscope; Quantitative morphology; Discriminant analysis (Calvet, M.-C.) **280**, 199

Human
Audio-motor reflexes; Lip motor units (McClean, M.D.) **264**, 293

Immunohistochemistry; Monoclonal antibody; Choline acetyltransferase (Nagai, T.) **265**, 300

Stretch reflex; Triceps brachii; Fatigue (Darling, W.G.) **267**, 345

Spinal cord; Opiate receptors; μ-, δ, κ-Types; [^{3}H]Diprenorphine; [^{3}H]RX 78006 (H-Tyr-D-Ala-Gly-MePhe-NH $(CH_2)_2OH$); Sequential displacement (Członkowski, A.) **267**, 392

Inter-spike interval variability; Neuronal spike-trains; Single fiber recording; Muscle spindle; Hand muscles (Nordh, E.) **271**, 89

Nociceptive reflex; Fiber diameter (Willer, J.-C.) **278**, 318

Somatostatin; Parkinson's disease; Dementia; Alzheimer's disease; Post-mortem; Cortex; Hippocampus (Epelbaum, J.) **278**, 376

Response preparation; Long latency stretch response; Electromyography (Bonnet, M.) **280**, 51

Human ankle muscles
Posture control; Stretch reflex; Vestibulospinal reflex (Allum, J.H.J.) **264**, 297

Human brain
Neurotransmitter release; Amino acids; Temporal neocortex; Alzheimer's disease (Smith, C.C.T.) **264**, 138

Immunohistochemistry; Creatine kinase BB-isoenzyme; Tubulin; Astroprotein (Yoshimine, T.) **265**, 101

Neurotransmitter release; Amino acids; Ageing (Smith, C.C.T.) **269**, 103

Serotonin receptors; [^{3}H]LSD binding; Brainstem; Raphe nuclei; Autoradiography (Palacios, J.M.) **274**, 150

Serotonin S_2-receptors; Regional distribution; [^{3}H]Ketanserin binding (Schotte, A.) **276**, 231

Lithium; Noradrenaline-induced cAMP (Newman, M.) **278**, 380

Leu-Enkephalin; Met-Enkephalin; Post-mortem; Parkinson's disease (Taquet, H.) **280**, 379

Parkinson's disease; Alzheimer disease; Choline acetyltransferase; Muscarinic receptors; Cerebral cortex; Substantia innominata (Dubois, B.) **288**, 213

Human brainstem
Substance P; Neuropeptide immunocytochemistry (Del Fiacco, M.) **264**, 142

Human cerebral potentials
REM sleep; Ponto-geniculo-occipital waves; Eye movements; Corollary discharge (McCarley, R.W.) **274**, 359

Human cortex
Senile dementia of Alzheimer-type; Aging; Human hippocampus; Autoradiography; Scopolamine; α-Bungarotoxin; Cholinergic receptor (Lang, W.) **267**, 271

Senile dementia of Alzheimer type; Aging; Human hippocampus; Human medial septum; Nucleus basalis of Meynert; Choline acetyltransferase; Acetylcholinesterase (Henke, H.) **267**, 281

Human hippocampus
Senile dementia of Alzheimer-type; Aging; Human cortex; Autoradiography; Scopolamine; α-Bungarotoxin; Cholinergic receptor (Lang, W.) **267**, 271

Senile dementia of Alzheimer type; Aging; Human cortex; Human medial septum; Nucleus basalis of Meynert; Choline acetyltransferase; Acetylcholinesterase (Henke, H.) **267**, 281

Senile dementia, Alzheimer type; Neuritic plaques; Axons; Dendrites; Golgi impregnation technique (Probst, A.) **268**, 249

Human medial septum
Senile dementia of Alzheimer type; Aging; Human hippocampus; Human cortex; Nucleus basalis of Meynert; Choline acetyltransferase; Acetylcholinesterase (Henke, H.) **267**, 281

Humans
Early auditory deprivation; Peripheral visual system; Visual-evoked potentials (Neville, H.J.) **266**, 127

Human skin
Microneurography; Reinnervation; Mechanoreceptors; Adaptive behavior; Receptive fields; Distribution density; Sensory recovery (Mackel, R.) **268**, 49

Reinnervation; Microneurography; Mechanoreceptors; Multiple receptive fields; Fatigue (Mackel, R.) **276**, 339

Human sleep
Minocycline; Ampicillin; Protein synthesis inhibitors; Slow wave sleep; REM sleep (Nonaka, K.) **288**, 253

Human spinal cord/spinal ganglia
Dynorphin; Opioid peptides; Substance P; Radioimmunoassay (Przewłocki, R.) **280**, 95

Human stepping
Sural stimulation; Reflex response; EMG; Thigh muscles (Kanda, K.) **288**, 378

Hunger
Serotonin; Lesion; Feeding; Mollusc; Neuromodulation; Arousal (Rosen, S.C.) **260**, 151

Huntington's disease
Substance P; Leu-Enkephalin; Basal ganglia; Immunocytochemistry (Marshall, P.E.) **289**, 11

Hydrogen peroxide
Oxygen; Catalase; CNS (Walton, K.) **278**, 387

3-Hydroxybenzylhydrazine
Serotonin; Tryptophan hydroxylase; 5-Hydroxytrytophan decarboxylase; *p*-Chlorophenylalanine (Pandey, A.) **273**, 67

3-Hydroxybutyrate
Glucose; 3-Hydroxybutyrate dehydrogenase; 3-Oxo acid-CoA transferase; Acetoacetyl-CoA thiolase; Fasting; Chick (Nehlig, A.) **262**, 177

γ-Hydroxybutyrate
Brain, metabolism: regional; Glucose utilization: local; Autoradiography; Opiate antagonists: naloxone (Crosby, G.) **275**, 194

3-Hydroxybutyrate dehydrogenase
Glucose; 3-Hydroxybutyrate; 3-Oxo acid-CoA transferase; Acetoacetyl-CoA thiolase; Fasting; Chick (Nehlig, A.) **262**, 177

β-Hydroxybutyrate transport
Monocarboxylate transport; Blood-brain barrier; Trans effects; Symport (Regen, D.M.) **271**, 289

6-Hydroxydopa
Norepinephrine; Olfactory cortex; Dopamine; Odor preference (Cornwell-Jones, C.A.) **268**, 291

6-Hydroxydopamine
Superior cervical ganglion; Iris; Pineal; Trigeminal ganglion (Kessler, J.A.) **258**, 144

Neuronal-plasticity; Vestibuloocular reflex; Catecholamines; Visual adaptation; Cat (Keller, E.L.) **258**, 323

Recovery of function; Mesotelencephalic dopamine; Senescence (Marshall, J.F.) **259**, 249

α_1-Adrenoceptors; Startle; Prazosin; Spinal cord (Astrachan, D.I.) **260**, 81

Medial forebrain bundle; Glucocorticoid feedback; Adrenocortical function (Feldman, S.) **260**, 297

Serotonin; Hypothalamus; Neurotoxins; 5,7-Dihydroxytryptamine; Immunocytochemistry; Axotomy (Frankfurt, M.) **261**, 91

Kainic acid; Reticular formation; Noradrenaline; Serotonin; Turning behavior; 5,7-Dihydroxytryptamine (Porceddu, M.L.) **262**, 187

Locus coeruleus; Central noradrenergic neurons; α-Adrenergic receptors; single-unit Electrophysiological activity (Chiodo, L.A.) **264**, 123

Carp retina; Interplexiform cells; Horizontal cells (Cohen J.L.) **264**, 307

Electrical stimulation; Locus coeruleus; Dorsal noradrenergic bundle; Learning (Velley, L.) **265**, 273

Amine accumulation; L-DOPA; Catecholamine depletion; Locomotor behavior; Motor reflex control; LH syndrome; Catecholamine agonists (Willis, G.L.) **266**, 279

Monoaminergic neurons; Sexual behavior; 5,7-Dihydroxytryptamine (Hansen, S.) **268**, 285

Kindling; Anterior neocortex; Noradrenaline; Experimental epilepsy (Altman, I.M.) **270**, 174

Adrenaline-containing neurons; Dopamine-β-hydroxylase; Medulla oblongata; Noradrenaline-containing neurons; Phenylethanolamine-N-methyltransferase; Tractus intermediolateralis; Tyrosine hydroxylase (Fety, R.) **272**, 277

A1 Noradrenergic neurons; Estrogen; Spike dissociation; Post-stimulus inhibition (Kaba, H.) **274**, 156

Acetylcholine; Acetylcholinesterase; Dopamine; Caudate-putamen; Striosomes; Nigrostriatal bundle; Basal ganglia; Neostriatum (Marhsall, J.F.) **274**, 283

[^{3}H]6-Hydroxydopamine
Catecholamines; High-affinity uptake; Uptake 2; Rat CNS; Autoradiography (Sievers, H.) **275**, 23

6-Hydroxydopamine
Crossed mesostriatal projection; Development; Dopamine neurons; Neonatal brain lesion; Fluorescent dyes; Retrograde labeling (Altar, A.) **279**, 1

Mouse striatum; [^{3}H]N-Propylnorapomorphine; [^{3}H]Spiperone; Dopamine receptors; Kainic acid; Frontal cortical ablation (Severson, J.A.) **279**, 295

Regeneration; Axonal transport; Norepinephrine; Dopamine-β-hydroxylase; Tyrosine hydroxylase; Locus coeruleus; Norepinephrine uptake (Levin, B.E.) **289**, 205

6-Hydroxydopamine lesions
Rotational behavior; Substantia nigra (Robinson, T.E.) **264**, 127

2-Hydroxyestradiol
Haloperidol-induced catalepsy; Estradiol benzoate; Hyperprolactinaemia; Medroxy acetate progesterone (Nicoletti, F.) **279**, 352

5-Hydroxyindoleacetic acid
Cobalt-induced epilepsy; Noradrenaline; Serotonin uptake; Rat; Dihydroxyphenylethyleneglycol (Trottier, S.) **272**, 255

Serotonin; Spinal cord; Voltammetry; Electrochemistry (Rivot, J.P.) **275**, 311

Parkinson's disease; Cortical areas; Hippocampus; Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; Noradrenaline; Serotonin (Scatton, B.) **275**, 321

5-Hydroxyindole acetic acid
Electrochemistry; Dorsal raphe nucleus; Serotonin; Norepinephrine; Urethane-anesthetized rats (Echizen, H.) **277**, 55

5-Hydroxyindoleacetic acid (5-HIAA)
CSF; DOPAC; Homovanillic acid; Dopamine; Cat (Degrell, I.) **277**, 283

Cholecystokinin-octapeptide; Striatum; $[^3H]$Spiperone; Homovanillic acid; DOPAC (Mashal, R.D.) **277**, 375

Voltammetry; 5-Hydroxyindoles; Suprachiasmatic nuclei; Rest-activity; Circadian fluctuations (Faradji, H.) **279**, 111

Hydroxyindole-O-methyltransferase
Pineal; Adrenergic stimulation; Norepinephrine; Isoproterenol (Sugden, D.) **265**, 348

Neuron-specific enolase; S-100 Protein; Pineal gland (Kuwano, R.) **274**, 171

Pineal; Melatonin; Light; Irradiance; N-Acetyltransferase (Reiter, R.J.) **288**, 151

5-Hydroxyindoles
Electrochemical detection; Rat somatosensory cortex; Serotonergic innervation; Laminar distribution (Lamour, Y.) **259**, 163

Differential pulse voltammetry; Oxidation potential; Peak 3; Electrochemical detection; Raphe nuclei (Crespi, F.) **270**, 45

Electrochemical detection; Rat somatosensory cortex; Serotonergic pathways; Electrical stimulation; *p*-Chlorophenylalanine (Rivot, J.P.) **275**, 164

Voltammetry; 5-Hydroxyindoleacetic acid (5-HIAA); Suprachiasmatic nuclei; Rest-activity; Circadian fluctuations (Faradji, H.) **279**, 111

Voltammetry; Cerebrospinal fluid; Caudate; Pargyline; para-Chlorophenylalanine; Body temperature; Cerebral ventricles (Hahn, Z.) **289**, 215

5-Hydroxytryptamine
Nucleus raphe magnus; Analgesia (Llewelyn, M.B.) **258**, 59

Noradrenaline; Spinal Ia termination; Ouabain (Curtis, D.R.) **258**, 328

Vitamin B_1; Tryptophan hydroxylase; Serotonin cell groups; Brain development (Howe, P.R.C.) **270**, 19

Brainstem; Morphine-induced; Analgesia; *p*-Chloroamphetamine; *p*-Chlorophenylalanine; Zimelidine; Test-dependent effects (Berge, O.-G.) **271**, 51

Analgesia; Footshock; Memory; Learning (Hutson, P.H.) **279**, 105

Dorsal horn; Ionophoresis; Noradrenaline (Todd, A.J.) **288**, 159

5-Hydroxytryptamine (re)uptake
Antidepressants; Noradrenaline (re)uptake; Brain slices (rat); Brain slices (human) post-mortem (Harms, H.H.) **275**, 99

5-Hydroxytryptophan
Prolactin; Cerebrospinal fluid; Cortisol; Morphine; Thyrotropin-releasing hormone; Monkey (Herbert, J.) **258**, 251

Etomidate; Prolactin release; Dopamine; Synaptosomes; Haloperidol; GABA (Preziosi, P.) **271**, 379

5-Hydroxytryptophan accumulation
GABA; GABA agonist and antagonist agents; Serotonergic neurons; Dorsal raphé; Striatum (Nishikawa, T.) **279**, 325

5-Hydroxytryptophan biosynthesis
Castration; Adrenalectomy; Serotonin; CNS (Long, J.B.) **277**, 289

5-Hydroxytrytophan decarboxylase
Serotonin; Tryptophan hydroxylase; 3-Hydroxybenzylhydrazine; *p*-Chlorophenylalanine (Pandey, A.) **273**, 67

Hyerpolarizations
Kindling; Hippocampus; Median raphe nucleus; Pyramidal cells; EEG spikes (Fujita, Y.) **278**, 313

Hyperalgesia
Dorsolateral funiculus; Monoamine levels (Davies, J.E.) **261**, 59

Tryptamine; Intrathecal administration; Pain; Spinal cord; Serotonin (Larson, A.A.) **265**, 109

Hyperbaric oxygen
Oxygen toxicity; Hippocampal slice; Potassium; Synaptic transmission (King, G.L.) **260**, 139

Oxygen poisoning; Brain oxygen toxicity; Oxygen; Brain metabolism; EEG; Brain glucose utilization; Autoradiography, 2-deoxyglucose (Torbati, D.) **262**, 267

Aminooxyacetic acid; Anticonvulsant activity (Davison, A.J.) **276**, 384

Hyperdipsia
Dorsal rostral pons; Locus coeruleus; Periaqueductal gray; Hemodynamic signal; Fluid balance; Central autonomic pathway (Ward, D.G.) **262**, 314

Hyperemotionality
Immobilization stress; Noredrenaline; 3-Methoxy-4-hydroxyphenylethyleneglycol sulfate; Morphine; Naloxone; Brain regions (rat); Corticosterone (Tanaka, M.) **275**, 105

Hypernatremia
Dehydration; Natriuresis; Brain lesion; Anterior third ventricle; Sheep (McKinley, M.J.) **263**, 340

Hyperphenylalaninemia
Phenylketonuria; Synaptosomal tyrosine uptake; Brain catecholamines; Amino acid inhibition (Peterson, N.A.) **272**, 189

Hyperplasia
Asymmetry; Motoneuron somata; Sensory axons; Nerve root; Fiddler crabs; Hypertrophy (Young, R.E.) **280**, 251

Hyperpolarizing response
Ca^{2+} conductance; Depolarizing response; Associative conditioning; Voltage-dependence (Walters, E.T.) **280**, 165

Hyperprolactinaemia
Haloperidol-induced catalepsy; Estradiol benzoate; 2-Hydroxyestradiol; Medroxy acetate progesterone (Nicoletti, F.) **279**, 352

Hyperstriatal-tectal projections
Pigeon; Fluorescent retrograde tracers (Miceli, D.) **276**, 147

Hyperstriatum accessorium
Pigeons; Wulst; HRP; Tractus septomesencephalicus; Efferent projections; Laminar organization (Reiner, A.) **275**, 349

Hypertension
α-methyl DOPA; Hypertensive rat (LeDoux, J.E.) **259**, 69

Deoxycorticosterone acetate salt; Nucleus locus coeruleus; Electrical stimulation; Lesioning (Chida, K.) **273**, 53

Hypertensive rat
α-methyl DOPA; Hypertension (LeDoux, J.E.) **259**, 69

Hyperthermia
β-Endorphin; cAMP; Naloxone-sensitive receptor; Non-peptide opioid; Peptide opioid; Prostaglandin; Transport system inhibitor (Kandasamy, S.B.) **265**, 63

Hypertonic NaCl
Polymodal receptor; Unitary discharges; Temperature effects; Nociceptor; Secondary pain; Inflammation pain; Bradykinin (Kumazawa, T.) **278**, 305

Hypertrophy
Asymmetry; Motoneuron somata; Sensory axons; Nerve root; Fiddler crabs; Hyperplasia (Young, R.E.) **280**, 251

Hypnogenic center
Sleep; Rhesus monkey; Macaque monkey; 2-Deoxyglucose; Cerebral metabolism (Nakamura, R.K.) **268**, 372

Hypoglossal neurons
Afferents to hypoglossal neurons; HRP; Retrograde tracing (Borke, R.C.) **269**, 47

Hypoglycemia
Adrenomedulla; Homoestasis; Tyrosine hydroxylase; Cold exposure; Enzyme activation; Enzyme induction; Stress (Fluharty, S.J.) **267**, 384

Nicotinamide adenine dinucleotide; Pyridine nucleotide; Cerebral redox state; Cats (Bryan, R.M. Jr.) **279**, 266

Hypomyelination
Myelin; Mutant mice; Organotypic cultures (Billings-Gagliardi, S.) **268**, 255

Galactocerebroside; Oligodendrocytes; Brain cell culture; Jimpy mutant (Bologa, L.) **275**, 369

Myelin basic protein; CNS myelin; PNS myelin; *Mld* mutant mouse (Ginalski-Winkelmann, H.) **277**, 386

Hypophysectomy
Luteinizing hormone-releasing hormone; Brain; Radioimmunoassay; Immunocytochemistry; Ovary; Neuroendocrinology; Platyfish (Schreibman, M.P.) **267**, 293

Spinal cord; Lateral funiculus; Marginal zone; Intermediolateral column; Spinal cord transection (Merchenthaler, I.) **275**, 373

17-β-Estradiol; Female rats; [^{3}H]Muscimol; [^{3}H]Flunitrazepam; Binding sites (Hamon, M.) **279**, 141

Hypophysial portal blood
Morphine; Dopamine release; Dopamine synthesis; Dopaminergic neurons; DOPA synthesis (Reymond, M.J.) **262**, 253

Serotonin; Fluoxetine; Corticotropin releasing factor; Vasopressin; Adrenal cortical tropic hormone (Gibbs, D.M.) **280**, 176

Hypophysial portal plasma
Somatostatin 14; Somatostatin 28; Median eminence stimulation (Millar, R.P.) **260**, 334

Hypophysis
Dopamine release; Neurointermediate lobe; Pituitary stalk; Electrical stimulation (Holzbauer, M.) **277**, 47

Hypotension
Fastigial nucleus; Cerebellum; Blood pressure; Hemorrhage; Endotoxin (Lutherer, L.O.) **269**, 251

Hypothalamic
GABA; Thyrotropin; Pituitary relation (Jordan, D.) **268**, 105

Hypothalamic adrenocorticotropin
Adrenocorticotropin immunoreactivity; Arcuate nucleus; Opiocortin (Kiss, J.Z.) **263**, 14

Hypothalamic and extrahypothalamic brain nuclei
Vasopressin; Passive avoidance behavior; Radioimmunoassay (Laczi, F.) **260**, 342

Hypothalamic cells
Somatostatin; Membrane depolarization; Glucoprivation (Richardson, S.B.) **266**, 75

Hypothalamic neurons
Preoptic neurons; Sexual behavior (Oomura, Y.) **266**, 340

Hypothalamic neuropeptides
High-performance liquid chromatography; Immunocytochemistry; α-MSH radioimmunoassay; Bioassay (Jegou, S.) **260**, 91

Hypothalamic norepinephrine
Estrous cycle; Adrenergic receptors; cAMP; Adrenoblockers (Zubin, P.) **271**, 273

Hypothalamic nuclei
Myocardial infarction; Vagus nerve; Cardiocardiac reflexes; Raphe nuclei; Serotonin turnover (Sole, M.J.) **265**, 55

Phenylethanolamine-N-methyltransferase; Catecholamines; Epinephrine; Norepinephrine; Midbrain transections; Rat brain (Saavedra, J.M.) **276**, 367

Hypothalamic slice
Dopamine; Oxytocin; Vasopressin; Haloperidol; Spiperone; Sulpiride; Flupenthixol (Mason, W.T.) **267**, 113

Hypothalamic slices
Insulin; Catecholamines (Sauter, A.) **260**, 330

Hypothalamic temperature
Fever; Vasodilatation; Panting (Kruk, B.) **267**, 237

Hypothalamo-neurohypophysial system
Limbic system (Ferreyra, H.) **264**, 31

Hypothalamus
Dentate gyrus; Electron microscopic autoradiography (Dent, J.A.) **258**, 1

Aggression; Rat; Discriminant analysis; Attack; Brain stimulation; Computer-plotted histology; 3D-reconstruction (Kruk, M.R.) **260**, 61

Dynorphin; α-Neo-Endorphin; Brattleboro rats; Vasopressin; Radioimmunoassay; Posterior pituitary (Weber, E.) **260**, 166

Serotonin; Neurotoxins; 5,7-Dihydroxytryptamine; 6-Hydroxydopamine; Immunocytochemistry; Axotomy (Frankfurt, M.) **261**, 91

β-Adrenergic receptor; Brain cortex; Anterior pituitary; $[^{125}I]$Iodocyanopindolol; β-Adrenergic binding; β_1-Adrenergic receptor; β_2-Adrenergic receptor (Petrovic, S.L.) **261**, 249

Opiate receptor; Enkephalin; Endorphin; Monosodium glutamate; Pain-opiate antagonist (Simantov, R.) **262**, 168

Quantitative histology; Electron microscopy; Cell density; Synaptic boutons density; Paraventricular nucleus (Kiss, J.Z.) **262**, 217

Somatostatin; Immunohistochemistry; Synapse; Rat (Ohtsuka, M.) **263**, 191

Cold; Warm; Perception; Self-stimulation (Cabanac, M.) **264**, 79

Serotonin; Vasoactive intestinal polypeptide; Perifusion; Cyproheptadine (Shimatsu, A.) **264**, 148

Preoptic area; Amygdala; Rat brain; Protein phosphorylation; Sexual dimorphism; Sexual differentiation; Testosterone (Angelbeck, J.H.) **264**, 277

Quantitative histology; Electron microscopy; Extrinsic/intrinsic connections; Paraventricular nucleus (Kiss, J.Z.) **265**, 11

Superior salivatory nucleus; Autoradiography; HRP; Rat (Hosoya, Y.) **266**, 329

Amphetamine; Catecholamines; Dopamine; Norepinephrine; Epinephrine (Leibowitz, S.F.) **266**, 348

Imipramine transport; Imipramine release; False transmitter (Allen, D.L.) **267**, 161

Estrogenic action; Lordosis; Local anesthetics; Tetrodotoxin; Electrical activity (Harlan, R.E.) **268**, 67

Self-stimulation; Intrinsic neurons; Ibotenic acid (Velley, L.) **268**, 79

Cholecystokinin (CCK) peptides; Bullfrog, *Rana catesbiana*; Pituitary; Evolution (Beinfeld, M.C.) **268**, 192

α-Melanocyte stimulating hormone; Cardiovascular system (Diz, D.I.) **270**, 265

Corticotropin-releasing factor; Locus coeruleus; Pituitary; Peptide hormone; Norepinephrine; Stress; Median eminence (Valentino, R.J.) **270**, 363

Cardiovascular regulation; $[^{14}C]$2-Deoxyglucose; Noradrenergic systems; Medulla; Habenula (Savaki, H.E.) **271**, 109

Autoradiography; Calcium; Periventricular gray; Reticular formation (Henke, H.) **272**, 373

Melatonin; Calcium; Dopamine release (Zisapel, N.) **272**, 378

Norepinephrine; Dopamine; Obese mice; Paraventricular nucleus; Lateral hypothalamus; Arcuate nucleus; Obesity (Oltmans, G.A.) **273**, 369

Neonatal androgenization; Estradiol; Luteinizing hormone surges; Progestin receptors; Pituitary gland; Uterus (Kirchhoff, J.) **275**, 173

Vasopressin; Diabetes insipidus; Histamine; Brattleboro rat; Supraoptic nucleus (Correa, F.M.A.) **276**, 247

non-Monoaminergic AADC neurons; Suprachiasmatic nucleus; Arginine-vasopressin; Brattleboro rat (Jaeger, C.B.) **276**, 362

Dopamine-stimulated adenylate cyclase; Pituitary estrous cycle; Castration; Gonadal hormones; Dopamine receptors; Sex differences; Down- and up-regulation of receptors (Barr, G.A.) **277**, 299

Immunohistochemistry; Paraventricular nucleus; Raphe nuclei; Serotonin; Supraoptic nucleus (Sawchenko, P.E.) **277**, 355

Endorphins; Enkephalin; Dynorphin; pro-Opiomelanocortin; Adrenocorticotropic hormone; Opioid peptides; Immunocytochemistry (McGinty, J.F.) **278**, 145

Sheep; Unit recording; Food intake (Maddison, S.) **278**, 195

Estrogen; Cholinergic receptors; α-Bungarotoxin (Morley, B.J.) **278**, 262

Prostanoids; Prostaglandins; CNS; Pituitary gland; Rat (Gerozissis, K.) **279**, 133

Adrenergic antagonists; Opiate antagonist; Luteinizing hormone; Opiate receptors; Monoamines; Rats (Blank, M.S.) **279**, 153

Histamine; Tele-methylhistamine; Brain; Amygdala; Histaminergic neuron (Oishi, R.) **280**, 172

Cholecystokinin receptor; Food deprivation; Cholecystokinin octapeptide; Olfactory bulb; Midbrain (Finkelstein, J.A.) **288**, 193

Substance P; Immunohistochemistry; Synapse; Ultrastructure; Rat (Tsuruo, Y.) **289**, 1

non-Steroidal antiestrogens; Estradiol-17β; Estrogen receptors; Progestin receptors; Pituitary gland; Uterus (Kirchhoff, J.) **289**, 380

Hypothalamus-preoptic area
Hamster; Androgen receptors; Estrogen receptors; Sex differences; Species differences (Vito, C.C.) **264**, 132

Hypothermia
Brachium conjunctivum; 2-Deoxyglucose; White matter activation; Optical density ratios (Kilduff, T.S.) **269**, 168

Hypothyroidism
p-Chlorophenylalanine; Serotonin; Spinal cord; Substance P; Thyrotropin-releasing hormone (Savard, P.) **277**, 263

Hypoxia
isolated perfused Frog spinal cord; Glucose free medium; Presynaptic inhibition; Ventral root potentials; Dorsal root potentials (Haji, A.) **274**, 107

I

Ia boutons
Cat spinal cord; Electron microscopy; Horseradish peroxidase (Conradi, S.) **265**, 31

Ibotenic acid
Hypothalamus; Self-stimulation; Intrinsic neurons (Velley, L.) **268**, 79

Identified molluscan neurons
Axotomy; Fluorescent dye irradiation; Neurite outgrowth; Organ culture; Video fluorescence microscopy (Cohan, C.S.) **270**, 93

Identified motoneuron
Neuropeptide; *Aplysia*; Egg-laying hormone; Buccal ganglion (Ram, J.L.) **288**, 177

Identified neurons
Aplysia; $[^3H]$Serotonin uptake; Presynaptic facilitation; Serotonin; Sensitization; Synaptic modulation (Bailey, C.H.) **272**, 71

Imipramine binding site
Retina, bovine; Tricyclic antidepressants (Borbe, H.O.) **264**, 178

Imipramine binding sites
Nitroimipramine binding sites; Rat brain; Quantitative autoradiography; LKB Ultrofilm (Rainbow, T.C.) **262**, 319

Imipramine release
Imipramine transport; False transmitter; Hypothalamus (Allen, D.L.) **267**, 161

Imipramine transport
Imipramine release; False transmitter; Hypothalamus (Allen, D.L.) **267**, 161

Immobilization stress
In vivo voltammetry; Serotonin release; Hippocampus; *p*-Chlorophenylalanine; *α*-Methyl-*p*-tyrosine; L-Tryptophan; L-Tyrosine; L-Valine (Joseph, M.H.) **270**, 251

Noredrenaline; 3-Methoxy-4-hydroxyphenylethyleneglycol sulfate; Morphine; Naloxone; Brain regions (rat); Hyperemotionality; Corticosterone (Tanaka, M.) **275**, 105

Ethanol; *α*-Adrenoceptors (Lynch, M.) **288**, 145

Immune fixation
Monoamine oxidase; Antibodies; Radioimmunoassay; Immunocytochemistry; Rat tissues (Pintar, J.E.) **276**, 127

Immunhistochemistry
Alzheimer's disease; Basal nucleus; Choline acetyltransferase (Pearson, R.C.A.) **289**, 375

Immunoblot
Glial fibrillary acidic protein; Proteinase; Glial fibrillary acidic protein degradation (DeArmond, S.J.) **262**, 275

Immunoblots
Monoclonal antibody; Leech proteins; Nociceptive cells; Immunocytochemistry (Flaster, M.S.) **277**, 196

Immunoblot technique
Demyelinating antibodies; Myelination-inhibiting antibodies; Nerve tissue cultures; Myelin proteins (Seil, F.J.) **288**, 384

Immunoblotting
Myelin; Myelin proteins; P_o Protein; Shark; Schwann cells; Oligodendroglial cells (Tai, F.L.) **278**, 350

Immunocytochemistry
Hypothalamic neuropeptides; High-performance liquid chromatography; *α*-MSH radioimmunoassay; Bioassay (Jegou, S.) **260**, 91

Serotonin; Hypothalamus; Neurotoxins; 5,7-Dihydroxytryptamine; 6-Hydroxydopamine; Axotomy (Frankfurt, M.) **261**, 91

Descending noradrenergic systems; Spinal cord; Dopamine-β-hydroxylase; Locus coeruleus; Subcoeruleus (Westlund, K.N.) **263**, 15

Met-Enkephalin; Leu-Enkephalin; Lateral septum (Stengaard-Pedersen, K.) **264**, 152

BSP-2; Cerebellum; Cell surface; Glycoprotein (Hirn, M.) **265**, 87

Lectins; Transport (Phillipson, O.T.) **265**, 199

Choline acetyltransferase; Cholinergic neurons; Morphology; Monoclonal antibody (Houser, C.R.) **266**, 97

Corticotropin Releasing Factor (CRF); Medulla oblongata; Spinal cord; Mapping; Corticotropin releasing factor neurons (Schipper, J.) **267**, 145

Luteinizing hormone-releasing hormone; Brain; Hypophysectomy; Radioimmunoassay; Ovary; Neuroendocrinology; Platyfish (Schreibman, M.P.) **267**, 293

Glutamic acid decarboxylase; Intracellular injection; HRP; *γ*-Aminobutyric acid; Red nucleus (Murakami, F.) **267**, 357

Nociception; Spinal dorsal horn; HRP; Serotonin; Descending inhibition; Cat (Hoffert, M.J.) **267**, 361

Leukodystrophy; Murine mutants; Myelination; Myelin proteins; Glial fibrillary proteins (Ulrich, J.) **268**, 267

GABA; Taurine; Aspartate; Somatostatin; Rat retina (Lin, C.T.) **270**, 273

Oligodendroglia; Long-term culture; Morphology; Myelin antigens; Galactocerebroside; Myelin basic protein; Cell isolation (Norton, W.T.) **270**, 295

Hippocampus; Rat; Guinea pig; Hedgehog; Enkephalin; Cholecystokinin; Heavy metals (Stengaard-Pedersen, K.) **273**, 81

Corticoliberin; Monoamines; Reserpine; Monoamine oxidase inhibitors; Rat median eminence (Bugnon, C.) **275**, 198

GABA; Serotonin (Belin, M.F.) **275**, 329

Adreno cortical tropic hormone$_{1\text{-}39}$; Opiocortin; Catecholamine; Brainstem; Rat (Romagnano, M.A.) **276**, 1

Monoamine oxidase; Antibodies; Radioimmunoassay; Rat tissues; Immune fixation (Pintar, J.E.) **276**, 127

Radioautography; Nucleus tractus solitarius; Vagal afferents; Tyrosine hydroxylase; Synaptic interaction (Sumal, K.K.) **277**, 31

Monoclonal antibody; Leech proteins; Nociceptive cells; Immunoblots (Flaster, M.S.) **277**, 196

Endorphins; Enkephalin; Dynorphin; pro-Opiomelanocortin; Adrenocorticotropic hormone; Opioid peptides; Hypothalamus (McGinty, J.F.) **278**, 145

Insect optic lobe; Neuroanatomy; Serotonin; Golgi method; Electron-microscopy (Nässel, D.R.) **280**, 361

Serotonin; Substance P; Enkephalin; Thyrotropin-releasing hormone; Spinal cord; Raphe nuclei (Bowker, R.M.) **288**, 33

Substance P; Leu-Enkephalin; Basal ganglia; Huntington's disease (Marshall, P.E.) **289**, 11

Gastrin releasing peptide; Celiac ganglion; Rat (Kondo, H.) **289**, 326

Immunofluorescence
Substance P; Vagus nerve; Nodose ganglion; Superior cervical ganglion; Cross-anastomosis (Hayashi, H.) **270**, 178

cGMP; Substance P; Somatostatin; Methionine-enkephalin (Ariano, M.A.) **289**, 362

Immunofluorescent microscopy
2':3'-Cyclic nucleotide 3'-phosphodiesterase; Bovine cerebrum; Oligodendrocyte (Sheedlo, H.J.) **288**, 330

Immunohistochemistry
Somatostatin neuron; Periventricular nucleus; Median eminence hypothalamus; Electron microscopy; Rat (Ibata, Y.) **258**, 291

GM_1 Ganglioside; Nigro-striatal DA neurons; Hemitransection; Sprouting response (Toffano, G.) **261**, 163

Vasoactive intestinal polypeptide; Avian pancreatic polypeptide; Neuropeptides; Peripheral nervous system; Thiamine pyrophosphatase staining; Golgi apparatus (Johansson, O.) **262**, 71

pro-Somatostatin; Peptides; Cerebral cortex (Morrison, J.H.) **262**, 344

Somatostatin; Hypothalamus; Synapse; Rat (Ohtsuka, M.) **263**, 191

Human brain; Creatine kinase BB-isoenzyme; Tubulin; Astroprotein (Yoshimine, T.) **265**, 101

Photoreceptors; Cyclic nucleotides; 2',3'-Cyclic nucleotide; 3'-Phosphohydrolase; Histochemistry (Giulian, D.) **265**, 217

Monoclonal antibody; Human; Choline acetyltransferase (Nagai, T.) **265**, 300

Retina; Serotonin; Elasmobranch fish; Indoleamine accumulating cells (Ritchie, T.C.) **267**, 352

Substance P; Trigeminal nerve; Circle of Willis; Innervation of cerebral arteries (Liu-Chen, L.-Y.) **268**, 162

Neurotensin; Dopamine; Coexistence; Arcuate nucleus; Fluorescence histochemistry; Rat (Ibata, Y.) **269**, 177

Pylorus; Substance P; Retrograde axonal tracing; Dorsal root ganglia; Vagal ganglia; Guinea pig (Lindh, B.) **269**, 365

Blood pressure; Spinal serotonin nerves; 5,7-Dihydroxytryptamine; Electrical stimulation (Howe, P.R.C.) **270**, 29

Guanylate cyclase; Postsynaptic components; Monoclonal antibody; cGMP; Cholinergic neurotransmission; Rat brain (Nakane, M.) **273**, 9

Progestogen; $[^3H]$R5020; Autoradiography; Hamster; Brain; Pituitary (Rogers Munn, A. III) **274**, 1

Substance P; Dorsal horn; Ultrastructure; Primate (de Lanerolle, N.C.) **274**, 31

met Enkephalin; Dorsal horn; Ultrastructure; Primate (LaMotte, C.C.) **274**, 51

Serotonin; Dorsal horn; Ultrastructure; Primate (LaMotte, C.C.) **274**, 65

Neurotensin; Met-Enkephalin; Corpus striatum; Striosomes (Goedert, M.) **274**, 176

FMRF-amide; Neuropeptides; APP (Williams, R.G.) **276**, 213

Adreno cortical tropic hormone; β-Endorphin; Nucleus tractus solitarius; Reticular formation; Brainstem (Schwartzberg, D.G.) **276**, 351

Nerve grafts; Spinal cord; Astrocytes; Schwann cells; Axonal elongation (Fishman, P.S.) **277**, 175

Hypothalamus; Paraventricular nucleus; Raphe nuclei; Serotonin; Supraoptic nucleus (Sawchenko, P.E.) **277**, 355

Substance P; Hypothalamus; Synapse; Ultrastructure; Rat (Tsuruo, Y.) **289**, 1

Retrograde cell degeneration; Cortex; Basal nucleus; Rat; Choline acetyltransferase (Sofroniew, M.V.) **289**, 370

Immunoreactive enkephalin
Periaqueductal gray; Pain control; Opiates; Analgesia (Moss, M.S.) **289**, 27

Immuno response gene associated antigen (Ia)
Oligodendrocyte; Schwann cells (Lisak, R.P.) **289**, 285

Impregnation defects
Golgi rapid; Post mortem fixation delay; Guinea-pig; Quantification (De Ruiter, J.P.) **266**, 143

Impulse blockage
Cytochrome oxidase; Tetrodotoxin; Adult visual system (Wong-Riley, M.) **261**, 185

Impulse conduction
Locus coeruleus; Norepinephrine; Antidromic activation (Segal, M.) **274**, 381

Indolamine
Paradoxical sleep; Slow-wave sleep; Sleep deprivation; *p*-Chlorophenylalanine (Sallanon, M.) **268**, 95

Indoleamine accumulating cells
Retina; Serotonin; Immunohistochemistry; Elasmobranch fish (Ritchie, T.C.) **267**, 352

Indoleamine metabolism
Pineal photoreception; Avian pineal; Light sensitive enzyme; Avian retina; In vitro pineal light sensitivity (Hamm, H.E.) **266**, 287

Inferior alveolar nerve
Capsaicin; Rat; Pulpal axons; Nociception (Holje, L.) **266**, 133

Inferior colliculus
Somatosensory pathways; Lemniscal pathways; Dorsal columns; Ventral spinal cord; Auditory input; Visual input; Cat (Tawil, R.N.) **269**, 149

$[^{14}$C]2-Deoxyglucose; Densitometry; Stimulus rate effects (Sargent Jones, L.) **279**, 85

Auditory system; Pretectum; Midbrain reticular formation; Cat (Kudo, M.) **288**, 13

Inferior convexity
Prefrontal cortex; Unit activity; Monkey; Functional heterogeneity; Arcuate concavity; Principal sulcus (Aou, S.) **260**, 121

Inferior olivary nucleus
Dorsal motor nucleus; Solitary nucleus; Gigantocellular reticular nucleus; Vagus nerve; Baroreceptor reflex (Liu, R.H.) **271**, 184

Inferior olive
Double labeling; Lateral thalamus; Pretectum; Visual system (Robertson, R.T.) **258**, 91

Pretectum; Cat; WGA-HRP (Itoh, K.) **272**, 350

Motor cortex; Nucleus of Darkschewitsch; Cat; HRP; Electron microscopy (Nakamura, Y.) **274**, 140

Cerebellum; Climbing fiber branching; Fluorescent tracers (Rosina, A.) **289**, 45

Inferior parietal
Superior colliculus; Oculomotor maps; Striate cortex, prestriate (Keating, E.G.) **269**, 145

Inferior pulvinar
Visual area MT; Lateral pulvinar (Standage, G.P.) **262**, 288

Visual pathways; Medial pulvinar; Primate (Itaya, S.K.) **269**, 223

Inflammation pain
Polymodal receptor; Unitary discharges; Temperature effects; Nociceptor; Secondary pain; Bradykinin; Hypertonic NaCl (Kumazawa, T.) **278**, 305

Influence of lesion site
Regeneration; Optic nerve; Frog (Humphrey, M.F.) **269**, 153

Infragranular cortex
Corpus callosum; Visual cortex (Olavarria, J.) **279**, 233

Infraorbital nerve
Barrels; Adult rat; Trigeminal system; Transganglionic HRP transport; Lesion-induced reorganization (Jacquin, M.F.) **269**, 137

Infrared sensory system
Vagal nerve; Primary axons; HRP; Transganglionic transport; Boid snakes (Kishida, R.) **263**, 132

Inhibition
GABA; Conductance decrease; Ionic mechanism; Biphasic response (Mayer, M.L.) **260**, 233

Medulla; Pons; Muscle tone; REM sleep (Siegel, J.M.) **268**, 344

Optic tectum; Visual physiology; GABA; Picrotoxin; Bicuculline (Sajovic, P.) **271**, 227

Benzodiazepine; Midazolam; Calcium-mediated potassium conductance; Hippocampus; CA1 cells (Carlen, P.L.) **271**, 358

Morphine; Spinal cord; Naloxone; Analgesia (Soja, P.J.) **273**, 1

Dorsal horn neurons; Propriospinal neurons; Nociception (Cadden, S.W.) **275**, 1

Choline acetyltransferase; CM-cellulose chromatograph; Activation; Endogenous inhibitor (Cozzari, C.) **276**, 109

Reward-gating; GABA; Glycine; Medial hypothalamus; Lateral hypothalamus; Self-stimulation (Porrino, L.J.) **277**, 269

Hippocampus; Synaptic activation; Bicuculline insensitivity (Kehl, S.J.) **279**, 278

Rat; Spinal cord; Dorsal horn; Somatosensory; non-Segmental inhibition; Time-course; Anesthetic; Pain; Noxious inhibitory controls (Tomlinson, R.W.W.) **279**, 291

Benzodiazepines; GABA; Embryology; Receptors; Motility; Synaptic transmission (Maderdrut, J.L.) **289**, 385

Inhibiton
Benzodiazepine; Diazepam; Spinal cord cultures; GABA (Sher, P.K.) **268**, 171

Inhibitory avoidance
Memory; Amygdaloid stimulation; Naloxone; Bed nucleus of the stria terminalis; Endogenous opioids (Liang, K.C.) **271**, 41

Inhibitory postsynaptic response
Pallido-subthalamic projection; HRP (Kita, H.) **264**, 255

Inhibitory processes
X Cells; Y Cells; Dorsolateral geniculate nucleus; Centre surround antagonism; GABA (Sillito, A.M.) **277**, 63

Inhibitory response
Chronically lesioned rats; Subthalamic nucleus; Entopeduncular output neurons; Miroiontophoresis; GABA glycine; Acetylcholine (Rouzaire-Dubois, B.) **271**, 11

Inhibitory surround
Interictal spike; Epilepsy; Hippocampus; Computer model (Traub, R.D.) **261**, 277

Inhibitory transmitter
GABA; Cerebral cortex; Laminal distribution; Rat (Ishikawa, K.) **277**, 361

Initial segment
Synapse; Granule cell; Axo-axonic cell; Chandelier cell; Basket cell; Dentate gyrus (Kosaka, T.) **274**, 129

Innervation of cerebral arteries
Substance P; Trigeminal nerve; Circle of Willis; Immunohistochemistry (Liu-Chen, L.-Y.) **268**, 162

Insect
Adenosine 3',5'-monophosphate; Neurosecretory cell; Synaptic transmission (Orchard, I.) **258**, 152

Amino-acid neurotransmitter; Muscle; Neurotoxicity; Receptor; Excitotoxicity (Duce, I.R.) **263**, 77

Adenosine 3'5'-monophosphate; Hormone release; Adipokinetic hormone; Neurosecretory cell; Synaptic transmission (Orchard, I.) **288**, 349

Insecticide tetramethrin
Sodium channel; Patch clamp; Pyrethroid; Neuroblastoma (Yamamoto, D.) **274**, 344

Insect muscle
Amino acid neurotransmitter; Muscle degeneration; Calcium channels; Excitotoxicity; Amino acid receptors (Donaldson, P.L.) **274**, 261

Insect neurones
Cultured neurones; Acetylcholine receptors; Nicotinic receptors; α-Bungarotoxin binding (Lees, G.) **288**, 49

Insect optic lobe
Neuroanatomy; Serotonin; Immunocytochemistry; Golgi method; Electron-microscopy (Nässel, D.R.) **280**, 361

Instrumental conditioning
Caudate nucleus; Dentate nucleus; Movement initiation; Handedness; Brain stimulation (Moroz, V.M.) **259**, 298

Insulin
Catecholamines; Hypothalamic slices (Sauter, A.) **260**, 330

Rat; Brain microvessels, isolated; 2-Deoxy-D-[^{3}H]glucose entrance (Djuričić, B.M.) **275**, 186

Integrated e.m.g.
Voluntary force exertion; Ballistic contraction; Ramp contraction; Isometric force; Surface e.m.g.; Discharge rate; Force rate (Yoneda, T.) **275**, 305

Interaction of facilitation and depression
Adrenaline; Synaptic modulation; Bullfrog sympathetic ganglia (Kumamoto, E.) **265**, 344

Interactions
Auditory cortex; Multi unit recording; Response to sound; Plasticity (Frostig, R.D.) **272**, 211

Intercellular recognition
Lectin receptors; Muscles; Regeneration; Cockroach (Denburg, J.L.) **289**, 241

Lectin receptors; Neuronal glycoproteins; Cockroach (Denburg, J.L.) **289**, 269

Interhemispheric connections
Corpus callosum; Strabismus; Effects of experience; Visual cortex; Cat (Berman, N.E.) **274**, 201

Interictal spike
Inhibitory surround; Epilepsy; Hippocampus; Computer model (Traub, R.D.) **261**, 277

Intermediate gray
Periaqueductal gray; Spinoannular tract (Liu, R.P.) **264**, 118

Intermediate pituitary lobe
Somatostatin; Vasopressin; Brattleboro rats; Diabetes insipidus; Pituitary gland; Posterior pituitary lobe; Brain nuclei (Saavedra, J.M.) **277**, 23

Intermediolateral column
Spinal cord; Lateral funiculus; Marginal zone; Spinal cord transection; Hypophysectomy (Merchenthaler, I.) **275**, 373

Internal messenger for transduction and adaptation
Voltage-clamp of solitary photoreceptor in culture; Inverse relation of cGMP and Ca^{2+}; Minimizing voltage-dependent currents; Amplification in sensory organ (Lipton, S.A.) **265**, 41

Interneuron
Gap junction; Dendrite; non-Pyramidal cell; Hippocampus; Rat; Mammal (Kosaka, T.) **271**, 157

Gap junction; Dentate gyrus; Hippocampus; Rat; Mammal (Kosaka, T.) **277**, 347

Interneurons
Hippocampal theta; Projection cells; Feed-forward inhibition (Buzsàki, G.) **266**, 334

Internode
Mutant mouse; Dystrophy; Myelin; Node of Ranvier; Axon/Schwann cells; Morphometry; Peripheral nerve; Sensory nerve (Jaros, E.) **258**, 181

Internuclear connections
Vestibular complex; Vestibular nuclei; HRP (Rubertone, J.A.) **263**, 137

Interplexiform cells
6-Hydroxydopamine; Carp retina; Horizontal cells (Cohen J.L.) **264**, 307

Inter-spike interval variability
Neuronal spike-trains; Single fiber recording; Muscle spindle; Hand muscles; Human (Nordh, E.) **271**, 89

Interstitial nucleus of Cajal
Vestibular nuclei; Extraocular nuclei; Cerebellum; Fastigial nucleus; Perihypoglossal nuclei; Central cervical nucleus; Reticular formation (Carleton, S.C.) **278**, 29

intracellular HRP staining
Motor cortex; Cerebellothalamocortical pathway; EPSP; Stellate cell; Pyramidal cell; Cat (Noda, T.) **268**, 153

Intracellular and intra-axonal injection
Intracellular recording; Ventrobasal complex; Reticular nucleus; Cat (Yen, C.-T.) **280**, 148

Intracellular calcium
Mollusc giant neurones; Neurite formation in culture; External pH (Kostenko, M.A.) **276**, 43

Intracellular injection
Glutamic acid decarboxylase; Immunocytochemistry; HRP; γ-Aminobutyric acid; Red nucleus (Murakami, F.) **267**, 357

cAMP; Intracellular sodium and chloride; Sodium current; Voltage clamp; Snail neuron (Aldenhoff, J.B.) **276**, 289

Intracellular microinjection
Ethanol; Juxtacellular microinjection; Trigeminal motoneuron; Cat (Baranyi, A.) **269**, 159

Intracellular pH
Calmodulin; Phosphodiesterase; *Pleurobanchaea*; Phenothiazine; cAMP (Calhoon, R.D.) **271**, 371

Intracellular potassium activity
Leech; Neuropile; Glial cells (Schlue, W.R.) **270**, 368

Intracellular recognition
Lectin receptors; Muscles; Denervation; Regeneration; Cockroach (Denburg, J.L.) **289**, 253

Intracellular recording
Pyramidal tract neurons; Potassium conductance; Afterhyperpolarization (Baldissera, F.) **259**, 143

Taurine; Stellate cell; Purkinje cell; Ca spikes; Na spikes; Transmitter; Cerebellar slice (Okamoto, K.) **260**, 249

Biplexiform cell; HRP-staining; Rod-cone interaction; Primate ganglion cell; Retinal circuitry (Zrenner, E.) **262**, 181

Taurine; Transmitter; Purkinje cell; Purkinje cell dendrite; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide (TAG); Taurine antagonist; Reversal potential; Cerebellum (Okamoto, K.) **265**, 163

Olfaction; Electrophysiology; Salamander; Neuroreceptor cell (Trotier, D.) **268**, 225

Intracellular and intra-axonal injection; Ventrobasal complex; Reticular nucleus; Cat (Yen, C.-T.) **280**, 148

Dorsal raphe nucleus; Serotonergic neurons; Brain slices; Extracellular recording; Norepinephrine; LSD; α_1-Adrenoreceptors (Vandermaelen, C.P.) **289**, 109

α-Bungarotoxin; $\varkappa$-Bungarotoxin; Neuronal nicotinic receptors; Ciliary ganglion; Autonomic ganglia pharmacology (Dryer, S.E.) **289**, 317

Intracellular recording in naturally sleeping cat
REM sleep; Ponto-geniculo-occipital (PGO) waves; Medial pontine reticular formation; Tegmental reticular nucleus; Long lead PGO wave positive neurons (McCarley, R.W.) **280**, 343

Intracellular release of Ca^{2+}
Ca^{2+}-dependent K$^+$-conductance; Afterhyperpolarization; D-600; Caffeine; Bullfrog sympathetic ganglion cell (Nohmi, M.) **268**, 158

Intracellular response
Caudate; Thalamus (Schneider, J.S.) **265**, 322

Caudate; Polysensory (Wilson, J.S.) **270**, 197

Intracellular sodium and chloride
cAMP; Intracellular injection; Sodium current; Voltage clamp; Snail neuron (Aldenhoff, J.B.) **276**, 289

Intracellular staining
Spinal cord; HRP; Electron microscopy; Muscle spindle afferents (Maxwell, D.J.) **288**, 297

Intracerebroventricular infusion
Calmodulin; Feeding; Food intake; Temperature regulation; Calcium in brain (Myers, R.D.) **266**, 178

Intracerebroventricular injection
Adenosine analogs; Locomotor activity; Mice; Caffeine (Barraco, R.A.) **272**, 392

Intracerebroventricular injections
Octopamine; Catecholamines; Rat strains; Avoidance conditioning (Delacour, J.) **288**, 169

Intracortical inhibition
SI cortex; Receptive fields; Bicuculline (Hicks, T.P.) **274**, 160

Intracranial self-stimulation
Prefrontal neuron; Substantia innominata; Visual tracking task; Movement-related neuron; Monkey (Funahashi, S.) **276**, 267

Intradendritic recording
Taurine; Cerebellar slice; Purkinje cell; Purkinje cell dendrite; Cl-conductance; Transmitter; Reversal potential (Okamoto, K.) **259**, 319

Taurine; Purkinje cell dendrite; Ca spikes; Cl conductance; Ca channels; Cerebellar slices; Transmitter; Stellate cell (Okamoto, K.) **260**, 261

Intraganglionic distribution
HRP; Glossopharyngeal neuron; Fasciculus solitarius; Bullfrog (Hanamori,T.) **260**, 191

Intralaminar nuclei
HRP; Cortex; Thalamus; Cat (Royce, G.J.) **258**, 11

Intramembranous particles
Astrocytes; Differential centrifugation; Freeze-fracture; Plasma membrane; Assemblies; Rearrangement; Trypsinization (Anders, J.J.) **278**, 81

Intraneuronal transport
Endocytosis; Golgi apparatus-endoplasmic-reticulum-lysosomes; Lectin-peroxidase conjugates (Trojanowski, J.Q.) **272**, 201

Intrasaccadic stimulation
Cerebellar vermis; Microstimulation; Saccadic eye movements; Ocular dysmetria; Monkey (Keller, E.L.) **288**, 131

Intraspinal Schwann cells and myelin
Spinal cord; Astrocytes; X-radiation (Sims, T.J.) **276**, 17

Intrathecal
Iontophoresis; Locus coeruleus; Adrenoceptors; Clonidine; Oxymetazoline; Piperoxane; Lipophilic drugs; Local administration (Marwaha, J.) **276**, 379

Intrathecal administration
Tryptamine; Hyperalgesia; Pain; Spinal cord; Serotonin (Larson, A.A.) **265**, 109

Intrathecal injection
Apamin; Ascending axons; Primary sensory afferents; Afferent C fibers; Facilitation (Jurna, I.) **280**, 186

Intrauterine enucleation
Compensatory response; Ultrastructural analysis; Dorsal lateral geniculate nucleus; Mouse (Kaiserman-Abramof, I.R.) **270**, 149

Intrinsic neurons
Hypothalamus; Self-stimulation; Ibotenic acid (Velley, L.) **268**, 79

Inverse agonists
GABA; Etazolate; Benzodiazepine receptors; Antagonists; Receptor interactions; [^{3}H]Muscimol; Agonists (Borea, P.A.) **280**, 383

Inverse relation of cGMP and Ca^{2+}
Voltage-clamp of solitary photoreceptor in culture; Internal messenger for transduction and adaptation; Minimizing voltage-dependent currents; Amplification in sensory organ (Lipton, S.A.) **265**, 41

Invertebrate peptides
Peptide hormone; Behavioral activation; Metamorphosis; Hormone action (Levine, R.B.) **279**, 335

In vitro
Hippocampus; Aminopyridine; Evoked activity; Ca binding sites; Electron microscopy (Kuhnt, U.) **279**, 19

In vitro cytosol assay
Androgen receptors; in vitro Cell nuclear exchange assay (McGinnis, M.Y.) **275**, 75

In vitro pineal light sensitivity
Pineal photoreception; Indoleamine metabolism; Avian pineal; Light sensitive enzyme; Avian retina (Hamm, H.E.) **266**, 287

In vitro release
Serotonin; 5,7-Dihydroxytryptamine; Parachloroamphetamine; Pancreas; Radioautography (Koevary, S.B.) **265**, 328

In vitro slice
Hippocampus; CA1 pyramidal cells; Penicillin epileptogenesis; Acetylcholine; Epilepsy (Kriegstein, A.R.) **266**, 137

In vitro spinal cord
Turtle; Scratch reflex; Pattern generation (Keifer, J.) **266**, 148

In vivo electrochemistry
D-Amphetamine; Ascorbic acid; Dopamine; Electrophysiology; Neostriatum (Ewing, V.G.) **261**, 101

Pergolide; Ascorbic acid; Voltammetry; Dopamine agonists (Clemens, J.A.) **267**, 183

Enkephalin; Dopamine; Caudate; Naloxone; Amphetamine stereotype (Broderick, P.A.) **269**, 378

In vivo voltammetry
Serotonin release; Hippocampus; *p*-Chlorophenylalanine; α-Methyl-*p*-tyrosine; L-Tryptophan; L-Tyrosine; L-Valine; Immobilization stress (Joseph, M.H.) **270**, 251

Locus coeruleus; Catecholamine metabolism; Noradrenaline; DOPAC (Buda, M.) **273**, 197

Inward rectification
N-methyl-D-Aspartate; Transmitter-sensitive conductance; Neocortical neurons; Depolarization shift (Flatman, J.A.) **266**, 169

Iodoantipyrine
Spinal cord; Blood flow rate; Rabbit (Zivin, J.A.) **258**, 197

Apomorphine; Cerebral blood flow; Caudate-putamen; Nigrostriatal pathway; Supersensitivity (Ingvar, M.) **262**, 259

[^{14}C]Iodoantipyrine
Reticular formation; Metabolic vasodilation; [^{14}C]2-Deoxyglucose; Local cerebral blood flow; Local cerebral metabolism (Iadecola, C.) **272**, 101

$[^{125}I]$Iodocyanopindolol
β-Adrenergic receptor; Brain cortex; Hypothalamus; Anterior pituitary; β-Adrenergic binding; β_1-Adrenergic receptor; β_2-Adrenergic receptor (Petrovic, S.L.) **261**, 249

Ion channel
Acetylcholine receptor; Naltrexone methyl bromide; Opiate antagonist; Local anesthetic (Argentieri, T.M.) **277**, 377

Ion channels
Convulsants; Barbiturates; Aspartate; GABA; Neurotransmitter release (Skerritt, J.H.) **258**, 271

Ionic mechanism
GABA; Conductance decrease; Inhibition; Biphasic response (Mayer, M.L.) **260**, 233

Ionophoresis
Dorsal horn; Noradrenaline; 5-Hydroxytryptamine (Todd, A.J.) **288**, 159

Iontophoresis
Nociception; Dorsal horn; Sensory neurotransmitters; L-glutamate; Substance P; Piperidine dicarboxylate (Salt, T.E.) **263**, 167

Cat; Striate cortex; Simple cell; Lateral geniculate nucleus; X-cell; Y-cell; Bicuculline (Tanaka, K.) **265**, 143

Neuropeptides; Cholecystokinin; Nucleus tractus solitarius; Respiratory neurons (Morin, M.P.) **265**, 333

Neurotensin; Extra- and intracellular recording; Microperfusion; Spinal neurons (Stanzione, P.) **268**, 111

Neurotransmitters; Rat mediobasal hypothalamus; Extracellular recording; Cortisol (Mandelbrod, I.) **272**, 115

Sodium - rat mediobasal hypothalamus; Extracellular recording; Cortisol; Osmoreception (Mandelbrod, I.) **273**, 35

Substance P; Nociception; Caudal trigeminal; Primary afferent transmitters (Salt, T.E.) **273**, 217

Noradrenergic neurons; Nucleus tractus solitarius; α-2 Adrenergic receptors (Moore, S.D.) **276**, 188

Intrathecal; Locus coeruleus; Adrenoceptors; Clonidine; Oxymetazoline; Piperoxane; Lipophilic drugs; Local administration (Marwaha, J.) **276**, 379

Rat; Acetylcholine; Somatosensory cortex; Dose-response curves (Lamour, Y.) **289**, 157

Iris
Superior cervical ganglion; Pineal; Trigeminal ganglion; 6-Hydroxydopamine (Kessler, J.A.) **258**, 144

Iron
Electron spin resonance; Superoxide; Isocortex (Willmore, L.J.) **277**, 393

Irradiance
Pineal; Melatonin; Light; Hydroxyindole-O-methyltransferase; N-Acetyltransferase (Reiter, R.J.) **288**, 151

Ischemia
Histamine; cAMP; Adenylate cyclase; Adenosine; Norepinephrine; Pyramidal neurons (Karnushina, I.) **268**, 87

Carotid body; Chemosensory discharge (Monti-Bloch, L.) **270**, 63

Gerbils; Seizures; NADH; Redox state; Frozen brain; Stroke; Redox state mapping (Mayevsky, A.) **276**, 95

Isocortex
Iron; Electron spin resonance; Superoxide (Willmore, L.J.) **277**, 393

Isometric force
Voluntary force exertion; Ballistic contraction; Ramp contraction; Surface e.m.g.; Integrated e.m.g.; Discharge rate; Force rate (Yoneda, T.) **275**, 305

Isoproterenol
Pineal; Hydroxyindole-O-methyltransferase; Adrenergic stimulation; Norepinephrine (Sugden, D.) **265**, 348

Pineal gland; β-Receptors; Continuous light; Norepinephrine (Heydorn, W.E.) **267**, 175

J

Japanese quail
Sexual dimorphism; Brain testosterone metabolism; 5β-Reductase (Schumacher, M.) **278**, 337

Jimpy mutant
Galactocerebroside; Oligodendrocytes; Brain cell culture; Hypomyelination (Bologa, L.) **275**, 369

Joint afferent
Joint inflammation; Joint nociceptor; Joint pain; Knee joint; group III Fiber; group IV Fiber; Pain (Coggeshall, R.E.) **272**, 185

Joint afferents
Elbow joints (Baxendale, R.H.) **261**, 195

Joint inflammation
Joint afferent; Joint nociceptor; Joint pain; Knee joint; group III Fiber; group IV Fiber; Pain (Coggeshall, R.E.) **272**, 185

Joint nociceptor
Joint afferent; Joint inflammation; Joint pain; Knee joint; group III Fiber; group IV Fiber; Pain (Coggeshall, R.E.) **272**, 185

Joint pain
Joint afferent; Joint inflammation; Joint nociceptor; Knee joint; group III Fiber; group IV Fiber; Pain (Coggeshall, R.E.) **272**, 185

Joint stimuli
Arthritic rats; Ventrobasal thalamic neuron; Morphine; Naloxone (Kayser, V.) **267**, 187

Juxtacellular microinjection
Ethanol; Intracellular microinjection; Trigeminal motoneuron; Cat (Baranyi, A.) **269**, 159

K

K conductance
Sodium pump; Pyramidal cell; Hippocampus (Gustafsson, B.) **275**, 159

K^+ conductance
Aplysia neurons; Carbachol; Histamine; Dopamine (Chesnoy-Marchais, D.) **259**, 57

voltage-dependent K^+ current
Adenosine triphosphate; Action potential; Sympathetic ganglion cell; Bullfrog (Akasu, T.) **258**, 313

high K^+ stimulation
Dopamine release; Dopamine metabolism; Striatum; Nicotinic drugs; Lobeline; Acetylcholine; Methamphetamine (Takano, Y.) **279**, 330

Kainic acid
Lateral geniculate nucleus; α-Ketokainic acid; Dihydrokainic acid; Amino acid receptor; Excitant (King, D.J.) **262**, 172

Reticular formation; Noradrenaline; Serotonin; Turning behavior; 6-Hydroxydopamine; 5,7-Dihydroxytryptamine (Porceddu, M.L.) **262**, 187

Amygdaloid lesions; Hippocampus; Epilepsy; Neuropathology (Cavalheiro, E.A.) **262**, 201

GABA system; Optic tectum; Neuroexcitation; Neurotoxicity (Contestabile, A.) **262**, 339

Rat; Striatum; Neuron-specific enolase; Glutamine synthetase; Glutamic acid decarboxylase (Francis, A.) **263**, 89

Hippocampus; Sprouting; Sympathetic fibers; Target cells; Colchicine (Peterson, G.M.) **264**, 21

Analogue interactions; Cerebellum (Slevin, J.T.) **265**, 169

Somatostatin immunoreactivity; Striatum (Beal, M.F.) **266**, 67

Folate compounds; Hippocampal slices; Epilepsy; Folic acid (Clifford, D.B.) **266**, 209

Nucleus reticularis thalami; Ventrobasal complex; Electron microscopy (Peschanski, M.) **270**, 325

Hippocampus; Long-term potentiation; Schaffer collateral; Commissural afferents; CA1 pyramidal cells (Wheal, H.V.) **272**, 247

REM sleep; Pontine giant cells; Cholinergic mediation (Drucker-Colín, R.) **272**, 387

Epilepsy; Hippocampus (Westbrook, G.L.) **273**, 97

Retina; Neuropeptides; Receptors; Neurotransmitters; Acrylamide (Ali, S.F.) **274**, 115

Hippocampus; Muscarinic receptors; Serotonin receptors; α-Adrenoceptors; β-Adrenoceptors (Forloni, G.L.) **274**, 165

Retina; Somatostatin; Substance P; Dopamine; Neurotoxin (Sagar, S.M.) **278**, 109

Release of neurotransmitter; Aspartic acid; Glutamic acid; Hippocampus (Ferkany, J.W.) **278**, 279

Mouse striatum; $[^3H]$N-Propylnorapomorphine; $[^3H]$Spiperone; Dopamine receptors; 6-Hydroxydopamine; Frontal cortical ablation (Severson, J.A.) **279**, 295

Kainic acid lesion
Hippocampus; Corticosterone receptors; Novelty-induced behavior (Nyakas, C.) **288**, 219

Ketamine
Long-term potentiation; Phencyclidine; Hippocampus; Field potentials (Stringer, J.L.) **258**, 159

$[^3H]$Ketanserin binding
Serotonin S_2-receptors; Regional distribution; Human brain (Schotte, A.) **276**, 231

α-Ketokainic acid
Kainic acid; Lateral geniculate nucleus; Dihydrokainic acid; Amino acid receptor; Excitant (King, D.J.) **262**, 172

Kidney
Dorsal root ganglion; Renal afferent; Fluorescent dye; Dorsal motor nucleus; Renal sensory receptor (Donovan, M.K.) **259**, 119

Kindled seizures
Benzodiazepine receptors; Diazepam; Ro15-1788; Benzodiazepine antagonist (Robertson, H.A.) **270**, 380

Kindling
Transfer; Carbachol; Electrical stimulation; Amygdala (Cain, D.P.) **260**, 135

Post-tetanic potentiation; Long-term potentiation; Limbic system; Long-term memory; Epilepsy (Racine, R.J.) **260**, 217

Anterior neocortex; 6-Hydroxydopamine; Noradrenaline; Experimental epilepsy (Altman, I.M.) **270**, 174

Muscarinic stimulation; Amygdala (Wasterlain, C.G.) **271**, 311

Aspartate; Glutamate; Amino acid antagonists; Amygdala (Peterson, D.W.) **275**, 169

Epilepsy; Long-term potentiation; Dentate gyrus; GABA (Tuff, L.P.) **277**, 79

Epilepsy; GABA; Benzodiazepines; Hippocampus; Long-term potentiation (Tuff, L.P.) **277**, 91

Hippocampus; Median raphe nucleus; Pyramidal cells; EEG spikes; Hyerpolarizations (Fujita, Y.) **278**, 313

Calcium binding protein; Epilepsy; Hippocampus (Miller, J.J.) **278**, 322

Corticotropin releasing factor; EEG; Seizures; Epilepsy; Arousal (Ehlers, C.L.) **278**, 332

Naloxone; Post-ictal depression; Amygdala (Jarvis, M.F.) **288**, 235

Cysteamine; Anti-somatostatin antibody; Somatostatin; Seizures; Epilepsy (Higuchi, T.) **288**, 359

Kinematic analysis
Motor impairment; Substantia nigra; Electrolytic lesion; Pointing movement; Reaction time; Recovery of function; Monkey (Viallet, F.) **279**, 193

Kinetics
Adenosine; Cerebral endothelium; Uptake (Beck, D.W.) **271**, 180

Kitten
Quantitative histology; Electron microscopy; Sciatic nerve resection; Neuroma excision; Dorsal root ganglia; Dorsal roots (Aldskogius, H.) **289**, 358

Knee joint
Joint afferent; Joint inflammation; Joint nociceptor; Joint pain; group III Fiber; group IV Fiber; Pain (Coggeshall, R.E.) **272**, 185

Krabbe disease
Myelinogenesis; Twitcher mice; Tissue culture; UDP-Galactose:ceramide; Galactosyltransferase; Galactosylceramidase (Bourque, E.A.) **261**, 295

Kynurenic acid
Quinolinic acid; Amino acid antagonists; Synaptic antagonists; Hippocampus; Spinal cord (Ganong, A.H.) **273**, 170

L

LH syndrome
Amine accumulation; L-DOPA; Catecholamine depletion; 6-Hydroxydopamine; Locomotor behavior; Motor reflex control; Catecholamine agonists (Willis, G.L.) **266**, 279

LKB Ultrofilm
Nitroimipramine binding sites; Imipramine binding sites; Rat brain; Quantitative autoradiography (Rainbow, T.C.) **262**, 319

Corticosterone receptors; Hippocampus; Rat brain; Quantitative autoradiography; Steroid receptors (Sapolsky, R.M.) **271**, 331

LSD
Dorsal raphe nucleus; Serotonergic neurons; Brain slices; Extracellular recording; Intracellular recording; Norepinephrine; α_1-Adrenoreceptors (Vandermaelen, C.P.) **289**, 109

[^{3}H]LSD binding
Serotonin receptors; Human brain; Brainstem; Raphe nuclei; Autoradiography (Palacios, J.M.) **274**, 150

LS mice
Ethanol; SS mice; Cerebellum; Purkinje cells; in vitro Brain slices (Basile, A.) **264**, 69

L system
Blood-brain barrier; Brain-uptake index; Peptides; Amino acids; A system; Rats (Zlokovic, B.V.) **271**, 65

Labelling
Myelin cytochemistry; Negative charges; Cationic ferritin (Dermietzel, R.) **262**, 225

Labyrinth
Nystagmus; Otolith organs; Semicircular canals; Velocity storage; Vestibulo-ocular reflex (Cohen, B.) **276**, 159

Labyrinthectomy
Turning; Head movement; Pontine reticular formation; Amphetamine; Apomorphine; Nigrostriatal bundle; Lesion (Sirkin, D.W.) **260**, 291

Vestibular compensation; Neuronal plasticity; Regeneration; Degeneration; Guinea pig (Jensen, D.W.) **273**, 175

Laminal distribution
GABA; Cerebral cortex; Inhibitory transmitter; Rat (Ishikawa, K.) **277**, 361

Laminar distribution
Electrochemical detection; 5-Hydroxyindoles; Rat somatosensory cortex; Serotonergic innervation (Lamour, Y.) **259**, 163

Rat; Arthritis; Somatosensory cortex; Somatic peripheral receptive fields (Lamour, Y.) **273**, 183

Laminar organization
Pigeons; Wulst; HRP; Hyperstriatum accessorium; Tractus septomesencephalicus; Efferent projections (Reiner, A.) **275**, 349

Laminar specificity
Grey squirrel; Lateral geniculate; Striate cortex; Geniculostriate; Autoradiography (Harting, J.K.) **272**, 341

Lamprey
Spinal cord in vitro; Fictive swimming; Tail fin reflexes (McClellan, A.D.) **269**, 237

Spinal cord; Regeneration; Command neurons (Currie, S.N.) **279**, 238

Lanthanum
Opiate receptors; Central gray; Pain; Analgesia; Naloxone (Rosenfeld, J.P.) **268**, 189

Latency
Paraventricular neurosecretory neuron; Recurrent inhibition; Antidromic spike; Silent phase; Electrical properties; Threshold; Rat (Akaishi, T.) **262**, 151

Latency estimations
Detection of neuronal responses; Stimulus- and movement-related changes in neuronal activity (Seal, J.) **278**, 382

Lateral cervical nucleus
Mesencephalon; Anterograde degeneration; Anterograde transport; Lectin conjugate; Horseradish peroxidase (Flink, R.) **259**, 11

Lateral cuneate nucleus
Vestibulo-somatosensory integration; Vestibular nerve; Spino-cerebellar; Guinea pig (Jensen, D.W.) **280**, 335

Lateral funiculus
Spinal cord; Marginal zone; Intermediolateral column; Spinal cord transection; Hypophysectomy (Merchenthaler, I.) **275**, 373

Lateral geniculate
α_1-Adrenoceptor; Norepinephrine; Microiontophoresis; Single unit; Receptor binding; Denervation; Supersensitivity (Menkes, D.B.) **272**, 1

Grey squirrel; Striate cortex; Laminar specificity; Geniculostriate; Autoradiography (Harting, J.K.) **272**, 341

Startle; Conditioning; Lateral lemniscus; Superior colliculus; Visual cortex (Tischler, M.D.) **276**, 55

Lateral geniculate body relay neuron
Chronic intracellular recording; Membrane potential; Current injection; Paradoxical sleep; Slow sleep (Hirsch, J.C.) **259**, 308

Lateral geniculate nucleus
Perigeniculate neurons; Sleep-waking cycle; Stimulation of mesencephalic reticular formation; State dependent effects (Fourment, A.) **259**, 301

Kainic acid; α-Ketokainic acid; Dihydrokainic acid; Amino acid receptor; Excitant (King, D.J.) **262**, 172

Cat; Striate cortex; Simple cell; X-cell; Y-cell; Iontophoresis; Bicuculline (Tanaka, K.) **265**, 143

Striate cortex; Geniculo-cortical afferents; Axons; Galago; Primate; Vision (Florence, S.L.) **270**, 127

Neurotransmitters; Subnuclei (Mantyh, P.W.) **288**, 344

Lateral habenular nucleus
Entopeduncular nucleus; Lateral preoptic area; Raphe nuclei (Garland, J.C.) **263**, 33

Lateral hypothalamic area
Glucose-sensitive neuron; Hepatic portal vein; Glucose-sensitive unit; Feeding behavior; α-Noradrenergic pathway; Vagal afferent (Shimizu, N.) **265**, 49

Lateral hypothalamus
Spinal cord; Bisbenzimide; Acetylcholinesterase; [^{3}H]Choline; Basal forebrain; Cholinergic neurons (Haring, J.H.) **268**, 275

Self-stimulation; Aversive stimulation; Mesencephalic central gray (Cazala, P.) **273**, 143

Norepinephrine; Dopamine; Hypothalamus; Obese mice; Paraventricular nucleus; Arcuate nucleus; Obesity (Oltmans, G.A.) **273**, 369

Medial forebrain bundle; Self-stimulation; Brain stimulation reward (Gratton, A.) **274**, 25

Amine accumulation; Colchicine; Consummatory behaviour; Motor reflex control; Locomotory behaviour; Thermoregulation (Willis, G.L.) **276**, 119

Reward-gating; Inhibition; GABA; Glycine; Medial hypothalamus; Self-stimulation (Porrino, L.J.) **277**, 269

Lateralis branchlet
Lateral line nerve; Eighth nerve; Octavolateralis area of the medulla; Teleost (McCormick, C.A.) **265**, 177

Lateral lemniscus
Startle; Conditioning; Superior colliculus; Visual cortex; Lateral geniculate (Tischler, M.D.) **276**, 55

Lateral line nerve
Eighth nerve; Lateralis branchlet; Octavolateralis area of the medulla; Teleost (McCormick, C.A.) **265**, 177

Lateral olfactory tract
Substantia innominata; Amygdala; Stria terminalis; Cat; Single-unit analysis; Temporal cortex (Femano, P.A.) **269**, 119

Lateral preoptic area
Lateral habenular nucleus; Entopeduncular nucleus; Raphe nuclei (Garland, J.C.) **263**, 33

Lateral pulvinar
Visual area MT; Inferior pulvinar (Standage, G.P.) **262**, 288

Monkey; Color-opponent; Single unit; Extrageniculate (Felsten, G.) **288**, 363

Lateral reticular nucleus
Vestibular efferent fiber; Semicircular canal; Vestibular nucleus; Parvocellular reticular nucleus; Gigantocellular reticular nucleus; Horseradish peroxidase (Ito, J.) **259**, 293

Tonic descending inhibition; Dorsal horn neurones; Selective inhibition (Morton, C.R.) **275**, 13

Cerebellar nuclear afferents; Anterograde transport of WGA-HRP (Dietrichs, E.) **288**, 320

Lateral septal area
Acetylcholine; Thyrotropin-releasing hormone; Muscarinic receptors; Pressor responses (Pirola, C.J.) **273**, 387

Lateral septum
Castration; Testosterone; Medial preoptic/anterior hypothalamus; Medial forebrain bundle; Arcuate/median eminence (Kendrick, K.M.) **262**, 137

Met-Enkephalin; Leu-Enkephalin; Immunocytochemistry (Stengaard-Pedersen, K.) **264**, 152

Vasopressin; Oxytocin; Bed nucleus of the stria terminalis; Paraventricular nucleus (De Vries, G.J.) **273**, 307

Lateral suprasylvian
Pontine visual area; Superior colliculus; Axon collaterals; Bifurcation; Visual cortex; Antidromic stimulation; Area 18 (Baker, J.) **265**, 227

Lateral suprasylvian cortex
Corpus callosum; Binocularity; Striate cortex; Visual development; Strabismus; Cat (Elberger, A.J.) **278**, 295

Lateral thalamus
Double labeling; Inferior olive; Pretectum; Visual system (Robertson, R.T.) **258**, 91

Extra-geniculate system; Superior colliculus; Visual system (Donnelly, J.F.) **288**, 315

Lateral vestibular nucleus
Cerebellum; Corticovestibular; Fastigiovestibular; Spatial distribution (Akaike, T) **272**, 223

Lateral vestibulospinal tract
Medial vestibulospinal tract; Deiters' nucleus; Somatotopy; Vestibular activation (Akaike, T.) **259**, 217

Lateroposterior nucleus
Retinal projection; Optic fibers; Pulvinar nucleus; Cat; HRP (Itoh, K.) **276**, 325

Late slow EPSP
Sympathetic ganglion cell; Bullfrog; Luteinizing hormone-releasing hormone; Action potential; Voltage-dependent K^+ current (Akasu, T.) **280**, 349

Lead neurotoxicity
Visual system; Muscarinic acetylcholine receptor; Acetylcholinesterase; Scopolamine supersensitivity; Developmental toxicology; Neurotoxicology; Visual cortex (Costa, L.G.) **276**, 259

Learning
Unit recording; Prefrontal cortex; Mediodorsal thalamus; Discriminative conditioning; Reversal; Rabbits (Orona, E.) **263**, 313

Electrical stimulation; Locus coeruleus; Dorsal noradrenergic bundle; 6-Hydroxydopamine (Velley, L.) **265**, 273

Plasticity; Stretch reflex; Primate; Memory; Spinal reflex (Wolpaw, J.R.) **267**, 196

Precentral neuron activity; Movement amplitude; Elbow flexion (Maton, B.) **267**, 241

Classical conditioning; Brainstem; Cerebellum (McCormick, D.A.) **271**, 73

Plasticity; Stretch reflex; Spinal reflex; Primate; Memory (Wolpaw, J.R.) **278**, 299

5-Hydroxytryptamine; Analgesia; Footshock; Memory (Hutson, P.H.) **279**, 105

Learning and memory
Hippocampus; Dentate gyrus; Granule cells; Theta cells (Rose, G.) **266**, 29

fucose-specific Lectin
Axonal transport; Glycoproteins (Ohlson, C.) **264**, 99

Lectin
Fink-Heimer method; Toxic ricin; Retrograde transport; Wallerian degeneration (Yamamoto, T.) **274**, 325

Lectin conjugate
Lateral cervical nucleus; Mesencephalon; Anterograde degeneration; Anterograde transport; Horseradish peroxidase (Flink, R.) **259**, 11

Lectin-peroxidase conjugates
Endocytosis; Intraneuronal transport; Golgi apparatus-endoplasmic-reticulum-lysosomes (Trojanowski, J.Q.) **272**, 201

Lectin receptors
Muscles; Intercellular recognition; Regeneration; Cockroach (Denburg, J.L.) **289**, 241

Muscles; Denervation; Regeneration; Intracellular recognition; Cockroach (Denburg, J.L.) **289**, 253

Neuronal glycoproteins; Intercellular recognition; Cockroach (Denburg, J.L.) **289**, 269

Lectins
Transport; Immunocytochemistry (Phillipson, O.T.) **265**, 199

Leech
Na$^+$,K$^+$ pump; Glial cells; Neuropile; Ouabain (Walz, W.) **267**, 93

Neuropile; Glial cells; Intracellular potassium activity (Schlue, W.R.) **270**, 368

Regeneration; Axon segment; Axon fusion; Sensory neuron; HRP (Deriemer, S.A.) **272**, 157

Microglia; Nerve injury; Tissue culture; Weak silver carbonate; Cell migration (Morgese, V.J.) **272**, 166

Leech proteins
Monoclonal antibody; Nociceptive cells; Immunoblots; Immunocytochemistry (Flaster, M.S.) **277**, 196

Left inferior cardiac sympathetic nerve
Cat; Cardiac afferent fibre (Maksymowicz, W.) **262**, 209

Leg joint
Proprioception; Muscle receptor organ; Coordination; Locust (Bräunig, P.) **274**, 341

Lemniscal pathways
Somatosensory pathways; Dorsal columns; Ventral spinal cord; Auditory input; Visual input; Inferior colliculus; Cat (Tawil, R.N.) **269**, 149

Lesion
Serotonin; Feeding; Mollusc; Neuromodulation; Arousal; Hunger (Rosen, S.C.) **260**, 151

Turning; Head movement; Pontine reticular formation; Amphetamine; Apomorphine; Nigrostriatal bundle; Labyrinthectomy (Sirkin, D.W.) **260**, 291

Lesion-induced reorganization
Barrels; Infraorbital nerve; Adult rat; Trigeminal system; Transganglionic HRP transport (Jacquin, M.F.) **269**, 137

Lesioning
Deoxycorticosterone acetate salt; Nucleus locus coeruleus; Electrical stimulation; Hypertension (Chida, K.) **273**, 53

Monoclonal antibody; Sustentacular cell; Localization; Cell-specific marker (Hempstead, J.L.) **288**, 289

Lesions
Paraventricular nucleus hypothalami; Vasopressin; Oxytocin; Brainstem; Spinal cord; High-performance liquid chromatography (Lang, R.E.) **260**, 326

Memory; Avoidance learning; Stria terminalis; Amygdaloid stimulation; Rats (Liang, K.C.) **274**, 309

Vision; Pulvinar; Monkeys; Superior colliculus; Striate cortex; Receptive-fields (Bender, D.B.) **279**, 258

Growth hormone; Electrical stimulation; Ventromedial nucleus of hypothalamus; Anterior periventricular nucleus (Kato, M.) **280**, 69

[^{3}H]Leucine
Olivocerebellar projection; Climbing fibers; Rat; [^{3}H]Methionine; 3-Acetylpyridine (Campbell, N.C.) **275**, 215

Leukodystrophy
Murine mutants; Immunocytochemistry; Myelination; Myelin proteins; Glial fibrillary proteins (Ulrich, J.) **268**, 267

Lewis rat
Experimental allergic neuritis; P$_2$ protein (Cunningham, J.M.) **258**, 285

L-glutamate
Nociception; Dorsal horn; Sensory neurotransmitters; Substance P; Iontophoresis; Piperidine dicarboxylate (Salt, T.E.) **263**, 167

Light
Strychnine; Bicuculline; Glycine; GABA; Dopamine; Retina; Rat (Morgan, W.W.) **278**, 362

Pineal; Melatonin; Irradiance; Hydroxyindole-O-methyltransferase; N-Acetyltransferase (Reiter, R.J.) **288**, 151

Light-dark cycle
Aging; Analgesia; Diurnal rhythm; Morphine; Opioid; Thermal stimulus (Kavaliers, M.) **279**, 387

Light microscopy
Cat spinal cord; Hindlimb α-motoneurone; HRP (Ulfhake, B.) **264**, 1

Axonal transport; Retrograde transport; Dynein; *Erythro*-9-[3-(2-hydroxynonyl(]adenine (Forman, D.S.) **272**, 194

Light pulse
Pineal; N-Acetyltransferase; Circadian rhythm; Phase-shift; Photoperiod (Illnerová, H.) **261**, 176

Light sensitive enzyme
Pineal photoreception; Indoleamine metabolism; Avian pineal; Avian retina; In vitro pineal light sensitivity (Hamm, H.E.) **266**, 287

Limbic-midbrain region
Locomotor activity; Serotonin; Behavior; Nucleus medianus raphe; 5,7-Dihydroxytryptamine (Asin, K.E.) **268**, 211

Limbic seizures
Benzodiazepine receptors; Hippocampus (Kraus, V.M.B.) **277**, 305

Limbic system
Neurophysin axon; Ventral tegmental area (Phillipson, O.T.) **258**, 33

Hippocampus; Cingulate; Papez circuit; Primate (Dagi, T.F.) **259**, 229

Paired pulse facilitation; Paired pulse depression; Frequency facilitation; Post-tetanic potentiation; Memory (Racine, R.J.) **260**, 201

Post-tetanic potentiation; Long-term potentiation; Kindling; Long-term memory; Epilepsy (Racine, R.J.) **260**, 217

Hypothalamo-neurohypophysial system (Ferreyra, H.) **264**, 31

Rat; Subiculum; Hippocampal formation (Kosel, K.C.) **269**, 347

Memory; Hippocampus; Amygdala; Amnesia (Murray, E.A.) **270**, 340

Hippocampus; Hippocampal efferents; Subiculum; HRP; Rat; Tracing techniques (Finch, D.M.) **271**, 201

Amygdala; Amygdaloid complex; Forebrain; Neurogenesis; Development; Autoradiography (McConnell, J.) **272**, 150

2-Deoxyglucose; Morphine withdrawal; Dose dependency (Geary, W.A. II) **275**, 117

Epilepsy; Functional anatomy; Entorhinal cortex (Collins, R.C.) **280**, 25

non-Linear estimate
Receptive field; Spatial interaction; Stimulus; Spatiotemporal white noise; Cortex; Cat (Citron, M.C.) **279**, 271

Linear forces
Vestibular afferents; Anesthesia; Decerebration; Gerbils (Perachio, A.A.) **280**, 287

Lipids
Fatty acids; Palmitate; Functional activity; Brain; Glucose utilization; Oxidative metabolism; Quantitative autoradiography; Rat (Kimes, A.S.) **274**, 291

Lip motor units
Audio-motor reflexes; Human (McClean, M.D.) **264**, 293

Lipophilic drugs
Intrathecal; Iontophoresis; Locus coeruleus; Adrenoceptors; Clonidine; Oxymetazoline; Piperoxane; Local administration (Marwaha, J.) **276**, 379

Liquid chromatography
D-Amphetamine; Neuronal activity; Nucleus accumbens; Neostriatum (Alloway, K.D.) **273**, 71

Liquid nitrogen freezing
Histamine; tele-Methylhistamine; Brain; Microwave irradiation; High-performance liquid chromatography; Compound 48/80 (Oishi, R.) **261**, 180

Lithium
Neuroleptic receptor; Serotonin receptor (Tanimoto, K.) **265**, 148

Dopamine; Neglect neostriatum; Recovery of function; [^{3}H]Spiroperidol binding (Kozlowski, M.R.) **267**, 301

Noradrenaline-induced cAMP; Human brain (Newman, M.) **278**, 380

Motoneurons; Glial cells; Spinal cord; Cortex; Hippocampus; Potassium (Grafe, P.) **279**, 65

Liver
Cerebrum; Triiodothyronine; Receptor; Nuclei; Pathological conditions (Thrall, C.L.) **279**, 177

Lizard
Nucleus isthmi; Nucleus profundus mesencephali; Optic tectum; HRP; Golgi-Cox method; Single cell recordings; Cobalt staining (Wang, S.-R.) **275**, 355

Lobeline
Dopamine release; Dopamine metabolism; Striatum; Nicotinic drugs; Acetylcholine; Methamphetamine; high K$^+$ stimulation (Takano, Y.) **279**, 330

Lobule I
Cerebellar cortex; Primary vestibular afferent; Vestibular nucleus neuron; Mossy fiber response (Hirai, N.) **277**, 145

Local administration
Intrathecal; Iontophoresis; Locus coeruleus; Adrenoceptors; Clonidine; Oxymetazoline; Piperoxane; Lipophilic drugs (Marwaha, J.) **276**, 379

Local anesthetic
Acetylcholine receptor; Ion channel; Naltrexone methyl bromide; Opiate antagonist (Argentieri, T.M.) **277**, 377

Local anesthetics
Estrogenic action; Lordosis; Tetrodotoxin; Hypothalamus; Electrical activity (Harlan, R.E.) **268**, 67

Local cerebral blood flow
Local cerebral glucose utilization; GABA; Muscimol (Kelly, P.A.) **258**, 338

Reticular formation; Metabolic vasodilation; [^{14}C]Iodoantipyrine; [^{14}C]2-Deoxyglucose; Local cerebral metabolism (Iadecola, C.) **272**, 101

Local cerebral glucose utilization
Local cerebral blood flow; GABA; Muscimol (Kelly, P.A.) **258**, 338

2-Deoxyglucose; Neuroanatomical mapping; Optical density ratios (Sharp, F.R.) **263**, 97

Local cerebral metabolism
Antidepressant; Desmethylimipramine; Phenelzine; 2-Deoxyglucose technique (Gerber, J.C. III) **269**, 319

Reticular formation; Metabolic vasodilation; [^{14}C]Iodoantipyrine; [^{14}C]2-Deoxyglucose; Local cerebral blood flow (Iadecola, C.) **272**, 101

Localization
GABA; γ-Aminobutyric acid; Receptors; Potassium ions; Peripheral nerve; Myelinated fibers; Dorsal root; Ventral root; Depolarization (Morris, M.E.) **278**, 127

Monoclonal antibody; Sustentacular cell; Cell-specific marker; Lesioning (Hempstead, J.L.) **288**, 289

Locomotion
Conditioning; *Hermissenda*; Phototactic behavior; Associative learning (Crow, T.) **271**, 301

Cerebellar lesions; Cats; Motor control (Yu, J.) **273**, 121

Locomotor activity
Limbic-midbrain region; Serotonin; Behavior; Nucleus medianus raphe; 5,7-Dihydroxytryptamine (Asin, K.E.) **268**, 211

Adenosine analogs; Intracerebroventricular injection; Mice; Caffeine (Barraco, R.A.) **272**, 392

Dopamine; Dendrites; Substantia nigra; Amphetamine (Jacksn, E.A.) **278**, 366

Locomotor behavior
Amine accumulation; L-DOPA; Catecholamine depletion; 6-Hydroxydopamine; Motor reflex control; LH syndrome; Catecholamine agonists (Willis, G.L.) **266**, 279

Locomotory behaviour
Amine accumulation; Colchicine; Consummatory behaviour; Motor reflex control; Lateral hypothalamus; Thermoregulation (Willis, G.L.) **276**, 119

Locus coeruleus
Hyperdipsia; Dorsal rostral pons; Periaqueductal gray; Hemodynamic signal; Fluid balance; Central autonomic pathway (Ward, D.G.) **262**, 314

Descending noradrenergic systems; Spinal cord; Dopamine-β-hydroxylase; Immunocytochemistry; Subcoeruleus (Westlund, K.N.) **263**, 15

Nucleus tractus solitarius; Noradrenergic neuron; Single-unit recording (Moore, S.D.) **263**, 211

Ventral mesencephalic tegmental-A10; Raphé dorsalis; Dopamine; Serotonin (McRae-Degueurce, A.) **263**, 344

6-Hydroxydopamine; Central noradrenergic neurons; α-Adrenergic receptors; single-unit Electrophysiological activity (Chiodo, L.A.) **264**, 123

Cerebral blood flow; Cyclic nucleotides; Seizure (Ingvar, M.) **264**, 225

Electrical stimulation; Dorsal noradrenergic bundle; 6-Hydroxydopamine; Learning (Velley, L.) **265**, 273

Self-stimulation; 2-Deoxyglucose; Autoradiography; Medial frontal bundle; Medial prefrontal cortex (Yadin, E.) **266**, 39

Corticotropin-releasing factor; Pituitary; Peptide hormone; Norepinephrine; Stress; Hypothalamus; Median eminence (Valentino, R.J.) **270**, 363

Dorsal noradrenergic bundle; Noradrenaline; Spatial alternation; Selective attention; Place memory; Fear (Pisa, M.) **272**, 319

Catecholamine metabolism; In vivo voltammetry; Noradrenaline; DOPAC (Buda, M.) **273**, 197

Catecholamine metabolism; Voltammetry; Noradrenaline; DOPAC (Gonon, F.) **273**, 207

α_2-Adrenoceptors; Afterhyperpolarization; Calcium; intracellular EGTA; Noradrenergic neuron; Potassium (Aghajanian, G.K.) **273**, 237

Norepinephrine; Impulse conduction; Antidromic activation (Segal, M.) **274**, 381

Paradoxical sleep waves; Sleep; Sensory responsiveness; Reticular formation; Startle reflex (Kaufman, L.S.) **276**, 73

Intrathecal; Iontophoresis; Adrenoceptors; Clonidine; Oxymetazoline; Piperoxane; Lipophilic drugs; Local administration (Marwaha, J.) **276**, 379

Cat; Electromagnetic flow probes; Vasodilatation; Facial nerve; Electrical stimulation (Goadsby, P.J.) **278**, 175

Nucleus raphe magnus; Dorsal horn; Deafferentiation (Hodge, C.J. Jr.) **288**, 325

Regeneration; Axonal transport; Norepinephrine; Dopamine-β-hydroxylase; Tyrosine hydroxylase; 6-Hydroxydopamine; Norepinephrine uptake (Levin, B.E.) **289**, 205

Naltrexone; Morphine; Opiate receptor; α-Adrenergic receptor; Receptor supersensitivity (Bardo, M.T.) **289**, 223

Locust
Proprioception; Muscle receptor organ; Coordination; Leg joint (Bräunig, P.) **274**, 341

Long chain fibers
Cat; Muscle spindles; Skeletofusimotor innervation (Kucera, J.) **262**, 309

Long latency reflex
Core cooling; Short latency reflex; Differential latency shift (Bawa, P.) **264**, 320

Long-latency stretch reflex
Voluntary reaction; Gain control; Premovement; Flexor pollicis longus; Triceps brachii (Day, B.L.) **270**, 55

Long latency stretch response
Response preparation; Human; Electromyography (Bonnet, M.) **280**, 51

Long lead PGO wave positive neurons
REM sleep; Ponto-geniculo-occipital (PGO) waves; Medial pontine reticular formation; Tegmental reticular nucleus; Intracellular recording in naturally sleeping cat (McCarley, R.W.) **280**, 343

Long-term
Self-stimulation; Posterior hypothalamus; Clorgyline; Rats (Aulakh, C.S.) **270**, 383

Long-term culture
Oligodendroglia; Immunocytochemistry; Morphology; Myelin antigens; Galactocerebroside; Myelin basic protein; Cell isolation (Norton, W.T.) **270**, 295

Long-term memory
Post-tetanic potentiation; Long-term potentiation; Kindling; Limbic system; Epilepsy (Racine, R.J.) **260**, 217

Long term potentiation
Magnocellular medial geniculate; Cat (Gerren, R.A.) **265**, 138

Phencyclidine; Ketamine; Hippocampus; Field potentials (Stringer, J.L.) **258**, 159

Post-tetanic potentiation; Kindling; Limbic system; Long-term memory; Epilepsy (Racine, R.J.) **260**, 217

Hippocampus; Development; Circadian rhythms; Hippocampal slice (Harris, K.M.) **261**, 69

Hippocampus; Competition; Associative potentiation/depression (Desmond, N.L.) **265**, 21

Hippocampus; Kainic acid; Schaffer collateral; Commissural afferents; CA1 pyramidal cells (Wheal, H.V.) **272**, 247

Epilepsy; Kindling; Dentate gyrus; GABA (Tuff, L.P.) **277**, 79

Epilepsy; Kindling; GABA; Benzodiazepines; Hippocampus (Tuff, L.P.) **277**, 91

Protein phosphorylation; Hippocampal slices; Rat brain; Synaptic plasticity (Tielen, A.M.) **277**, 189

Hippocampus; Phencyclidine; σ Opiates (Stringer, J.L.) **280**, 127

Lordosis
Antiestrogen; Enclomiphene; Progestin receptor; Estrogen; Progesterone (Wilcox, J.N.) **266**, 243

Estrogenic action; Local anesthetics; Tetrodotoxin; Hypothalamus; Electrical activity (Harlan, R.E.) **268**, 67

Lordosis behavior
5,7-Dihydroxytryptamine; Serotonin (Luine, V.N.) **264**, 344

Lucifer Yellow
Crayfish; Sustaining fiber; Visual field contour sensitivity; Dendrite frequency (Kirk, M.D.) **274**, 231

Lumbar motoneurons
Coupling; Frog (Brenowitz, G.L.) **274**, 371

Lumbosacral cord segments
Corticospinal neurons; Corticospinal tract; Cervical cord segment; HRP; Development; Rats (Leong, S.K.) **265**, 1

Lumbricus
Octopamine; Blood; Ventral nerve cord; Biosynthesis; Modulation (Tanaka, K.R.) **260**, 160

Lung
Catecholamines; β-Adrenergic receptors; Down-regulation; Heart; Brain (Minneman, K.P.) **264**, 328

Luteinizing hormone
Adrenergic antagonists; Opiate antagonist; Hypothalamus; Opiate receptors; Monoamines; Rats (Blank, M.S.) **279**, 153

Luteinizing hormone-releasing hormone
Thyrotropin-releasing hormone; Substance P; Choline acetyltransferase; Post-mortem brain; Post-mortem spinal cord; Alzheimer-type dementia; Down's syndrome (Yates, C.M.) **258**, 45

Brain; Hypophysectomy; Radioimmunoassay; Immunocytochemistry; Ovary; Neuroendocrinology; Platyfish (Schreibman, M.P.) **267**, 293

N-Methylaspartate; GABA; Glutamate; Neuroactive amino acids; Suprapituitary mechanism; Arcuate hypothalamic nucleus (Tal, J.) **273**, 179

Nicotinic ACh-receptor; Sensitivity; Sympathetic ganglion cells; Skeletal muscle end-plates; Dose-response curve (Akasu, T.) **279**, 347

Sympathetic ganglion cell; Bullfrog; Late slow EPSP; Action potential; Voltage-dependent K^+ current (Akasu, T.) **280**, 349

Luteinizing hormone surges
Neonatal estrogenization; Estradiol; Catecholestrogens; Moxestrol; Monohydroxytamoxifen; Progestin receptors (Ghraf, R.) **258**, 133

Neonatal estrogenization; Estradiol; Catecholestrogens; Progestin receptors; Pituitary gland; Uterus (Kirchhoff, J.) **268**, 382

Neonatal androgenization; Estradiol; Progestin receptors; Hypothalamus; Pituitary gland; Uterus (Kirchhoff, J.) **275**, 173

Lysergic acid diethylamide
Serotonergic neurons; Raphe nuclei; Analgesic pathways (Wessendorf, M.W.) **279**, 93

Lysolecithin
Peripheral nerve; Demyelination; Remyelination; PNS myelin protein; P_0 (Smith, M.E.) **270**, 37

M

***mf* Mutant**
Neurotransmitter; Substance P; Sensory neuropathy; Neurological mutants; Rat (Scaravilli, F.) **263**, 147

Mg^{2+}
Neurite formation; Pheochromocytoma; Nerve growth factor; Ca^{2+} (Koike, T.) **289**, 293

α-MSH radioimmunoassay
Hypothalamic neuropeptides; High-performance liquid chromatography; Immunocytochemistry; Bioassay (Jegou, S.) **260**, 91

Macaque monkey
Visual cortex; Middle temporal area; Frontal eye field; Autoradiography; Cortico-cortical connections (Maioli, M.G.) **265**, 294

Sleep; Rhesus monkey; 2-Deoxyglucose; Hypnogenic center; Cerebral metabolism (Nakamura, R.K.) **268**, 372

Macromolecular transport
Blood-brain barrier; cGMP; Pinocytosis; Albumin immunohistochemistry (Joó, F.) **278**, 165

Macrophage
Basal lamina; Basal lamina scaffold; Nerve regeneration; Schwann cell (Ide, C.) **288**, 61

Macular convergence
Vestibulo ocular reflex; Natural vestibular stimulation; Eye muscles; EMG; Alert rabbit; Ampullar convergence (Favilla, M.) **280**, 277

Magnocellular medial geniculate
Long term potentiation; Cat (Gerren, R.A.) **265**, 138

Maintenance of differentiation in culture
Tissue culture; Autonomic nervous system; Enteric nervous system; Neuronal survival; VIP-containing neurons; GABAergic neurons; Adrenergic neurons (Jessen, K.R.) **262**, 49

Major dense line
Shiverer mouse; Central myelin; Radial component; Electron lucent linear structure (Nagara, H.) **263**, 336

Male
Testosterone-uptake; Metabolism; Preoptic area; Dove; Sex behavior (Steimer, Th.) **274**, 193

Malnutrition
Zinc deficiency (trace elements); Undernutrition; Cerebellum development; Granule cells (Dvergsten, C.L.) **271**, 217

Mammal
Glia; Müller cells; Bulk isolation; Retina; Enzymatic dissociation (Trachtenberg, M.C.) **261**, 43

Gap junction; Dendrite; Interneuron; non-Pyramidal cell; Hippocampus; Rat (Kosaka, T.) **271**, 157

Gap junction; Interneuron; Dentate gyrus; Hippocampus; Rat (Kosaka, T.) **277**, 347

Mammalian muscle
Development; Synapse elimination; Segmental root distribution (Brown, M.C.) **273**, 188

Mammalian peripheral nerves
GABA; γ-Aminobutyric acid; Receptors; Amphibian peripheral nerves; Myelinated fibers; Depolarization; Pharmacological characterization (Morris, M.E.) **278**, 117

Mammillary body
Subicular cortex; Fluorescent dye; Entorhinal cortex; Ventral medial hypothalamus; Anterior thalamic nucleus (Donovan, M.K.) **259**, 181

Man
Retrograde cell degeneration; Cortex; Basal nucleus; Monkey (Pearson, R.C.A.) **261**, 321

Neuropeptides; Fornix; Hippocampus; Rat; Monkey (Roberts, G.W.) **263**, 151

Acetylcholine receptor; Neuromuscular junction; Muscle; Erabutoxin-b; Neurotoxin (Ishikawa, Y.) **266**, 159

Sensations; Median nerve; Skin; Sensory unit (Schady, W.J.L.) **277**, 249

Mandibular incisors
HRP; Cats; Peripheral cross-innervation (Wilson, S.) **260**, 287

Mapping
Corticotropin Releasing Factor (CRF); Immunocytochemistry; Medulla oblongata; Spinal cord; Corticotropin releasing factor neurons (Schipper, J.) **267**, 145

Marginal zone
Spinal cord; Lateral funiculus; Intermediolateral column; Spinal cord transection; Hypophysectomy (Merchenthaler, I.) **275**, 373

Mass spectrometry technique
Angiotensin II; Cerebral blood flow; Rabbit; $[^{14}C]$Ethanol tissue sampling technique; Heat clearance technique; Central effect (Reynier-Rebuffel, A.-M.) **269**, 91

Maturational defect
Acetylcholinesterase; Murine dystrophy (Skau, K.A.) **276**, 192

Mauthner cell
Granular coated vesicles; Axotomy (Wood, M.R.) **273**, 341

Saccular nerve; Synaptic distribution; Club endings; Endbulbs (Lin, J.-W.) **274**, 319

Mauthner reflex
Collateral inhibition; Cranial relay neuron (CRN); Synaptic transmission (Hackett, J.T.) **264**, 302

Maytansine
Aluminum; Neurofibrillary tangles; Neurofilament; Polypeptide subunits; Antibodies (Ghetti, B.) **276**, 388

Mechanical response
Swelling of neurons; Dorsal root ganglion; Spinal cord (Tasaki, I.) **272**, 360

Mechanisms of action
Δ^9-Tetrahydrocannabinol; Synaptic effects; Membrane effects; Spinal cord; Motoneurons (Turkanis, S.A.) **288**, 283

Mechanoreceptor
Nociceptor; Cold receptor; C-Fiber; Sensitization; Rat (Fleischer, E.) **267**, 81

Mechanoreceptors
Microneurography; Human skin; Reinnervation; Adaptive behavior; Receptive fields; Distribution density; Sensory recovery (Mackel, R.) **268**, 49

Reinnervation; Microneurography; Human skin; Multiple receptive fields; Fatigue (Mackel, R.) **276**, 339

Medial forebrain bundle
6-Hydroxydopamine; Glucocorticoid feedback; Adrenocortical function (Feldman, S.) **260**, 297

Castration; Testosterone; Medial preoptic/anterior hypothalamus; Lateral septum; Arcuate/median eminence (Kendrick, K.M.) **262**, 137

Lateral hypothalamus; Self-stimulation; Brain stimulation reward (Gratton, A.) **274**, 25

Medial frontal bundle
Self-stimulation; 2-Deoxyglucose; Autoradiography; Medial prefrontal cortex; Locus coeruleus (Yadin, E.) **266**, 39

Medial frontal cortex
Substance P; Nucleus laterodorsalis tegmenti (Sakanaka, M.) **259**, 123

Visceral cortex; Solitary nucleus; Autonomic nervous system; Rat (Terreberry, R.R.) **278**, 245

Cortex; Glutamate transmitter; Aspartate transmitter (Walker, J.E.) **278**, 283

Medial geniculate nucleus
Ventral nucleus of the lateral lemniscus; Extralemniscal auditory paths; Cat (Henkel, C.K.) **259**, 21

Medial hypothalamus
Reward-gating; Inhibition; GABA; Glycine; Lateral hypothalamus; Self-stimulation (Porrino, L.J.) **277**, 269

Medial lemniscus
Spontaneously hypertensive rat; Sensory modulation (Garsik, J.T.) **271**, 188

Medial parabrachial nucleus
Bisbenzimide; Fluorescent tracers; Gustatory neocortex; Pontine taste area; Posterior ventromedial thalamic nucleus; Propidium iodide; Rat (Lasiter, P.S.) **258**, 299

Medial pontine reticular formation
REM sleep; Ponto-geniculo-occipital (PGO) waves; Tegmental reticular nucleus; Intracellular recording in naturally sleeping cat; Long lead PGO wave positive neurons (McCarley, R.W.) **280**, 343

Medial prefrontal cortex
Self-stimulation; 2-Deoxyglucose; Autoradiography; Medial frontal bundle; Locus coeruleus (Yadin, E.) **266**, 39

Medial preoptic-anterior hypothalamic area
Amygdala; Bed nucleus of the stria terminalis; Vomeronasal system; Olfactory system; Hamster (Lehman, M.N.) **268**, 139

Medial preoptic/anterior hypothalamus
Castration; Testosterone; Lateral septum; Medial forebrain bundle; Arcuate/median eminence (Kendrick, K.M.) **262**, 137

Medial pulvinar
Visual pathways; Inferior pulvinar; Primate (Itaya, S.K.) **269**, 223

Medial terminal nucleus
Accessory optic system; Primate (Itaya, S.K.) **269**, 361

Medial vestibulospinal tract
Lateral vestibulospinal tract; Deiters' nucleus; Somatotopy; Vestibular activation (Akaike, T.) **259**, 217

Median eminence
Corticotropin-releasing factor; Locus coeruleus; Pituitary; Peptide hormone; Norepinephrine; Stress; Hypothalamus (Valentino, R.J.) **270**, 363

Dynorphin; α-Neo-endorphin; Supraoptic nucleus; Paraventricular nucleus; Posterior pituitary (Palkovits, M.) **278**, 258

Median eminence hypothalamus
Somatostatin neuron; Periventricular nucleus; Immunohistochemistry; Electron microscopy; Rat (Ibata, Y.) **258**, 291

Median eminence stimulation
Somatostatin 14; Somatostatin 28; Hypophysial portal plasma (Millar, R.P.) **260**, 334

Median nerve
Sensations; Skin; Man; Sensory unit (Schady, W.J.L.) **277**, 249

Median preoptic nucleus
Anteroventral third ventricular region (AV3V); Subfornical organ; Paraventricular nucleus; Parabrachial nucleus; Nucleus of the solitary tract (Saper, C.B.) **288**, 21

Median raphe nucleus
Kindling; Hippocampus; Pyramidal cells; EEG spikes; Hyerpolarizations (Fujita, Y.) **278**, 313

Mediodorsal thalamic nucleus
Unit recording; Prefrontal cortex; Avoidance learning; Discriminative conditioning; Rabbit (Orona, E.) **263**, 295

Mediodorsal thalamus
Unit recording; Prefrontal cortex; Learning; Discriminative conditioning; Reversal; Rabbits (Orona, E.) **263**, 313

Medio-ventral septal area
Vasopressin; Polyuria; Polydipsia; Thirst (Iovino, M.) **258**, 123

Medroxy acetate progesterone
Haloperidol-induced catalepsy; Estradiol benzoate; 2-Hydroxyestradiol; Hyperprolactinaemia (Nicoletti, F.) **279**, 352

Medulla
Pons; Inhibition; Muscle tone; REM sleep (Siegel, J.M.) **268**, 344

Cardiovascular regulation; $[^{14}C]$2-Deoxyglucose; Noradrenergic systems; Hypothalamus; Habenula (Savaki, H.E.) **271**, 109

Slice; Respiratory; pH; Central chemoreceptors (Miles, R.) **271**, 349

Medulla oblongata
Adrenaline-containing neurons; Catecholamine synthesizing enzymes; Dopamine-β-hydroxylase; Noradrenaline-containing neurons; Phenylethanolamine-N-methyltransferase; Brainstem; Tyrosine hydroxylase (Chamba, G.) **259**, 95

Paraventricular nucleus; Synaptic activation (Zerihun, L.) **261**, 13

Corticotropin Releasing Factor (CRF); Immunocytochemistry; Spinal cord; Mapping; Corticotropin releasing factor neurons (Schipper, J.) **267**, 145

Nociception; Dorsal horn (Edeson, R.O.) **271**, 251

Adrenaline-containing neurons; Dopamine-β-hydroxylase; Noradrenaline-containing neurons; Phenylethanolamine-N-methyltransferase; Tractus intermediolateralis; Tyrosine hydroxylase; 6-Hydroxydopamine (Fety, R.) **272**, 277

A1 Noradrenaline cell group; Nucleus ambiguus; Cardiovascular regulation; Blood pressure; CNS catecholamines (Day, T.A.) **279**, 299

Nucleus of the tractus solitarius; Slices; Rhythmic activity (Champagnat, J.) **280**, 155

α-Melanocyte stimulating hormone
Hypothalamus; Cardiovascular system (Diz, D.I.) **270**, 265

Melatonin
Pineal; Circadian rhythm; Superior cervical ganglia (Cassone, V.M.) **272**, 311

Calcium; Dopamine release; Hypothalamus (Zisapel, N.) **272**, 378

Retina; N-Acetyltransferase (Iuvone, P.M.) **273**, 111

Pineal; Light; Irradiance; Hydroxyindole-O-methyltransferase; N-Acetyltransferase (Reiter, R.J.) **288**, 151

Circadian rhythm; Pineal; Serotonin; Suprachiasmatic nuclei (Cassone, V.M.) **289**, 129

Membrane depolarization
Somatostatin; Hypothalamic cells; Glucoprivation (Richardson, S.B.) **266**, 75

Membrane effects
Δ^9-Tetrahydrocannabinol; Mechanisms of action; Synaptic effects; Spinal cord; Motoneurons (Turkanis, S.A.) **288**, 283

Membrane excitability
Neuroblastoma x glioma hybrid; Electrophysiology; Catecholamine response; Serotonin response (Ogura, A.) **258**, 243

Membrane potential
Chronic intracellular recording; Lateral geniculate body relay neuron; Current injection; Paradoxical sleep; Slow sleep (Hirsch, J.C.) **259**, 308

Astrocytes; Chloride permeability; Furosemide; Glial cells; Ouabain; Potassium homeostasis (Walz, W.) **277**, 321

Membranes
Temperature; Denervation; Glomus cells (Eyzaguirre, C.) **279**, 282

Membrane structure
Astrocytes; Freeze-fracture; Tissue culture; Glial fibrillary acidic protein (Landis, D.M.D.) **276**, 31

Memory
Paired pulse facilitation; Paired pulse depression; Frequency facilitation; Post-tetanic potentiation; Limbic system (Racine, R.J.) **260**, 201

Vasopressin; Cerebrospinal fluid; Circadian rhythm; Suprachiasmatic nucleus (Schwartz, W.J.) **263**, 105

Oxytoxin; Vasopressin; Neuropeptide; L-prolyl-L-leucyl-Glycineamide (PLG); Chick (Davis, J.L.) **266**, 355

Plasticity; Stretch reflex; Primate; Spinal reflex; Learning (Wolpaw, J.R.) **267**, 196

Hippocampus; Amygdala; Limbic system; Amnesia (Murray, E.A.) **270**, 340

Inhibitory avoidance; Amygdaloid stimulation; Naloxone; Bed nucleus of the stria terminalis; Endogenous opioids (Liang, K.C.) **271**, 41

Avoidance learning; Lesions; Stria terminalis; Amygdaloid stimulation; Rats (Liang, K.C.) **274**, 309

Plasticity; Stretch reflex; Spinal reflex; Primate; Learning (Wolpaw, J.R.) **278**, 299

5-Hydroxytryptamine; Analgesia; Footshock; Learning (Hutson, P.H.) **279**, 105

Menace reflex
Pretectum; Facial nucleus; Olivary pretectal nucleus; Blink reflex; Dazzle reflex; HRP; Cat (Itoh, K.) **274**, 332

Meningeal vessel
Freeze substitution; Brain vessel morphometry (Hart, M.N.) **260**, 178

3-Mercaptopropionic acid
Convulsants; Neurotransmitter release; Aspartate; Glutamate (Skerritt, J.H.) **258**, 165

Mercury
Methylmercury; Neurotoxicity; Transmitter release; Neuromuscular junction (Miyamoto, M.D.) **267**, 375

Mesencephalic central gray
Self-stimulation; Aversive stimulation; Lateral hypothalamus (Cazala, P.) **273**, 143

Mesencephalic reticular formation
dibutryryl cGMP; Morphine; Met-Enkephalin; Nociception (Hosford, D.A.) **258**, 147

Mesencephalon
Lateral cervical nucleus; Anterograde degeneration; Anterograde transport; Lectin conjugate; Horseradish peroxidase (Flink, R.) **259**, 11

Oxytocin; des-Glycinamide-oxytocin; Anti-oxytocin serum; DA utilization (Kovács, G.L.) **268**, 307

Mesodiencephalic junction
Efferent connection; Stimulation-produced analgesia (Peschanski, M.) **263**, 181

Mesolimbic system
Morphine; Dopamine neurons; Ventral tegmental area (Gysling, K.) **277**, 119

Mesotelencephalic dopamine
Recovery of function; Senescence; 6-Hydroxydopamine (Marshall, J.F.) **259**, 249

Metabolic activity
Brattleboro rat; Cytochrome oxidase histochemistry; Paraventricular nucleus; Supraoptic nucleus; Nucleus circularis (Krukoff, T.L.) **280**, 160

Metabolic vasodilation
Reticular formation; [^{14}C]Iodoantipyrine; [^{14}C]2-Deoxyglucose; Local cerebral blood flow; Local cerebral metabolism (Iadecola, C.) **272**, 101

Metabolism
Testosterone-uptake; Preoptic area; Dove; Male; Sex behavior (Steimer, Th.) **274**, 193

Metals
Zn^{2+}; Cu^{2+}; Audiogenic mice (Chung, S.-H.) **280**, 323

Metamorphosis
Peptide hormone; Behavioral activation; Invertebrate peptides; Hormone action (Levine, R.B.) **279**, 335

Methamphetamine
α-Methyltyrosine; Reserpine (Wagner, G.C.) **270**, 285

Dopamine release; Dopamine metabolism; Striatum; Nicotinic drugs; Lobeline; Acetylcholine; high K^+ stimulation (Takano, Y.) **279**, 330

Methiocarb
Olfaction; Trigeminal receptors; Food aversion; Starlings; Phenethyl alcohol (Mason, J.R.) **269**, 196

[^{3}H]Methionine
Olivocerebellar projection; Climbing fibers; Rat; [^{3}H]Leucine; 3-Acetylpyridine (Campbell, N.C.) **275**, 215

Methionine-enkephalin
Opioid neurons; Cerebral nuclei; Development; Spontaneously hypertensive rats (Nakamura, K.) **271**, 21

cGMP; Substance P; Somatostatin; Immunofluorescence (Ariano, M.A.) **289**, 362

3-Methoxy-4-hydroxyphenylethyleneglycol sulfate
Immobilization stress; Noredrenaline; Morphine; Naloxone; Brain regions (rat); Hyperemotionality; Corticosterone (Tanaka, M.) **275**, 105

5-Methoxy-N,N-dimethyltryptamine
Prolactin; Dopamine; Tuberoinfundibular neurons; Serotonin (Simonovic, M.) **272**, 269

3-Methoxytyramine
Acute L-DOPA; Dopamine release; Homovanillic acid; Dihydroxyphenylacetic acid (Ponzio, F.) **273**, 45

N-Methylaspartate
GABA; Luteinizing hormone-releasing hormone; Glutamate; Neuroactive amino acids; Suprapituitary mechanism; Arcuate hypothalamic nucleus (Tal, J.) **273**, 179

Methylestrogens
Synaptosomes; Norepinephrine uptake; Estradiol-17β; Estradiol-17α; Ethinylestradiol; Catecholestrogens (Ghraf, R.) **277**, 163

tele-Methylhistamine
Histamine; Brain; Microwave irradiation; High-performance liquid chromatography; Compound 48/80; Liquid nitrogen freezing (Oishi, R.) **261**, 180

Methylmercury
Mercury; Neurotoxicity; Transmitter release; Neuromuscular junction (Miyamoto, M.D.) **267**, 375

α-Methyl-*p*-tyrosine
In vivo voltammetry; Serotonin release; Hippocampus; *p*-Chlorophenylalanine; L-Tryptophan; L-Tyrosine; L-Valine; Immobilization stress (Joseph, M.H.) **270**, 251

α-Methyltyrosine
Reserpine; Methamphetamine (Wagner, G.C.) **270**, 285

Methysergide
Serotonin; Raphe nuclei; Homosynaptic depression; Monosynaptic responses of motoneurons; Frog spinal cord (Cardona, A.) **280**, 373

Metoprolol
β-Adrenoceptors; α-Adrenoceptors; Sleep stages; Prenalterol; Salbutamol; Atenolol; Propranolol; Clonidine; Prazosin; Phentolamine (Hilakivi, I.) **277**, 109

Mice
Spatial memory; Radial maze; Fimbria/fornix; Acetylcholine (Reinstein, D.K.) **263**, 172

Barbiturates; Functional tolerance; Glucocorticoids; Tryptophan hydroxylase; Serotonergic system (Yanai, J.) **269**, 297

Stress; Seizures; Endogenous opioids; Electroconvulsive shock (Oliverio, A.) **271**, 193

Adenosine analogs; Intracerebroventricular injection; Locomotor activity; Caffeine (Barraco, R.A.) **272**, 392

Anaphylactic shock; Naloxone; Endorphin; Sympathetic nervous system (Amir, S.) **274**, 180

Calcium channels; Ontogeny; Nitrendipine; Heart; Brain (Erman, R.D.) **278**, 327

Microcomplement fixation
S-100 Protein; Rat adipocytes; PAP method (Michetti, F.) **262**, 352

Microelectrode mapping
Visual cortex; Visual topography; Striate/extrastriate area; Rat (Espinoza, S.G.) **272**, 137

Microglia
Nerve injury; Tissue culture; Leech; Weak silver carbonate; Cell migration (Morgese, V.J.) **272**, 166

Microinjection
Met^5-Enkephalin; Substantia nigra; Contraversive rotation; Parkinsonism (Jacquet, Y.F.) **264**, 340

Pain; Analgesia; Nucleus raphe magnus; Nucleus reticularis paragigantocellularis; Morphine (Heinricher, M.M.) **272**, 382

Microiontophoresis
Quinolinic acid; Excitatory amino acids (Perkins, M.N.) **259**, 172

Orbitofrontal cortex; Unit recording; Monkey; Catecholamine; Noradrenaline; Dopamine; Reward (Aou, S.) **267**, 165

Paralemniscal reticular formation; Rat; Nociception; Analgesia; Periaqueductal gray; HRP; Norepinephrine (Hardy, S.G.P.) **267**, 217

α_1-Adrenoceptor; Norepinephrine; Lateral geniculate; Single unit; Receptor binding; Denervation; Supersensitivity (Menkes, D.B.) **272**, 1

Acetylcholine; Unit activity; Monkey; Orbitofrontal cortex; Feeding behavior (Aou, S.) **275**, 178

Substantia gelatinosa; Single unit recording; adult Rat spinal cord in vitro; Amino acid neurotransmitters; Opioid peptides (Zieglgänsberger, W.) **279**, 316

Microneurography
Human skin; Reinnervation; Mechanoreceptors; Adaptive behavior; Receptive fields; Distribution density; Sensory recovery (Mackel, R.) **268**, 49

Reinnervation; Human skin; Mechanoreceptors; Multiple receptive fields; Fatigue (Mackel, R.) **276**, 339

Microperfusion
Neurotensin; Extra- and intracellular recording; Iontophoresis; Spinal neurons (Stanzione, P.) **268**, 111

Microspheres
Piglet, newborn; Cerebral blood flow; Carotid artery (Laptook, A.R.) **276**, 51

Microstimulation
Cerebellar vermis; Saccadic eye movements; Intrasaccadic stimulation; Ocular dysmetria; Monkey (Keller, E.L.) **288**, 131

Microtubule-associated proteins
Dendrite; Microtubules; Cytoskeleton (Sasaki, S.) **259**, 193

Microtubules
Dendrite; Microtubule-associated proteins; Cytoskeleton (Sasaki, S.) **259**, 193

Neurofilaments; Reorganization; 2,5-Hexandione (Zagoren, J.C.) **270**, 162

Synaptosomes; Neurotransmitter release; Taxol; Presynaptic terminal; Acetylcholine (Burgoyne, R.D.) **280**, 190

Microwave irradiation
Histamine; tele-Methylhistamine; Brain; High-performance liquid chromatography; Compound 48/80; Liquid nitrogen freezing (Oishi, R.) **261**, 180

Midazolam
Benzodiazepine; Inhibition; Calcium-mediated potassium conductance; Hippocampus; CA1 cells (Carlen, P.L.) **271**, 358

Midbrain
Ferret; Auditory; Tuning; Tonotopicity; Binaural (Moore, D.R.) **269**, 69

Cholecystokinin receptor; Food deprivation; Cholecystokinin octapeptide; Olfactory bulb; Hypothalamus (Finkelstein, J.A.) **288**, 193

Midbrain reticular formation
EEG waves; Slow rhythms; Drowsiness; Synchronized sleep (Oakson, G.) **269**, 386

Auditory system; Pretectum; Inferior colliculus; Cat (Kudo, M.) **288**, 13

Midbrain tegmentum
Substantia nigra; Chemoconvulsants; maximal Electroshock; Bicuculline; Seizures; Epilepsy (Garant, D.S.) **273**, 156

Midbrain transections
Phenylethanolamine-N-methyltransferase; Catecholamines; Epinephrine; Norepinephrine; Hypothalamic nuclei; Rat brain (Saavedra, J.M.) **276**, 367

Middle-age
Rat visual cortex; Dendrite; Complex environment; Plasticity (Green, E.J.) **264**, 233

Middle temporal area
Macaque monkey; Visual cortex; Frontal eye field; Autoradiography; Cortico-cortical connections (Maioli, M.G.) **265**, 294

Milk ejection
2-Deoxyglucose; Ascending pathway; Paraventricular and supraoptic nuclei; Pituitary gland (Sutherland, R.C.) **273**, 291

Miniature endplate potential
Neuromuscular junction; Giant potential; Paraoxon; Acetylcholinesterase; Potassium (Carlson, C.G.) **264**, 285

Miniature endplate potentials
Transmitter release; Botulinum toxin; 4-Aminoquinoline (Thesleff, S.) **264**, 89

Miniature end-plate potentials
Azide; Calcium; Temperature (Anwyl, R.) **270**, 355

Divalent cations; Neuromuscular junction; Power law; Transmitter release; Tetanic potentiation (Narita, K.) **289**, 79

Minimizing voltage-dependent currents
Voltage-clamp of solitary photoreceptor in culture; Internal messenger for transduction and adaptation; Inverse relation of cGMP and Ca^{2+}; Amplification in sensory organ (Lipton, S.A.) **265**, 41

Minocycline
Ampicillin; Protein synthesis inhibitors; Human sleep; Slow wave sleep; REM sleep (Nonaka, K.) **288**, 253

Miroiontophoresis
Chronically lesioned rats; Subthalamic nucleus; Entopeduncular output neurons; Inhibitory response; GABA glycine; Acetylcholine (Rouzaire-Dubois, B.) **271**, 11

Misrouting
Albino rabbit; Pretectal nuclei; Optokinetic nystagmus; Autoradiography (Klooster, J.) **288**, 1

Mitogenic factor
Schwann cells; Axolemmal fraction (Sobue, G.) **280**, 263

Mitogen supplement
Astrocyte; Cell culture (Kim, S.U.) **274**, 79

Mitral cells
Unit activity; Olfactory bulb; Unrestrained rat; Nutritional state; Neuron variability (Pager, J.) **289**, 87

***Mld* mutant mouse**
Myelin basic protein; Hypomyelination; CNS myelin; PNS myelin (Ginalski-Winkelmann, H.) **277**, 386

Modulation
Octopamine; *Lumbricus*; Blood; Ventral nerve cord; Biosynthesis (Tanaka, K.R.) **260**, 160

Muscarinic receptor; Nicotinic receptor; Cholinergic receptor; Synapse; Retina (Siman, R.G.) **262**, 99

Molecular evolution
Neurofilament protein; Bodian's silver method (Phillips, L.L.) **278**, 219

Mollusc
Serotonin; Lesion; Feeding; Neuromodulation; Arousal; Hunger (Rosen, S.C.) **260**, 151

Molluscan CNS
Associative learning; Chemoreception (Culligan, N.) **266**, 319

Mollusc giant neurones
Neurite formation in culture; Intracellular calcium; External pH (Kostenko, M.A.) **276**, 43

Mollusc neurons
cAMP; Voltage-clamp; Stationary currents; Potential-activated calcium currents (Kononenko, N.I.) **268**, 321

Monkey
Prolactin; Cerebrospinal fluid; Cortisol; Morphine; Thyrotropin-releasing hormone; 5-Hydroxytryptophan (Herbert, J.) **258**, 251

Basal nucleus; Cortex (Pearson, R.C.A.) **259**, 132

Eye movements; Reaction time (Fischer, B.) **260**, 21

Prefrontal cortex; Unit activity; Functional heterogeneity; Arcuate concavity; Principal sulcus; Inferior convexity (Aou, S.) **260**, 121

Motor set; Motor cortex; Premotor cortex (Wise, S.P.) **260**, 301

Motor cortex; Finger movements; Corticomotoneuronal (Muir, R.B.) **261**, 312

Retrograde cell degeneration; Cortex; Basal nucleus; Man (Pearson, R.C.A.) **261**, 321

Neuropeptides; Fornix; Hippocampus; Rat; Man (Roberts, G.W.) **263**, 151

Orbitofrontal cortex; Unit recording; Microiontophoresis; Catecholamine; Noradrenaline; Dopamine; Reward (Aou, S.) **267**, 165

Somatosensory system; Cortical connections; Autoradiography (Friedman, D.P.) **273**, 147

HRP; Thalamocortical neurons; Corticothalamic neurons; Thalamic organization; Cerebellar nuclei (Miyata, M.) **274**, 213

Acetylcholine; Unit activity; Orbitofrontal cortex; Microiontophoresis; Feeding behavior (Aou, S.) **275**, 178

Prefrontal neuron; Substantia innominata; Intracranial self-stimulation; Visual tracking task; Movement-related neuron (Funahashi, S.) **276**, 267

Visually initiated hand movement; Premovement cortical potentials; Cerebro-cerebellar interaction; Motor learning (Sasaki, K.) **277**, 41

Acetylcholine; Basal nucleus of Meynert; Cholinergic mechanism; Prefrontal cortex; Bar-press feeding behavior (Inoue, M.) **278**, 185

Motor impairment; Substantia nigra; Electrolytic lesion; Pointing movement; Reaction time; Kinematic analysis; Recovery of function (Viallet, F.) **279**, 193

Dopamine; Striatum; $[^{18}F]$6-Fluoro-L-dopa; Positron emission tomography (Garnett, S.) **280**, 169

Cerebellar vermis; Microstimulation; Saccadic eye movements; Intrasaccadic stimulation; Ocular dysmetria (Keller, E.L.) **288**, 131

Color-opponent; Lateral pulvinar; Single unit; Extrageniculate (Felsten, G.) **288**, 363

Monkey hippocampal formation
Entorhinal cortex; Entorhinal afferents; Superior temporal gyrus (Amaral, D.G.) **275**, 263

Monkey motor system
Putamen neurons; Wrist movements (Liles, S.L.) **263**, 156

Monkeys
Vision; Pulvinar; Superior colliculus; Striate cortex; Receptive-fields; Lesions (Bender, D.B.) **279**, 258

Monoamine levels
Dorsolateral funiculus; Hyperalgesia (Davies, J.E.) **261**, 59

Monoamine oxidase
Antibodies; Radioimmunoassay; Immunocytochemistry; Rat tissues; Immune fixation (Pintar, J.E.) **276**, 127

Monoamine oxidase inhibitors
Differential pulse voltammetry; Oxidation peak 3; Raphe dorsalis; Raphe magnus; Circadian variations (Crespi, F.) **272**, 263

Corticoliberin; Monoamines; Reserpine; Rat median eminence; Immunocytochemistry (Bugnon, C.) **275**, 198

non-Monoaminergic AADC neurons
Suprachiasmatic nucleus; Arginine-vasopressin; Brattleboro rat; Hypothalamus (Jaeger, C.B.) **276**, 362

Monoaminergic innervation
Red nucleus; Serotoninergic terminals; Radioautography (Bosler, O.) **259**, 288

Monoaminergic neurons
Sexual behavior; 6-Hydroxydopamine; 5,7-Dihydroxytryptamine (Hansen, S.) **268**, 285

Monoamines
Corticoliberin; Reserpine; Monoamine oxidase inhibitors; Rat median eminence; Immunocytochemistry (Bugnon, C.) **275**, 198

Adrenergic antagonists; Opiate antagonist; Luteinizing hormone; Hypothalamus; Opiate receptors; Rats (Blank, M.S.) **279**, 153

Monocarboxylate transport
β-Hydroxybutyrate transport; Blood-brain barrier; Trans effects; Symport (Regen, D.M.) **271**, 289

Monoclonal antibodies
Superior colliculus; Synaptogenesis; Radioimmunoassay; Corticotectal projections; Retinotectal projections; Rabbit visual system (Greif, K.F.) **275**, 143

Ependymal cells; Neural antigens; Surface antigens (Tardieu, M.) **277**, 339

Monoclonal antibody
Immunohistochemistry; Human; Choline acetyltransferase (Nagai, T.) **265**, 300

Choline acetyltransferase; Cholinergic neurons; Morphology; Immunocytochemistry (Houser, C.R.) **266**, 97

Guanylate cyclase; Immunohistochemistry; Postsynaptic components; cGMP; Cholinergic neurotransmission; Rat brain (Nakane, M.) **273**, 9

Leech proteins; Nociceptive cells; Immunoblots; Immunocytochemistry (Flaster, M.S.) **277**, 196

Sustentacular cell; Localization; Cell-specific marker; Lesioning (Hempstead, J.L.) **288**, 289

Monoclonal antibody A2B5
Gangliosides; Neuronal maturation; Tetrasialogangliosides (Kasai, N.) **277**, 155

Monocular deprivation
Visual fields; Cats; Binocular competition; Electrophysiology (Tieman, D.G.) **280**, 41

Monocular segment
Albino rabbit; Dorsal lateral geniculate nucleus; Binocular inhibition (Lo, F.-S.) **271**, 339

Monohydroxytamoxifen
Neonatal estrogenization; Estradiol; Catecholestrogens; Moxestrol; Luteinizing hormone surges; Progestin receptors (Ghraf, R.) **258**, 133

Monoiodoacetate
Adrenal medulla; Catecholamine; Calcium re-introduction; Cyanide; 2-Deoxyglucose; Na-dependent Ca influx (Sorimachi, M.) **258**, 156

Monosodium glutamate
Opiate receptor; Enkephalin; Endorphin; Hypothalamus; Pain-opiate antagonist (Simantov, R.) **262**, 168

Monosynaptic responses of motoneurons
Serotonin; Raphe nuclei; Methysergide; Homosynaptic depression; Frog spinal cord (Cardona, A.) **280**, 373

Mormyrid fish
HRP; Electron microscopy; Central nervous system (Szabo, T.) **266**, 1

Rhombo-mesencephalic pathway; Acoustico-lateral processing; HRP labeling (Haugedé-Carré, F.) **268**, 1

Morphine
dibutryryl cGMP; Met-Enkephalin; Nociception; Mesencephalic reticular formation (Hosford, D.A.) **258**, 147

Prolactin; Cerebrospinal fluid; Cortisol; Thyrotropin-releasing hormone; 5-Hydroxytryptophan; Monkey (Herbert, J.) **258**, 251

Dopamine release; Dopamine synthesis; Hypophysial portal blood; Dopaminergic neurons; DOPA synthesis (Reymond, M.J.) **262**, 253

Enkephalinase inhibitor; Arthritic rats; Threshold for vocalization (Kayser, V.) **267**, 131

Arthritic rats; Ventrobasal thalamic neuron; Joint stimuli; Naloxone (Kayser, V.) **267**, 187

Arcuate-ventromedial hypothalamus; Dopamine; Prolactin; Neural activity (Haskins, J.T.) **268**, 185

Opioid peptides; Nucleus raphe magnus; Analgesia; Stress analgesia; Brainstem (Cannon, J.T.) **269**, 231

Pain; Naloxone; Area postrema; Nucleus tractus solitarius; EEG activity; Cortical synchronization (Bronzino, J.D.) **271**, 33

Pain; Analgesia; Nucleus raphe magnus; Nucleus reticularis paragigantocellularis; Microinjection (Heinricher, M.M.) **272**, 382

Spinal cord; Inhibition; Naloxone; Analgesia (Soja, P.J.) **273**, 1

Systemic injection; Nucleus reticularis gigantocellularis; Periaqueductal gray matter; Spinal cord; Pain; Noradrenaline; Serotonin (Kuraishi, Y.) **273**, 245

Naloxone; Amphibian; Analgesia; Explosive motor behavior (Pezalla, P.D.) **273**, 297

Immobilization stress; Noredrenaline; 3-Methoxy-4-hydroxyphenylethyleneglycol sulfate; Naloxone; Brain regions (rat); Hyperemotionality; Corticosterone (Tanaka, M.) **275**, 105

Dopamine neurons; Ventral tegmental area; Mesolimbic system (Gysling, K.) **277**, 119

Aging; Analgesia; Diurnal rhythm; Light-dark cycle; Opioid; Thermal stimulus (Kavaliers, M.) **279**, 387

β-Endorphin; Opiate receptor; Enkephalin; Autoradiography (Goodman, R.R.) **288**, 334

Naltrexone; Opiate receptor; α-Adrenergic receptor; Locus coeruleus; Receptor supersensitivity (Bardo, M.T.) **289**, 223

Morphine-induced
5-Hydroxytryptamine; Brainstem; Analgesia; *p*-Chloroamphetamine; *p*-Chlorophenylalanine; Zimelidine; Test-dependent effects (Berge, O.-G.) **271**, 51

Morphine withdrawal
2-Deoxyglucose; Limbic system; Dose dependency (Geary, W.A. II) **275**, 117

Morphology
Visual cortex; Receptive field; HRP; Rat (Parnavelas, J.G.) **261**, 21

Choline acetyltransferase; Cholinergic neurons; Immunocytochemistry; Monoclonal antibody (Houser, C.R.) **266**, 97

Oligodendroglia; Long-term culture; Immunocytochemistry; Myelin antigens; Galactocerebroside; Myelin basic protein; Cell isolation (Norton, W.T.) **270**, 295

Myelin; Genetic mutation; Disease; Tissue culture (Wolf, M.K.) **271**, 121

Tissue cultured dorsal root ganglion cells; Nomarski optics; Colchicine; Disruption of microtubules; Axonal transport (Horie, H.) **288**, 85

Morphometry
Mutant mouse; Dystrophy; Myelin; Internode; Node of Ranvier; Axon/Schwann cells; Peripheral nerve; Sensory nerve (Jaros, E.) **258**, 181

Mossy fiber projection
Flocculus; Floccular zone (Sato, Y.) **272**, 37

Mossy fiber response
Cerebellar cortex; Lobule I; Primary vestibular afferent; Vestibular nucleus neuron (Hirai, N.) **277**, 145

Mossy fibers
Zinc; Hippocampus (Frederickson, C.J.) **273**, 335

Motility
Chronic haloperidol; Conditioned suppression; Naloxone (Kameyama, T.) **275**, 389

Benzodiazepines; GABA; Embryology; Receptors; Inhibition; Synaptic transmission (Maderdrut, J.L.) **289**, 385

Motion sickness
Vomiting center; Reticular formation; Solitary tract (Miller, A.D.) **270**, 154

Motoneuron
Plasticity; Transmitter release; Sprouting (Pockett, S.) **258**, 296

Motoneurons
Cell migration; Spinal cord; Frog; Development (Liuzzi, F.J.) **262**, 299

Primary afferents; Frog; Cell death; Spinal cord (Davis, M.R.) **265**, 283

Neuronotrophic factors; Regeneration; Spinal cord neurons; Neuron survival; Choline acetyltransferase (Manthorpe, M.) **267**, 57

HRP; Rat; Deafferentation; Spinal cord; Retrograde transport (Peyronnard, J.-M.) **275**, 203

Lithium; Glial cells; Spinal cord; Cortex; Hippocampus; Potassium (Grafe, P.) **279**, 65

Δ^9-Tetrahydrocannabinol; Mechanisms of action; Synaptic effects; Membrane effects; Spinal cord (Turkanis, S.A.) **288**, 283

Motoneuron somata
Asymmetry; Sensory axons; Nerve root; Fiddler crabs; Hypertrophy; Hyperplasia (Young, R.E.) **280**, 251

Motor activity
Circadian pacemaker; Ventromedial hypothalamic nucleus; Restricted feeding schedule; Multiple unit activity; Suprachiasmatic nucleus; Rat (Inouye, S.-I.T.) **279**, 53

Motoraxons
Cat spinal cord; Ventral funiculus; Ventral horn; Ventral root; Axotomy; Regeneration; Electron microscopy; HRP (Risling, M.) **280**, 15

Motor control
Cerebellar lesions; Cats; Locomotion (Yu, J.) **273**, 121

Vestibulocerebellum-vestibular input; Somestethic input; Climbing fibers; Frog (Amat, J.) **278**, 287

Fastigial nucleus; Paleocerebellum; Cerebellar nuclei; Cerebellum; Voluntary movement; Primate (Bava, A.) **288**, 371

Motor cortex
Motor set; Premotor cortex; Monkey (Wise, S.P.) **260**, 301

Monkey; Finger movements; Corticomotoneuronal (Muir, R.B.) **261**, 312

Cerebellothalamocortical pathway; EPSP; -intracellular HRP staining; Stellate cell; Pyramidal cell; Cat (Noda, T.) **268**, 153

Nucleus of Darkschewitsch; Inferior olive; Cat; HRP; Electron microscopy (Nakamura, Y.) **274**, 140

Anterior pretectal nucleus; Dorsal accessory olive; HRP; Electron microscopy (Kitao, Y.) **280**, 139

Motor endplates
Motorneurone sprouting; Nodes of Ranvier (Keynes, R.J.) **264**, 209

Motor function
Enkephalin; δ-Receptor; Facial nucleus; Fine structure; Axo-dendritic contact (Senba, E.) **274**, 17

Motor impairment
Substantia nigra; Electrolytic lesion; Pointing movement; Reaction time; Kinematic analysis; Recovery of function; Monkey (Viallet, F.) **279**, 193

Motor learning
Visually initiated hand movement; Premovement cortical potentials; Cerebro-cerebellar interaction; Monkey (Sasaki, K.) **277**, 41

Motor nerve
Terminal sprouting; Endplates (Huang, C.L.-H.) **274**, 225

Motorneurone sprouting
Motor endplates; Nodes of Ranvier (Keynes, R.J.) **264**, 209

Motor nuclei
Spinal cord; HRP; Elasmobranch (Droge, M.H.) **276**, 201

Motor nucleus
Nucleus ambiguus; Central respiratory control; Antidromic activation (Delgado-García, J.M.) **277**, 231

Motor reflex control
Amine accumulation; L-DOPA; Catecholamine depletion; 6-Hydroxydopamine; Locomotor behavior; LH syndrome; Catecholamine agonists (Willis, G.L.) **266**, 279

Amine accumulation; Colchicine; Consummatory behaviour; Locomotory behaviour; Lateral hypothalamus; Thermoregulation (Willis, G.L.) **276**, 119

Motor set
Motor cortex; Premotor cortex; Monkey (Wise, S.P.) **260**, 301

Motor systems
Serotonin; Serotonergic neurons; Dorsal raphe nucleus; Muscle relaxant drugs; Freely moving cats (Steinfels, G.F.) **279**, 77

Motor unit mechanical properties
Recruitment; Rate coding (Harrison, P.J.) **264**, 311

Motor unit types
Cat muscle in vivo; Dantrolene sodium; Unfused contraction; Potentiation (Jami, L.) **261**, 285

Mouse
Self-stimulation; Catecholamines; High-performance liquid chromatography (Garrigues, A.-M.) **265**, 265

Intrauterine enucleation; Compensatory response; Ultrastructural analysis; Dorsal lateral geniculate nucleus (Kaiserman-Abramof, I.R.) **270**, 149

Audiogenic seizures; Recombinant inbred strains; Genetic heterogeneity; Epilepsy (Seyfried, T.N.) **271**, 325

Neurofilaments; Proteolysis; Posttranslational modification; Retinal ganglion cells; Cytoskeletal proteins; Calcium; Optic pathway (Nixon, R.A.) **275**, 384

Mouse cortical columns
Phosphorylase a histochemistry; Functional activity (Wallace, M.N.) **267**, 201

Mouse mutants
Genetic deafness; Auditory pathways (Deol, M.S.) **258**, 177

Mouse striatum
$[^3H]$N-Propylnorapomorphine; $[^3H]$Spiperone; Dopamine receptors; 6-Hydroxydopamine; Kainic acid; Frontal cortical ablation (Severson, J.A.) **279**, 295

Movement amplitude
Precentral neuron activity; Learning; Elbow flexion (Maton, B.) **267**, 241

Movement initiation
Caudate nucleus; Dentate nucleus; Handedness; Brain stimulation; Instrumental conditioning (Moroz, V.M.) **259**, 298

Movement perception
Behaving monkeys; Extracellular recordings; Striate cortex; Non-oriented cells; Corollary discharge (Galletti, C.) **260**, 128

Movement-related neuron
Prefrontal neuron; Substantia innominata; Intracranial self-stimulation; Visual tracking task; Monkey (Funahashi, S.) **276**, 267

Moxestrol
Neonatal estrogenization; Estradiol; Catecholestrogens; Monohydroxytamoxifen; Luteinizing hormone surges; Progestin receptors (Ghraf, R.) **258**, 133

Müller cells
Rat retina; Nerve fiber layer; Non-myelinated axons; Node of Ranvier (Hildebrand, C.) **258**, 23

Glia; Bulk isolation; Retina; Mammal; Enzymatic dissociation (Trachtenberg, M.C.) **261**, 43

Multiple fluorescent tracers
Red nucleus; Cerebellar interpositus nucleus; Collateralization (Huisman, A.M.) **264**, 181

Multiple receptive fields
Reinnervation; Microneurography; Human skin; Mechanoreceptors; Fatigue (Mackel, R.) **276**, 339

Multiple receptors
Benzodiazepines; Benzodiazepine receptors; Amygdala; Triazolopyridazines; Autoradiography (Niehof, D.L.) **276**, 237

Multiple unit activity
Turtles; Telencephalon; Vision (Bass, A.H.) **263**, 201

Circadian pacemaker; Ventromedial hypothalamic nucleus; Restricted feeding schedule; Motor activity; Suprachiasmatic nucleus; Rat (Inouye, S.-I.T.) **279**, 53

Multi unit recording
Auditory cortex; Response to sound; Interactions; Plasticity (Frostig, R.D.) **272**, 211

Murine dystrophy
Acetylcholinesterase; Maturational defect (Skau, K.A.) **276**, 192

Murine mutants
Leukodystrophy; Immunocytochemistry; Myelination; Myelin proteins; Glial fibrillary proteins (Ulrich, J.) **268**, 267

Muscarinic acetylcholine receptor
Lead neurotoxicity; Visual system; Acetylcholinesterase; Scopolamine supersensitivity; Developmental toxicology; Neurotoxicology; Visual cortex (Costa, L.G.) **276**, 259

Muscarinic ACh-receptors
Thyrotropin releasing hormone; Receptors; Down regulation; Central nervous system (Ogawa, N.) **263**, 348

Muscarinic receptor
Nicotinic receptor; Cholinergic receptor; Synapse; Modulation; Retina (Siman, R.G.) **262**, 99

Muscarinic receptors
Brain capillaries; Cerebral vessels; Choline acetyltransferase; Capillary innervation; Cholinergic innervation; Neural control of cerebral circulation; Endothelial cells (Estrada, C.) **266**, 261

Diisopropylfluorophosphate; Atropine; Choline uptake; Regional adaptation (Yamada, S.) **268**, 315

Lateral septal area; Acetylcholine; Thyrotropin-releasing hormone; Pressor responses (Pirola, C.J.) **273**, 387

Kainic acid; Hippocampus; Serotonin receptors; α-Adrenoceptors; β-Adrenoceptors (Forloni, G.L.) **274**, 165

α-Adrenergic receptors; β-Adrenergic receptors; Db-cAMP; Db-cGMP; Phosphodiesterase inhibitors; Protein synthesis inhibitors (Kandasamy, S.B.) **277**, 311

Parkinson's disease; Alzheimer disease; Choline acetyltransferase; Cerebral cortex; Substantia innominata; Human brain (Dubois, B.) **288**, 213

Muscarinic stimulation
Kindling; Amygdala (Wasterlain, C.G.) **271**, 311

Muscimol
Local cerebral blood flow; Local cerebral glucose utilization; GABA (Kelly, P.A.) **258**, 338

L-Glutamate; Convulsions; Phenytoin; Anticonvulsants; Glutamate antagonists (Stone, W.E.) **264**, 165

[^{3}H]GABA release; Caudate nucleus; Substantia nigra; Bilateral regulation (Kemel, M.L.) **272**, 331

Superior colliculus; Substantia nigra; GABA; Bicuculline; Saccades (Hikosaka, O.) **272**, 368

[^{3}H]Muscimol
17-β-Estradiol; Female rats; [^{3}H]Flunitrazepam; Binding sites; Hypophysectomy (Hamon, M.) **279**, 141

GABA; Etazolate; Benzodiazepine receptors; Antagonists; Receptor interactions; Inverse agonists; Agonists (Borea, P.A.) **280**, 383

Muscle
Amino-acid neurotransmitter; Insect; Neurotoxicity; Receptor; Excitotoxicity (Duce, I.R.) **263**, 77

Acetylcholine receptor; Man; Neuromuscular junction; Erabutoxin-b; Neurotoxin (Ishikawa, Y.) **266**, 159

Zebra finch; Acetylcholinesterase; Choline acetylase; Androgens; Estrogens (Luine, V.N.) **279**, 339

Muscle blood flow
Muscle metabolism (Armstrong, R.B.) **258**, 173

Muscle contraction
Clarke's column; Dorsal spinocerebellar tract (DSCT); Golgi tendon organs; Cross-correlation analysis; Spinal cord (Osborn, C.E.) **280**, 339

Muscle cultures
Acetylcholinesterase; Acetylcholine receptor; Desensitization (Sampson, S.R.) **289**, 338

Muscle degeneration
Amino acid neurotransmitter; Insect muscle; Calcium channels; Excitotoxicity; Amino acid receptors (Donaldson, P.L.) **274**, 261

Muscle fiber degeneration
Synaptic vesicle recycling; HRP uptake; Carbocaine (Tal, M.) **270**, 131

Muscle metabolism
Muscle blood flow (Armstrong, R.B.) **258**, 173

Muscle receptor organ
Proprioception; Coordination; Leg joint; Locust (Bräunig, P.) **274**, 341

Muscle relaxant drugs
Serotonin; Serotonergic neurons; Dorsal raphe nucleus; Motor systems; Freely moving cats (Steinfels, G.F.) **279**, 77

Muscles
Lectin receptors; Intercellular recognition; Regeneration; Cockroach (Denburg, J.L.) **289**, 241

Lectin receptors; Denervation; Regeneration; Intracellular recognition; Cockroach (Denburg, J.L.) **289**, 253

Muscle spindle
Skeleto-fusimotor innervation; β-Axons (Emonet-Dénand, F.) **258**, 101

Fusimotor neuron; After-effect; Sinusoidal stretching; Dynamic sensitivity; Control of posture (Baumann, T.K.) **258**, 139

Inter-spike interval variability; Neuronal spike-trains; Single fiber recording; Hand muscles; Human (Nordh, E.) **271**, 89

Muscle spindle afferents
Spinal cord; HRP; Intracellular staining; Electron microscopy (Maxwell, D.J.) **288**, 297

Muscle spindles
Cat; Long chain fibers; Skeletofusimotor innervation (Kucera, J.) **262**, 309

Muscle stretch evoked EPSPs
Cross-correlation techniques; Spinal motoneurons (Harrison, P.J.) **264**, 316

Muscle tone
Medulla; Pons; Inhibition; REM sleep (Siegel, J.M.) **268**, 344

Muscular afferents
A-δ Fiber afferents; C Fiber afferents; Respiratory reflex; Respiratory inhibition (Kumazawa, T.) **272**, 364

Mutant mice
Myelin; Hypomyelination; Organotypic cultures (Billings-Gagliardi, S.) **268**, 255

Mutant mouse
Dystrophy; Myelin; Internode; Node of Ranvier; Axon/Schwann cells; Morphometry; Peripheral nerve; Sensory nerve (Jaros, E.) **258**, 181

Myelin
Mutant mouse; Dystrophy; Internode; Node of Ranvier; Axon/Schwann cells; Morphometry; Peripheral nerve; Sensory nerve (Jaros, E.) **258**, 181

Shiverer mouse; Myelin basic protein; Myelin proteolipid protein; 2',3'-Cyclic nucleotide-3'-phosphohydrolase; 5'-Nucleotidase; Carbonic anhydrase (Cammer, W.) **265**, 73

Mutant mice; Hypomyelination; Organotypic cultures (Billings-Gagliardi, S.) **268**, 255

Axon-myelin transfer; Phospholipids; Axonal transport (Ledeen, R.W.) **269**, 267

Genetic mutation; Disease; Morphology; Tissue culture (Wolf, M.K.) **271**, 121

Myelin proteins; P_o Protein; Shark; Immunoblotting; Schwann cells; Oligodendroglial cells (Tai, F.L.) **278**, 350

Myelin antigens
Oligodendroglia; Long-term culture; Immunocytochemistry; Morphology; Galactocerebroside; Myelin basic protein; Cell isolation (Norton, W.T.) **270**, 295

Myelinated fibers
GABA; γ-Aminobutyric acid; Receptors; Mammalian peripheral nerves; Amphibian peripheral nerves; Depolarization; Pharmacological characterization (Morris, M.E.) **278**, 117

GABA; γ-Aminobutyric acid; Receptors; Potassium ions; Peripheral nerve; Dorsal root; Ventral root; Depolarization; Localization (Morris, M.E.) **278**, 127

Myelination
Leukodystrophy; Murine mutants; Immunocytochemistry; Myelin proteins; Glial fibrillary proteins (Ulrich, J.) **268**, 267

Myelination-inhibiting antibodies
Demyelinating antibodies; Nerve tissue cultures; Myelin proteins; Immunoblot technique (Seil, F.J.) **288**, 384

Myelin basic protein
Shiverer mouse; Myelin; Myelin proteolipid protein; 2',3'-Cyclic nucleotide-3'-phosphohydrolase; 5'-Nucleotidase; Carbonic anhydrase (Cammer, W.) **265**, 73

Oligodendroglia; Long-term culture; Immunocytochemistry; Morphology; Myelin antigens; Galactocerebroside; Cell isolation (Norton, W.T.) **270**, 295

Hypomyelination; CNS myelin; PNS myelin; *Mld* mutant mouse (Ginalski-Winkelmann, H.) **277**, 386

Myelin cytochemistry
Negative charges; Labelling; Cationic ferritin (Dermietzel, R.) **262**, 225

Myelinogenesis
Twitcher mice; Krabbe disease; Tissue culture; UDP-Galactose:ceramide; Galactosyltransferase; Galactosylceramidase (Bourque, E.A.) **261**, 295

Myelin proteins
Tissue culture; Encephalitogenic basic proteins; Neuroglia; Proteolipid protein (Mithen, F.A.) **262**, 63

Leukodystrophy; Murine mutants; Immunocytochemistry; Myelination; Glial fibrillary proteins (Ulrich, J.) **268**, 267

Myelin; P_o Protein; Shark; Immunoblotting; Schwann cells; Oligodendroglial cells (Tai, F.L.) **278**, 350

Demyelinating antibodies; Myelination-inhibiting antibodies; Nerve tissue cultures; Immunoblot technique (Seil, F.J.) **288**, 384

Myelin proteolipid protein
Shiverer mouse; Myelin; Myelin basic protein; 2',3'-Cyclic nucleotide-3'-phosphohydrolase; 5'-Nucleotidase; Carbonic anhydrase (Cammer, W.) **265**, 73

Myelin sheath
Oligodendrocyte (Friedrich, V.L. Jr.) **274**, 329

Myelin thickness
Axon diameter; Conduction velocity; Nerve atrophy (Gillespie, M.J.) **259**, 41

Myenteric neuron
Nicotinic receptors; Calcium dependent potassium conductance (Tokimasa, T.) **263**, 57

Myenteric plexus
Tissue culture; Autonomic nervous system; Enteric nervous system; Histogenesis; Neuroglia interactions; Submucous plexus (Jessen, K.R.) **262**, 17

Tissue culture; Autonomic nervous system; Enteric nervous system; Electron microscopy; Histotypic aggregation (Bałuk, P.) **262**, 37

GABA; Acetylcholine; Synaptosome; Release (Yau, W.M.) **278**, 271

Myocardial infarction
Vagus nerve; Cardiocardiac reflexes; Hypothalamic nuclei; Raphe nuclei; Serotonin turnover (Sole, M.J.) **265**, 55

Myofilaments
Cerebrovascular smooth muscle culture: isolation, dissociation, propagation; Free ribosomes; Rough endoplasmic reticulum (Spatz, M.) **280**, 387

Myotubes
Acetylcholine receptor; Chick embryo; Regulation; Potassium; Depolarization (Shieh, B.-H.) **263**, 259

N

Na-Ca spike
Cerebellar neuron; Tissue culture (Mori-Okamoto, J.) **258**, 318

voltage-dependent Na channel
Cell cultures; Neuronal cell; Glial-ion transport (Reiser, G.) **261**, 335

Na currents
Herpes simplex virus; Nerve cell culture (Fukuda, J.) **268**, 367

NADH
Gerbils; Seizures; Redox state; Ischemia; Frozen brain; Stroke; Redox state mapping (Mayevsky, A.) **276**, 95

Na^+-free effects
Frog muscle spindle; Spindle potential; K^+ Channel blockers (Ito, F.) **277**, 352

Na^+,K^+ pump
Glial cells; Leech; Neuropile; Ouabain (Walz, W.) **267**, 93

Nerve growth factor; Sensory neurons; Survival (Skaper, S.D.) **271**, 263

Na spike
Tetanus toxin; Action potential; Ca spike; Channel blocker; Neuroblastoma cells (Higashida, H.) **279**, 363

Na spikes
Taurine; Stellate cell; Purkinje cell; Ca spikes; Transmitter; Cerebellar slice; Intracellular recording (Okamoto, K.) **260**, 249

Naloxazone
Opiate; Enkephalin; Analgesia; μ-Receptor; δ-Receptor (Ling, G.S.F.) **271**, 152

Naloxone
Striatum; Opiates; Dopamine; Substantia nigra (Chesselet, M.F.) **258**, 229

Control of breathing; Opioids (Wheeler, M.E.) **258**, 343

Opiates; Endogenous opioids; Convulsant action; Anticonvulsant action (Urca, G.) **259**, 103

Met-Enkephalin; Leu-Enkephalin; D-Ala^2-Met^5-Enkephalin; Blood pressure; Met-Enkephalin antiserum; Nucleus tractus solitarii (Petty, M.A.) **260**, 322

Bladder reflexes; Parasympathetic reflexes; Enkephalins (Roppolo, J.R.) **264**, 355

Arthritic rats; Ventrobasal thalamic neuron; Joint stimuli; Morphine (Kayser, V.) **267**, 187

Lanthanum; Opiate receptors; Central gray; Pain; Analgesia (Rosenfeld, J.P.) **268**, 189

Enkephalin; Dopamine; Caudate; Amphetamine stereotype; In vivo electrochemistry (Broderick, P.A.) **269**, 378

Pain; Morphine; Area postrema; Nucleus tractus solitarius; EEG activity; Cortical synchronization (Bronzino, J.D.) **271**, 33

Memory; Inhibitory avoidance; Amygdaloid stimulation; Bed nucleus of the stria terminalis; Endogenous opioids (Liang, K.C.) **271**, 41

Enkephalinergic inhibition; GABA; Parasympathetic ganglia (Simonds, W.F.) **271**, 365

Morphine; Spinal cord; Inhibition; Analgesia (Soja, P.J.) **273**, 1

Morphine; Amphibian; Analgesia; Explosive motor behavior (Pezalla, P.D.) **273**, 297

Anaphylactic shock; Endorphin; Sympathetic nervous system; Mice (Amir, S.) **274**, 180

Immobilization stress; Noredrenaline; 3-Methoxy-4-hydroxyphenylethyleneglycol sulfate; Morphine; Brain regions (rat); Hyperemotionality; Corticosterone (Tanaka, M.) **275**, 105

Chronic haloperidol; Conditioned suppression; Motility (Kameyama, T.) **275**, 389

Analgesia; Stress; Amphibian; Opiates (Pezalla, P.D.) **278**, 354

Kindling; Post-ictal depression; Amygdala (Jarvis, M.F.) **288**, 235

Carotid sinus nerve; Cardiovascular reflex; Neurotransmitter; Nucleus tractus solitarii; Opiate receptor; Blood pressure; Heart rate (Miura, M.) **288**, 389

Naloxone-sensitive receptor
β-Endorphin; cAMP; Hyperthermia; Non-peptide opioid; Peptide opioid; Prostaglandin; Transport system inhibitor (Kandasamy, S.B.) **265**, 63

Naltrexone
Analgesia; Enkephalin; Electroconvulsive shock (Urca, G.) **260**, 271

Opioid peptides; Scopolamine; Analgesia; Stress analgesia; Oxotremorine (Lewis, J.W.) **270**, 289

Morphine; Opiate receptor; α-Adrenergic receptor; Locus coeruleus; Receptor supersensitivity (Bardo, M.T.) **289**, 223

Naltrexone methyl bromide
Acetylcholine receptor; Ion channel; Opiate antagonist; Local anesthetic (Argentieri, T.M.) **277**, 377

Natriuresis
Dehydration; Hypernatremia; Brain lesion; Anterior third ventricle; Sheep (McKinley, M.J.) **263**, 340

Natural vestibular stimulation
Vestibulo ocular reflex; Eye muscles; EMG; Alert rabbit; Macular convergence; Ampullar convergence (Favilla, M.) **280**, 277

Neck motoneuron
pyramidal EPSP; Reticular formation (Alstermark, B.) **259**, 147

pyramidal EPSP; Reticular formation; Convergence (Alstermark, B.) **259**, 151

Negative charges
Myelin cytochemistry; Labelling; Cationic ferritin (Dermietzel, R.) **262**, 225

Negative feedback
Aging; Hippocampus; Amygdala; Glucocorticoids; Receptors (Sapolsky, R.M.) **289**, 235

Neglect
Basal ganglia; [^{14}C]2-Deoxyglucose; Dopamine; Neostriatum; Recovery of function (Kozlowski, M.R.) **259**, 237

Neglect neostriatum
Dopamine; Lithium; Recovery of function; [^{3}H]Spiroperidol binding (Kozlowski, M.R.) **267**, 301

Neocortex
Epilepsy; E1 mouse; 2-Deoxyglucose; Hippocampus; Focus; Excitation; Brainstem (Suzuki, J.) **266**, 359

Neocortical neurons
N-methyl-D-Aspartate; Transmitter-sensitive conductance; Depolarization shift; Inward rectification (Flatman, J.A.) **266**, 169

α-Neo-endorphin
Dynorphin; Supraoptic nucleus; Paraventricular nucleus; Median eminence; Posterior pituitary (Palkovits, M.) **278**, 258

Neonatal androgenization
Estradiol; Luteinizing hormone surges; Progestin receptors; Hypothalamus; Pituitary gland; Uterus (Kirchhoff, J.) **275**, 173

Neonatal brain lesion
Crossed mesostriatal projection; Development; Dopamine neurons; 6-Hydroxydopamine; Fluorescent dyes; Retrograde labeling (Altar, A.) **279**, 1

Neonatal estrogenization
Estradiol; Catecholestrogens; Moxestrol; Monohydroxytamoxifen; Luteinizing hormone surges; Progestin receptors (Ghraf, R.) **258**, 133

Estradiol; Catecholestrogens; Luteinizing hormone surges; Progestin receptors; Pituitary gland; Uterus (Kirchhoff, J.) **268**, 382

Neonatal handling
Protein phosphorylation; Hippocampus (Cain, S.) **267**, 192

Neonatal imprinting
Substance P; Anterior pituitary; Testosterone (Yoshikawa, K.) **273**, 362

Neonatal rats
Sympathetic preganglionic neurons; HRP (McKenna, K.E.) **269**, 201

Neonate
Spinal cord; Noradrenergic innervation; Dopaminergic innervation; Development; Fetus (Commissiong, J.W.) **264**, 197

Neostigmine
Area postrema; Carbamylcholine; Serotonin; Angiotensin II; Dopamine; Atropine (Brooks, M.J.) **261**, 85

Neostriatum
Basal ganglia; [^{14}C]2-Deoxyglucose; Dopamine; Neglect; Recovery of function (Kozlowski, M.R.) **259**, 237

D-Amphetamine; Ascorbic acid; Dopamine; In vivo electrochemistry; Electrophysiology (Ewing, V.G.) **261**, 101

D-Amphetamine; Neuronal activity; Liquid chromatography; Nucleus accumbens (Alloway, K.D.) **273**, 71

Acetylcholine; Acetylcholinesterase; Dopamine; Caudate-putamen; Striosomes; 6-Hydroxydopamine; Nigrostriatal bundle; Basal ganglia (Marhsall, J.F.) **274**, 283

Taurine; Striatonigral neurons; Autoradiography; Retrograde transport; Electron microscopy (Clarke, D.J.) **289**, 342

Nerve atrophy
Axon diameter; Myelin thickness; Conduction velocity (Gillespie, M.J.) **259**, 41

Nerve cell culture
Herpes simplex virus; Na currents (Fukuda, J.) **268**, 367

Brain extract; Cholinergic properties (Barakat, I.) **279**, 207

Nerve degeneration
Gliosis (Politis, M.J.) **273**, 392

Nerve fiber layer
Rat retina; Non-myelinated axons; Node of Ranvier; Müller cells (Hildebrand, C.) **258**, 23

Nerve grafts
Spinal cord; Astrocytes; Schwann cells; Immunohistochemistry; Axonal elongation (Fishman, P.S.) **277**, 175

Nerve growth factor
Brain damage; Recovery of function; Entorhinal cortex (Stein, D.G.) **261**, 127

Nerve growth factor bioassay; PC12 Pheochromocytoma cells (Rukenstein, A.) **263**, 177

Na^+,K^+ pump; Sensory neurons; Survival (Skaper, S.D.) **271**, 263

Neurite formation; Pheochromocytoma; Mg^{2+}; Ca^{2+} (Koike, T.) **289**, 293

Nerve growth factor bioassay
Nerve growth factor; PC12 Pheochromocytoma cells (Rukenstein, A.) **263**, 177

Nerve injury
Nerve regeneration; Neuronotrophic factors; Peripheral neuron; Sciatic nerve (Longo, F.M.) **261**, 109

Microglia; Tissue culture; Leech; Weak silver carbonate; Cell migration (Morgese, V.J.) **272**, 166

Nerve regeneration
Nerve injury; Neuronotrophic factors; Peripheral neuron; Sciatic nerve (Longo, F.M.) **261**, 109

Visual pathway; Axonal transport; Vision; Axon; Goldfish optic nerve; Tetrodotoxin (Edwards, D.L.) **269**, 1

Synaptic transmission; Axonal transport; Goldfish optic nerve; Tetrodotoxin (Schmidt, J.T.) **269**, 15

Electrical stimulation; Functional reinnervation; Rabbit (Nix, W.A.) **272**, 21

Protein biosynthesis; Endoplasmic reticulum; Golgi apparatus; Cell membrane; Nucleoprotein biosynthesis (Whitnall, M.H.) **272**, 49

Axonal necrosis; Wallerian degeneration; Batrachotoxin (Moore, G.R.W.) **279**, 246

Axonal transport; cAMP; Cycloheximide; Optic nerve; Proteins; Retinal ganglion cell (McQuarrie, I.G.) **279**, 377

Basal lamina; Basal lamina scaffold; Schwann cell; Macrophage (Ide, C.) **288**, 61

Nerve root
Asymmetry; Motoneuron somata; Sensory axons; Fiddler crabs; Hypertrophy; Hyperplasia (Young, R.E.) **280**, 251

Nerve terminal
Neuromuscular junction; Ca^{2+}-current; Botulinum toxin; Tetanus toxin (Dreyer, F.) **270**, 373

Nerve tissue cultures
Demyelinating antibodies; Myelination-inhibiting antibodies; Myelin proteins; Immunoblot technique (Seil, F.J.) **288**, 384

Nervus ventromedialis hypothalami
Neurotensin; Amygdaloid complex; Rat (Inagaki, S.) **273**, 229

Neural activity
Arcuate-ventromedial hypothalamus; Morphine; Dopamine; Prolactin (Haskins, J.T.) **268**, 185

Neural antigens
Ependymal cells; Monoclonal antibodies; Surface antigens (Tardieu, M.) **277**, 339

Neural control of cerebral circulation
Brain capillaries; Cerebral vessels; Choline acetyltransferase; Muscarinic receptors; Capillary innervation; Cholinergic innervation; Endothelial cells (Estrada, C.) **266**, 261

Neural degeneration
Audiogenic seizures; Auditory pathology; Paroxysmal mutant; Seizure model; Seizure-prone chick (Beck, M.M.) **260**, 11

Neurite formation
Pheochromocytoma; Nerve growth factor; Mg^{2+}; Ca^{2+} (Koike, T.) **289**, 293

Neurite formation in culture
Mollusc giant neurones; Intracellular calcium; External pH (Kostenko, M.A.) **276**, 43

Neurite outgrowth
Axotomy; Fluorescent dye irradiation; Identified molluscan neurons; Organ culture; Video fluorescence microscopy (Cohan, C.S.) **270**, 93

Neuritic plaques
Senile dementia, Alzheimer type; Human hippocampus; Axons; Dendrites; Golgi impregnation technique (Probst, A.) **268**, 249

Neuroactive amino acids
N-Methylaspartate; GABA; Luteinizing hormone-releasing hormone; Glutamate; Suprapituitary mechanism; Arcuate hypothalamic nucleus (Tal, J.) **273**, 179

Neuroanal size
Spontaneously hypertensive rat; Brainstem; Brain volume; Neuronal density (Nelson, D.O.) **261**, 145

Neuroanatomical mapping
Local cerebral glucose utilization; 2-Deoxyglucose; Optical density ratios (Sharp, F.R.) **263**, 97

Neuroanatomy
Insect optic lobe; Serotonin; Immunocytochemistry; Golgi method; Electron-microscopy (Nässel, D.R.) **280**, 361

Neuroblastoma
Growth inhibition; Growth inhibitory factor; Glioblast; Development (Sakazaki, Y.) **262**, 125

Sodium channel; Patch clamp; Insecticide tetramethrin; Pyrethroid (Yamamoto, D.) **274**, 344

Neuroblastoma cells
Tetanus toxin; Action potential; Ca spike; Na spike; Channel blocker (Higashida, H.) **279**, 363

Neuroblastoma x glioma hybrid
Electrophysiology; Membrane excitability; Catecholamine response; Serotonin response (Ogura, A.) **258**, 243

Neuroendocrinology
Luteinizing hormone-releasing hormone; Brain; Hypophysectomy; Radioimmunoassay; Immunocytochemistry; Ovary; Platyfish (Schreibman, M.P.) **267**, 293

Neuroexcitation
GABA system; Optic tectum; Kainic acid; Neurotoxicity (Contestabile, A.) **262**, 339

Neurofibrillary tangles
Aluminum; Maytansine; Neurofilament; Polypeptide subunits; Antibodies (Ghetti, B.) **276**, 388

Neurofilament
Aluminum; Maytansine; Neurofibrillary tangles; Polypeptide subunits; Antibodies (Ghetti, B.) **276**, 388

Neurofilament protein
Bodian's silver method; Molecular evolution (Phillips, L.L.) **278**, 219

Neurofilaments
Microtubules; Reorganization; 2,5-Hexandione (Zagoren, J.C.) **270**, 162

Mouse; Proteolysis; Posttranslational modification; Retinal ganglion cells; Cytoskeletal proteins; Calcium; Optic pathway (Nixon, R.A.) **275**, 384

Neurogenesis
Ethanol; Brain development; Cerebellum; External granular layer (Borges, S.) **271**, 388

Amygdala; Amygdaloid complex; Limbic system; Forebrain; Development; Autoradiography (McConnell, J.) **272**, 150

Neurogenic hypertension
Sinoaortic denervation; Brain catecholamines; Brain noradrenaline; Brain adrenaline (Saavedra, J.M.) **274**, 388

Neurogenic vasodilation
Fastigial nucleus; Cerebral blood flow; Cerebral metabolism (Nakai, M.) **260**, 35

Neuroglia
Tissue culture; Myelin proteins; Encephalitogenic basic proteins; Proteolipid protein (Mithen, F.A.) **262**, 63

Neuroglia interactions
Tissue culture; Autonomic nervous system; Enteric nervous system; Histogenesis; Myenteric plexus; Submucous plexus (Jessen, K.R.) **262**, 17

Neurohypophyseal hormones
Vasotocin; Synaptic membranes; Biotransformation; Proteolytic enzymes; Neuropeptides (Wang, X.-C.) **275**, 83

Neurohypophysis
2-Deoxyglucose; Paraventricular nucleus; Brattleboro rats; Osmotic stimulus (Sutherland, R.C.) **271**, 101

Neurointermediate lobe
Dopamine release; Hypophysis; Pituitary stalk; Electrical stimulation (Holzbauer, M.) **277**, 47

Neuroleptic receptor
Lithium; Serotonin receptor (Tanimoto, K.) **265**, 148

Neuroleptics
Dopamine receptor; Striatum; Denervation (Reches, A.) **275**, 183

Neurological mutants
Neurotransmitter; Substance P; Sensory neuropathy; Rat; *m f* Mutant (Scaravilli, F.) **263**, 147

Neuroma excision
Quantitative histology; Electron microscopy; Sciatic nerve resection; Dorsal root ganglia; Dorsal roots; Kitten (Aldskogius, H.) **289**, 358

Neuromodulation
Serotonin; Lesion; Feeding; Mollusc; Arousal; Hunger (Rosen, S.C.) **260**, 151

Neuromuscular blockade
β-Endorphin; Wakefulness; Sleep; Stress; Gallamine triethiodide (Foutz, A.S.) **263**, 119

Neuromuscular junction
Botulinum toxin; non-quantal Acetylcholine release (Stanley, E.F.) **261**, 172

Miniature endplate potential; Giant potential; Paraoxon; Acetylcholinesterase; Potassium (Carlson, C.G.) **264**, 285

Streptomycin; Frog (Tamaki, M.) **265**, 241

Acetylcholine receptor; Man; Muscle; Erabutoxin-b; Neurotoxin (Ishikawa, Y.) **266**, 159

Mercury; Methylmercury; Neurotoxicity; Transmitter release (Miyamoto, M.D.) **267**, 375

Nerve terminal; Ca^{2+}-current; Botulinum toxin; Tetanus toxin (Dreyer, F.) **270**, 373

Synaptic efficacy; Polyneuronal innervation (Weakly, J.N.) **273**, 319

Divalent cations; Miniature end-plate potentials; Power law; Transmitter release; Tetanic potentiation (Narita, K.) **289**, 79

Neuronal activity
D-Amphetamine; Liquid chromatography; Nucleus accumbens; Neostriatum (Alloway, K.D.) **273**, 71

Neuronal cell
voltage-dependent Na channel; Cell cultures; Glial-ion transport (Reiser, G.) **261**, 335

Neuronal cell culture
Antimitotic drugs; Olfactory bulb (Burry, R.W.) **261**, 261

4-Aminopyridine; Voltage-dependent calcium channel; Voltage clamp (Rogawski, M.A.) **280**, 180

Neuronal culture
Dopamine; Reaggregates; Neuron survival; Substantia nigra (Hoffmann, P.C.) **274**, 275

Neuronal density
Spontaneously hypertensive rat; Brainstem; Neuroanal size; Brain volume (Nelson, D.O.) **261**, 145

Neuronal glycoproteins
Lectin receptors; Intercellular recognition; Cockroach (Denburg, J.L.) **289**, 269

Neuronal maturation
α-Scorpion toxin; Differentiation; Cell line culture; Phenotypic specificity; Sodium channel (Martin-Moutot, N.) **274**, 267

Gangliosides; Monoclonal antibody A2B5; Tetrasialogangliosides (Kasai, N.) **277**, 155

Neuronal nicotinic receptor
α-Neurotoxin; Autonomic ganglia pharmacology; Ciliary ganglion (Chiappinelli, V.A.) **277**, 9

Neuronal nicotinic receptors
α-Bungarotoxin; κ-Bungarotoxin; Intracellular recording; Ciliary ganglion; Autonomic ganglia pharmacology (Dryer, S.E.) **289**, 317

Neuronal plasticity
Vestibular compensation; Labyrinthectomy; Regeneration; Degeneration; Guinea pig (Jensen, D.W.) **273**, 175

Vestibuloocular reflex; Catecholamines; 6-Hydroxydopamine; Visual adaptation; Cat (Keller, E.L.) **258**, 323

Neuronal spike-trains
Inter-spike interval variability; Single fiber recording; Muscle spindle; Hand muscles; Human (Nordh, E.) **271**, 89

Neuronal sprouting
Afferent input; Hippocampus; Sympathetic nervous system (Madison, R.) **270**, 1

Neuronal survival
Tissue culture; Autonomic nervous system; Enteric nervous system; Maintenance of differentiation in culture; VIP-containing neurons; GABAergic neurons; Adrenergic neurons (Jessen, K.R.) **262**, 49

CNS regeneration; Hippocampus; Neuronotrophic factors; Brain injury (Manthorpe, M.) **267**, 47

Neuronal target
Olfactory neurons; Olfactory marker protein; Regeneration (Monti Graziadei, G.A.) **262**, 303

Neuronal tracing
Trigeminal ganglion; Herpes virus suis (Martin, X.) **273**, 253

Neuron model
Evoked potentials; Prefrontal cortex; Dopamine (Hernandez, A.) **276**, 195

Neuronotrophic factors
Nerve injury; Nerve regeneration; Peripheral neuron; Sciatic nerve (Longo, F.M.) **261**, 109

CNS regeneration; Hippocampus; Neuronal survival; Brain injury (Manthorpe, M.) **267**, 47

Motoneurons; Regeneration; Spinal cord neurons; Neuron survival; Choline acetyltransferase (Manthorpe, M.) **267**, 57

Neurons
Adenosine receptors; Adenylate cyclase inhibition; Astrocytes (Ebersolt, C.) **267**, 123

R_β Neurons
Dorsal respiratory group; Antidromic activation; Phrenic motoneurons; EPSPs; Spike-triggered averaging; Cat (Lipski, J.) **288**, 105

Neuron-specific enolase
Rat; Striatum; Kainic acid; Glutamine synthetase; Glutamic acid decarboxylase (Francis, A.) **263**, 89

Hydroxyindole O-methyltransferase; S-100 Protein; Pineal gland (Kuwano, R.) **274**, 171

Neuron-specific protein
PGP 9.5; APUD cells; Enolase (Thompson, R.J.) **278**, 224

Neuron survival
Neuronotrophic factors; Motoneurons; Regeneration; Spinal cord neurons; Choline acetyltransferase (Manthorpe, M.) **267**, 57

Dopamine; Reaggregates; Substantia nigra; Neuronal culture (Hoffmann, P.C.) **274**, 275

Neuron variability
Unit activity; Olfactory bulb; Mitral cells; Unrestrained rat; Nutritional state (Pager, J.) **289**, 87

Neuropathology
Kainic acid; Amygdaloid lesions; Hippocampus; Epilepsy (Cavalheiro, E.A.) **262**, 201

Neuropathy
Axoplasmic transport; Smooth endoplasmic reticulum (Sahenk, Z.) **268**, 239

Neuropeptide
Oxytoxin; Vasopressin; Memory; L-prolyl-L-leucyl-Glycineamide (PLG); Chick (Davis, J.L.) **266**, 355

Aplysia ; Egg-laying hormone; Buccal ganglion; Identified motoneuron (Ram, J.L.) **288**, 177

Neuropeptide immunocytochemistry
Human brainstem; Substance P (Del Fiacco, M.) **264**, 142

Neuropeptide immunohistochemistry
Enkephalin precursors; Preproenkephalin; Brain opioid peptides (Bloch, B.) **263**, 251

Neuropeptides
Vasoactive intestinal polypeptide; Avian pancreatic polypeptide; Peripheral nervous system; Immunohistochemistry; Thiamine pyrophosphatase staining; Golgi apparatus (Johansson, O.) **262**, 71

Fornix; Hippocampus; Rat; Monkey; Man (Roberts, G.W.) **263**, 151

Spinal cord; Met^5-Enkephalin; Met^5-Enkephalin-Arg^6,Phe^7; Opioid peptide (Majane, E.A.) **264**, 336

Cholecystokinin; Nucleus tractus solitarius; Respiratory neurons; Iontophoresis (Morin, M.P.) **265**, 333

FMRFamide; Radioimmunoassay; Pancreactic polypeptide (Dockray, G.J.) **266**, 295

Arginine vasopressin; Convulsions; Hemorrhage (Burnard, D.M.) **273**, 59

Retina; Receptors; Neurotransmitters; Kainic acid; Acrylamide (Ali, S.F.) **274**, 115

Vasotocin; Synaptic membranes; Biotransformation; Proteolytic enzymes; Neurohypophyseal hormones (Wang, X.-C.) **275**, 83

Cholecystokinin; Gastrin; Radioimmunoassay; Biosynthesis; Axonal transport (Rehfeld, J.F.) **275**, 341

FMRF-amide; Immunohistochemistry; APP (Williams, R.G.) **276**, 213

Met-Enkephalin; Enkephalin release; Substance P; Periaqueductal gray matter; Striatum (Del Río, J.) **279**, 121

Substance P; Transmitter release; Synaptosomes (Floor, E.) **279**, 321

Neurophysin axon
Limbic system; Ventral tegmental area (Phillipson, O.T.) **258**, 33

Neurophysiology
Epiglottis; Superior laryngeal nerve; Chemoreception; Sheep (Bradley, R.M.) **276**, 81

Neuropile
Na$^+$,K$^+$ pump; Glial cells; Leech; Ouabain (Walz, W.) **267**, 93

Leech; Glial cells; Intracellular potassium activity (Schlue, W.R.) **270**, 368

Neuroreceptor cell
Olfaction; Electrophysiology; Salamander; Intracellular recording (Trotier, D.) **268**, 225

Neuroretina cell cultures
Tetanus toxin receptor; Glutamic acid decarboxylase; Action potentials; Clones; Quail (Pessac, B.) **275**, 53

Neurosecretion
Crayfish; Photoreception; Neurosecretory cells (Glantz, R.M.) **265**, 307

Neurosecretory cell
Insect; Adenosine 3',5'-monophosphate; Synaptic transmission (Orchard, I.) **258**, 152

Insect; Adenosine 3'5'-monophosphate; Hormone release; Adipokinetic hormone; Synaptic transmission (Orchard, I.) **288**, 349

Preoptic area; Paraventricular nucleus; Periventricular nucleus; Thermo-sensitive neuron; Thermo-regulation; Body fluid control (Matsumura, K.) **289**, 330

Neurosecretory cells
Neurosecretion; Crayfish; Photoreception (Glantz, R.M.) **265**, 307

Neurosecretory neurons
Subfornical organ; Supraoptic nucleus connections; Terminal degeneration (Renaud, L.P.) **275**, 365

Paraventricular nucleus neurons; Dorsomedial medulla; Carotid baroreceptors; Rat; Electrophysiology; Connection (Kannan, H.) **279**, 31

Neuro-steroids
Pregnenolone; Dehydroepiandrosterone; Sulfate-esters; Brain steroids (Corpéchot, C.) **270**, 119

Neurotensin
Dorsomedial thalamic nucleus; Afferent source (Inagaki, S.) **260**, 143

Nucleus raphe magnus; Somatostatin; Serotonin; Cholecystokinin (Beitz, A.J.) **261**, 132

Extra- and intracellular recording; Iontophoresis; Microperfusion; Spinal neurons (Stanzione, P.) **268**, 111

Dopamine; Coexistence; Arcuate nucleus; Immunohistochemistry; Fluorescence histochemistry; Rat (Ibata, Y.) **269**, 177

Central nervous system; Autonomic nervous system; Pituitary gland; Gastrointestinal tract; Radioimmunoassay; Gel chromatography (Goedert, M.) **272**, 291

Nervus ventromedialis hypothalami; Amygdaloid complex; Rat (Inagaki, S.) **273**, 229

Met-Enkephalin; Corpus striatum; Striosomes; Immunohistochemistry (Goedert, M.) **274**, 176

Dopamine; Release; Striatum; Rat (De Quidt, M.E.) **274**, 376

Cholecystokinin; Vasoactive intestinal polypeptide; Substance P; Somatostatin; Schizophrenia; Amygdala; Hippocampus (Roberts, G.W.) **288**, 199

Neurotoxicity
GABA system; Optic tectum; Kainic acid; Neuroexcitation (Contestabile, A.) **262**, 339

Amino-acid neurotransmitter; Muscle; Insect; Receptor; Excitotoxicity (Duce, I.R.) **263**, 77

Mercury; Methylmercury; Transmitter release; Neuromuscular junction (Miyamoto, M.D.) **267**, 375

Amphetamine; Slow-release pellet; Dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid (Ellison, G.) **268**, 387

Neurotoxicology
Lead neurotoxicity; Visual system; Muscarinic acetylcholine receptor; Acetylcholinesterase; Scopolamine supersensitivity; Developmental toxicology; Visual cortex (Costa, L.G.) **276**, 259

Neurotoxin
Acetylcholine receptor; Man; Neuromuscular junction; Muscle; Erabutoxin-b (Ishikawa, Y.) **266**, 159

α-Neurotoxin
Neuronal nicotinic receptor; Autonomic ganglia pharmacology; Ciliary ganglion (Chiappinelli, V.A.) **277**, 9

Neurotoxin
Retina; Somatostatin; Substance P; Dopamine; Kainic acid (Sagar, S.M.) **278**, 109

Spider venom; Glutamate; Receptor; Squid giant synapse (Kawai, N.) **278**, 346

Neurotoxins
Serotonin; Hypothalamus; 5,7-Dihydroxytryptamine; 6-Hydroxydopamine; Immunocytochemistry; Axotomy (Frankfurt, M.) **261**, 91

Neurotransmitter
L-Glutamic acid; Baroreceptor reflex; Nucleus tractus solitarius; Push-pull cannulae; Blood pressure (Granata, A.R.) **259**, 77

Substance P; Sensory neuropathy; Neurological mutants; Rat; *mf* Mutant (Scaravilli, F.) **263**, 147

Synapse; Glutamic acid; Antagonist; Hippocampus (Sawada, S.) **267**, 156

Carotid sinus nerve; Cardiovascular reflex; Nucleus tractus solitarii; Naloxone; Opiate receptor; Blood pressure; Heart rate (Miura, M.) **288**, 389

Neurotransmitter receptors
Glutamate; Hippocampus (Werling, L.L.) **276**, 344

Neurotransmitter release
3-Mercaptopropionic acid; Convulsants; Aspartate; Glutamate (Skerritt, J.H.) **258**, 165

Convulsants; Barbiturates; Aspartate; GABA; Ion channels (Skerritt, J.H.) **258**, 271

Amino acids; Human brain; Temporal neocortex; Alzheimer's disease (Smith, C.C.T.) **264**, 138

Amino acids; Human brain; Ageing (Smith, C.C.T.) **269**, 103

Synaptosomes; Microtubules; Taxol; Presynaptic terminal; Acetylcholine (Burgoyne, R.D.) **280**, 190

Neurotransmitters
Rat mediobasal hypothalamus; Iontophoresis; Extracellular recording; Cortisol (Mandelbrod, I.) **272**, 115

Somatostatin; Cerebral cortex; Cell culture; Amino acids (Robbins, R.J.) **273**, 374

Retina; Neuropeptides; Receptors; Kainic acid; Acrylamide (Ali, S.F.) **274**, 115

Lateral geniculate nucleus; Subnuclei (Mantyh, P.W.) **288**, 344

Nicotinamide adenine dinucleotide
Pyridine nucleotide; Hypoglycemia; Cerebral redox state; Cats (Bryan, R.M. Jr.) **279**, 266

Nicotinic ACh-receptor
Luteinizing hormone-releasing hormone; Sensitivity; Sympathetic ganglion cells; Skeletal muscle end-plates; Dose-response curve (Akasu, T.) **279**, 347

Nicotinic drugs
Dopamine release; Dopamine metabolism; Striatum; Lobeline; Acetylcholine; Methamphetamine; high K^+ stimulation (Takano, Y.) **279**, 330

Nicotinic receptor
Muscarinic receptor; Cholinergic receptor; Synapse; Modulation; Retina (Siman, R.G.) **262**, 99

Sensory ganglia; α-Bungarotoxin; Spinal cord; Axonal transport; Sciatic nerve; Dorsal roots (Ninkovic, M.) **272**, 57

Nicotinic receptors
Calcium dependent potassium conductance; Myenteric neuron (Tokimasa, T.) **263**, 57

Adrencorticotropin; Corticosterone; Prolactin; Acetylcholine; Antibodies (Weidenfeld, J.) **265**, 152

Insect neurones; Cultured neurones; Acetylcholine receptors; α-Bungarotoxin binding (Lees, G.) **288**, 49

Nictitating membrane reflex
Abducens nerve; Accessory abducens nucleus; Oculomotor control; Defensive reflexes; Retractor bulbi (Berthier, N.E.) **258**, 201

Nigrostriatal bundle
Turning; Head movement; Pontine reticular formation; Amphetamine; Apomorphine; Lesion; Labyrinthectomy (Sirkin, D.W.) **260**, 291

Acetylcholine; Acetylcholinesterase; Dopamine; Caudate-putamen; Striosomes; 6-Hydroxydopamine; Basal ganglia; Neostriatum (Marhsall, J.F.) **274**, 283

Nigro-striatal DA neurons
GM_1 Ganglioside; Hemitransection; Sprouting response; Immunohistochemistry (Toffano, G.) **261**, 163

Nigrostriatal pathway
Apomorphine; Cerebral blood flow; Iodoantipyrine; Caudate-putamen; Supersensitivity (Ingvar, M.) **262**, 259

Nigrostriatum
Rotational behavior; Enkephalin; Apomorphine; Amphetamine; Supersensitivity (Hirschhorn, I.D.) **270**, 109

Nigrotegmental
Substantia nigra; GABA; Pedunculopontine nucleus; Axonal transport; Glutamic acid decarboxylase; γ-vinyl-GABA (Childs, J.A.) **258**, 109

Nitrendipine
Calcium channels; Ontogeny; Mice; Heart; Brain (Erman, R.D.) **278**, 327

Nitrocellulose blot
Postsynaptic density; Glycoproteins; Concanavalin A; Cerebellum; Forebrain (Gordon-Weeks, P.R.) **277**, 380

Nitroimipramine binding sites
Imipramine binding sites; Rat brain; Quantitative autoradiography; LKB Ultrofilm (Rainbow, T.C.) **262**, 319

Nociception
dibutryryl cGMP; Morphine; Met-Enkephalin; Mesencephalic reticular formation (Hosford, D.A.) **258**, 147

Dorsal horn; Sensory neurotransmitters; L-glutamate; Substance P; Iontophoresis; Piperidine dicarboxylate (Salt, T.E.) **263**, 167

Capsaicin; Rat; Inferior alveolar nerve; Pulpal axons (Holje, L.) **266**, 133

Rat; Spinal cord; Serotonin (Maxwell, D.J.) **266**, 253

Paralemniscal reticular formation; Rat; Analgesia; Periaqueductal gray; HRP; Microiontophoresis; Norepinephrine (Hardy, S.G.P.) **267**, 217

Spinal dorsal horn; HRP; Immunocytochemistry; Serotonin; Descending inhibition; Cat (Hoffert, M.J.) **267**, 361

Dorsal horn; Medulla oblongata (Edeson, R.O.) **271**, 251

Substance P; Caudal trigeminal; Iontophoresis; Primary afferent transmitters (Salt, T.E.) **273**, 217

Dorsal horn neurons; Propriospinal neurons; Inhibition (Cadden, S.W.) **275**, 1

Nociceptive cells
Monoclonal antibody; Leech proteins; Immunoblots; Immunocytochemistry (Flaster, M.S.) **277**, 196

Nociceptive reflex
Fiber diameter; Human (Willer, J.-C.) **278**, 318

Nociceptor
Capsaicin; Conduction block; Cutaneous afferent; Cold receptor (Petsche, U.) **265**, 233

Cold receptor; Mechanoreceptor; C-Fiber; Sensitization; Rat (Fleischer, E.) **267**, 81

Polymodal receptor; Unitary discharges; Temperature effects; Secondary pain; Inflammation pain; Bradykinin; Hypertonic NaCl (Kumazawa, T.) **278**, 305

Deep innervation; Sural nerve; Pain (Chang, S.C.) **279**, 262

Nociceptors in humans
Heat increments; Pain thresholds (Robinson, C.J.) **274**, 87

Node of Ranvier
Rat retina; Nerve fiber layer; Non-myelinated axons; Müller cells (Hildebrand, C.) **258**, 23

Mutant mouse; Dystrophy; Myelin; Internode; Axon/Schwann cells; Morphometry; Peripheral nerve; Sensory nerve (Jaros, E.) **258**, 181

Nodes of Ranvier
Motorneurone sprouting; Motor endplates (Keynes, R.J.) **264**, 209

Nodose ganglion
Ricin; Wheat germ agglutinin (WGA); HRP; Axonal transport; Nucleus tractus solitarius; Caudate nucleus (Wiley, R.G.) **269**, 357

Substance P; Immunofluorescence; Vagus nerve; Superior cervical ganglion; Cross-anastomosis (Hayashi, H.) **270**, 178

Nucleus of the solitary tract; Autoradiography; Serotonin; Cat (Gaudin-Chazal, G.) **270**, 239

Nodulus
Acetylcholinesterase-rich neuron; Cerebellum; Flocular stalk (Kamei, I.) **258**, 115

Cerebellar cortex; Purkinje cell; Nuclear morphology; Nucleolar differences; Hamster neurons (LaVelle, F.W.) **265**, 119

Nomarski optics
Tissue cultured dorsal root ganglion cells; Colchicine; Disruption of microtubules; Axonal transport; Morphology (Horie, H.) **288**, 85

Non-equilibrium radioimmunoassay
Radioimmunoassay; Vasopressin; Vasopressin brain levels (Brinton, R.E.) **266**, 344

Non-myelinated axons
Rat retina; Nerve fiber layer; Node of Ranvier; Müller cells (Hildebrand, C.) **258**, 23

Non-opiate analgesia
Footshock induced analgesia; Opiate analgesia; Periaqueductal gray; Decerebration (Watkins, L.R.) **276**, 317

Non-oriented cells
Behaving monkeys; Extracellular recordings; Striate cortex; Corollary discharge; Movement perception (Galletti, C.) **260**, 128

Non-peptide opioid
β-Endorphin; cAMP; Hyperthermia; Naloxone-sensitive receptor; Peptide opioid; Prostaglandin; Transport system inhibitor (Kandasamy, S.B.) **265**, 63

Non-pyramidal neurons
Hippocampus; Commissural afferents; Golgi/EM method (Frotscher, M.) **265**, 289

Noradrenaline
5-Hydroxytryptamine; Spinal Ia termination; Ouabain (Curtis, D.R.) **258**, 328

Kainic acid; Reticular formation; Serotonin; Turning behavior; 6-Hydroxydopamine; 5,7-Dihydroxytryptamine (Porceddu, M.L.) **262**, 187

Ventral noradrenergic bundle; Endorphins; Core temperature; Food intake; Water intake; Open-field behaviour; Stress (Millan, M.J.) **263**, 283

Orbitofrontal cortex; Unit recording; Monkey; Microiontophoresis; Catecholamine; Dopamine; Reward (Aou, S.) **267**, 165

Compensatory collateral sprouting; Hippocampal formation; Acetylcholine (Gage, F.H.) **268**, 27

Compensatory collateral sprouting; Regeneration; Functional recovery; Cingulate cortex; Fimbria-fornix; Hippocampus; Acetylcholine; Serotonin; T-maze; Alternation behavior (Gage, F.H.) **268**, 39

Kindling; Anterior neocortex; 6-Hydroxydopamine; Experimental epilepsy (Altman, I.M.) **270**, 174

Cobalt-induced epilepsy; Serotonin uptake; Rat; Dihydroxyphenylethyleneglycol; 5-Hydroxyindoleacetic acid (Trottier, S.) **272**, 255

Dorsal noradrenergic bundle; Locus coeruleus; Spatial alternation; Selective attention; Place memory; Fear (Pisa, M.) **272**, 319

Locus coeruleus; Catecholamine metabolism; In vivo voltammetry; DOPAC (Buda, M.) **273**, 197

Locus coeruleus; Catecholamine metabolism; Voltammetry; DOPAC (Gonon, F.) **273**, 207

Morphine; Systemic injection; Nucleus reticularis gigantocellularis; Periaqueductal gray matter; Spinal cord; Pain; Serotonin (Kuraishi, Y.) **273**, 245

Parkinson's disease; Cortical areas; Hippocampus; Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; Serotonin; 5-Hydroxyindoleacetic acid (Scatton, B.) **275**, 321

Alzheimer-type dementia; Down's syndrome; Post-mortem brain; Dopamine; Choline acetyltransferase; Acetylcholinesterase (Yates, C.M.) **280**, 119

Dorsal horn; Ionophoresis; 5-Hydroxytryptamine (Todd, A.J.) **288**, 159

A1 Noradrenaline cell group
Nucleus ambiguus; Medulla oblongata; Cardiovascular regulation; Blood pressure; CNS catecholamines (Day, T.A.) **279**, 299

Noradrenaline-containing neurons
Adrenaline-containing neurons; Catecholamine synthesizing enzymes; Dopamine-β-hydroxylase; Medulla oblongata; Phenylethanolamine-N-methyltransferase; Brainstem; Tyrosine hydroxylase (Chamba, G.) **259**, 95

Adrenaline-containing neurons; Dopamine-β-hydroxylase; Medulla oblongata; Phenylethanolamine-N-methyltransferase; Tractus intermediolateralis; Tyrosine hydroxylase; 6-Hydroxydopamine (Fety, R.) **272**, 277

Noradrenaline-induced cAMP
Lithium; Human brain (Newman, M.) **278**, 380

Noradrenaline (re)uptake
Antidepressants; 5-Hydroxytryptamine (re)uptake; Brain slices (rat); Brain slices (human) post-mortem (Harms, H.H.) **275**, 99

Noradrenergic afferents
Hippocampus; N-(2-Chloroethyl)-N-ethyl-2-bromobenzylamine (DSP4) (Dunwiddie, T.V.) **269**, 311

Noradrenergic innervation
Spinal cord; Dopaminergic innervation; Development; Fetus; Neonate (Commissiong, J.W.) **264**, 197

Noradrenergic neuron
Nucleus tractus solitarius; Locus coeruleus; Single-unit recording (Moore, S.D.) **263**, 211

α_2-Adrenoceptors; Afterhyperpolarization; Calcium; intracellular EGTA; Locus coeruleus; Potassium (Aghajanian, G.K.) **273**, 237

A1 Noradrenergic neurons
Estrogen; Spike dissociation; Post-stimulus inhibition; 6-Hydroxydopamine (Kaba, H.) **274**, 156

Noradrenergic neurons
Nucleus tractus solitarius; α-2 Adrenergic receptors; Iontophoresis (Moore, S.D.) **276**, 188

α-Noradrenergic pathway
Lateral hypothalamic area; Glucose-sensitive neuron; Hepatic portal vein; Glucose-sensitive unit; Feeding behavior; Vagal afferent (Shimizu, N.) **265**, 49

Noradrenergic systems
Cardiovascular regulation; $[^{14}C]$2-Deoxyglucose; Medulla; Hypothalamus; Habenula (Savaki, H.E.) **271**, 109

Noreadrenaline
Adrenaline; Dopamine; Stress; Rat brain (Sudo, A.) **276**, 372

Noredrenaline
Immobilization stress; 3-Methoxy-4-hydroxyphenylethyleneglycol sulfate; Morphine; Naloxone; Brain regions (rat); Hyperemotionality; Corticosterone (Tanaka, M.) **275**, 105

Norepinephrine
Regional distribution; Dopamine; Cerebral arteries; Pre- or postganglionic sympathetic denervation; High-performance liquid chromatography (Suzuki, Y.) **258**, 53

Dorsal bundle; Extinction effect; Gustatory neophobia (Tombaugh, T.N.) **261**, 231

Primary brain cultures; Dopamine; Radioenzymatic assay; Fluorescence (Sumners, C.) **264**, 267

Pineal; Hydroxyindole-O-methyltransferase; Adrenergic stimulation; Isoproterenol (Sugden, D.) **265**, 348

Amphetamine; Catecholamines; Hypothalamus; Dopamine; Epinephrine (Leibowitz, S.F.) **266**, 348

Pineal gland; β-Receptors; Continuous light; Isoproterenol (Heydorn, W.E.) **267**, 175

Paralemniscal reticular formation; Rat; Nociception; Analgesia; Periaqueductal gray; HRP; Microiontophoresis (Hardy, S.G.P.) **267**, 217

Ischemia; Histamine; cAMP; Adenylate cyclase; Adenosine; Pyramidal neurons (Karnushina, I.) **268**, 87

Olfactory cortex; Dopamine; 6-Hydroxydopa; Odor preference (Cornwell-Jones, C.A.) **268**, 291

Sympathetic innervation; Central noradrenergic projections; Sprouting; Habenula; Partial deafferentation; Adult rat (Gottesfeld, Z.) **268**, 359

Thalamus; Dopamine (Oke, A.) **269**, 180

α-Adrenergic receptor; Depolarization; Astrocyte cultures (Hirata, H.) **270**, 358

Corticotropin-releasing factor; Locus coeruleus; Pituitary; Peptide hormone; Stress; Hypothalamus; Median eminence (Valentino, R.J.) **270**, 363

α_1-Adrenoceptor; Lateral geniculate; Microiontophoresis; Single unit; Receptor binding; Denervation; Supersensitivity (Menkes, D.B.) **272**, 1

Hippocampus; Plasticity; Dentate gyrus (Neuman, R.S.) **273**, 162

Dopamine; Hypothalamus; Obese mice; Paraventricular nucleus; Lateral hypothalamus; Arcuate nucleus; Obesity (Oltmans, G.A.) **273**, 369

Locus coeruleus; Impulse conduction; Antidromic activation (Segal, M.) **274**, 381

Habenula; Deafferentation; Sympathetic innervation; Central noradrenergic projections; Rat (Gottesfeld, Z.) **275**, 299

Phenylethanolamine-N-methyltransferase; Catecholamines; Epinephrine; Hypothalamic nuclei; Midbrain transections; Rat brain (Saavedra, J.M.) **276**, 367

Electrochemistry; Dorsal raphe nucleus; Serotonin; 5-Hydroxyindole acetic acid; Urethane-anesthetized rats (Echizen, H.) **277**, 55

Uptake; Release; Rat globus pallidus (Fujiwara, H.) **279**, 127

Dorsal raphe nucleus; Serotonergic neurons; Brain slices; Extracellular recording; Intracellular recording; LSD; α_1-Adrenoreceptors (Vandermaelen, C.P.) **289**, 109

Primary astroglial culture; Autoradiography; GABA; Glutamate; Aspartate; Dopamine; Serotonin; Enkephalin; Valine (Hansson, E.) **289**, 189

Regeneration; Axonal transport; Dopamine-β-hydroxylase; Tyrosine hydroxylase; 6-Hydroxydopamine; Locus coeruleus; Norepinephrine uptake (Levin, B.E.) **289**, 205

Norepinephrine, biochemical effects
Na^+,K^+-ATPase; α-Adrenergic receptors; β-Adrenergic receptors; Yohimbine; Prazosin; Propranolol (Swann, A.C.) **260**, 338

Norepinephrine uptake
Synaptosomes; Estradiol-17β; Estradiol-17α; Ethinylestradiol; Catecholestrogens; Methylestrogens (Ghraf, R.) **277**, 163

Regeneration; Axonal transport; Norepinephrine; Dopamine-β-hydroxylase; Tyrosine hydroxylase; 6-Hydroxydopamine; Locus coeruleus (Levin, B.E.) **289**, 205

Novelty-induced behavior
Hippocampus; Corticosterone receptors; Kainic acid lesion (Nyakas, C.) **288**, 219

Noxious inhibitory controls
Rat; Spinal cord; Dorsal horn; Somatosensory; Inhibition; non-Segmental inhibition; Time-course; Anesthetic; Pain (Tomlinson, R.W.W.) **279**, 291

Nuclear morphology
Cerebellar cortex; Nodulus; Purkinje cell; Nucleolar differences; Hamster neurons (LaVelle, F.W.) **265**, 119

Nuclei
Cerebrum; Liver; Triiodothyronine; Receptor; Pathological conditions (Thrall, C.L.) **279**, 177

Nuclei insulae cuneati lateralis
Hibernation; Paratrigeminal nucleus; 2-Deoxyglucose; Thermoafferent pathway (Kilduff, T.S.) **262**, 117

Nucleo-cortical neurones
Cerebellum; Retrograde fluorescent double-labelling (Payne, J.N.) **271**, 141

Nucleolar differences
Cerebellar cortex; Nodulus; Purkinje cell; Nuclear morphology; Hamster neurons (LaVelle, F.W.) **265**, 119

Nucleoprotein biosynthesis
Nerve regeneration; Protein biosynthesis; Endoplasmic reticulum; Golgi apparatus; Cell membrane (Whitnall, M.H.) **272**, 49

5’-Nucleotidase
Shiverer mouse; Myelin; Myelin basic protein; Myelin proteolipid protein; 2’,3’-Cyclic nucleotide-3’-phosphohydrolase; Carbonic anhydrase (Cammer, W.) **265**, 73

Nucleus accumbens
Apomorphine; Area postrema; Taste aversion (Van der Kooy, D.) **259**, 111

Substantia nigra; Striatum; Globus pallidus lesions (Scarnati, E.) **265**, 249

Dopamine binding sites; Striatum; D-Amphetamine; Phencyclidine (Robertson, H.A.) **267**, 179

D-Amphetamine; Neuronal activity; Liquid chromatography; Neostriatum (Alloway, K.D.) **273**, 71

Nucleus ambiguus
Brainstem; Respiratory neurons; Accessory respiratory motoneurons; Retroambigualis; HRP (Bystrzycka, E.K.) **266**, 183

Central respiratory control; Antidromic activation; Motor nucleus (Delgado-García, J.M.) **277**, 231

A1 Noradrenaline cell group; Medulla oblongata; Cardiovascular regulation; Blood pressure; CNS catecholamines (Day, T.A.) **279**, 299

Nucleus basalis
Diagonal band; Cerebral cortex; Fluorescent axonal tracers; Axonal collaterals (Price, J.L.) **269**, 352

Nucleus basalis of Meynert
Senile dementia of Alzheimer type; Aging; Human hippocampus; Human cortex; Human medial septum; Choline acetyltransferase; Acetylcholinesterase (Henke, H.) **267**, 281

Basal ganglia; Globus pallidus; HRP; Striatum; Wheat germ agglutinin (Jayaraman, A.) **275**, 279

Nucleus centralis
Amygdala; Dopamine release (Charriere, B.) **271**, 386

Nucleus circularis
Brattleboro rat; Metabolic activity; Cytochrome oxidase histochemistry; Paraventricular nucleus; Supraoptic nucleus (Krukoff, T.L.) **280**, 160

Nucleus interpeduncularis
Acetylcholine; Choline acetyltransferase; GABA; Glutamate decarboxylase; Habenula; Septum; Nucleus triangularis septi; Nucleus septo-fimbrialis (Contestabile, A.) **275**, 287

Nucleus isthmi
Nucleus profundus mesencephali; Optic tectum; HRP; Golgi-Cox method; Single cell recordings; Cobalt staining; Lizard (Wang, S.-R.) **275**, 355

Nucleus laterodorsalis tegmenti
Substance P; Medial frontal cortex (Sakanaka, M.) **259**, 123

Nucleus locus coeruleus
Deoxycorticosterone acetate salt; Electrical stimulation; Lesioning; Hypertension (Chida, K.) **273**, 53

Nucleus medianus raphe
Locomotor activity; Limbic-midbrain region; Serotonin; Behavior; 5,7-Dihydroxytryptamine (Asin, K.E.) **268**, 211

Nucleus of Darkschewitsch
Motor cortex; Inferior olive; Cat; HRP; Electron microscopy (Nakamura, Y.) **274**, 140

Nucleus of the basal optic root projections
Visual Wulst; Pigeon; Orthograde optical/electron microscope techniques (Rio, J.P.) **271**, 145

Nucleus of the solitary tract
Vasopressin; Oxytocin; Substance P; Enkephalin; Blood pressure (Voorn, P.) **270**, 169

Glucoprivic feeding; Area postrema; Angiotensin II; Drinking (Bird, E.) **270**, 193

Nodose ganglion; Autoradiography; Serotonin; Cat (Gaudin-Chazal, G.) **270**, 239

Anteroventral third ventricular region (AV3V); Subfornical organ; Median preoptic nucleus; Paraventricular nucleus; Parabrachial nucleus (Saper, C.B.) **288**, 21

Area postrema; Food intake; Capsaicin; Feeding behavior; Drinking behavior (South, E.H.) **288**, 243

Nucleus of the tractus solitarius
Slices; Medulla oblongata; Rhythmic activity (Champagnat, J.) **280**, 155

Nucleus profundus mesencephali
Nucleus isthmi; Optic tectum; HRP; Golgi-Cox method; Single cell recordings; Cobalt staining; Lizard (Wang, S.-R.) **275**, 355

Nucleus raphe alatus
Footshock induced analgesia; Classically conditioned analgesia; Nucleus raphe magnus; Nucleus reticularis; Paragigantocellularis (Watkins, L.R.) **276**, 305

Nucleus raphe magnus
5-Hydroxytryptamine; Analgesia (Llewelyn, M.B.) **258**, 59

Stimulation-produced analgesia; Pain; Analgesia; Periaqueductal gray matter; Opioid peptides (Prieto, G.J.) **261**, 53

Somatostatin; Neurotensin; Serotonin; Cholecystokinin (Beitz, A.J.) **261**, 132

Analgesia; Nucleus reticularis paragigantocellularis; L-Glutamate; Descending noradrenergic system; Descending serotonergic system (Satoh, M.) **261**, 361

Opioid peptides; Analgesia; Stress analgesia; Morphine; Brainstem (Cannon, J.T.) **269**, 231

Pain; Analgesia; Nucleus reticularis paragigantocellularis; Morphine; Microinjection (Heinricher, M.M.) **272**, 382

Footshock induced analgesia; Classically conditioned analgesia; Nucleus reticularis; Paragigantocellularis; Nucleus raphe alatus (Watkins, L.R.) **276**, 305

Locus coeruleus; Dorsal horn; Deafferentiation (Hodge, C.J. Jr.) **288**, 325

Primary afferent depolarization; Tooth pulp; Reticular formation; Serotonin; GABA; Opioid peptides (Lovick, T.A.) **289**, 135

Nucleus reticularis
Footshock induced analgesia; Classically conditioned analgesia; Nucleus raphe magnus; Paragigantocellularis; Nucleus raphe alatus (Watkins, L.R.) **276**, 305

Nucleus reticularis gigantocellularis
Spinal trigeminal nucleus; Axon collaterals; Raphe magnus; Brainstem (Beitz, A.J.) **258**, 305

Morphine; Systemic injection; Periaqueductal gray matter; Spinal cord; Pain; Noradrenaline; Serotonin (Kuraishi, Y.) **273**, 245

Nucleus reticularis paragigantocellularis
Analgesia; Nucleus raphe magnus; L-Glutamate; Descending noradrenergic system; Descending serotonergic system (Satoh, M.) **261**, 361

Pain; Analgesia; Nucleus raphe magnus; Morphine; Microinjection (Heinricher, M.M.) **272**, 382

Periaqueductal gray; Raphe magnus; Spinal trigeminal nucleus (Beitz, A.J.) **288**, 307

Nucleus reticularis thalami
Ventrobasal complex; Electron microscopy; Kainic acid (Peschanski, M.) **270**, 325

Nucleus retroambigualis
Respiratory neurones; Bötzinger complex; Spike-triggered averaging; Post-synaptic potentials; Nucleus tractus solitarius (Merrill, E.G.) **263**, 43

Nucleus rotundus
Turtle; Difference threshold; Reptiles; Vision (Schade Powers, A.) **264**, 47

Nucleus septo-fimbrialis
Acetylcholine; Choline acetyltransferase; GABA; Glutamate decarboxylase; Habenula; Nucleus interpeduncularis; Septum; Nucleus triangularis septi (Contestabile, A.) **275**, 287

Nucleus tractus solitarii
Met-Enkephalin; Leu-Enkephalin; D-Ala^2-Met^5-Enkephalin; Blood pressure; Met-Enkephalin antiserum; Naloxone (Petty, M.A.) **260**, 322

Yohimbine; Blood pressure (Tung, C.-S.) **277**, 193

Carotid sinus nerve; Cardiovascular reflex; Neurotransmitter; Naloxone; Opiate receptor; Blood pressure; Heart rate (Miura, M.) **288**, 389

Nucleus tractus solitarius
L-Glutamic acid; Baroreceptor reflex; Push-pull cannulae; Neurotransmitter; Blood pressure (Granata, A.R.) **259**, 77

Respiratory neurones; Bötzinger complex; Spike-triggered averaging; Post-synaptic potentials; Nucleus retroambigualis (Merrill, E.G.) **263**, 43

Locus coeruleus; Noradrenergic neuron; Single-unit recording (Moore, S.D.) **263**, 211

Neuropeptides; Cholecystokinin; Respiratory neurons; Iontophoresis (Morin, M.P.) **265**, 333

Ricin; Wheat germ agglutinin (WGA); HRP; Axonal transport; Nodose ganglion; Caudate nucleus (Wiley, R.G.) **269**, 357

Pain; Naloxone; Morphine; Area postrema; EEG activity; Cortical synchronization (Bronzino, J.D.) **271**, 33

Noradrenergic neurons; α-2 Adrenergic receptors; Iontophoresis (Moore, S.D.) **276**, 188

Adreno cortical tropic hormone; β-Endorphin; Reticular formation; Brainstem; Immunohistochemistry (Schwartzberg, D.G.) **276**, 351

Radioautography; Immunocytochemistry; Vagal afferents; Tyrosine hydroxylase; Synaptic interaction (Sumal, K.K.) **277**, 31

Brainstem; Blood pressure; Cerebral blood vessels (Koda, L.Y.) **289**, 71

Nucleus triangularis septi
Acetylcholine; Choline acetyltransferase; GABA; Glutamate decarboxylase; Habenula; Nucleus interpeduncularis; Septum; Nucleus septo-fimbrialis (Contestabile, A.) **275**, 287

Nutritional state
Unit activity; Olfactory bulb; Mitral cells; Unrestrained rat; Neuron variability (Pager, J.) **289**, 87

Nystagmus
Otolith organs; Semicircular canals; Velocity storage; Labyrinth; Vestibulo-ocular reflex (Cohen, B.) **276**, 159

Vestibulo-ocular reflex; Semicircular canals; Otolith organs; Coriolis force; Pitch; Velocity storage (Raphan, T.) **276**, 165

Eye movements; Vestibulo-ocular reflex; Cervico-ocular reflex (Böhmer, A.) **277**, 241

O

Obese mice
Norepinephrine; Dopamine; Hypothalamus; Paraventricular nucleus; Lateral hypothalamus; Arcuate nucleus; Obesity (Oltmans, G.A.) **273**, 369

Obesity
Norepinephrine; Dopamine; Hypothalamus; Obese mice; Paraventricular nucleus; Lateral hypothalamus; Arcuate nucleus (Oltmans, G.A.) **273**, 369

Occlusion
Bicuculline; Dorsal root potentials; Background potentials (Mokha, S.S.) **259**, 313

Octavolateralis area of the medulla
Lateral line nerve; Eighth nerve; Lateralis branchlet; Teleost (McCormick, C.A.) **265**, 177

Octopamine
Lumbricus; Blood; Ventral nerve cord; Biosynthesis; Modulation (Tanaka, K.R.) **260**, 160

Catecholamines; Rat strains; Intracerebroventricular injections; Avoidance conditioning (Delacour, J.) **288**, 169

Ocular dominance
[^{14}C]2-Deoxyglucose; Visual cortex; Cat (Tieman, S.B.) **267**, 35

Ocular dysmetria
Cerebellar vermis; Microstimulation; Saccadic eye movements; Intrasaccadic stimulation; Monkey (Keller, E.L.) **288**, 131

Oculomotor complex
Substance P; Edinger-Westphal nucleus; Ciliary ganglion (Maciewicz, R.) **270**, 217

Abducens internuclear neurons; Vestibular nuclei; Vestibulo-oculomotor projections (Carpenter, M.B.) **274**, 144

Oculomotor control
Abducens nerve; Accessory abducens nucleus; Defensive reflexes; Retractor bulbi; Nictitating membrane reflex (Berthier, N.E.) **258**, 201

Oculomotor internuclear pathway
Double labeling; Oculomotor nuclei; Abducens nucleus (Maciewicz, R.) **262**, 1

Oculomotor maps
Superior colliculus; Striate cortex, prestriate; Inferior parietal (Keating, E.G.) **269**, 145

Oculomotor nuclei
Oculomotor internuclear pathway; Double labeling; Abducens nucleus (Maciewicz, R.) **262**, 1

Oculomotor nucleus
Edinger-Westphal nucleus; Pretectum; Retrograde tracers; Olivary pretectal nucleus (Breen, L.A.) **261**, 303

Odor
Olfaction (intravascular/hematogenic); Blood-borne odorant; Olfactory receptors (Maruniak, J.A.) **265**, 312

Odorant
Olfactory bulbar response; Amino acid; Receptor potential; Carp; Rainbow trout; Bullfrog (Yoshii, K.) **274**, 239

Odor preference
Norepinephrine; Olfactory cortex; Dopamine; 6-Hydroxydopa (Cornwell-Jones, C.A.) **268**, 291

Olfaction
Electrophysiology; Salamander; Neuroreceptor cell; Intracellular recording (Trotier, D.) **268**, 225

Trigeminal receptors; Food aversion; Starlings; Methiocarb; Phenethyl alcohol (Mason, J.R.) **269**, 196

Olfaction (intravascular/hematogenic)
Blood-borne odorant; Olfactory receptors; Odor (Maruniak, J.A.) **265**, 312

Olfactory bulb
Angiotensin II; Dipsogenesis; Peptide (Chen, F.-C.M.) **259**, 335

Neuronal cell culture; Antimitotic drugs (Burry, R.W.) **261**, 261

Bimodal and trimodal spike latencies; Repetitive spikes; Centripetal axon collaterals; Collision test; Collision time (Westecker, M.E.) **288**, 119

Cholecystokinin receptor; Food deprivation; Cholecystokinin octapeptide; Hypothalamus; Midbrain (Finkelstein, J.A.) **288**, 193

Unit activity; Mitral cells; Unrestrained rat; Nutritional state; Neuron variability (Pager, J.) **289**, 87

Olfactory bulbar response
Amino acid; Odorant; Receptor potential; Carp; Rainbow trout; Bullfrog (Yoshii, K.) **274**, 239

Olfactory cortex
Presynaptic excitatory amino acid receptors; Amino acid release (Collins, G.G.S.) **265**, 157

Norepinephrine; Dopamine; 6-Hydroxydopa; Odor preference (Cornwell-Jones, C.A.) **268**, 291

Olfactory marker protein
Olfactory neurons; Neuronal target; Regeneration (Monti Graziadei, G.A.) **262**, 303

Olfactory neurons
Olfactory marker protein; Neuronal target; Regeneration (Monti Graziadei, G.A.) **262**, 303

Transplantation (Morrison, E.E.) **279**, 241

Olfactory receptors
Olfaction (intravascular/hematogenic); Blood-borne odorant; Odor (Maruniak, J.A.) **265**, 312

Olfactory system
Amygdala; Bed nucleus of the stria terminalis; Medial preoptic-anterior hypothalamic area; Vomeronasal system; Hamster (Lehman, M.N.) **268**, 139

Oligodendrocyte
Myelin sheath (Friedrich, V.L. Jr.) **274**, 329

2':3'-Cyclic nucleotide 3'-phosphodiesterase; Immunofluorescent microscopy; Bovine cerebrum (Sheedlo, H.J.) **288**, 330

Immuno response gene associated antigen (Ia); Schwann cells (Lisak, R.P.) **289**, 285

Oligodendrocytes
Extracellular matrix; Differentiation in vitro (Lubetzki-Korn, I.) **267**, 151

Galactocerebroside; Brain cell culture; Hypomyelination; Jimpy mutant (Bologa, L.) **275**, 369

Oligodendroglia
Long-term culture; Immunocytochemistry; Morphology; Myelin antigens; Galactocerebroside; Myelin basic protein; Cell isolation (Norton, W.T.) **270**, 295

Oligodendroglial cells
Myelin; Myelin proteins; P_o Protein; Shark; Immunoblotting; Schwann cells (Tai, F.L.) **278**, 350

Olivary pretectal nucleus
Edinger-Westphal nucleus; Oculomotor nucleus; Pretectum; Retrograde tracers (Breen, L.A.) **261**, 303

Pretectum; Facial nucleus; Blink reflex; Dazzle reflex; Menace reflex; HRP; Cat (Itoh, K.) **274**, 332

Olivocerebellar projection
Climbing fibers; Rat; [^{3}H]Leucine; [^{3}H]Methionine; 3-Acetylpyridine (Campbell, N.C.) **275**, 215

Topography; Rat; Sagittal zones; Unilateral projection (Campbell, N.C.) **275**, 235

Olivocerebellar projections
Autoradiography; Staggerer mutant mouse (Dupont, J.-L.) **270**, 330

Ontogeny
Benzodiazepine binding; Triazolopyridazine; Cortex; Hippocampus; Cerebellum; Binding subtypes (Chisholm, J.) **267**, 388

Calcium channels; Nitrendipine; Mice; Heart; Brain (Erman, R.D.) **278**, 327

Open channel blocker
Glutamate; Caroverine; Crayfish neuromuscular junction (Ishida, M.) **266**, 174

Glutamate; Chlorisondamine; Excitatory transmitter; Crayfish neuromuscular junction (Shinozaki, H.) **273**, 325

Open-field behaviour
Noradrenaline; Ventral noradrenergic bundle; Endorphins; Core temperature; Food intake; Water intake; Stress (Millan, M.J.) **263**, 283

Operant conditioning of neural activity
Somatosensory evoked potential; Trigeminal; Pain (Dowman, R.) **269**, 111

Opiate
Reward; Ventral tegmental area (Britt, M.D.) **258**, 105

Phencyclidine; Receptor; σ Opiate; Binding assay (Zukin, S.R.) **258**, 277

σ Opiate
Phencyclidine; Receptor; Opiate; Binding assay (Zukin, S.R.) **258**, 277

Opiate
Enkephalin; Naloxazone; Analgesia; μ-Receptor; δ-Receptor (Ling, G.S.F.) **271**, 152

Opiate analgesia
Footshock induced analgesia; Non-opiate analgesia; Periaqueductal gray; Decerebration (Watkins, L.R.) **276**, 317

Opiate antagonist
Acetylcholine receptor; Ion channel; Naltrexone methyl bromide; Local anesthetic (Argentieri, T.M.) **277**, 377

Adrenergic antagonists; Luteinizing hormone; Hypothalamus; Opiate receptors; Monoamines; Rats (Blank, M.S.) **279**, 153

Opiate antagonists: naloxone
Brain, metabolism: regional; Glucose utilization: local; Autoradiography; γ-Hydroxybutyrate (Crosby, G.) **275**, 194

Opiate binding
Dihydromorphine; Enkephalins (Yaksh, T.L.) **268**, 119

Opiate receptor
Enkephalin; Endorphin; Monosodium glutamate; Hypothalamus; Pain-opiate antagonist (Simantov, R.) **262**, 168

β-Endorphin; Morphine; Enkephalin; Autoradiography (Goodman, R.R.) **288**, 334

Carotid sinus nerve; Cardiovascular reflex; Neurotransmitter; Nucleus tractus solitarii; Naloxone; Blood pressure; Heart rate (Miura, M.) **288**, 389

Naltrexone; Morphine; α-Adrenergic receptor; Locus coeruleus; Receptor supersensitivity (Bardo, M.T.) **289**, 223

Opiate receptors
Aging; Met-Enkephalin (Missale, C.) **262**, 160

Spinal cord; μ-, δ, κ-Types; [^{3}H]Diprenorphine; [^{3}H]RX 78006 (H-Tyr-D-Ala-Gly-MePhe-NH $(CH_2)_2OH$); Sequential displacement; Human (Członkowski, A.) **267**, 392

Lanthanum; Central gray; Pain; Analgesia; Naloxone (Rosenfeld, J.P.) **268**, 189

Adrenergic antagonists; Opiate antagonist; Luteinizing hormone; Hypothalamus; Monoamines; Rats (Blank, M.S.) **279**, 153

Opiate receptors localization
Serotonin terminals; Striatum; 5-Serotonin release (Parenti, M.) **280**, 317

Opiatergic projections
Habenula; Radioimmunohistochemistry (McLean, S.) **278**, 255

Opiates
Striatum; Naloxone; Dopamine; Substantia nigra (Chesselet, M.F.) **258**, 229

Endogenous opioids; Convulsant action; Anticonvulsant action; Naloxone (Urca, G.) **259**, 103

Analgesia; Stress; Naloxone; Amphibian (Pezalla, P.D.) **278**, 354

σ Opiates
Long-term potentiation; Hippocampus; Phencyclidine (Stringer, J.L.) **280**, 127

Opiates
Periaqueductal gray; Immunoreactive enkephalin; Pain control; Analgesia (Moss, M.S.) **289**, 27

Analgesia; Pharmacokinetics; Pain (Levine, J.) **289**, 391

Opiocortin
Adrenocorticotropin immunoreactivity; Arcuate nucleus; Hypothalamic adrenocorticotropin (Kiss, J.Z.) **263**, 14

Adreno cortical tropic hormone$_{1\text{-}39}$; Catecholamine; Immunocytochemistry; Brainstem; Rat (Romagnano, M.A.) **276**, 1

Opioid
Aging; Analgesia; Diurnal rhythm; Light-dark cycle; Morphine; Thermal stimulus (Kavaliers, M.) **279**, 387

Opioid-mediation
Analgesia; Pregnancy (Gintzler, A.R.) **277**, 186

Opioid neurons
Methionine-enkephalin; Cerebral nuclei; Development; Spontaneously hypertensive rats (Nakamura, K.) **271**, 21

Opioid peptide
Spinal cord; Met^5-Enkephalin; Met^5-Enkephalin-Arg^6,Phe^7; Neuropeptides (Majane, E.A.) **264**, 336

Opioid peptides
Stress analgesia; Tolerance; Cross-tolerance (Terman, G.W.) **260**, 147

Stimulation-produced analgesia; Pain; Analgesia; Nucleus raphe magnus; Periaqueductal gray matter (Prieto, G.J.) **261**, 53

Analgesia; Dorsolateral funiculus; Stress analgesia; Footshock-induced analgesia; Pain (Lewis, J.W.) **267**, 139

Nucleus raphe magnus; Analgesia; Stress analgesia; Morphine; Brainstem (Cannon, J.T.) **269**, 231

Naltrexone; Scopolamine; Analgesia; Stress analgesia; Oxotremorine (Lewis, J.W.) **270**, 289

Endorphins; Enkephalin; Dynorphin; pro-Opiomelanocortin; Adrenocorticotropic hormone; Immunocytochemistry; Hypothalamus (McGinty, J.F.) **278**, 145

Substantia gelatinosa; Single unit recording; adult Rat spinal cord in vitro; Microiontophoresis; Amino acid neurotransmitters (Zieglgänsberger, W.) **279**, 316

Dynorphin; Substance P; Human spinal cord/spinal ganglia; Radioimmunoassay (Przewłocki, R.) **280**, 95

Primary afferent depolarization; Tooth pulp; Nucleus raphe magnus; Reticular formation; Serotonin; GABA (Lovick, T.A.) **289**, 135

Opioids
Naloxone; Control of breathing (Wheeler, M.E.) **258**, 343

Ethanol; Endorphin-containing systems; Guinea pig (Gintzler, A.R.) **269**, 391

Pain; Thalamus; Brain stimulation (Benabid, A.L.) **280**, 217

pro-Opiomelanocortin
Endorphins; Enkephalin; Dynorphin; Adrenocorticotropic hormone; Opioid peptides; Immunocytochemistry; Hypothalamus (McGinty, J.F.) **278**, 145

Optical density ratios
Local cerebral glucose utilization; 2-Deoxyglucose; Neuroanatomical mapping (Sharp, F.R.) **263**, 97

Hypothermia; Brachium conjunctivum; 2-Deoxyglucose; White matter activation (Kilduff, T.S.) **269**, 168

Optically-induced strabismus
Visual field; Esotropia; Unilateral fixation; Alternating fixation; Binocularity; Cats (Elberger, A.J.) **268**, 147

Optical monitoring
Cell size; Cell number; Gastropod molluscs (Boyle, M.B.) **266**, 305

Optic fibers
Retinal projection; Lateroposterior nucleus; Pulvinar nucleus; Cat; HRP (Itoh, K.) **276**, 325

Optic nerve
Goldfish; Regeneration; Protein; 2-D Gel electrophoresis (Quitschke, W.) **258**, 69

Retrograde transport; N-succinimidyl [^{3}H]Propionate; Retinal ganglion cell (Williams, L.R.) **259**, 207

Optic tract; *Rana pipiens*; Topographic organization; Axonal guidance; Fiber-filling; HRP (Scalia, F.) **266**, 121

Regeneration; Frog; Influence of lesion site (Humphrey, M.F.) **269**, 153

Goldfish; Regeneration; X-irradiation; Proliferation (Neuman, D.) **272**, 237

Axonal transport; cAMP; Cycloheximide; Nerve regeneration; Proteins; Retinal ganglion cell (McQuarrie, I.G.) **279**, 377

Optic pathway
Neurofilaments; Mouse; Proteolysis; Posttranslational modification; Retinal ganglion cells; Cytoskeletal proteins; Calcium (Nixon, R.A.) **275**, 384

Optic tectum
GABA system; Kainic acid; Neuroexcitation; Neurotoxicity (Contestabile, A.) **262**, 339

Stimulation; Dendrite; Spine; Fish (Burgess, J.W.) **266**, 217

Receptive fields; Visual wulst cooling; Pigeon (Leresche, N.) **267**, 225

Inhibition; Visual physiology; GABA; Picrotoxin; Bicuculline (Sajovic, P.) **271**, 227

Goldfish; Retina; Topography; Cobalt; Optic tract (Springer, A.D.) **273**, 152

Nucleus isthmi; Nucleus profundus mesencephali; HRP; Golgi-Cox method; Single cell recordings; Cobalt staining; Lizard (Wang, S.-R.) **275**, 355

Optic tract
Optic nerve; *Rana pipiens*; Topographic organization; Axonal guidance; Fiber-filling; HRP (Scalia, F.) **266**, 121

Goldfish; Retina; Topography; Cobalt; Optic tectum (Springer, A.D.) **273**, 152

Optokinetic nystagmus
Vestibular nystagmus; Velocity storage; Eye movements (Demer, J.L.) **276**, 173

Albino rabbit; Misrouting; Pretectal nuclei; Autoradiography (Klooster, J.) **288**, 1

Oral-facial behavior
Facial nucleus; Brainstem; Reticular formation; Facial reflexes (Panneton, W.M.) **267**, 19

Orbitofrontal cortex
Unit recording; Monkey; Microiontophoresis; Catecholamine; Noradrenaline; Dopamine; Reward (Aou, S.) **267**, 165

Acetylcholine; Unit activity; Monkey; Microiontophoresis; Feeding behavior (Aou, S.) **275**, 178

Organ culture
Axotomy; Fluorescent dye irradiation; Identified molluscan neurons; Neurite outgrowth; Video fluorescence microscopy (Cohan, C.S.) **270**, 93

Organic acid transport
Blood; CSF barrier; Choroid plexus; 2,4-Dichlorophenoxyacetic acid; Reye's syndrome (Kim, C.S.) **259**, 340

Organotypic cultures
Myelin; Mutant mice; Hypomyelination (Billings-Gagliardi, S.) **268**, 255

Purkinje cell dendrites; intracellular HRP; Computer microscope; Quantitative morphology; Discriminant analysis (Calvet, M.-C.) **280**, 199

Orientation
Sleep-waking; Substantia nigra; Dopamine; Unit activity; Sensory stimulation; Cat; Behavior (Steinfels, G.F.) **258**, 217

Origin of cells
Caudal medulla; Trigeminothalamic projections (Shigenaga, Y.) **277**, 201

Ornithine decarboxylase
Glucocorticoids; Hippocampus lesion (De Kloet, E.R.) **275**, 91

Orthograde and transcellular transport
Fluorescent tracers; Rat; Primary visual system; Centrifugal optic pathway; Retrograde labeling (Weidner, C.) **272**, 129

Orthograde axonal transport
WG-HRP; WG-FITC; HRP (Trojanowski, J.Q.) **267**, 365

Orthograde optical/electron microscope techniques
Visual Wulst; Nucleus of the basal optic root projections; Pigeon (Rio, J.P.) **271**, 145

Osmoreception
Sodium - rat mediobasal hypothalamus; Iontophoresis; Extracellular recording; Cortisol (Mandelbrod, I.) **273**, 35

Osmoregulation
Bursting pacemaker; *Aplysia* (Bablanian, G.M.) **271**, 342

Osmotic stimulus
2-Deoxyglucose; Neurohypophysis; Paraventricular nucleus; Brattleboro rats (Sutherland, R.C.) **271**, 101

Otolith organs
Nystagmus; Semicircular canals; Velocity storage; Labyrinth; Vestibulo-ocular reflex (Cohen, B.) **276**, 159

Vestibulo-ocular reflex; Semicircular canals; Coriolis force; Pitch; Nystagmus; Velocity storage (Raphan, T.) **276**, 165

Ouabain
Noradrenaline; 5-Hydroxytryptamine; Spinal Ia termination (Curtis, D.R.) **258**, 328

Na^+,K^+ pump; Glial cells; Leech; Neuropile (Walz, W.) **267**, 93

Astrocytes; Chloride permeability; Furosemide; Glial cells; Membrane potential; Potassium homeostasis (Walz, W.) **277**, 321

Oval neuron
Tissue culture; Brainstem; Enkephalin; Transmitter (Okada, J.) **268**, 377

Ovary
Luteinizing hormone-releasing hormone; Brain; Hypophysectomy; Radioimmunoassay; Immunocytochemistry; Neuroendocrinology; Platyfish (Schreibman, M.P.) **267**, 293

Oxidation peak 3
Differential pulse voltammetry; Raphe dorsalis; Raphe magnus; Circadian variations; Monoamine oxidase inhibitors (Crespi, F.) **272**, 263

Oxidation potential
Differential pulse voltammetry; Peak 3; Electrochemical detection; 5-Hydroxyindoles; Raphe nuclei (Crespi, F.) **270**, 45

Oxidative metabolism
Fatty acids; Palmitate; Functional activity; Brain; Glucose utilization; Quantitative autoradiography; Rat; Lipids (Kimes, A.S.) **274**, 291

3-Oxo acid-CoA transferase
Glucose; 3-Hydroxybutyrate; 3-Hydroxybutyrate dehydrogenase; Acetoacetyl-CoA thiolase; Fasting; Chick (Nehlig, A.) **262**, 177

Oxotremorine
Opioid peptides; Naltrexone; Scopolamine; Analgesia; Stress analgesia (Lewis, J.W.) **270**, 289

Oxygen
Oxygen poisoning; Brain oxygen toxicity; Brain metabolism; Hyperbaric oxygen; EEG; Brain glucose utilization; Autoradiography, 2-deoxyglucose (Torbati, D.) **262**, 267

Hydrogen peroxide; Catalase; CNS (Walton, K.) **278**, 387

Oxygen toxicity; Brain oxygen toxicity; Brain glucose metabolism; 2-Deoxyglucose; Autoradiography; Convulsions (Torbati, D.) **279**, 382

Oxygen poisoning
Brain oxygen toxicity; Oxygen; Brain metabolism; Hyperbaric oxygen; EEG; Brain glucose utilization; Autoradiography, 2-deoxyglucose (Torbati, D.) **262**, 267

Oxygen toxicity
Hyperbaric oxygen; Hippocampal slice; Potassium; Synaptic transmission (King, G.L.) **260**, 139

Oxygen; Brain oxygen toxicity; Brain glucose metabolism; 2-Deoxyglucose; Autoradiography; Convulsions (Torbati, D.) **279**, 382

Oxymetazoline
Intrathecal; Iontophoresis; Locus coeruleus; Adrenoceptors; Clonidine; Piperoxane; Lipophilic drugs; Local administration (Marwaha, J.) **276**, 379

Oxytocin
Paraventricular nucleus hypothalami; Lesions; Vasopressin; Brainstem; Spinal cord; High-performance liquid chromatography (Lang, R.E.) **260**, 326

Vasopressin; Cerebrospinal fluid; Circadian rhythms; Suprachiasmatic nuclei (Reppert, S.M.) **261**, 341

Vasopressin; Cerebrospinal fluid; Blood-brain barrier; Cerebrospinal fluid clearance (Mens, W.B.J.) **262**, 143

Dopamine; Hypothalamic slice; Vasopressin; Haloperidol; Spiperone; Sulpiride; Flupenthixol (Mason, W.T.) **267**, 113

des-Glycinamide-oxytocin; Anti-oxytocin serum; DA utilization; Mesencephalon (Kovács, G.L.) **268**, 307

Nucleus of the solitary tract; Vasopressin; Substance P; Enkephalin; Blood pressure (Voorn, P.) **270**, 169

Vasopressin; Lateral septum; Bed nucleus of the stria terminalis; Paraventricular nucleus (De Vries, G.J.) **273**, 307

Oxytoxin
Vasopressin; Neuropeptide; Memory; L-prolyl-L-leucyl-Glycineamide (PLG); Chick (Davis, J.L.) **266**, 355

P

PAP method
S-100 Protein; Rat adipocytes; Microcomplement fixation (Michetti, F.) **262**, 352

PCP analogues
Phencyclidine; [^{3}H]TCP; Receptor; Dissociation (Vignon, J.) **280**, 194

PGP 9.5
Neuron-specific protein; APUD cells; Enolase (Thompson, R.J.) **278**, 224

pH
Dorsal root ganglia; GABA-receptor; Temperature; Chloride pump; SITS; Furosemide; Bumetanide; Ammonium ion (Gallagher, J.P.) **267**, 249

Medulla; Slice; Respiratory; Central chemoreceptors (Miles, R.) **271**, 349

Carbon dioxide; Spreading depression; Chick; Retina (Skelton, J.L.) **288**, 229

PHI
Rat brain; Development; Cortex; Hippocampus (Christofides, N.D.) **264**, 359

PK 8165
Benzodiazepine receptor; PK 9084; Benzodiazepine receptor antagonist; Selective anxiolytic; (+)Bicuculline; Quinoline derivatives; Diazepam (Gee, K.W.) **264**, 168

PK 9084
Benzodiazepine receptor; PK 8165; Benzodiazepine receptor antagonist; Selective anxiolytic; (+)Bicuculline; Quinoline derivatives; Diazepam (Gee, K.W.) **264**, 168

PNS-CNS transitional region
Regeneration; Anastomoses; Electron microscopy (Carlstedt, T.) **272**, 162

PNS myelin
Myelin basic protein; Hypomyelination; CNS myelin; *Mld* mutant mouse (Ginalski-Winkelmann, H.) **277**, 386

PNS myelin protein
Peripheral nerve; Lysolecithin; Demyelination; Remyelination; P_0 (Smith, M.E.) **270**, 37

P_0
Peripheral nerve; Lysolecithin; Demyelination; Remyelination; PNS myelin protein (Smith, M.E.) **270**, 37

Pacemaker
Alcohol; Ethanol; *Aplysia* neuron; Bursting pacemaker; Voltage clamp (Schwartz, M.H.) **278**, 341

Pain
Stimulation-produced analgesia; Analgesia; Nucleus raphe magnus; Periaqueductal gray matter; Opioid peptides (Prieto, G.J.) **261**, 53

Tryptamine; Hyperalgesia; Intrathecal administration; Spinal cord; Serotonin (Larson, A.A.) **265**, 109

Response latency; Warmth sensation; First pain; Thermal sensation (Campbell, J.N.) **266**, 203

Analgesia; Dorsolateral funiculus; Opioid peptides; Stress analgesia; Footshock-induced analgesia (Lewis, J.W.) **267**, 139

Lanthanum; Opiate receptors; Central gray; Analgesia; Naloxone (Rosenfeld, J.P.) **268**, 189

Serotonin; Dorsal raphe; Thalamus (Andersen, E.) **269**, 57

Somatosensory evoked potential; Trigeminal; Operant conditioning of neural activity (Dowman, R.) **269**, 111

Naloxone; Morphine; Area postrema; Nucleus tractus solitarius; EEG activity; Cortical synchronization (Bronzino, J.D.) **271**, 33

Joint afferent; Joint inflammation; Joint nociceptor; Joint pain; Knee joint; group III Fiber; group IV Fiber (Coggeshall, R.E.) **272**, 185

Analgesia; Nucleus raphe magnus; Nucleus reticularis paragigantocellularis; Morphine; Microinjection (Heinricher, M.M.) **272**, 382

Morphine; Systemic injection; Nucleus reticularis gigantocellularis; Periaqueductal gray matter; Spinal cord; Noradrenaline; Serotonin (Kuraishi, Y.) **273**, 245

Spinothalamic tract; Ventrobasal complex; Rat (Peschanski, M.) **278**, 240

Deep innervation; Sural nerve; Nociceptor (Chang, S.C.) **279**, 262

Rat; Spinal cord; Dorsal horn; Somatosensory; Inhibition; non-Segmental inhibition; Time-course; Anesthetic; Noxious inhibitory controls (Tomlinson, R.W.W.) **279**, 291

Thalamus; Brain stimulation; Opioids (Benabid, A.L.) **280**, 217

Analgesia; Pharmacokinetics; Opiates (Levine, J.) **289**, 391

Pain control
Periaqueductal gray; Immunoreactive enkephalin; Opiates; Analgesia (Moss, M.S.) **289**, 27

Pain-opiate antagonist
Opiate receptor; Enkephalin; Endorphin; Monosodium glutamate; Hypothalamus (Simantov, R.) **262**, 168

Pain thresholds
Heat increments; Nociceptors in humans (Robinson, C.J.) **274**, 87

Paired pulse depression
Paired pulse facilitation; Frequency facilitation; Post-tetanic potentiation; Limbic system; Memory (Racine, R.J.) **260**, 201

Paired pulse facilitation
Paired pulse depression; Frequency facilitation; Post-tetanic potentiation; Limbic system; Memory (Racine, R.J.) **260**, 201

Paleocerebellum
Fastigial nucleus; Cerebellar nuclei; Cerebellum; Motor control; Voluntary movement; Primate (Bava, A.) **288**, 371

Pallidal efferents
Globus pallidus; Primate; Fluorescence double-labeling; Basal ganglia; Extrapyramidal system (Parent, A.) **278**, 11

Pallido-subthalamic projection
Inhibitory postsynaptic response; HRP (Kita, H.) **264**, 255

Palmitate
Fatty acids; Functional activity; Brain; Glucose utilization; Oxidative metabolism; Quantitative autoradiography; Rat; Lipids (Kimes, A.S.) **274**, 291

Pancreactic polypeptide
FMRFamide; Radioimmunoassay; Neuropeptides (Dockray, G.J.) **266**, 295

Pancreas
Serotonin; In vitro release; 5,7-Dihydroxytryptamine; Parachloroamphetamine; Radioautography (Koevary, S.B.) **265**, 328

Panning technique
Rat Schwann cells; Cell culture (Assouline, J.G.) **277**, 389

Panting
Hypothalamic temperature; Fever; Vasodilatation (Kruk, B.) **267**, 237

Papez circuit
Hippocampus; Cingulate; Primate; Limbic system (Dagi, T.F.) **259**, 229

Parabigeminal nuclei
Superior colliculus; Visual field; HRP; Cat (Roldán, M.) **280**, 1

Parabrachial nuclei
Rabbit; Gustation; Amygdala; Substantia innominata; Thalamus (Block, C.H.) **259**, 1

Parabrachial nucleus
Anteroventral third ventricular region (AV3V); Subfornical organ; Median preoptic nucleus; Paraventricular nucleus; Nucleus of the solitary tract (Saper, C.B.) **288**, 21

Parachloroamphetamine
Serotonin; In vitro release; 5,7-Dihydroxytryptamine; Pancreas; Radioautography (Koevary, S.B.) **265**, 328

Paradoxical sleep
Chronic intracellular recording; Lateral geniculate body relay neuron; Membrane potential; Current injection; Slow sleep (Hirsch, J.C.) **259**, 308

Slow-wave sleep; Sleep deprivation; *p*-Chlorophenylalanine; Indolamine (Sallanon, M.) **268**, 95

Calorimetry; Heat production; Heat loss; Sleep-wakefulness cycle; Environmental temperature (Schmidek, W.R.) **288**, 261

Paradoxical sleep waves
Sleep; Sensory responsiveness; Locus coeruleus; Reticular formation; Startle reflex (Kaufman, L.S.) **276**, 73

Paragigantocellularis
Footshock induced analgesia; Classically conditioned analgesia; Nucleus raphe magnus; Nucleus reticularis; Nucleus raphe alatus (Watkins, L.R.) **276**, 305

Paralemniscal reticular formation
Rat; Nociception; Analgesia; Periaqueductal gray; HRP; Microiontophoresis; Norepinephrine (Hardy, S.G.P.) **267**, 217

Paraoxon
Neuromuscular junction; Miniature endplate potential; Giant potential; Acetylcholinesterase; Potassium (Carlson, C.G.) **264**, 285

Parasympathetic ganglia
Enkephalinergic inhibition; GABA; Naloxone (Simonds, W.F.) **271**, 365

Parasympathetic reflexes
Naloxone; Bladder reflexes; Enkephalins (Roppolo, J.R.) **264**, 355

Paratrigeminal nucleus
Hibernation; Nuclei insulae cuneati lateralis; 2-Deoxyglucose; Thermoafferent pathway (Kilduff, T.S.) **262**, 117

Paraventricular and supraoptic nuclei
Milk ejection; 2-Deoxyglucose; Ascending pathway; Pituitary gland (Sutherland, R.C.) **273**, 291

Paraventricular neurosecretory neuron
Recurrent inhibition; Antidromic spike; Silent phase; Electrical properties; Threshold; Latency; Rat (Akaishi, T.) **262**, 151

Paraventricular nucleus
Medulla oblongata; Synaptic activation (Zerihun, L.) **261**, 13

Quantitative histology; Electron microscopy; Cell density; Synaptic boutons density; Hypothalamus (Kiss, J.Z.) **262**, 217

Quantitative histology; Electron microscopy; Extrinsic/intrinsic connections; Hypothalamus (Kiss, J.Z.) **265**, 11

2-Deoxyglucose; Neurohypophysis; Brattleboro rats; Osmotic stimulus (Sutherland, R.C.) **271**, 101

Vasopressin; Oxytocin; Lateral septum; Bed nucleus of the stria terminalis (De Vries, G.J.) **273**, 307

Norepinephrine; Dopamine; Hypothalamus; Obese mice; Lateral hypothalamus; Arcuate nucleus; Obesity (Oltmans, G.A.) **273**, 369

Ventrolateral medulla; Central autonomic area of thoracic cord; Carotid sinus; Aortic depressor nerves; Sympatho-excitatory pathways; Sympatho inhibitory pathways; Bulbospinal cardiovascular reflex pathways (Caverson, M.M.) **274**, 354

Hypothalamus; Immunohistochemistry; Raphe nuclei; Serotonin; Supraoptic nucleus (Sawchenko, P.E.) **277**, 355

Dynorphin; α-Neo-endorphin; Supraoptic nucleus; Median eminence; Posterior pituitary (Palkovits, M.) **278**, 258

Brattleboro rat; Metabolic activity; Cytochrome oxidase histochemistry; Supraoptic nucleus; Nucleus circularis (Krukoff, T.L.) **280**, 160

Anteroventral third ventricular region (AV3V); Subfornical organ; Median preoptic nucleus; Parabrachial nucleus; Nucleus of the solitary tract (Saper, C.B.) **288**, 21

Preoptic area; Periventricular nucleus; Neurosecretory cell; Thermo-sensitive neuron; Thermo-regulation; Body fluid control (Matsumura, K.) **289**, 330

Paraventricular nucleus hypothalami
Lesions; Vasopressin; Oxytocin; Brainstem; Spinal cord; High-performance liquid chromatography (Lang, R.E.) **260**, 326

Paraventricular nucleus neurons
Dorsomedial medulla; Neurosecretory neurons; Carotid baroreceptors; Rat; Electrophysiology; Connection (Kannan, H.) **279**, 31

Pargyline
Voltammetry; 5-Hydroxyindoles; Cerebrospinal fluid; Caudate; para-Chlorophenylalanine; Body temperature; Cerebral ventricles (Hahn, Z.) **289**, 215

Parietal cortex
Reaching; Tactile discrimination; Early ablations (Brown, J.V.) **267**, 67

Parkinsonism
Met^5-Enkephalin; Substantia nigra; Microinjection; Contraversive rotation (Jacquet, Y.F.) **264**, 340

Parkinson's disease
Substance P-like immunoreactivity; Post-mortem human brain; Basal ganglia (Mauborgne, A.) **268**, 167

Cortical areas; Hippocampus; Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; Noradrenaline; Serotonin; 5-Hydroxyindoleacetic acid (Scatton, B.) **275**, 321

Somatostatin; Dementia; Alzheimer's disease; Post-mortem; Human; Cortex; Hippocampus (Epelbaum, J.) **278**, 376

Leu-Enkephalin; Met-Enkephalin; Post-mortem; Human brain (Taquet, H.) **280**, 379

Alzheimer disease; Choline acetyltransferase; Muscarinic receptors; Cerebral cortex; Substantia innominata; Human brain (Dubois, B.) **288**, 213

Paroxysmal mutant
Audiogenic seizures; Auditory pathology; Neural degeneration; Seizure model; Seizure-prone chick (Beck, M.M.) **260**, 11

Partial deafferentation
Sympathetic innervation; Central noradrenergic projections; Sprouting; Habenula; Norepinephrine; Adult rat (Gottesfeld, Z.) **268**, 359

Partial denervation
Axonal regeneration; Collateral sprouting; Sciatic nerve; Rat (Sparrow, J.R.) **269**, 133

Partial fimbrial lesions
Adult rat; Cholinergic neurons; Recovery of cholinergic enzymes; Hippocampus; Septohippocampal pathway; Sprouting; Homotypic regeneration (Dravid, A.R.) **277**, 169

Parvocellular reticular nucleus
Vestibular efferent fiber; Semicircular canal; Vestibular nucleus; Gigantocellular reticular nucleus; Lateral reticular nucleus; Horseradish peroxidase (Ito, J.) **259**, 293

Passive avoidance behavior
Vasopressin; Hypothalamic and extrahypothalamic brain nuclei; Radioimmunoassay (Laczi, F.) **260**, 342

Patch clamp
Sodium channel; Insecticide tetramethrin; Pyrethroid; Neuroblastoma (Yamamoto, D.) **274**, 344

Pathological conditions
Cerebrum; Liver; Triiodothyronine; Receptor; Nuclei (Thrall, C.L.) **279**, 177

Pattern generation
Turtle; Scratch reflex; In vitro spinal cord (Keifer, J.) **266**, 148

Peak 3
Differential pulse voltammetry; Oxidation potential; Electrochemical detection; 5-Hydroxyindoles; Raphe nuclei (Crespi, F.) **270**, 45

Pedunculopontine nucleus
Substantia nigra; GABA; Nigrotegmental; Axonal transport; Glutamic acid decarboxylase; γ-vinyl-GABA (Childs, J.A.) **258**, 109

Penicillin
Focal interictal epileptiform discharges; Cerebral cortex; Electrophoresis; Depth profile; Rat (Lockton, J.W.) **258**, 79

Penicillin epilepsy
Cortical neurons; Spike-wave discharges (Kostopoulos, G.) **278**, 207

Penicillin epileptogenesis
Hippocampus; CA1 pyramidal cells; In vitro slice; Acetylcholine; Epilepsy (Kriegstein, A.R.) **266**, 137

Pentylenetetrazole
Cyclic nucleotide; Calcium; Bursting activity; Snail neuron; Protein kinase; Seizure discharge (Onozuka, M.) **269**, 277

Peptide
Angiotensin II; Olfactory bulb; Dipsogenesis (Chen, F.-C.M.) **259**, 335

Peptide hormone
Corticotropin-releasing factor; Locus coeruleus; Pituitary; Norepinephrine; Stress; Hypothalamus; Median eminence (Valentino, R.J.) **270**, 363

Behavioral activation; Invertebrate peptides; Metamorphosis; Hormone action (Levine, R.B.) **279**, 335

Peptide opioid
β-Endorphin; cAMP; Hyperthermia; Naloxone-sensitive receptor; Non-peptide opioid; Prostaglandin; Transport system inhibitor (Kandasamy, S.B.) **265**, 63

Peptides
Immunohistochemistry; pro-Somatostatin; Cerebral cortex (Morrison, J.H.) **262**, 344

Thyrotropin-releasing hormone; Receptors; Spinal cord (Sharif, N.A.) **270**, 259

Blood-brain barrier; Brain-uptake index; Amino acids; A system; L system; Rats (Zlokovic, B.V.) **271**, 65

Cholecystokinin; Sulfate; Cerebral cortex; Turnover (Meek, J.L.) **276**, 375

Perception
Hypothalamus; Cold; Warm; Self-stimulation (Cabanac, M.) **264**, 79

Perforant path
Glutamate analogues; Agonists; Antagonists; γ-Substitution; Extracellular recording (Koerner, J.F.) **272**, 299

Perfused spinal cord
Cervical spinal cord; Fluorocarbon emulsion (Deutschmann, W.) **280**, 239

Pergolide
In vivo electrochemistry; Ascorbic acid; Voltammetry; Dopamine agonists (Clemens, J.A.) **267**, 183

Periaqueductal gray
Hyperdipsia; Dorsal rostral pons; Locus coeruleus; Hemodynamic signal; Fluid balance; Central autonomic pathway (Ward, D.G.) **262**, 314

Spinoannular tract; Intermediate gray (Liu, R.P.) **264**, 118

Paralemniscal reticular formation; Rat; Nociception; Analgesia; HRP; Microiontophoresis; Norepinephrine (Hardy, S.G.P.) **267**, 217

Footshock induced analgesia; Opiate analgesia; Non-opiate analgesia; Decerebration (Watkins, L.R.) **276**, 317

Raphe magnus; Nucleus reticularis paragigantocellularis; Spinal trigeminal nucleus (Beitz, A.J.) **288**, 307

Immunoreactive enkephalin; Pain control; Opiates; Analgesia (Moss, M.S.) **289**, 27

Antinociception; α-2 Agonists; Clonidine (Ossipov, M.H.) **289**, 349

Periaqueductal gray matter
Stimulation-produced analgesia; Pain; Analgesia; Nucleus raphe magnus; Opioid peptides (Prieto, G.J.) **261**, 53

Morphine; Systemic injection; Nucleus reticularis gigantocellularis; Spinal cord; Pain; Noradrenaline; Serotonin (Kuraishi, Y.) **273**, 245

Met-Enkephalin; Enkephalin release; Substance P; Neuropeptides; Striatum (Del Río, J.) **279**, 121

Perifusion
Serotonin; Vasoactive intestinal polypeptide; Hypothalamus; Cyproheptadine (Shimatsu, A.) **264**, 148

Perigeniculate neurons
Lateral geniculate nucleus; Sleep-waking cycle; Stimulation of mesencephalic reticular formation; State dependent effects (Fourment, A.) **259**, 301

Perihypoglossal nuclei
Vestibular nuclei; Extraocular nuclei; Cerebellum; Fastigial nucleus; Interstitial nucleus of Cajal; Central cervical nucleus; Reticular formation (Carleton, S.C.) **278**, 29

Perikarya
Serotonin; Fetal pancreas; Culture; Radioautography (Koevary, S.B.) **280**, 368

Periodicities
Sympathetic discharges; Phrenic activity; Barbiturates; Pulmonary afferents; Correlation techniques; Signal averaging techniques (Gootman, P.M.) **270**, 134

Peripheral cross-innervation
HRP; Mandibular incisors; Cats (Wilson, S.) **260**, 287

Peripheral nerve
Mutant mouse; Dystrophy; Myelin; Internode; Node of Ranvier; Axon/Schwann cells; Morphometry; Sensory nerve (Jaros, E.) **258**, 181

Lysolecithin; Demyelination; Remyelination; PNS myelin protein; P_0 (Smith, M.E.) **270**, 37

GABA; γ-Aminobutyric acid; Receptors; Potassium ions; Myelinated fibers; Dorsal root; Ventral root; Depolarization; Localization (Morris, M.E.) **278**, 127

Regeneration; Conditioning effect; Cell body response; Frog (Carlsen, R.C.) **279**, 9

Peripheral nerve injury
Spinal cord; Dorsal horn; Somatotopic organization (Lisney, S.J.W.) **259**, 31

Spinal cord; Dorsal horn; Somatotopic organization (Lisney, S.J.W.) **271**, 166

Peripheral nervous system
HRP; Anterograde transport; Trigeminal sensory nerve endings; Cornea; Tooth pulp (Marfurt, C.F.) **261**, 1

Vasoactive intestinal polypeptide; Avian pancreatic polypeptide; Neuropeptides; Immunohistochemistry; Thiamine pyrophosphatase staining; Golgi apparatus (Johansson, O.) **262**, 71

Peripheral neuron
Nerve injury; Nerve regeneration; Neuronotrophic factors; Sciatic nerve (Longo, F.M.) **261**, 109

Peripheral-type benzodiazepine receptors
Central-type benzodiazepine receptors; Ethanol; Ro5-4864; Propyl-β-carboline-3-carboxylate (Schoemaker, H.) **258**, 347

Peripheral visual system
Early auditory deprivation; Humans; Visual-evoked potentials (Neville, H.J.) **266**, 127

Periventricular gray
Autoradiography; Calcium; Hypothalamus; Reticular formation (Henke, H.) **272**, 373

Periventricular nucleus
Somatostatin neuron; Median eminence hypothalamus; Immunohistochemistry; Electron microscopy; Rat (Ibata, Y.) **258**, 291

Preoptic area; Paraventricular nucleus; Neurosecretory cell; Thermo-sensitive neuron; Thermo-regulation; Body fluid control (Matsumura, K.) **289**, 330

Pharmacokinetics
Analgesia; Pain; Opiates (Levine, J.) **289**, 391

Pharmacological characterization
GABA; γ-Aminobutyric acid; Receptors; Mammalian peripheral nerves; Amphibian peripheral nerves; Myelinated fibers; Depolarization (Morris, M.E.) **278**, 117

Phase boundary potential
Taste response; Amino acids; Receptor potential; Eel; Transduction mechanisms (Yoshii, K.) **280**, 63

Phase-shift
Pineal; N-Acetyltransferase; Circadian rhythm; Light pulse; Photoperiod (Illnerová, H.) **261**, 176

Phasic auditory stimuli
Chloral hydrate anesthesia; Excitatory response; Dorsal raphe neurons; Visual stimuli; Cat (Trulson, M.E.) **265**, 129

Phencyclidine
Long-term potentiation; Ketamine; Hippocampus; Field potentials (Stringer, J.L.) **258**, 159

Receptor; Opiate; σ Opiate; Binding assay (Zukin, S.R.) **258**, 277

Dopamine binding sites; Striatum; Nucleus accumbens; D-Amphetamine (Robertson, H.A.) **267**, 179

Long-term potentiation; Hippocampus; σ Opiates (Stringer, J.L.) **280**, 127

[^{3}H]TCP; Receptor; Dissociation; PCP analogues (Vignon, J.) **280**, 194

Phenelzine
Antidepressant; Desmethylimipramine; 2-Deoxyglucose technique; Local cerebral metabolism (Gerber, J.C. III) **269**, 319

Phenethyl alcohol
Olfaction; Trigeminal receptors; Food aversion; Starlings; Methiocarb (Mason, J.R.) **269**, 196

Phenothiazine
Intracellular pH; Calmodulin; Phosphodiesterase; *Pleurobanchaea*; cAMP (Calhoon, R.D.) **271**, 371

cAMP; Phosphodiesterase; Calmodulin; *Pleurobranchaea* (Gillette, R.) **273**, 384

Phenotypic specificity
α-Scorpion toxin; Differentiation; Cell line culture; Sodium channel; Neuronal maturation (Martin-Moutot, N.) **274**, 267

Phentolamine
β-Adrenoceptors; α-Adrenoceptors; Sleep stages; Prenalterol; Salbutamol; Atenolol; Metoprolol; Propranolol; Clonidine; Prazosin (Hilakivi, I.) **277**, 109

Phenylethanolamine-N-methyltransferase
Epinephrine; Spinal cord; Development; Preganglionic sympathetic nucleus; Uptake; Autoradiography (Caserta, M.T.) **270**, 11

Adrenaline-containing neurons; Catecholamine synthesizing enzymes; Dopamine-β-hydroxylase; Medulla oblongata; Noradrenaline-containing neurons; Brainstem; Tyrosine hydroxylase (Chamba, G.) **259**, 95

Adrenaline-containing neurons; Dopamine-β-hydroxylase; Medulla oblongata; Noradrenaline-containing neurons; Tractus intermediolateralis; Tyrosine hydroxylase; 6-Hydroxydopamine (Fety, R.) **272**, 277

Catecholamines; Epinephrine; Norepinephrine; Hypothalamic nuclei; Midbrain transections; Rat brain (Saavedra, J.M.) **276**, 367

Phenylketonuria
Synaptosomal tyrosine uptake; Hyperphenylalaninemia; Brain catecholamines; Amino acid inhibition (Peterson, N.A.) **272**, 189

Phenytoin
L-Glutamate; Convulsions; Anticonvulsants; Muscimol; Glutamate antagonists (Stone, W.E.) **264**, 165

Pheochromocytoma
Neurite formation; Nerve growth factor; Mg^{2+}; Ca^{2+} (Koike, T.) **289**, 293

PC12 Pheochromocytoma cells
Nerve growth factor; Nerve growth factor bioassay (Rukenstein, A.) **263**, 177

Phosphatidylinositol
Phosphatidylinositol transfer protein; Phosphatidylinositol 4-phosphate; Single bilayer vesicles (Schermoly, M.J.) **268**, 197

Phosphatidylinositol transfer protein
Phosphatidylinositol; Phosphatidylinositol 4-phosphate; Single bilayer vesicles (Schermoly, M.J.) **268**, 197

Phosphatidylinositol 4-phosphate
Phosphatidylinositol transfer protein; Phosphatidylinositol; Single bilayer vesicles (Schermoly, M.J.) **268**, 197

Phosphodiesterase
Intracellular pH; Calmodulin; *Pleurobanchaea*; Phenothiazine; cAMP (Calhoon, R.D.) **271**, 371

Phenothiazine; cAMP; Calmodulin; *Pleurobranchaea* (Gillette, R.) **273**, 384

Phosphodiesterase inhibitors
α-Adrenergic receptors; β-Adrenergic receptors; Db-cAMP; Db-cGMP; Muscarinic receptors; Protein synthesis inhibitors (Kandasamy, S.B.) **277**, 311

3'-Phosphohydrolase
Photoreceptors; Cyclic nucleotides; 2',3'-Cyclic nucleotide; Histochemistry; Immunohistochemistry (Giulian, D.) **265**, 217

Phospholipid degradation
Brain edema; Cold-injury; Arachidonic acid; Na$^+$,K$^+$-ATPase (Chan, P.H.) **277**, 329

Phospholipids
Axon-myelin transfer; Myelin; Axonal transport (Ledeen, R.W.) **269**, 267

Phosphorylase a histochemistry
Functional activity; Mouse cortical columns (Wallace, M.N.) **267**, 201

Phosphorylation
Synaptic vesicle; Calmodulin; ATPase activity; Affinity-purified antibody; Affinity chromatography (Moskowitz, N.) **263**, 243

Synaptic junctions; Glycoproteins; cAMP; Protein kinase (Gurd, J.W.) **269**, 287

Photoperiod
Pineal; N-Acetyltransferase; Circadian rhythm; Phase-shift; Light pulse (Illnerová, H.) **261**, 176

Photoreception
Neurosecretion; Crayfish; Neurosecretory cells (Glantz, R.M.) **265**, 307

Photoreceptors
Cyclic nucleotides; 2',3'-Cyclic nucleotide; 3'-Phosphohydrolase; Histochemistry; Immunohistochemistry (Giulian, D.) **265**, 217

Phototactic behavior
Locomotion; Conditioning; *Hermissenda*; Associative learning (Crow, T.) **271**, 301

Phrenic activity
Sympathetic discharges; Periodicities; Barbiturates; Pulmonary afferents; Correlation techniques; Signal averaging techniques (Gootman, P.M.) **270**, 134

Phrenic motoneurons
Dorsal respiratory group; R_β Neurons; Antidromic activation; EPSPs; Spike-triggered averaging; Cat (Lipski, J.) **288**, 105

Phrenic nerve
Control of respiration; Serotonin; Cat (Millhorn, D.E.) **264**, 349

Physical dependence
Barbital treatment; Hexobarbital tolerance; Convulsive threshold; Spontaneous convulsions (Wahlström, G.) **266**, 225

Picrotoxin
Optic tectum; Inhibition; Visual physiology; GABA; Bicuculline (Sajovic, P.) **271**, 227

Hippocampal slice; Dentate gyrus; long-lasting Potentiation; Dendritic inhibition; Bicuculline (Wigström, H.) **275**, 153

Picrotoxinin
Anisatin; Chloride ion; GABA receptor (Matsumoto, K.) **270**, 103

Picrotoxin site
Ro5-3663; Chlordiazepoxide; Anxiogenic effect (File, S.E.) **278**, 370

Piezoelectric
Vibrissae; Stimulus control; SmI cortex; Single units (Simons, D.J.) **276**, 178

Pigeon
Receptive fields; Optic tectum; Visual wulst cooling (Leresche, N.) **267**, 225

Visual Wulst; Nucleus of the basal optic root projections; Orthograde optical/electron microscope techniques (Rio, J.P.) **271**, 145

Hyperstriatal-tectal projections; Fluorescent retrograde tracers (Miceli, D.) **276**, 147

Vestibular system; Transneuronal transport; Vestibulo-ocular pathway; Vestibulospinal pathway; Autoradiography (Correia, M.J.) **278**, 53

Pigeons
Wulst; HRP; Hyperstriatum accessorium; Tractus septomesencephalicus; Efferent projections; Laminar organization (Reiner, A.) **275**, 349

Piglet, newborn
Cerebral blood flow; Microspheres; Carotid artery (Laptook, A.R.) **276**, 51

Pineal
Superior cervical ganglion; Iris; Trigeminal ganglion; 6-Hydroxydopamine (Kessler, J.A.) **258**, 144

N-Acetyltransferase; Circadian rhythm; Phase-shift; Light pulse; Photoperiod (Illnerová, H.) **261**, 176

Hydroxyindole-O-methyltransferase; Adrenergic stimulation; Norepinephrine; Isoproterenol (Sugden, D.) **265**, 348

Circadian rhythm; Superior cervical ganglia; Melatonin (Cassone, V.M.) **272**, 311

Melatonin; Light; Irradiance; Hydroxyindole-O-methyltransferase; N-Acetyltransferase (Reiter, R.J.) **288**, 151

Circadian rhythm; Melatonin; Serotonin; Suprachiasmatic nuclei (Cassone, V.M.) **289**, 129

Pineal gland
Development; Tetrahydrobiopterin; Guanosine-5'-triphosphate cyclohydrolase; Brain (Kapatos, G.) **258**, 351

β-Receptors; Continuous light; Isoproterenol; Norepinephrine (Heydorn, W.E.) **267**, 175

Hydroxyindole O-methyltransferase; Neuron-specific enolase; S-100 Protein (Kuwano, R.) **274**, 171

Pineal photoreception
Indoleamine metabolism; Avian pineal; Light sensitive enzyme; Avian retina; In vitro pineal light sensitivity (Hamm, H.E.) **266**, 287

Pinocytosis
Blood-brain barrier; Macromolecular transport; cGMP; Albumin immunohistochemistry (Joó, F.) **278**, 165

Piperidine dicarboxylate
Nociception; Dorsal horn; Sensory neurotransmitters; L-glutamate; Substance P; Iontophoresis (Salt, T.E.) **263**, 167

Piperoxane
Intrathecal; Iontophoresis; Locus coeruleus; Adrenoceptors; Clonidine; Oxymetazoline; Lipophilic drugs; Local administration (Marwaha, J.) **276**, 379

Pitch
Vestibulo-ocular reflex; Semicircular canals; Otolith organs; Coriolis force; Nystagmus; Velocity storage (Raphan, T.) **276**, 165

Pituitary
Circadian rhythm; β-Endorphin; Brain nuclei (Kerdelhue, B.) **261**, 243

Calcitonin; Autoradiography; Rat; Binding (Maurer, R.) **261**, 346

Cholecystokinin (CCK) peptides; Hypothalamus; Bullfrog, *Rana catesbiana*; Evolution (Beinfeld, M.C.) **268**, 192

Corticotropin-releasing factor; Locus coeruleus; Peptide hormone; Norepinephrine; Stress; Hypothalamus; Median eminence (Valentino, R.J.) **270**, 363

Progestogen; [^{3}H]R5020; Autoradiography; Hamster; Brain; Immunohistochemistry (Rogers Munn, A. III) **274**, 1

Testosterone; Development; Met^{5}-Enkephalin (Yoshikawa, K.) **279**, 343

Pituitary estrous cycle
Dopamine-stimulated adenylate cyclase; Hypothalamus; Castration; Gonadal hormones; Dopamine receptors; Sex differences; Down- and up-regulation of receptors (Barr, G.A.) **277**, 299

Pituitary gland
Neonatal estrogenization; Estradiol; Catecholestrogens; Luteinizing hormone surges; Progestin receptors; Uterus (Kirchhoff, J.) **268**, 382

Neurotensin; Central nervous system; Autonomic nervous system; Gastrointestinal tract; Radioimmunoassay; Gel chromatography (Goedert, M.) **272**, 291

Milk ejection; 2-Deoxyglucose; Ascending pathway; Paraventricular and supraoptic nuclei (Sutherland, R.C.) **273**, 291

Neonatal androgenization; Estradiol; Luteinizing hormone surges; Progestin receptors; Hypothalamus; Uterus (Kirchhoff, J.) **275**, 173

Somatostatin; Vasopressin; Brattleboro rats; Diabetes insipidus; Intermediate pituitary lobe; Posterior pituitary lobe; Brain nuclei (Saavedra, J.M.) **277**, 23

Prostanoids; Prostaglandins; CNS; Hypothalamus; Rat (Gerozissis, K.) **279**, 133

non-Steroidal antiestrogens; Estradiol-17β; Estrogen receptors; Progestin receptors; Hypothalamus; Uterus (Kirchhoff, J.) **289**, 380

Pituitary neural lobe
Vasopressin; Brattleboro rat; Diabetes insipidus; Subfornical organ; Angiotensin; [^{14}C]Deoxyglucose (Kadekaro, M.) **275**, 189

Pituitary relation
GABA; Thyrotropin; Hypothalamic (Jordan, D.) **268**, 105

Pituitary stalk
Dopamine release; Neurointermediate lobe; Hypophysis; Electrical stimulation (Holzbauer, M.) **277**, 47

Pituitary tumor
Dopaminergic regulation; Prolactin; Growth hormone; Rat (Cheung, C.Y.) **270**, 165

Place memory
Dorsal noradrenergic bundle; Locus coeruleus; Noradrenaline; Spatial alternation; Selective attention; Fear (Pisa, M.) **272**, 319

Placental lactogen
Prolactin; Growth hormone; Tuberoinfundibular dopaminergic neurons; DOPA accumulation (Demarest, K.T.) **272**, 175

Plasma catecholamines
Bombesin; Somatostatin; Adrenal epinephrine (Brown, M.R.) **276**, 253

Plasma membrane
Astrocytes; Differential centrifugation; Freeze-fracture; Intramembranous particles; Assemblies; Rearrangement; Trypsinization (Anders, J.J.) **278**, 81

Plasticity
Transmitter release; Sprouting; Motoneuron (Pockett, S.) **258**, 296

Catecholaminergic innervation; Superior colliculus (Rhoades, R.W.) **261**, 353

Rat visual cortex; Dendrite; Middle-age; Complex environment (Green, E.J.) **264**, 233

Stretch reflex; Primate; Memory; Spinal reflex; Learning (Wolpaw, J.R.) **267**, 196

Auditory cortex; Multi unit recording; Response to sound; Interactions (Frostig, R.D.) **272**, 211

Norepinephrine; Hippocampus; Dentate gyrus (Neuman, R.S.) **273**, 162

Stretch reflex; Spinal reflex; Primate; Learning; Memory (Wolpaw, J.R.) **278**, 299

Spinal cord; Hemisection; Dorsal horn; Somatotopy (Brenowitz, G.L.) **279**, 250

Surround inhibition; Somatosensory cortex; Raccoon (Rasmusson, D.D.) **288**, 368

Platyfish
Luteinizing hormone-releasing hormone; Brain; Hypophysectomy; Radioimmunoassay; Immunocytochemistry; Ovary; Neuroendocrinology (Schreibman, M.P.) **267**, 293

Pleurobanchaea
Intracellular pH; Calmodulin; Phosphodiesterase; Phenothiazine; cAMP (Calhoon, R.D.) **271**, 371

Pleurobranchaea
Phenothiazine; cAMP; Phosphodiesterase; Calmodulin (Gillette, R.) **273**, 384

Pointing movement
Motor impairment; Substantia nigra; Electrolytic lesion; Reaction time; Kinematic analysis; Recovery of function; Monkey (Viallet, F.) **279**, 193

Polyamine biosynthesis
Sympathetic neurons; Axotomy (Gilad, G.M.) **273**, 191

Polydipsia
Medio-ventral septal area; Vasopressin; Polyuria; Thirst (Iovino, M.) **258**, 123

Polylysine-coated beads
Synaptogenesis; Cerebellar cortex; Electron microscopy (Burry, R.W.) **278**, 236

Polymodal receptor
Unitary discharges; Temperature effects; Nociceptor; Secondary pain; Inflammation pain; Bradykinin; Hypertonic NaCl (Kumazawa, T.) **278**, 305

Polyneuronal innervation
Sprouting; Synapse formation; Axotomy (Ring, G.) **260**, 313

Neuromuscular junction; Synaptic efficacy (Weakly, J.N.) **273**, 319

Polypeptide subunits
Aluminum; Maytansine; Neurofibrillary tangles; Neurofilament; Antibodies (Ghetti, B.) **276**, 388

Polysensory
Caudate; Intracellular response (Wilson, J.S.) **270**, 197

Polyuria
Medio-ventral septal area; Vasopressin; Polydipsia; Thirst (Iovino, M.) **258**, 123

Pons
Medulla; Inhibition; Muscle tone; REM sleep (Siegel, J.M.) **268**, 344

Pontine brainstem
Sleep; REM; Cholinergic; Bethanechol (Hobson, J.A.) **275**, 127

Pontine giant cells
Kainic acid; REM sleep; Cholinergic mediation (Drucker-Colín, R.) **272**, 387

Pontine nuclei
HRP; Wheat germ agglutinin (WGA); Anterograde transport; Retrograde transport; Golgi method; Cerebellum; Cerebral cortex (Brodal, P.) **267**, 1

Pontine reticular formation
Turning; Head movement; Amphetamine; Apomorphine; Nigrostriatal bundle; Lesion; Labyrinthectomy (Sirkin, D.W.) **260**, 291

Pontine taste area
Bisbenzimide; Fluorescent tracers; Gustatory neocortex; Medial parabrachial nucleus; Posterior ventromedial thalamic nucleus; Propidium iodide; Rat (Lasiter, P.S.) **258**, 299

Pontine visual area
Superior colliculus; Axon collaterals; Bifurcation; Visual cortex; Antidromic stimulation; Area 18; Lateral suprasylvian (Baker, J.) **265**, 227

Pontocerebellar fibers
Cerebellar nuclei; Anterograde transport of WGA-HRP (Dietrichs, E.) **259**, 127

Ponto-geniculo-occipital (PGO) waves
REM sleep; Medial pontine reticular formation; Tegmental reticular nucleus; Intracellular recording in naturally sleeping cat; Long lead PGO wave positive neurons (McCarley, R.W.) **280**, 343

Ponto-geniculo-occipital spikes
REM sleep; Auditory stimulus (Drucker-Colín, R.) **278**, 308

Ponto-geniculo-occipital waves
REM sleep; Eye movements; Human cerebral potentials; Corollary discharge (McCarley, R.W.) **274**, 359

Dorsal raphe; EMG; Sleep cycle averaging (Lydic, R.) **274**, 365

Positron emission tomography
Dopamine; Striatum; Monkey; $[^{18}F]$6-Fluoro-L-dopa (Garnett, S.) **280**, 169

Postcentral cortex
Pyramidal tract neuron; Tactile response (Tanji, J.) **273**, 352

Posterior hypothalamus
Dentate gyrus; Supramammillary; Acetylcholinesterase; Submammillothalamic; Hippocampal afferents (Harley, C.W.) **270**, 335

Self-stimulation; Clorgyline; Rats; Long-term (Aulakh, C.S.) **270**, 383

Posterior pituitary
Dynorphin; α-Neo-Endorphin; Brattleboro rats; Vasopressin; Radioimmunoassay; Hypothalamus (Weber, E.) **260**, 166

Dynorphin; α-Neo-endorphin; Supraoptic nucleus; Paraventricular nucleus; Median eminence (Palkovits, M.) **278**, 258

Posterior pituitary lobe
Somatostatin; Vasopressin; Brattleboro rats; Diabetes insipidus; Pituitary gland; Intermediate pituitary lobe; Brain nuclei (Saavedra, J.M.) **277**, 23

Posterior ventromedial thalamic nucleus
Bisbenzimide; Fluorescent tracers; Gustatory neocortex; Medial parabrachial nucleus; Pontine taste area; Propidium iodide; Rat (Lasiter, P.S.) **258**, 299

Post-excitatory depression
Aspartate; Glutamate; Acetylcholine; Spinal neurone excitation (Peet, M.J.) **263**, 162

Post-ictal depression
Naloxone; Kindling; Amygdala (Jarvis, M.F.) **288**, 235

Post-mortem
Somatostatin; Parkinson's disease; Dementia; Alzheimer's disease; Human; Cortex; Hippocampus (Epelbaum, J.) **278**, 376

Leu-Enkephalin; Met-Enkephalin; Human brain; Parkinson's disease (Taquet, H.) **280**, 379

Post-mortem brain
Thyrotropin-releasing hormone; Luteinizing hormone-releasing hormone; Substance P; Choline acetyltransferase; Post-mortem spinal cord; Alzheimer-type dementia; Down's syndrome (Yates, C.M.) **258**, 45

Alzheimer-type dementia; Down's syndrome; Noradrenaline; Dopamine; Choline acetyltransferase; Acetylcholinesterase (Yates, C.M.) **280**, 119

Post mortem fixation delay
Golgi rapid; Impregnation defects; Guinea-pig; Quantification (De Ruiter, J.P.) **266**, 143

Post-mortem human brain
Substance P-like immunoreactivity; Basal ganglia; Parkinson's disease (Mauborgne, A.) **268**, 167

Post-mortem spinal cord
Thyrotropin-releasing hormone; Luteinizing hormone-releasing hormone; Substance P; Choline acetyltransferase; Post-mortem brain; Alzheimer-type dementia; Down's syndrome (Yates, C.M.) **258**, 45

Post-stimulus inhibition
A1 Noradrenergic neurons; Estrogen; Spike dissociation; 6-Hydroxydopamine (Kaba, H.) **274**, 156

Postsynaptic components
Guanylate cyclase; Immunohistochemistry; Monoclonal antibody; cGMP; Cholinergic neurotransmission; Rat brain (Nakane, M.) **273**, 9

Postsynaptic density
Concanavalin A; Glycoproteins (Gurd, J.W.) **276**, 141

Glycoproteins; Concanavalin A; Cerebellum; Forebrain; Nitrocellulose blot (Gordon-Weeks, P.R.) **277**, 380

major Postsynaptic density protein
Cerebellum; Asymmetric junctions; Concanavalin A binding glycoproteins; Transmitter receptors (Groswald, D.E.) **278**, 63

Post-synaptic potentials
Respiratory neurones; Bötzinger complex; Spike-triggered averaging; Nucleus tractus solitarius; Nucleus retroambigualis (Merrill, E.G.) **263**, 43

Post-tetanic potentiation
Paired pulse facilitation; Paired pulse depression; Frequency facilitation; Limbic system; Memory (Racine, R.J.) **260**, 201

Long-term potentiation; Kindling; Limbic system; Long-term memory; Epilepsy (Racine, R.J.) **260**, 217

Posttranslational modification
Neurofilaments; Mouse; Proteolysis; Retinal ganglion cells; Cytoskeletal proteins; Calcium; Optic pathway (Nixon, R.A.) **275**, 384

Post-translational modification of α-tubulin
Cultured neurons (Black, M.M.) **289**, 355

Posture control
Stretch reflex; Vestibulospinal reflex; Human ankle muscles (Allum, J.H.J.) **264**, 297

Potassium
Hyperbaric oxygen; Oxygen toxicity; Hippocampal slice; Synaptic transmission (King, G.L.) **260**, 139

Acetylcholine receptor; Chick embryo; Myotubes; Regulation; Depolarization (Shieh, B.-H.) **263**, 259

Neuromuscular junction; Miniature endplate potential; Giant potential; Paraoxon; Acetylcholinesterase (Carlson, C.G.) **264**, 285

Hippocampal slice; Dye coupling; Electrotonic coupling; CA1 stratum pyramidale; Glial cells (Alger, B.E.) **270**, 137

α_2-Adrenoceptors; Afterhyperpolarization; Calcium; intracellular EGTA; Locus coeruleus; Noradrenergic neuron (Aghajanian, G.K.) **273**, 237

Lithium; Motoneurons; Glial cells; Spinal cord; Cortex; Hippocampus (Grafe, P.) **279**, 65

Potassium accumulation
Presynaptic inhibition; Primary afferent depolarization; Spinal cord (Jiménez, I.) **272**, 179

Potassium conductance
Pyramidal tract neurons; Intracellular recording; Afterhyperpolarization (Baldissera, F.) **259**, 143

Potassium current
Transmitter release; Presynaptic modulation (Shimahara, T.) **263**, 51

Potassium homeostasis
Astrocytes; Chloride permeability; Furosemide; Glial cells; Membrane potential; Ouabain (Walz, W.) **277**, 321

Potassium ions
GABA; γ-Aminobutyric acid; Receptors; Peripheral nerve; Myelinated fibers; Dorsal root; Ventral root; Depolarization; Localization (Morris, M.E.) **278**, 127

Potential-activated calcium currents
Mollusc neurons; cAMP; Voltage-clamp; Stationary currents (Kononenko, N.I.) **268**, 321

Potentiation
Cat muscle in vivo; Motor unit types; Dantrolene sodium; Unfused contraction (Jami, L.) **261**, 285

long-lasting Potentiation
Hippocampal slice; Dentate gyrus; Dendritic inhibition; Picrotoxin; Bicuculline (Wigström, H.) **275**, 153

Power law
Divalent cations; Neuromuscular junction; Miniature end-plate potentials; Transmitter release; Tetanic potentiation (Narita, K.) **289**, 79

Power spectrum
Diaphragm EMG; Coherence spectrum; Central respiratory pattern generators (Bruce, E.N.) **269**, 259

Central respiratory pattern generator; Coherence analysis (Ackerson, L.M.) **271**, 346

Prazosin
$_{\alpha 1}$-Adrenoceptors; Startle; 6-Hydroxydopamine; Spinal cord (Astrachan, D.I.) **260**, 81

Na^+,K^+-ATPase; α-Adrenergic receptors; β-Adrenergic receptors; Yohimbine; Propranolol; Norepinephrine, biochemical effects (Swann, A.C.) **260**, 338

[^{3}H]Prazosin binding; α-Adrenergic receptor; Guinea pig brain; Estradiol; Progesterone; Steriod hormone (Nock, B.) **262**, 163

α_1-Adrenoceptors; Startle; Spinal cord; Desensitization (Astrachan, D.I.) **276**, 183

β-Adrenoceptors; α-Adrenoceptors; Sleep stages; Prenalterol; Salbutamol; Atenolol; Metoprolol; Propranolol; Clonidine; Phentolamine (Hilakivi, I.) **277**, 109

[^{3}H]Prazosin binding
Prazosin; α-Adrenergic receptor; Guinea pig brain; Estradiol; Progesterone; Steriod hormone (Nock, B.) **262**, 163

[^{3}H]Prazosin binding sites
Electroconvulsive treatment; central α_1-Adrenergic receptors (Vetulani, J.) **275**, 392

Precentral neuron activity
Learning; Movement amplitude; Elbow flexion (Maton, B.) **267**, 241

Precerebellar nucleus
Reverberating circuit; Cerebellum; Red nucleus; Cooling (Tsukahara, N.) **274**, 249

Prefrontal cortex
Cortico-cortical connections; Allocortex; Horseradish peroxidase; Cat (Cavada, C.) **260**, 117

Unit activity; Monkey; Functional heterogeneity; Arcuate concavity; Principal sulcus; Inferior convexity (Aou, S.) **260**, 121

Unit recording; Mediodorsal thalamic nucleus; Avoidance learning; Discriminative conditioning; Rabbit (Orona, E.) **263**, 295

Unit recording; Learning; Mediodorsal thalamus; Discriminative conditioning; Reversal; Rabbits (Orona, E.) **263**, 313

Evoked potentials; Neuron model; Dopamine (Hernandez, A.) **276**, 195

Acetylcholine; Basal nucleus of Meynert; Cholinergic mechanism; Monkey; Bar-press feeding behavior (Inoue, M.) **278**, 185

Prefrontal neuron
Substantia innominata; Intracranial self-stimulation; Visual tracking task; Movement-related neuron; Monkey (Funahashi, S.) **276**, 267

Preganglionic electrical stimulation
Axotomy; cGMP; High extracellular K^+; Denervation; Rat superior cervical sympathetic ganglion (Ando, M.) **267**, 313

Preganglionic sympathetic nucleus
Epinephrine; Spinal cord; Development; Phenylethanolamine-N-methyltransferase; Uptake; Autoradiography (Caserta, M.T.) **270**, 11

Pregnancy
Analgesia; Opioid-mediation (Gintzler, A.R.) **277**, 186

Pregnenolone
Dehydroepiandrosterone; Sulfate-esters; Brain steroids; Neuro-steroids (Corpéchot, C.) **270**, 119

Premotor cortex
Motor set; Motor cortex; Monkey (Wise, S.P.) **260**, 301

Amygdaloid complex; Area 6; Amygdalofugal projections (Avendaño, C.) **264**, 111

Premovement
Long-latency stretch reflex; Voluntary reaction; Gain control; Flexor pollicis longus; Triceps brachii (Day, B.L.) **270**, 55

Premovement cortical potentials
Visually initiated hand movement; Cerebro-cerebellar interaction; Motor learning; Monkey (Sasaki, K.) **277**, 41

Prenalterol
β-Adrenoceptors; α-Adrenoceptors; Sleep stages; Salbutamol; Atenolol; Metoprolol; Propranolol; Clonidine; Prazosin; Phentolamine (Hilakivi, I.) **277**, 109

Preoptic area
Hypothalamus; Amygdala; Rat brain; Protein phosphorylation; Sexual dimorphism; Sexual differentiation; Testosterone (Angelbeck, J.H.) **264**, 277

Testosterone-uptake; Metabolism; Dove; Male; Sex behavior (Steimer, Th.) **274**, 193

Paraventricular nucleus; Periventricular nucleus; Neurosecretory cell; Thermo-sensitive neuron; Thermo-regulation; Body fluid control (Matsumura, K.) **289**, 330

Preoptic neurons
Hypothalamic neurons; Sexual behavior (Oomura, Y.) **266**, 340

Pre- or postganglionic sympathetic denervation
Regional distribution; Dopamine; Norepinephrine; Cerebral arteries; High-performance liquid chromatography (Suzuki, Y.) **258**, 53

Pressor responses
GABA; Angiotensin II; hypertonic CSF (Brennan, T.J.) **267**, 261

Lateral septal area; Acetylcholine; Thyrotropin-releasing hormone; Muscarinic receptors (Pirola, C.J.) **273**, 387

Presynaptic Ca^{2+} entry
[Ca^{2+}]$_0$; GABA; Hippocampal slice; Rat (Konnerth, A.) **270**, 185

Presynaptic excitatory amino acid receptors
Amino acid release; Olfactory cortex (Collins, G.G.S.) **265**, 157

Presynaptic facilitation
Aplysia; [^{3}H]Serotonin uptake; Identified neurons; Serotonin; Sensitization; Synaptic modulation (Bailey, C.H.) **272**, 71

Presynaptic inhibition
Primary afferent depolarization; Potassium accumulation; Spinal cord (Jiménez, I.) **272**, 179

isolated perfused Frog spinal cord; Hypoxia; Glucose free medium; Ventral root potentials; Dorsal root potentials (Haji, A.) **274**, 107

Presynaptic modulation
Transmitter release; Potassium current (Shimahara, T.) **263**, 51

Presynaptic terminal
Synaptosomes; Microtubules; Neurotransmitter release; Taxol; Acetylcholine (Burgoyne, R.D.) **280**, 190

Pretectal nuclei
Albino rabbit; Misrouting; Optokinetic nystagmus; Autoradiography (Klooster, J.) **288**, 1

Pretectum
Double labeling; Inferior olive; Lateral thalamus; Visual system (Robertson, R.T.) **258**, 91

Edinger-Westphal nucleus; Oculomotor nucleus; Retrograde tracers; Olivary pretectal nucleus (Breen, L.A.) **261**, 303

Inferior olive; Cat; WGA-HRP (Itoh, K.) **272**, 350

Facial nucleus; Olivary pretectal nucleus; Blink reflex; Dazzle reflex; Menace reflex; HRP; Cat (Itoh, K.) **274**, 332

Primate; Visual cortex; Retinal projections; Frontal eye fields; Visual pathways (Dineen, J.T.) **278**, 250

Auditory system; Midbrain reticular formation; Inferior colliculus; Cat (Kudo, M.) **288**, 13

Prevertebral ganglia
Slow IPSP; Atropine insensitive (Ma, R.C.) **270**, 350

Primary afferent depolarization
Decerebrate control; Cutaneous afferents; Sacral spinal cord (Wójcik, G.) **266**, 233

Presynaptic inhibition; Potassium accumulation; Spinal cord (Jiménez, I.) **272**, 179

Tooth pulp; Nucleus raphe magnus; Reticular formation; Serotonin; GABA; Opioid peptides (Lovick, T.A.) **289**, 135

Primary afferents
Motoneurons; Frog; Cell death; Spinal cord (Davis, M.R.) **265**, 283

Primary afferent transmitters
Substance P; Nociception; Caudal trigeminal; Iontophoresis (Salt, T.E.) **273**, 217

Primary astroglial culture
Autoradiography; GABA; Glutamate; Aspartate; Dopamine; Norepinephrine; Serotonin; Enkephalin; Valine (Hansson, E.) **289**, 189

Primary axons
Vagal nerve; Infrared sensory system; HRP; Transganglionic transport; Boid snakes (Kishida, R.) **263**, 132

Primary sensory afferents
Apamin; Ascending axons; Afferent C fibers; Intrathecal injection; Facilitation (Jurna, I.) **280**, 186

Primary vestibular afferent
Cerebellar cortex; Lobule I; Vestibular nucleus neuron; Mossy fiber response (Hirai, N.) **277**, 145

Primary visual system
Fluorescent tracers; Rat; Centrifugal optic pathway; Orthograde and transcellular transport; Retrograde labeling (Weidner, C.) **272**, 129

Primate
Hippocampus; Cingulate; Papez circuit; Limbic system (Dagi, T.F.) **259**, 229

Plasticity; Stretch reflex; Memory; Spinal reflex; Learning (Wolpaw, J.R.) **267**, 196

Visual pathways; Inferior pulvinar; Medial pulvinar (Itaya, S.K.) **269**, 223

Accessory optic system; Medial terminal nucleus (Itaya, S.K.) **269**, 361

Striate cortex; Lateral geniculate nucleus; Geniculo-cortical afferents; Axons; Galago; Vision (Florence, S.L.) **270**, 127

Substance P; Dorsal horn; Ultrastructure; Immunohistochemistry (de Lanerolle, N.C.) **274**, 31

met Enkephalin; Dorsal horn; Ultrastructure; Immunohistochemistry (LaMotte, C.C.) **274**, 51

Serotonin; Dorsal horn; Ultrastructure; Immunohistochemistry (LaMotte, C.C.) **274**, 65

Globus pallidus; Pallidal efferents; Fluorescence double-labeling; Basal ganglia; Extrapyramidal system (Parent, A.) **278**, 11

Pretectum; Visual cortex; Retinal projections; Frontal eye fields; Visual pathways (Dineen, J.T.) **278**, 250

Plasticity; Stretch reflex; Spinal reflex; Learning; Memory (Wolpaw, J.R.) **278**, 299

Fastigial nucleus; Paleocerebellum; Cerebellar nuclei; Cerebellum; Motor control; Voluntary movement (Bava, A.) **288**, 371

Primate ganglion cell
Biplexiform cell; Intracellular recording; HRP-staining; Rod-cone interaction; Retinal circuitry (Zrenner, E.) **262**, 181

Primates
Somatosensory cortex; Cebus monkeys; Somatotopic organization (Felleman, D.J.) **268**, 15

Principal sulcus
Prefrontal cortex; Unit activity; Monkey; Functional heterogeneity; Arcuate concavity; Inferior convexity (Aou, S.) **260**, 121

Proenkephalin
Leu-Enkephalin; BAM-22P; Dynorphin A (Khachaturian, H.) **279**, 369

Progesterone
[^{3}H]Prazosin binding; Prazosin; α-Adrenergic receptor; Guinea pig brain; Estradiol; Steriod hormone (Nock, B.) **262**, 163

Antiestrogen; Enclomiphene; Progestin receptor; Lordosis; Estrogen (Wilcox, J.N.) **266**, 243

Progestin receptor
Antiestrogen; Enclomiphene; Lordosis; Estrogen; Progesterone (Wilcox, J.N.) **266**, 243

Progestin receptors
Neonatal estrogenization; Estradiol; Catecholestrogens; Moxestrol; Monohydroxytamoxifen; Luteinizing hormone surges (Ghraf, R.) **258**, 133

Neonatal estrogenization; Estradiol; Catecholestrogens; Luteinizing hormone surges; Pituitary gland; Uterus (Kirchhoff, J.) **268**, 382

Neonatal androgenization; Estradiol; Luteinizing hormone surges; Hypothalamus; Pituitary gland; Uterus (Kirchhoff, J.) **275**, 173

non-Steroidal antiestrogens; Estradiol-17β; Estrogen receptors; Pituitary gland; Hypothalamus; Uterus (Kirchhoff, J.) **289**, 380

Progestogen
[^{3}H]R5020; Autoradiography; Hamster; Brain; Pituitary; Immunohistochemistry (Rogers Munn, A. III) **274**, 1

Projection cells
Hippocampal theta; Interneurons; Feed-forward inhibition (Buzsàki, G.) **266**, 334

Prolactin
Cerebrospinal fluid; Cortisol; Morphine; Thyrotropin-releasing hormone; 5-Hydroxytryptophan; Monkey (Herbert, J.) **258**, 251

Reserpine; Calcium; Thyrotropin-releasing hormone; Adrenocorticotropic hormone; Dopamine (Login, I.S.) **260**, 99

Adrenocorticotropin; Grooming behavior; Endogenous hyerprolactinaemia; Cross-tolerance; Dopamine (Drago, F.) **263**, 277

Adrencorticotropin; Corticosterone; Acetylcholine; Nicotinic receptors; Antibodies (Weidenfeld, J.) **265**, 152

Arcuate-ventromedial hypothalamus; Morphine; Dopamine; Neural activity (Haskins, J.T.) **268**, 185

Dopaminergic regulation; Growth hormone; Pituitary tumor; Rat (Cheung, C.Y.) **270**, 165

Placental lactogen; Growth hormone; Tuberoinfundibular dopaminergic neurons; DOPA accumulation (Demarest, K.T.) **272**, 175

5-Methoxy-N,N-dimethyltryptamine; Dopamine; Tuberoinfundibular neurons; Serotonin (Simonovic, M.) **272**, 269

Sexual differentiation; Aromatization; Cervical stimulation (Krey, L.C.) **274**, 188

Prolactin release
Etomidate; Dopamine; Synaptosomes; 5-Hydroxytryptophan; Haloperidol; GABA (Preziosi, P.) **271**, 379

Proliferation
Goldfish; Optic nerve; Regeneration; X-irradiation (Neuman, D.) **272**, 237

Proline
Retrograde transport (LeVay, S.) **271**, 131

Propidium iodide
Bisbenzimide; Fluorescent tracers; Gustatory neocortex; Medial parabrachial nucleus; Pontine taste area; Posterior ventromedial thalamic nucleus; Rat (Lasiter, P.S.) **258**, 299

N-succinimidyl [^{3}H]Propionate
Retrograde transport; Retinal ganglion cell; Optic nerve (Williams, L.R.) **259**, 207

Propranolol
Na$^+$,K$^+$-ATPase; α-Adrenergic receptors; β-Adrenergic receptors; Yohimbine; Prazosin; Norepinephrine, biochemical effects (Swann, A.C.) **260**, 338

β-Adrenoceptors; α-Adrenoceptors; Sleep stages; Prenalterol; Salbutamol; Atenolol; Metoprolol; Clonidine; Prazosin; Phentolamine (Hilakivi, I.) **277**, 109

Proprioception
Muscle receptor organ; Coordination; Leg joint; Locust (Bräunig, P.) **274**, 341

Propriospinal neurons
Dorsal horn neurons; Nociception; Inhibition (Cadden, S.W.) **275**, 1

Propriospinal system
Spinal cord; Tendon organs (Jankowska, E.) **261**, 317

Propyl-β-carboline-3-carboxylate
Peripheral-type benzodiazepine receptors; Central-type benzodiazepine receptors; Ethanol; Ro5-4864 (Schoemaker, H.) **258**, 347

[^{3}H]N-Propylnorapomorphine
Mouse striatum; [^{3}H]Spiperone; Dopamine receptors; 6-Hydroxydopamine; Kainic acid; Frontal cortical ablation (Severson, J.A.) **279**, 295

Prostacyclin
Cerebral blood flow; 6-keto-Prostaglandin F$_{1\alpha}$; CO$_2$ reactivity (Uyama, O.) **259**, 344

Prostaglandin
β-Endorphin; cAMP; Hyperthermia; Naloxone-sensitive receptor; Non-peptide opioid; Peptide opioid; Transport system inhibitor (Kandasamy, S.B.) **265**, 63

6-keto-Prostaglandin F$_{1\alpha}$
Cerebral blood flow; Prostacyclin; CO$_2$ reactivity (Uyama, O.) **259**, 344

Prostaglandins
Prostanoids; CNS; Hypothalamus; Pituitary gland; Rat (Gerozissis, K.) **279**, 133

Prostanoids
Prostaglandins; CNS; Hypothalamus; Pituitary gland; Rat (Gerozissis, K.) **279**, 133

Protein
Goldfish; Optic nerve; Regeneration; 2-D Gel electrophoresis (Quitschke, W.) **258**, 69

S-100 Protein
Rat adipocytes; PAP method; Microcomplement fixation (Michetti, F.) **262**, 352

Hydroxyindole O-methyltransferase; Neuron-specific enolase; Pineal gland (Kuwano, R.) **274**, 171

P$_o$ Protein
Myelin; Myelin proteins; Shark; Immunoblotting; Schwann cells; Oligodendroglial cells (Tai, F.L.) **278**, 350

Proteinase
Glial fibrillary acidic protein; Glial fibrillary acidic protein degradation; Immunoblot (DeArmond, S.J.) **262**, 275

Glutamate receptors; Hippocampus; Synaptic plasticity (Baudry, M.) **270**, 142

Proteinases
Brattleboro rat; Cathepsin D; Radioimmunoassay; Supraoptic nucleus; Vasopressin (Whitaker, J.N.) **277**, 181

Protein biosynthesis
Nerve regeneration; Endoplasmic reticulum; Golgi apparatus; Cell membrane; Nucleoprotein biosynthesis (Whitnall, M.H.) **272**, 49

Protein kinase
Cyclic nucleotide; Calcium; Pentylenetetrazole; Bursting activity; Snail neuron; Seizure discharge (Onozuka, M.) **269**, 277

Synaptic junctions; Glycoproteins; Phosphorylation; cAMP (Gurd, J.W.) **269**, 287

Protein phosphorylation
Preoptic area; Hypothalamus; Amygdala; Rat brain; Sexual dimorphism; Sexual differentiation; Testosterone (Angelbeck, J.H.) **264**, 277

Neonatal handling; Hippocampus (Cain, S.) **267**, 192

Long-term potentiation; Hippocampal slices; Rat brain; Synaptic plasticity (Tielen, A.M.) **277**, 189

Proteins
Axonal transport; cAMP; Cycloheximide; Nerve regeneration; Optic nerve; Retinal ganglion cell (McQuarrie, I.G.) **279**, 377

Protein synthesis inhibitors
α-Adrenergic receptors; β-Adrenergic receptors; Db-cAMP; Db-cGMP; Muscarinic receptors; Phosphodiesterase inhibitors (Kandasamy, S.B.) **277**, 311

Minocycline; Ampicillin; Human sleep; Slow wave sleep; REM sleep (Nonaka, K.) **288**, 253

Proteolipid protein
Tissue culture; Myelin proteins; Encephalitogenic basic proteins; Neuroglia (Mithen, F.A.) **262**, 63

Proteolysis
Neurofilaments; Mouse; Posttranslational modification; Retinal ganglion cells; Cytoskeletal proteins; Calcium; Optic pathway (Nixon, R.A.) **275**, 384

Proteolytic enzymes
Vasotocin; Synaptic membranes; Biotransformation; Neurohypophyseal hormones; Neuropeptides (Wang, X.-C.) **275**, 83

Psychophysics (animal)
Brain stimulation; Detection thresholds; Reward threshold (Wheeling, H.S.) **272**, 13

Pulmonary afferents
Sympathetic discharges; Phrenic activity; Periodicities; Barbiturates; Correlation techniques; Signal averaging techniques (Gootman, P.M.) **270**, 134

Pulpal axons
Capsaicin; Rat; Inferior alveolar nerve; Nociception (Holje, L.) **266**, 133

Pulvinar
Vision; Monkeys; Superior colliculus; Striate cortex; Receptive-fields; Lesions (Bender, D.B.) **279**, 258

Pulvinar nucleus
Superior colliculus; Squirrel monkey; Anterograde autoradiography; Horseradish peroxidase; Sublamination of SGS (Huerta, M.F.) **261**, 119

Retinal projection; Optic fibers; Lateroposterior nucleus; Cat; HRP (Itoh, K.) **276**, 325

Purkinje cell
Taurine; Cerebellar slice; Purkinje cell dendrite; Cl-conductance; Transmitter; Intradendritic recording; Reversal potential (Okamoto, K.) **259**, 319

Taurine; Stellate cell; Ca spikes; Na spikes; Transmitter; Cerebellar slice; Intracellular recording (Okamoto, K.) **260**, 249

Cerebellar cortex; Nodulus; Nuclear morphology; Nucleolar differences; Hamster neurons (LaVelle, F.W.) **265**, 119

Taurine; Transmitter; Purkinje cell dendrite; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide (TAG); Taurine antagonist; Reversal potential; Intracellular recording; Cerebellum (Okamoto, K.) **265**, 163

Purkinje cell dendrite
Taurine; Cerebellar slice; Purkinje cell; Cl-conductance; Transmitter; Intradendritic recording; Reversal potential (Okamoto, K.) **259**, 319

Taurine; Intradendritic recording; Ca spikes; Cl conductance; Ca channels; Cerebellar slices; Transmitter; Stellate cell (Okamoto, K.) **260**, 261

Taurine; Transmitter; Purkinje cell; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide (TAG); Taurine antagonist; Reversal potential; Intracellular recording; Cerebellum (Okamoto, K.) **265**, 163

Purkinje cell dendrites
Organotypic cultures; intracellular HRP; Computer microscope; Quantitative morphology; Discriminant analysis (Calvet, M.-C.) **280**, 199

Purkinje cells
Ethanol; LS mice; SS mice; Cerebellum; in vitro Brain slices (Basile, A.) **264**, 69

Reeler mice; Calcium spikes; Sodium spikes (Dupont, J.-L.) **274**, 350

Excitatory amino acids; Voltage clamp (Crepel, F.) **279**, 311

Purkinje neuron
Culture; Endogenous activity; Synaptic activity; Putative neurotransmitter (Gruol, D.L.) **263**, 223

Purkinje neurone
Dominantly-inherited cerebellar ataxias; Cerebellum; GABA; GABA receptor; Dentate nucleus (Kish, S.J.) **269**, 370

Push-pull cannula
Vasoactive intestinal polypeptide; Fourth ventricle; Cholinergic pathway (Kaji, H.) **269**, 303

Push-pull cannulae
L-Glutamic acid; Baroreceptor reflex; Nucleus tractus solitarius; Neurotransmitter; Blood pressure (Granata, A.R.) **259**, 77

Putamen
Subthalamic nucleus; Caudate nucleus; Wheatgerm agglutinin; HRP; Autoradiography (Beckstead, R.M.) **275**, 137

Putamen neurons
Wrist movements; Monkey motor system (Liles, S.L.) **263**, 156

Putative neurotransmitter
Purkinje neuron; Culture; Endogenous activity; Synaptic activity (Gruol, D.L.) **263**, 223

Pylorus
Substance P; Immunohistochemistry; Retrograde axonal tracing; Dorsal root ganglia; Vagal ganglia; Guinea pig (Lindh, B.) **269**, 365

Pyramidal cell
Motor cortex; Cerebellothalamocortical pathway; EPSP; intracellular HRP staining; Stellate cell; Cat (Noda, T.) **268**, 153

non-Pyramidal cell
Gap junction; Dendrite; Interneuron; Hippocampus; Rat; Mammal (Kosaka, T.) **271**, 157

Pyramidal cell
Sodium pump; K conductance; Hippocampus (Gustafsson, B.) **275**, 159

Pyramidal cells
Kindling; Hippocampus; Median raphe nucleus; EEG spikes; Hyerpolarizations (Fujita, Y.) **278**, 313

Pyramidal neurons
Hippocampus; Axon initial segment; Axo-axonic synapses; Axo-axonic interneuron; Epilepsy (Somogyi, P.) **259**, 137

Recurrent inhibition; Feline generalized epilepsy; Spike and wave discharges (Kostopoulos, G.) **267**, 101

Ischemia; Histamine; cAMP; Adenylate cyclase; Adenosine; Norepinephrine (Karnushina, I.) **268**, 87

non-Pyramidal neurons
Vasoactive intestinal polypeptide; Hippocampus; Electron miscroscopic immunostaining; Commissural afferents (Léránth, C.) **276**, 357

Pyramidal tract
Thalamus; Ventrobasal complex; Ventroanterior nucleus; Ventrolateral nucleus; Ventromedial nucleus; Cats (Giuffrida, R.) **279**, 254

Pyramidal tract neuron
Postcentral cortex; Tactile response (Tanji, J.) **273**, 352

Pyramidal tract neurons
Intracellular recording; Potassium conductance; Afterhyperpolarization (Baldissera, F.) **259**, 143

Pyrethroid
Sodium channel; Patch clamp; Insecticide tetramethrin; Neuroblastoma (Yamamoto, D.) **274**, 344

Pyridine nucleotide
Nicotinamide adenine dinucleotide; Hypoglycemia; Cerebral redox state; Cats (Bryan, R.M. Jr.) **279**, 266

Pyriform cortex
Amygdala; Electrical kindling; Vasopressin; Brattleboro rat (Gillis, B.J.) **271**, 375

P_2 protein
Experimental allergic neuritis; Lewis rat (Cunningham, J.M.) **258**, 285

Q

Quadrupedal movement
Reticulospinal neuron; Spike pattern; Thalamic cat; SBS reflex (Shimamura, M.) **260**, 27

Quail
Tetanus toxin receptor; Glutamic acid decarboxylase; Action potentials; Clones; Neuroretina cell cultures (Pessac, B.) **275**, 53

Quantal content
Contralateral controls; Sprouting (Pockett, S.) **268**, 349

Quantification
Golgi rapid; Post mortem fixation delay; Impregnation defects; Guinea-pig (De Ruiter, J.P.) **266**, 143

Quantitative autoradiography
Nitroimipramine binding sites; Imipramine binding sites; Rat brain; LKB Ultrofilm (Rainbow, T.C.) **262**, 319

Corticosterone receptors; Hippocampus; Rat brain; LKB Ultrofilm; Steroid receptors (Sapolsky, R.M.) **271**, 331

Fatty acids; Palmitate; Functional activity; Brain; Glucose utilization; Oxidative metabolism; Rat; Lipids (Kimes, A.S.) **274**, 291

Quantitative electron microscopic autoradiography
Fast axonal transport; Smooth endoplasmic reticulum; Ultrastructural morphometry (Papasozomenos, S.C.) **278**, 232

Quantitative electron microscopy
Reinnervation; Septum (Field, P.M.) **272**, 83

Quantitative histology
Electron microscopy; Cell density; Synaptic boutons density; Hypothalamus; Paraventricular nucleus (Kiss, J.Z.) **262**, 217

Electron microscopy; Extrinsic/intrinsic connections; Hypothalamus; Paraventricular nucleus (Kiss, J.Z.) **265**, 11

Electron microscopy; Sciatic nerve resection; Neuroma excision; Dorsal root ganglia; Dorsal roots; Kitten (Aldskogius, H.) **289**, 358

Quantitative morphology
Purkinje cell dendrites; Organotypic cultures; intracellular HRP; Computer microscope; Discriminant analysis (Calvet, M.-C.) **280**, 199

Quantitative synaptology
Cat; Spinal cord; Renshaw cell; Ultrastructure (Lagerbäck, P.-Å.) **264**, 215

Quiet biting attack
Aggression; Hippocampal formation; Trigeminal sensory field; $[^{14}C]$2-Deoxyglucose autoradiography (Watson, R.E. Jr.) **269**, 327

Quinoline derivatives
Benzodiazepine receptor; PK 8165; PK 9084; Benzodiazepine receptor antagonist; Selective anxiolytic; (+)Bicuculline; Diazepam (Gee, K.W.) **264**, 168

Quinolinic acid
Excitatory amino acids; Microiontophoresis (Perkins, M.N.) **259**, 172

Kynurenic acid; Amino acid antagonists; Synaptic antagonists; Hippocampus; Spinal cord (Ganong, A.H.) **273**, 170

$[^{3}H]$Quinuclidinylbenzilate
Regeneration; Septohippocampal pathway; Cholinergic neurotrophic factor; Heart conditioned medium; Choline acetyltransferase (Schonfeld, A.R.) **266**, 271

$[^{3}H]$Quinuclidinylbenzilate binding
$[^{3}H]$Choline accumulation; Hippocampus; Rat strains; Stress (Gilad, G.M.) **267**, 171

Quisqualic acid
Streptomycin; Amino acids; Glutamate (Stone, T.W.) **260**, 347

R

REM
Sleep; Cholinergic; Pontine brainstem; Bethanechol (Hobson, J.A.) **275**, 127

REM sleep
Medulla; Pons; Inhibition; Muscle tone (Siegel, J.M.) **268**, 344

Amygdala kindling; Slow-wave-sleep (Shouse, M.N.) **271**, 196

Deoxycoformycin; Slow-wave sleep (S_2); Adenosine (Radulovacki, M.) **271**, 392

Kainic acid; Pontine giant cells; Cholinergic mediation (Drucker-Colín, R.) **272**, 387

Ponto-geniculo-occipital waves; Eye movements; Human cerebral potentials; Corollary discharge (McCarley, R.W.) **274**, 359

Dopamine; Sleep-waking; Auditory stimulation; Substantia nigra; Dopaminergic unit activity (Steinfels, G.F.) **277**, 150

Ponto-geniculo-occipital spikes; Auditory stimulus (Drucker-Colín, R.) **278**, 308

Ponto-geniculo-occipital (PGO) waves; Medial pontine reticular formation; Tegmental reticular nucleus; Intracellular recording in naturally sleeping cat; Long lead PGO wave positive neurons (McCarley, R.W.) **280**, 343

Minocycline; Ampicillin; Protein synthesis inhibitors; Human sleep; Slow wave sleep (Nonaka, K.) **288**, 253

RHA/Verh. rat
RLA/Verh. rat; Septal rage; Self-stimulation; Active avoidance (Lieblich, I.) **263**, 113

RLA/Verh. rat
RHA/Verh. rat; Septal rage; Self-stimulation; Active avoidance (Lieblich, I.) **263**, 113

Ro14-7437
Benzodiazepine antagonist; Excitation; Calcium-mediated potassium conductance; Hippocampus; CA1 cells (Carlen, P.L.) **271**, 115

Ro 15-1788
Benzodiazepines; Diazepam; Clonazepam; Thyroid-stimulating hormone release; Cold-induced TSH release (Camoratto, A.M.) **265**, 339

Ro15-1788
Benzodiazepine receptors; Diazepam; Benzodiazepine antagonist; Kindled seizures (Robertson, H.A.) **270**, 380

Ro5-3663
Chlordiazepoxide; Picrotoxin site; Anxiogenic effect (File, S.E.) **278**, 370

Ro5-4864
Peripheral-type benzodiazepine receptors; Central-type benzodiazepine receptors; Ethanol; Propyl-β-carboline-3-carboxylate (Schoemaker, H.) **258**, 347

$[^{3}H]$Ro5-4864
$[^{3}H]$Flunitrazepam; Amygdala kindling; central-type Benzodiazepine receptors; peripheral-type Benzodiazepine receptors (Burnham, W.M.) **279**, 359

$[^{3}H]$RX 78006 (H-Tyr-D-Ala-Gly-MePhe-NH $(CH_2)_2OH$)
Spinal cord; Opiate receptors; μ-, δ, κ-Types; $[^{3}H]$Diprenorphine; Sequential displacement; Human (Członkowski, A.) **267**, 392

$[^{3}H]$R5020
Progestogen; Autoradiography; Hamster; Brain; Pituitary; Immunohistochemistry (Rogers Munn, A. III) **274**, 1

Rabbit
Spinal cord; Blood flow rate; Iodoantipyrine (Zivin, J.A.) **258**, 197

Parabrachial nuclei; Gustation; Amygdala; Substantia innominata; Thalamus (Block, C.H.) **259**, 1

Unit recording; Prefrontal cortex; Mediodorsal thalamic nucleus; Avoidance learning; Discriminative conditioning (Orona, E.) **263**, 295

Angiotensin II; Cerebral blood flow; [^{14}C]Ethanol tissue sampling technique; Heat clearance technique; Mass spectrometry technique; Central effect (Reynier-Rebuffel, A.-M.) **269**, 91

Electrical stimulation; Nerve regeneration; Functional reinnervation (Nix, W.A.) **272**, 21

Cerebral cortex; Dominant focus; cAMP; Histamine (Hattori, Y.) **279**, 308

Rabbit retina
Starburst amacrine cells; Cholinergic neurons (Famiglietti, E.V. Jr.) **261**, 138

Rabbits
Unit recording; Prefrontal cortex; Learning; Mediodorsal thalamus; Discriminative conditioning; Reversal (Orona, E.) **263**, 313

Rabbit visual system
Superior colliculus; Synaptogenesis; Monoclonal antibodies; Radioimmunoassay; Corticotectal projections; Retinotectal projections (Greif, K.F.) **275**, 143

Raccoon
Plasticity; Surround inhibition; Somatosensory cortex (Rasmusson, D.D.) **288**, 368

Radial component
Shiverer mouse; Central myelin; Electron lucent linear structure; Major dense line (Nagara, H.) **263**, 336

Radial maze
Spatial memory; Mice; Fimbria/fornix; Acetylcholine (Reinstein, D.K.) **263**, 172

Radioautography
Red nucleus; Monoaminergic innervation; Serotoninergic terminals (Bosler, O.) **259**, 288

GABA uptake; Cortical areas (Harandi, M.) **260**, 306

Serotonin; In vitro release; 5,7-Dihydroxytryptamine; Parachloroamphetamine; Pancreas (Koevary, S.B.) **265**, 328

Immunocytochemistry; Nucleus tractus solitarius; Vagal afferents; Tyrosine hydroxylase; Synaptic interaction (Sumal, K.K.) **277**, 31

Serotonin; Fetal pancreas; Perikarya; Culture (Koevary, S.B.) **280**, 368

α-Bungarotoxin; Sympathetic ganglion; Cholinergic receptor (Smolen, A.J.) **289**, 177

Radioenzymatic assay
Primary brain cultures; Norepinephrine; Dopamine; Fluorescence (Sumners, C.) **264**, 267

Radioimmunoassay
Dynorphin; α-Neo-Endorphin; Brattleboro rats; Vasopressin; Hypothalamus; Posterior pituitary (Weber, E.) **260**, 166

Vasopressin; Hypothalamic and extrahypothalamic brain nuclei; Passive avoidance behavior (Laczi, F.) **260**, 342

FMRFamide; Neuropeptides; Pancreactic polypeptide (Dockray, G.J.) **266**, 295

Vasopressin; Vasopressin brain levels; Non-equilibrium radioimmunoassay (Brinton, R.E.) **266**, 344

Luteinizing hormone-releasing hormone; Brain; Hypophysectomy; Immunocytochemistry; Ovary; Neuroendocrinology; Platyfish (Schreibman, M.P.) **267**, 293

Neurotensin; Central nervous system; Autonomic nervous system; Pituitary gland; Gastrointestinal tract; Gel chromatography (Goedert, M.) **272**, 291

Superior colliculus; Synaptogenesis; Monoclonal antibodies; Corticotectal projections; Retinotectal projections; Rabbit visual system (Greif, K.F.) **275**, 143

Cholecystokinin; Gastrin; Neuropeptides; Biosynthesis; Axonal transport (Rehfeld, J.F.) **275**, 341

Monoamine oxidase; Antibodies; Immunocytochemistry; Rat tissues; Immune fixation (Pintar, J.E.) **276**, 127

Thyrotropin-releasing hormone; Brainstem (Eskay, R.L.) **277**, 159

Brattleboro rat; Cathepsin D; Proteinases; Supraoptic nucleus; Vasopressin (Whitaker, J.N.) **277**, 181

Dynorphin; Rat brain nuclei; Spinal cord (Zamir, N.) **280**, 81

Dynorphin; Opioid peptides; Substance P; Human spinal cord/spinal ganglia (Przewłocki, R.) **280**, 95

Radioimmunohistochemistry
Opiatergic projections; Habenula (McLean, S.) **278**, 255

Rainbow trout
Olfactory bulbar response; Amino acid; Odorant; Receptor potential; Carp; Bullfrog (Yoshii, K.) **274**, 239

Ramp contraction
Voluntary force exertion; Ballistic contraction; Isometric force; Surface e.m.g.; Integrated e.m.g.; Discharge rate; Force rate (Yoneda, T.) **275**, 305

Rana pipiens
Optic nerve; Optic tract; Topographic organization; Axonal guidance; Fiber-filling; HRP (Scalia, F.) **266**, 121

non-Random distribution
Blood vessel; Somatosensory cortex; Barrel (Patel, U.) **289**, 65

Raphe dorsalis
Differential pulse voltammetry; Oxidation peak 3; Raphe magnus; Circadian variations; Monoamine oxidase inhibitors (Crespi, F.) **272**, 263

Raphé dorsalis
Ventral mesencephalic tegmental-A10; Locus coeruleus; Dopamine; Serotonin (McRae-Degueurce, A.) **263**, 344

Raphe magnus
Spinal trigeminal nucleus; Axon collaterals; Nucleus reticularis gigantocellularis; Brainstem (Beitz, A.J.) **258**, 305

Differential pulse voltammetry; Oxidation peak 3; Raphe dorsalis; Circadian variations; Monoamine oxidase inhibitors (Crespi, F.) **272**, 263

Periaqueductal gray; Nucleus reticularis paragigantocellularis; Spinal trigeminal nucleus (Beitz, A.J.) **288**, 307

Raphe nuclei
Lateral habenular nucleus; Entopeduncular nucleus; Lateral preoptic area (Garland, J.C.) **263**, 33

Myocardial infarction; Vagus nerve; Cardiocardiac reflexes; Hypothalamic nuclei; Serotonin turnover (Sole, M.J.) **265**, 55

Differential pulse voltammetry; Oxidation potential; Peak 3; Electrochemical detection; 5-Hydroxyindoles (Crespi, F.) **270**, 45

Serotonin receptors; $[^3H]$LSD binding; Human brain; Brainstem; Autoradiography (Palacios, J.M.) **274**, 150

Hypothalamus; Immunohistochemistry; Paraventricular nucleus; Serotonin; Supraoptic nucleus (Sawchenko, P.E.) **277**, 355

Serotonergic neurons; Lysergic acid diethylamide; Analgesic pathways (Wessendorf, M.W.) **279**, 93

Serotonin; Methysergide; Homosynaptic depression; Monosynaptic responses of motoneurons; Frog spinal cord (Cardona, A.) **280**, 373

Serotonin; Substance P; Enkephalin; Thyrotropin-releasing hormone; Immunocytochemistry; Spinal cord (Bowker, R.M.) **288**, 33

Rat
Focal interictal epileptiform discharges; Cerebral cortex; Penicillin; Electrophoresis; Depth profile (Lockton, J.W.) **258**, 79

Somatostatin neuron; Periventricular nucleus; Median eminence hypothalamus; Immunohistochemistry; Electron microscopy (Ibata, Y.) **258**, 291

Bisbenzimide; Fluorescent tracers; Gustatory neocortex; Medial parabrachial nucleus; Pontine taste area; Posterior ventromedial thalamic nucleus; Propidium iodide (Lasiter, P.S.) **258**, 299

Astrocyte; Synapse; Visual cortex (Edmunds, S.M.) **259**, 285

Aggression; Hypothalamus; Discriminant analysis; Attack; Brain stimulation; Computer-plotted histology; 3D-reconstruction (Kruk, M.R.) **260**, 61

Cortex; Auditory; Connections; Thalamic; Callosal (Vaughan, D.W.) **260**, 181

Visual cortex; Receptive field; Morphology; HRP (Parnavelas, J.G.) **261**, 21

Differential environment; Active sleep; Clonidine; Development (Mirmiran, M.) **261**, 331

Calcitonin; Autoradiography; Pituitary; Binding (Maurer, R.) **261**, 346

Paraventricular neurosecretory neuron; Recurrent inhibition; Antidromic spike; Silent phase; Electrical properties; Threshold; Latency (Akaishi, T.) **262**, 151

Striatum; Kainic acid; Neuron-specific enolase; Glutamine synthetase; Glutamic acid decarboxylase (Francis, A.) **263**, 89

Neurotransmitter; Substance P; Sensory neuropathy; Neurological mutants; *m f* Mutant (Scaravilli, F.) **263**, 147

Neuropeptides; Fornix; Hippocampus; Monkey; Man (Roberts, G.W.) **263**, 151

Somatostatin; Immunohistochemistry; Hypothalamus; Synapse (Ohtsuka, M.) **263**, 191

Capsaicin; Inferior alveolar nerve; Pulpal axons; Nociception (Holje, L.) **266**, 133

Spinal cord; Serotonin; Nociception (Maxwell, D.J.) **266**, 253

Hypothalamus; Superior salivatory nucleus; Autoradiography; HRP (Hosoya, Y.) **266**, 329

Nociceptor; Cold receptor; Mechanoreceptor; C-Fiber; Sensitization (Fleischer, E.) **267**, 81

Paralemniscal reticular formation; Nociception; Analgesia; Periaqueductal gray; HRP; Microiontophoresis; Norepinephrine (Hardy, S.G.P.) **267**, 217

Centre median-parafascicular complex; Subthalamic nucleus; Autoradiography; Electron microscopy; HRP (Sugimoto, T.) **267**, 335

Deafferented hypothalamus; Reinnervation (Nagy, L.) **268**, 354

Axonal regeneration; Collateral sprouting; Partial denervation; Sciatic nerve (Sparrow, J.R.) **269**, 133

Neurotensin; Dopamine; Coexistence; Arcuate nucleus; Immunohistochemistry; Fluorescence histochemistry (Ibata, Y.) **269**, 177

Limbic system; Subiculum; Hippocampal formation (Kosel, K.C.) **269**, 347

Dopaminergic regulation; Prolactin; Growth hormone; Pituitary tumor (Cheung, C.Y.) **270**, 165

$[Ca^{2+}]_0$; Presynaptic Ca^{2+} entry; GABA; Hippocampal slice (Konnerth, A.) **270**, 185

Gap junction; Dendrite; Interneuron; non-Pyramidal cell; Hippocampus; Mammal (Kosaka, T.) **271**, 157

Hippocampus; Hippocampal efferents; Subiculum; HRP; Limbic system; Tracing techniques (Finch, D.M.) **271**, 201

Cortical lesions; Catecholamines; Serotonin; Subcortical structures (Finklestein, S.) **271**, 279

Fluorescent tracers; Primary visual system; Centrifugal optic pathway; Orthograde and transcellular transport; Retrograde labeling (Weidner, C.) **272**, 129

Visual cortex; Visual topography; Striate/extrastriate area; Microelectrode mapping (Espinoza, S.G.) **272**, 137

Cobalt-induced epilepsy; Noradrenaline; Serotonin uptake; Dihydroxyphenylethyleneglycol; 5-Hydroxyindoleacetic acid (Trottier, S.) **272**, 255

Immunocytochemistry; Hippocampus; Guinea pig; Hedgehog; Enkephalin; Cholecystokinin; Heavy metals (Stengaard-Pedersen, K.) **273**, 81

Arthritis; Somatosensory cortex; Somatic peripheral receptive fields; Laminar distribution (Lamour, Y.) **273**, 183

Neurotensin; Nervus ventromedialis hypothalami; Amygdaloid complex (Inagaki, S.) **273**, 229

Hippocampus; Dentate hilus; Granule cells; Retrograde tracing (Gaarskjaer, F.B.) **274**, 11

Fatty acids; Palmitate; Functional activity; Brain; Glucose utilization; Oxidative metabolism; Quantitative autoradiography; Lipids (Kimes, A.S.) **274**, 291

Neurotensin; Dopamine; Release; Striatum (De Quidt, M.E.) **274**, 376

Brain microvessels, isolated; Insulin; 2-Deoxy-D-$[^3H]$glucose entrance (Djuričić, B.M.) **275**, 186

HRP; Motoneurons; Deafferentation; Spinal cord; Retrograde transport (Peyronnard, J.-M.) **275**, 203

Olivocerebellar projection; Climbing fibers; $[^3H]$Leucine; $[^3H]$Methionine; 3-Acetylpyridine (Campbell, N.C.) **275**, 215

Topography; Olivocerebellar projection; Sagittal zones; Unilateral projection (Campbell, N.C.) **275**, 235

Habenula; Deafferentation; Norepinephrine; Sympathetic innervation; Central noradrenergic projections (Gottesfeld, Z.) **275**, 299

Subfornical organ; Angiotensin; Blood pressure; Drinking (Lind, R.W.) **275**, 361

Adreno cortical tropic hormone$_{1-39}$; Opiocortin; Catecholamine; Immunocytochemistry; Brainstem (Romagnano, M.A.) **276**, 1

Carotid body; Glomus cells; Serotonin-like immunoreactivity (Grönblad, M.) **276**, 348

Gap junction; Interneuron; Dentate gyrus; Hippocampus; Mammal (Kosaka, T.) **277**, 347

GABA; Cerebral cortex; Laminal distribution; Inhibitory transmitter (Ishikawa, K.) **277**, 361

Spinothalamic tract; Ventrobasal complex; Pain (Peschanski, M.) **278**, 240

Visceral cortex; Medial frontal cortex; Solitary nucleus; Autonomic nervous system (Terreberry, R.R.) **278**, 245

Extraocular muscles; Semilunar ganglion; Stretch receptor; First-order neurons; Single unit; HRP (Daunicht, W.J.) **278**, 291

Strychnine; Bicuculline; Glycine; GABA; Dopamine; Retina; Light (Morgan, W.W.) **278**, 362

Paraventricular nucleus neurons; Dorsomedial medulla; Neurosecretory neurons; Carotid baroreceptors; Electrophysiology; Connection (Kannan, H.) **279**, 31

Circadian pacemaker; Ventromedial hypothalamic nucleus; Restricted feeding schedule; Multiple unit activity; Motor activity; Suprachiasmatic nucleus (Inouye, S.-I.T.) **279**, 53

Prostanoids; Prostaglandins; CNS; Hypothalamus; Pituitary gland (Gerozissis, K.) **279**, 133

Spinal cord; Dorsal horn; Somatosensory; Inhibition; non-Segmental inhibition; Time-course; Anesthetic; Pain; Noxious inhibitory controls (Tomlinson, R.W.W.) **279**, 291

Sleep; Aging (Van Gool, W.A.) **279**, 394

Sympathetic ganglia; Synapses; 4-Aminopyridine; Freeze-fracture; Ultrastructure; Guinea pig (Andersson Forsman, C.) **280**, 355

Ambiguus motoneuron; Antidromic identification; Ultrasonic vocalization; Superior and recurrent nerves; Ventral and dorsal formations (Yajima, Y.) **288**, 302

Substance P; Immunohistochemistry; Hypothalamus; Synapse; Ultrastructure (Tsuruo, Y.) **289**, 1

Acetylcholine; Iontophoresis; Somatosensory cortex; Dose-response curves (Lamour, Y.) **289**, 157

Gastrin releasing peptide; Immunocytochemistry; Celiac ganglion (Kondo, H.) **289**, 326

Retrograde cell degeneration; Cortex; Basal nucleus; Immunohistochemistry; Choline acetyltransferase (Sofroniew, M.V.) **289**, 370

Rat adipocytes
S-100 Protein; PAP method; Microcomplement fixation (Michetti, F.) **262**, 352

Rat brain
Angiotensinogen; Biosynthesis; Renin-substrate; Concanavalin A; Cycloheximide; Vinblastine (Sernia, C.) **259**, 275

Nitroimipramine binding sites; Imipramine binding sites; Quantitative autoradiography; LKB Ultrofilm (Rainbow, T.C.) **262**, 319

Preoptic area; Hypothalamus; Amygdala; Protein phosphorylation; Sexual dimorphism; Sexual differentiation; Testosterone (Angelbeck, J.H.) **264**, 277

PHI; Development; Cortex; Hippocampus (Christofides, N.D.) **264**, 359

Ventral tegmental area; Electrical stimulation; Catecholamines (Van Heuven-Nolsen, D.) **268**, 362

Corticosterone receptors; Hippocampus; Quantitative autoradiography; LKB Ultrofilm; Steroid receptors (Sapolsky, R.M.) **271**, 331

Guanylate cyclase; Immunohistochemistry; Postsynaptic components; Monoclonal antibody; cGMP; Cholinergic neurotransmission (Nakane, M.) **273**, 9

α-Tocopherol; reduced Ubiquinone; oxidized Ubiquinone; Cerebral ischemia; Free radicals (Abe, K.) **273**, 166

Phenylethanolamine-N-methyltransferase; Catecholamines; Epinephrine; Norepinephrine; Hypothalamic nuclei; Midbrain transections (Saavedra, J.M.) **276**, 367

Adrenaline; Noreadrenaline; Dopamine; Stress (Sudo, A.) **276**, 372

Long-term potentiation; Protein phosphorylation; Hippocampal slices; Synaptic plasticity (Tielen, A.M.) **277**, 189

Rat brain nuclei
Dynorphin; Radioimmunoassay; Spinal cord (Zamir, N.) **280**, 81

Rat CNS
$[^3H]$6-Hydroxydopamine; Catecholamines; High-affinity uptake; Uptake 2; Autoradiography (Sievers, H.) **275**, 23

Rate coding
Recruitment; Motor unit mechanical properties (Harrison, P.J.) **264**, 311

Rat globus pallidus
Norepinephrine; Uptake; Release (Fujiwara, H.) **279**, 127

Rat median eminence
Corticoliberin; Monoamines; Reserpine; Monoamine oxidase inhibitors; Immunocytochemistry (Bugnon, C.) **275**, 198

Rat mediobasal hypothalamus
Neurotransmitters; Iontophoresis; Extracellular recording; Cortisol (Mandelbrod, I.) **272**, 115

Rat neuromuscular junction
Denervation; Disuse; Acetylcholine receptor; Receptor development (Labovitz, S.S.) **266**, 155

Rat retina
Nerve fiber layer; Non-myelinated axons; Node of Ranvier; Müller cells (Hildebrand, C.) **258**, 23

Immunocytochemistry; GABA; Taurine; Aspartate; Somatostatin (Lin, C.T.) **270**, 273

Rats
Corticospinal neurons; Corticospinal tract; Cervical cord segment; Lumbosacral cord segments; HRP; Development (Leong, S.K.) **265**, 1

Accessory optic system; Fasciculi of accessory optic tract; Terminal nuclei; Silver impregnation; HRP (Yamadori, T.) **269**, 41

Self-stimulation; Posterior hypothalamus; Clorgyline; Long-term (Aulakh, C.S.) **270**, 383

Blood-brain barrier; Brain-uptake index; Peptides; Amino acids; A system; L system (Zlokovic, B.V.) **271**, 65

Memory; Avoidance learning; Lesions; Stria terminalis; Amygdaloid stimulation (Liang, K.C.) **274**, 309

Adrenergic antagonists; Opiate antagonist; Luteinizing hormone; Hypothalamus; Opiate receptors; Monoamines (Blank, M.S.) **279**, 153

Cerebrospinal fluid; β-Endorphin; Adreno corticaltropic hormone; Met-Enkephalin; Stress (Kiser, R.S.) **288**, 187

Brain pH; Umbelliferone fluorescence; Cats; Cerebral ischemia (Csiba, L.) **289**, 334

Rat Schwann cells
Cell culture; Panning technique (Assouline, J.G.) **277**, 389

Rat somatosensory cortex
Electrochemical detection; 5-Hydroxyindoles; Serotonergic innervation; Laminar distribution (Lamour, Y.) **259**, 163

Electrochemical detection; 5-Hydroxyindoles; Serotonergic pathways; Electrical stimulation; *p*-Chlorophenylalanine (Rivot, J.P.) **275**, 164

adult Rat spinal cord in vitro
Substantia gelatinosa; Single unit recording; Microiontophoresis; Amino acid neurotransmitters; Opioid peptides (Zieglgänsberger, W.) **279**, 316

Rat strains
$[^3H]$Choline accumulation; $[^3H]$Quinuclidinylbenzilate binding; Hippocampus; Stress (Gilad, G.M.) **267**, 171

Octopamine; Catecholamines; Intracerebroventricular injections; Avoidance conditioning (Delacour, J.) **288**, 169

Rat superior cervical sympathetic ganglion
Axotomy; cGMP; High extracellular K^+; Denervation; Preganglionic electrical stimulation (Ando, M.) **267**, 313

Rat tissues
Monoamine oxidase; Antibodies; Radioimmunoassay; Immunocytochemistry; Immune fixation (Pintar, J.E.) **276**, 127

Rat visual cortex
Dendrite; Middle-age; Complex environment; Plasticity (Green, E.J.) **264**, 233

Reaching
Tactile discrimination; Parietal cortex; Early ablations (Brown, J.V.) **267**, 67

Reaction time
Eye movements; Monkey (Fischer, B.) **260**, 21

Motor impairment; Substantia nigra; Electrolytic lesion; Pointing movement; Kinematic analysis; Recovery of function; Monkey (Viallet, F.) **279**, 193

Reaggregates
Dopamine; Neuron survival; Substantia nigra; Neuronal culture (Hoffmann, P.C.) **274**, 275

Rearrangement
Astrocytes; Differential centrifugation; Freeze-fracture; Plasma membrane; Intramembranous particles; Assemblies; Trypsinization (Anders, J.J.) **278**, 81

Receptive field
Visual cortex; Morphology; HRP; Rat (Parnavelas, J.G.) **261**, 21

non-Linear estimate; Spatial interaction; Stimulus; Spatiotemporal white noise; Cortex; Cat (Citron, M.C.) **279**, 271

Receptive field properties
Dorsal lateral geniculate nucleus; Acetylcholine; Centre; Surround; Antagonism; Arousal; Reticular facilitation (Sillito, A.M.) **280**, 299

Receptive fields
Optic tectum; Visual wulst cooling; Pigeon (Leresche, N.) **267**, 225

Microneurography; Human skin, Reinnervation; Mechanoreceptors; Adaptive behavior; Distribution density; Sensory recovery (Mackel, R.) **268**, 49

SI cortex; Bicuculline; Intracortical inhibition (Hicks, T.P.) **274**, 160

Vision; Pulvinar; Monkeys; Superior colliculus; Striate cortex; Lesions (Bender, D.B.) **279**, 258

Receptor
Phencyclidine; Opiate; σ Opiate; Binding assay (Zukin, S.R.) **258**, 277

Adenosine; Hippocampus; Slice (Lee, K.S.) **260**, 156

Amino-acid neurotransmitter; Muscle; Insect; Neurotoxicity; Excitotoxicity (Duce, I.R.) **263**, 77

Corticosterone; Aldosterone; Hippocampus; Serotonin (De Kloet, E.R.) **264**, 323

μ-Receptor
Opiate; Enkephalin; Naloxazone; Analgesia; δ-Receptor (Ling, G.S.F.) **271**, 152

δ-Receptor
Opiate; Enkephalin; Naloxazone; Analgesia; μ-Receptor (Ling, G.S.F.) **271**, 152

Enkephalin; Motor function; Facial nucleus; Fine structure; Axo-dendritic contact (Senba, E.) **274**, 17

Receptor
Neurotoxin; Spider venom; Glutamate; Squid giant synapse (Kawai, N.) **278**, 346

Cerebrum; Liver; Triiodothyronine; Nuclei; Pathological conditions (Thrall, C.L.) **279**, 177

Phencyclidine; $[^3H]$TCP; Dissociation; PCP analogues (Vignon, J.) **280**, 194

Benzodiazepine; Tolerance; Addiction; Cell culture; Chronic treatment (Prezioso, P.J.) **288**, 354

Receptor binding
α_1-Adrenoceptor; Norepinephrine; Lateral geniculate; Microiontophoresis; Single unit; Denervation; Supersensitivity (Menkes, D.B.) **272**, 1

Receptor development
Denervation; Disuse; Acetylcholine receptor; Rat neuromuscular junction (Labovitz, S.S.) **266**, 155

Receptor interactions
GABA; Etazolate; Benzodiazepine receptors; Antagonists; Inverse agonists; [^{3}H]Muscimol; Agonists (Borea, P.A.) **280**, 383

Receptor phenotype
Dopamine receptor genetics; D_2/D_3 binding; Serotonin receptor phenotype (Boehme, R.E.) **266**, 51

Receptor potential
Olfactory bulbar response; Amino acid; Odorant; Carp; Rainbow trout; Bullfrog (Yoshii, K.) **274**, 239

Taste response; Amino acids; Eel; Phase boundary potential; Transduction mechanisms (Yoshii, K.) **280**, 63

Receptors
Thyrotropin releasing hormone; Down regulation; Central nervous system; Muscarinic ACh-receptors (Ogawa, N.) **263**, 348

β-Receptors
Pineal gland; Continuous light; Isoproterenol; Norepinephrine (Heydorn, W.E.) **267**, 175

Receptors
Glucocorticoids; Apomorphine; Dopamine; Spinal cord (Hall, E.D.) **267**, 380

Thyrotropin-releasing hormone; Spinal cord; Peptides (Sharif, N.A.) **270**, 259

Retina; Neuropeptides; Neurotransmitters; Kainic acid; Acrylamide (Ali, S.F.) **274**, 115

GABA; γ-Aminobutyric acid; Mammalian peripheral nerves; Amphibian peripheral nerves; Myelinated fibers; Depolarization; Pharmacological characterization (Morris, M.E.) **278**, 117

GABA; γ-Aminobutyric acid; Potassium ions; Peripheral nerve; Myelinated fibers; Dorsal root; Ventral root; Depolarization; Localization (Morris, M.E.) **278**, 127

D-2 Receptors
Ergot derivatives; Guanine nucleotides; [^{3}H]Spiperone; Corpus striatum (Gundlach, A.L.) **278**, 155

β-Receptors
Action potential; Axons; cAMP; Catecholamines; Frequency-following ability (Seelig, T.L.) **279**, 303

Receptors
Aging; Hippocampus; Amygdala; Glucocorticoids; Negative feedback (Sapolsky, R.M.) **289**, 235

Benzodiazepines; GABA; Embryology; Inhibition; Motility; Synaptic transmission (Maderdrut, J.L.) **289**, 385

Receptor supersensitivity
Naltrexone; Morphine; Opiate receptor; α-Adrenergic receptor; Locus coeruleus (Bardo, M.T.) **289**, 223

Recombinant inbred strains
Audiogenic seizures; Genetic heterogeneity; Epilepsy; Mouse (Seyfried, T.N.) **271**, 325

Recovery
Visual deprivation; Visual fields; Unequal alternating exposure; Cats (Tieman, S.B.) **271**, 170

Recovery of cholinergic enzymes
Adult rat; Cholinergic neurons; Hippocampus; Septohippocampal pathway; Partial fimbrial lesions; Sprouting; Homotypic regeneration (Dravid, A.R.) **277**, 169

Recovery of function
Basal ganglia; [^{14}C]2-Deoxyglucose; Dopamine; Neglect; Neostriatum (Kozlowski, M.R.) **259**, 237

Mesotelencephalic dopamine; Senescence; 6-Hydroxydopamine (Marshall, J.F.) **259**, 249

Nerve growth factor; Brain damage; Entorhinal cortex (Stein, D.G.) **261**, 127

Septal lesion; Sympathetic sprouting (Crutcher, K.A.) **262**, 91

Dopamine; Lithium; Neglect neostriatum; [^{3}H]Spiroperidol binding (Kozlowski, M.R.) **267**, 301

Motor impairment; Substantia nigra; Electrolytic lesion; Pointing movement; Reaction time; Kinematic analysis; Monkey (Viallet, F.) **279**, 193

Recruitment
Rate coding; Motor unit mechanical properties (Harrison, P.J.) **264**, 311

Recurrent inhibition
Paraventricular neurosecretory neuron; Antidromic spike; Silent phase; Electrical properties; Threshold; Latency; Rat (Akaishi, T.) **262**, 151

Pyramidal neurons; Feline generalized epilepsy; Spike and wave discharges (Kostopoulos, G.) **267**, 101

Area CA1; Hippocampal slice (Harris, K.M.) **268**, 339

Albino rabbit; Dorsal lateral geniculate nucleus; Slow relay cells (Lo, F.-S.) **271**, 335

Recurrent laryngeal nerve
Horseradish peroxidase; Superior laryngeal nerve; Dogs; Bronchoconstriction; Cells of origin (Wallach, J.H.) **261**, 307

Red nucleus
Monoaminergic innervation; Serotoninergic terminals; Radioautography (Bosler, O.) **259**, 288

Cerebellar interpositus nucleus; Multiple fluorescent tracers; Collateralization (Huisman, A.M.) **264**, 181

Glutamic acid decarboxylase; Immunocytochemistry; Intracellular injection; HRP; γ-Aminobutyric acid (Murakami, F.) **267**, 357

Endogenous GABA release; Brain slice; Cat (Kubota, M.) **270**, 190

Reverberating circuit; Cerebellum; Cooling; Precerebellar nucleus (Tsukahara, N.) **274**, 249

CNS plasticity; Regeneration; Sprouting; Hemispherectomy (Olmstead, C.E.) **274**, 336

Collateral sprouting; Shrinkage (Bromberg, M.B.) **276**, 154

Rubrobulbar projection; Trigeminal nuclei; Facial nucleus; HRP; Snake (Ten Donkelaar, H.J.) **279**, 229

Redox state
Gerbils; Seizures; NADH; Ischemia; Frozen brain; Stroke; Redox state mapping (Mayevsky, A.) **276**, 95

Redox state mapping
Gerbils; Seizures; NADH; Redox state; Ischemia; Frozen brain; Stroke (Mayevsky, A.) **276**, 95

5β-Reductase
Sexual dimorphism; Brain testosterone metabolism; Japanese quail (Schumacher, M.) **278**, 337

Reeler mice
Purkinje cells; Calcium spikes; Sodium spikes (Dupont, J.-L.) **274**, 350

Reflex pathways
Voluntary movements; Descending control (Fournier, E.) **288**, 375

Reflex response
Sural stimulation; EMG; Thigh muscles; Human stepping (Kanda, K.) **288**, 378

Regeneration
Goldfish; Optic nerve; Protein; 2-D Gel electrophoresis (Quitschke, W.) **258**, 69

Olfactory neurons; Olfactory marker protein; Neuronal target (Monti Graziadei, G.A.) **262**, 303

Giant interneuron; Ultrastructure; Degeneration (Meiri, H.) **263**, 1

Septohippocampal pathway; Cholinergic neurotrophic factor; Heart conditioned medium; Choline acetyltransferase; [^{3}H]Quinuclidinylbenzilate (Schonfeld, A.R.) **266**, 271

Neuronotrophic factors; Motoneurons; Spinal cord neurons; Neuron survival; Choline acetyltransferase (Manthorpe, M.) **267**, 57

Compensatory collateral sprouting; Functional recovery; Cingulate cortex; Fimbria-fornix; Hippocampus; Acetylcholine; Noradrenaline; Serotonin; T-maze; Alternation behavior (Gage, F.H.) **268**, 39

Retinotectal projection; Goldfish optic nerve (Schmidt, J.T.) **269**, 29

Optic nerve; Frog; Influence of lesion site (Humphrey, M.F.) **269**, 153

Axon segment; Axon fusion; Sensory neuron; HRP; Leech (Deriemer, S.A.) **272**, 157

PNS-CNS transitional region; Anastomoses; Electron microscopy (Carlstedt, T.) **272**, 162

Goldfish; Optic nerve; X-irradiation; Proliferation (Neuman, D.) **272**, 237

Vestibular compensation; Neuronal plasticity; Labyrinthectomy; Degeneration; Guinea pig (Jensen, D.W.) **273**, 175

CNS plasticity; Sprouting; Red nucleus; Hemispherectomy (Olmstead, C.E.) **274**, 336

Axonal guidance (Politis, M.J.) **278**, 229

Peripheral nerve; Conditioning effect; Cell body response; Frog (Carlsen, R.C.) **279**, 9

Spinal cord; Command neurons; Lamprey (Currie, S.N.) **279**, 238

Cat spinal cord; Ventral funiculus; Ventral horn; Ventral root; Motoraxons; Axotomy; Electron microscopy; HRP (Risling, M.) **280**, 15

Axonal sprouting; Dorsal root; Unmyelinated axons (Hulsebosch, C.E.) **288**, 77

Axonal transport; Norepinephrine; Dopamine-β-hydroxylase; Tyrosine hydroxylase; 6-Hydroxydopamine; Locus coeruleus; Norepinephrine uptake (Levin, B.E.) **289**, 205

Lectin receptors; Muscles; Intercellular recognition; Cockroach (Denburg, J.L.) **289**, 241

Lectin receptors; Muscles; Denervation; Intracellular recognition; Cockroach (Denburg, J.L.) **289**, 253

Regional adaptation
Diisopropylfluorophosphate; Atropine; Muscarinic receptors; Choline uptake (Yamada, S.) **268**, 315

Regional distribution
Dopamine; Norepinephrine; Cerebral arteries; Pre- or postganglionic sympathetic denervation; High-performance liquid chromatography (Suzuki, Y.) **258**, 53

Calcitonin; Autoradiography; Binding sites; Brain; Spinal cord (Olgiati, V.R.) **265**, 209

Serotonin S_2-receptors; Human brain; [^{3}H]Ketanserin binding (Schotte, A.) **276**, 231

Regulation
Acetylcholine receptor; Chick embryo; Myotubes; Potassium; Depolarization (Shieh, B.-H.) **263**, 259

Regulatory volume decrease
Cytotoxic brain edema; Cell volume; C6 Glioma cells (Kempski, O.) **279**, 217

Reinnervation
Cross-strain transplantation; Embryonic septum; Hippocampal formation (Low, W.C.) **262**, 328

Microneurography; Human skin; Mechanoreceptors; Adaptive behavior; Receptive fields; Distribution density; Sensory recovery (Mackel, R.) **268**, 49

Deafferented hypothalamus; Rat (Nagy, L.) **268**, 354

Fetal locus coeruleus; Spinal cord (Commissiong, J.W.) **271**, 174

Septum; Quantitative electron microscopy (Field, P.M.) **272**, 83

Hippocampus; Septal lesion; Entorhinal ablation; Acetylcholinesterase (Chen, L.-L.) **272**, 354

Microneurography; Human skin; Mechanoreceptors; Multiple receptive fields; Fatigue (Mackel, R.) **276**, 339

Release
Neurotensin; Dopamine; Striatum; Rat (De Quidt, M.E.) **274**, 376

Myenteric plexus; GABA; Acetylcholine; Synaptosome (Yau, W.M.) **278**, 271

Norepinephrine; Uptake; Rat globus pallidus (Fujiwara, H.) **279**, 127

Vasoactive intestinal polypeptide; Cholecystokinin; Cerebral cortex; Ventricles (Wang, J.-Y.) **280**, 105

Release of neurotransmitter
Kainic acid; Aspartic acid; Glutamic acid; Hippocampus (Ferkany, J.W.) **278**, 279

Remyelination
Peripheral nerve; Lysolecithin; Demyelination; PNS myelin protein; P_0 (Smith, M.E.) **270**, 37

Renal afferent
Dorsal root ganglion; Fluorescent dye; Dorsal motor nucleus; Kidney; Renal sensory receptor (Donovan, M.K.) **259**, 119

Renal sensory receptor
Dorsal root ganglion; Renal afferent; Fluorescent dye; Dorsal motor nucleus; Kidney (Donovan, M.K.) **259**, 119

Renin-substrate
Angiotensinogen; Rat brain; Biosynthesis; Concanavalin A; Cycloheximide; Vinblastine (Sernia, C.) **259**, 275

Renshaw cell
Cat; Spinal cord; Quantitative synaptology; Ultrastructure (Lagerbäck, P.-Å.) **264**, 215

Reorganization
Microtubules; Neurofilaments; 2,5-Hexandione (Zagoren, J.C.) **270**, 162

Repeated administration
Apomorphine; Dopamine metabolism; Dopamine receptors; Amphetamine; Behavioral sensitization (Kuczenski, R.) **258**, 333

Repetitive spikes
Olfactory bulb; Bimodal and trimodal spike latencies; Centripetal axon collaterals; Collision test; Collision time (Westecker, M.E.) **288**, 119

Reptiles
Turtle; Nucleus rotundus; Difference threshold; Vision (Schade Powers, A.) **264**, 47

Reserpine
Prolactin; Calcium; Thyrotropin-releasing hormone; Adrenocorticotropic hormone; Dopamine (Login, I.S.) **260**, 99

α-Methyltyrosine; Methamphetamine (Wagner, G.C.) **270**, 285

Corticoliberin; Monoamines; Monoamine oxidase inhibitors; Rat median eminence; Immunocytochemistry (Bugnon, C.) **275**, 198

Respiratory
Medulla; Slice; pH; Central chemoreceptors (Miles, R.) **271**, 349

Respiratory inhibition
Muscular afferents; A-δ Fiber afferents; C Fiber afferents; Respiratory reflex (Kumazawa, T.) **272**, 364

Respiratory neurones
Bötzinger complex; Spike-triggered averaging; Post-synaptic potentials; Nucleus tractus solitarius; Nucleus retroambigualis (Merrill, E.G.) **263**, 43

Respiratory neurons
Neuropeptides; Cholecystokinin; Nucleus tractus solitarius; Iontophoresis (Morin, M.P.) **265**, 333

Brainstem; Accessory respiratory motoneurons; Nucleus ambiguus; Retroambigualis; HRP (Bystrzycka, E.K.) **266**, 183

Respiratory reflex
Muscular afferents; A-δ Fiber afferents; C Fiber afferents; Respiratory inhibition (Kumazawa, T.) **272**, 364

Response latency
Pain; Warmth sensation; First pain; Thermal sensation (Campbell, J.N.) **266**, 203

Response preparation
Long latency stretch response; Human; Electromyography (Bonnet, M.) **280**, 51

Response to sound
Auditory cortex; Multi unit recording; Interactions; Plasticity (Frostig, R.D.) **272**, 211

Rest-activity
Voltammetry; 5-Hydroxyindoles; 5-Hydroxyindoleacetic acid (5-HIAA); Suprachiasmatic nuclei; Circadian fluctuations (Faradji, H.) **279**, 111

Restricted feeding schedule
Circadian pacemaker; Ventromedial hypothalamic nucleus; Multiple unit activity; Motor activity; Suprachiasmatic nucleus; Rat (Inouye, S.-I.T.) **279**, 53

Retial arteries
Cerebral arteries; Sympathetic stimulation; Cerebrovascular resistance (Diéguez, G.) **289**, 281

Reticular facilitation
Dorsal lateral geniculate nucleus; Acetylcholine; Receptive field properties; Centre; Surround; Antagonism; Arousal (Sillito, A.M.) **280**, 299

Reticular formation
pyramidal EPSP; Neck motoneuron (Alstermark, B.) **259**, 147

pyramidal EPSP; Neck motoneuron; Convergence (Alstermark, B.) **259**, 151

Kainic acid; Noradrenaline; Serotonin; Turning behavior; 6-Hydroxydopamine; 5,7-Dihydroxytryptamine (Porceddu, M.L.) **262**, 187

Facial nucleus; Brainstem; Oral-facial behavior; Facial reflexes (Panneton, W.M.) **267**, 19

Vomiting center; Motion sickness; Solitary tract (Miller, A.D.) **270**, 154

Metabolic vasodilation; [^{14}C]Iodoantipyrine; [^{14}C]2-Deoxyglucose; Local cerebral blood flow; Local cerebral metabolism (Iadecola, C.) **272**, 101

Autoradiography; Calcium; Hypothalamus; Periventricular gray (Henke, H.) **272**, 373

Paradoxical sleep waves; Sleep; Sensory responsiveness; Locus coeruleus; Startle reflex (Kaufman, L.S.) **276**, 73

Adreno cortical tropic hormone; β-Endorphin; Nucleus tractus solitarius; Brainstem; Immunohistochemistry (Schwartzberg, D.G.) **276**, 351

Vestibular nuclei; Extraocular nuclei; Cerebellum; Fastigial nucleus; Interstitial nucleus of Cajal; Perihypoglossal nuclei; Central cervical nucleus (Carleton, S.C.) **278**, 29

Primary afferent depolarization; Tooth pulp; Nucleus raphe magnus; Serotonin; GABA; Opioid peptides (Lovick, T.A.) **289**, 135

Reticular nucleus
Intracellular recording; Intracellular and intra-axonal injection; Ventrobasal complex; Cat (Yen, C.-T.) **280**, 148

Reticulospinal neuron
Spike pattern; Quadrupedal movement; Thalamic cat; SBS reflex (Shimamura, M.) **260**, 27

Retina
Amacrine cell; Dopamine turnover; Apomorphine; Haloperidol; Homovanillic acid; 3,4-Dihydroxyphenylacetic acid (Cohen, J.) **260**, 125

Glia; Müller cells; Bulk isolation; Mammal; Enzymatic dissociation (Trachtenberg, M.C.) **261**, 43

Muscarinic receptor; Nicotinic receptor; Cholinergic receptor; Synapse; Modulation (Siman, R.G.) **262**, 99

GABA; Glutamate; Goldfish; Horizontal cell (Yazulla, S.) **263**, 63

Dopamine; Tyrosine hydroxylase; Forskolin; Adenylate cyclase; cAMP; Synaptosomes (Katz, I.R.) **264**, 173

Serotonin; Immunohistochemistry; Elasmobranch fish; Indoleamine accumulating cells (Ritchie, T.C.) **267**, 352

Retinotectal projection; Tectum (Linden, R.) **272**, 145

N-Acetyltransferase; Melatonin (Iuvone, P.M.) **273**, 111

Goldfish; Topography; Cobalt; Optic tract; Optic tectum (Springer, A.D.) **273**, 152

Neuropeptides; Receptors; Neurotransmitters; Kainic acid; Acrylamide (Ali, S.F.) **274**, 115

Goldfish; Horizontal cells; GABA; Glutamate (Yazulla, S.) **275**, 61

Somatostatin; Substance P; Dopamine; Kainic acid; Neurotoxin (Sagar, S.M.) **278**, 109

Strychnine; Bicuculline; Glycine; GABA; Dopamine; Light; Rat (Morgan, W.W.) **278**, 362

Carbon dioxide; pH; Spreading depression; Chick (Skelton, J.L.) **288**, 229

Retina, bovine
Imipramine binding site; Tricyclic antidepressants (Borbe, H.O.) **264**, 178

Retinal circuitry
Biplexiform cell; Intracellular recording; HRP-staining; Rod-cone interaction; Primate ganglion cell (Zrenner, E.) **262**, 181

Retinal ganglion cell
Retrograde transport; N-succinimidyl [^{3}H]Propionate; Optic nerve (Williams, L.R.) **259**, 207

Axonal transport; cAMP; Cycloheximide; Nerve regeneration; Optic nerve; Proteins (McQuarrie, I.G.) **279**, 377

Retinal ganglion cells
Neurofilaments; Mouse; Proteolysis; Posttranslational modification; Cytoskeletal proteins; Calcium; Optic pathway (Nixon, R.A.) **275**, 384

Retinal projection
Optic fibers; Lateroposterior nucleus; Pulvinar nucleus; Cat; HRP (Itoh, K.) **276**, 325

Retinal projections
Hagfish; HRP; Degeneration (Kusunoki, T.) **262**, 295

Ground squirrel; Ventral lateral geniculate nucleus; Visual system; Autoradiography (Kicliter, E.) **267**, 340

Pretectum; Primate; Visual cortex; Frontal eye fields; Visual pathways (Dineen, J.T.) **278**, 250

Retinal synapses
Superior colliculus; W,X,Y,system; Electron microscope autoradiography; Cat visual pathways (Mize, R.R.) **269**, 211

Retinofugal projections
Autoradiography; Shark; *Hemiscyllium plagiosum* (Jen, L.S.) **274**, 135

Retinohypothalamic tract
Circadian clocks; Suprachiasmatic nucleus; Activity rhythm (Pickard, G.E.) **268**, 201

Retinotectal pathways
Guinea pig; Horseradish peroxidase (Jen, L.S.) **263**, 331

Retinotectal projection
Regeneration; Goldfish optic nerve (Schmidt, J.T.) **269**, 29

Retina; Tectum (Linden, R.) **272**, 145

Retinotectal projections
Superior colliculus; Synaptogenesis; Monoclonal antibodies; Radioimmunoassay; Corticotectal projections; Rabbit visual system (Greif, K.F.) **275**, 143

Retino-tectal regeneration
Rutilus; Double-labeling technique (Peyrichoux, J.) **263**, 125

Retractor bulbi
Abducens nerve; Accessory abducens nucleus; Oculomotor control; Defensive reflexes; Nictitating membrane reflex (Berthier, N.E.) **258**, 201

Retroambigualis
Brainstem; Respiratory neurons; Accessory respiratory motoneurons; Nucleus ambiguus; HRP (Bystrzycka, E.K.) **266**, 183

Retrograde and anterograde transport
HRP; Wheat germ agglutinin conjugate; Uptake in passing fibers (Brodal, P.) **278**, 1

Retrograde axonal tracing
Pylorus; Substance P; Immunohistochemistry; Dorsal root ganglia; Vagal ganglia; Guinea pig (Lindh, B.) **269**, 365

Retrograde cell degeneration
Cortex; Basal nucleus; Monkey; Man (Pearson, R.C.A.) **261**, 321

Cortex; Basal nucleus; Rat; Immunohistochemistry; Choline acetyltransferase (Sofroniew, M.V.) **289**, 370

Retrograde dyes
Dopamine; Catecholamine fluorescence; Amygdala; Substantia nigra; Ventral tegmental area (Loughlin, S.E.) **262**, 334

Retrograde fluorescent double-labelling
Cerebellum; Nucleo-cortical neurones (Payne, J.N.) **271**, 141

Retrograde labeling
Fluorescent tracers; Rat; Primary visual system; Centrifugal optic pathway; Orthograde and transcellular transport (Weidner, C.) **272**, 129

Crossed mesostriatal projection; Development; Dopamine neurons; Neonatal brain lesion; 6-Hydroxydopamine; Fluorescent dyes (Altar, A.) **279**, 1

Retrograde tracers
Edinger-Westphal nucleus; Oculomotor nucleus; Pretectum; Olivary pretectal nucleus (Breen, L.A.) **261**, 303

Retrograde tracing
Hypoglossal neurons; Afferents to hypoglossal neurons; HRP (Borke, R.C.) **269**, 47

Hippocampus; Dentate hilus; Granule cells; Rat (Gaarskjaer, F.B.) **274**, 11

Retrograde transport
N-succinimidyl [^{3}H]Propionate; Retinal ganglion cell; Optic nerve (Williams, L.R.) **259**, 207

HRP; Wheat germ agglutinin (WGA); Anterograde transport; Golgi method; Pontine nuclei; Cerebellum; Cerebral cortex (Brodal, P.) **267**, 1

Proline (LeVay, S.) **271**, 131

Axonal transport; Light microscopy; Dynein; *Erythro*-9-[3-(2-hydroxynonyl(]adenine (Forman, D.S.) **272**, 194

Fink-Heimer method; Lectin; Toxic ricin; Wallerian degeneration (Yamamoto, T.) **274**, 325

HRP; Motoneurons; Rat; Deafferentation; Spinal cord (Peyronnard, J.-M.) **275**, 203

Taurine; Neostriatum; Striatonigral neurons; Autoradiography; Electron microscopy (Clarke, D.J.) **289**, 342

Reverberating circuit
Cerebellum; Red nucleus; Cooling; Precerebellar nucleus (Tsukahara, N.) **274**, 249

Reversal
Unit recording; Prefrontal cortex; Learning; Mediodorsal thalamus; Discriminative conditioning; Rabbits (Orona, E.) **263**, 313

Reversal potential
Taurine; Cerebellar slice; Purkinje cell; Purkinje cell dendrite; Cl-conductance; Transmitter; Intradendritic recording (Okamoto, K.) **259**, 319

Taurine; Transmitter; Purkinje cell; Purkinje cell dendrite; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide (TAG); Taurine antagonist; Intracellular recording; Cerebellum (Okamoto, K.) **265**, 163

Reward
Opiate; Ventral tegmental area (Britt, M.D.) **258**, 105

Orbitofrontal cortex; Unit recording; Monkey; Microiontophoresis; Catecholamine; Noradrenaline; Dopamine (Aou, S.) **267**, 165

Apomorphine; Self-stimulation behavior; Dopamine (Leith, N.J.) **277**, 129

Reward-gating
Inhibition; GABA; Glycine; Medial hypothalamus; Lateral hypothalamus; Self-stimulation (Porrino, L.J.) **277**, 269

Reward threshold
Brain stimulation; Psychophysics (animal); Detection thresholds (Wheeling, H.S.) **272**, 13

Reye's syndrome
Blood; CSF barrier; Choroid plexus; 2,4-Dichlorophenoxyacetic acid; Organic acid transport (Kim, C.S.) **259**, 340

Rhesus monkey
Sleep; Macaque monkey; 2-Deoxyglucose; Hypnogenic center; Cerebral metabolism (Nakamura, R.K.) **268**, 372

Brain; Catecholamines; Cerebrospinal fluid; Conjugated dopamine; Dopamine; Dopamine sulfate (Elchisak, M.A.) **279**, 171

Rhombo-mesencephalic pathway
Acoustico-lateral processing; Mormyrid fish; HRP labeling (Haugedé-Carré, F.) **268**, 1

Rhythmic activity
Nucleus of the tractus solitarius; Slices; Medulla oblongata (Champagnat, J.) **280**, 155

Ricin
Wheat germ agglutinin (WGA); HRP; Axonal transport; Nucleus tractus solitarius; Nodose ganglion; Caudate nucleus (Wiley, R.G.) **269**, 357

Rod-cone interaction
Biplexiform cell; Intracellular recording; HRP-staining; Primate ganglion cell; Retinal circuitry (Zrenner, E.) **262**, 181

Rod input
Amacrine; Teleost retina; HRP; Electron microscopy; Dace (Sakai, H.) **270**, 345

Rotational behavior
6-Hydroxydopamine lesions; Substantia nigra (Robinson, T.E.) **264**, 127

Enkephalin; Apomorphine; Amphetamine; Nigrostriatum; Supersensitivity (Hirschhorn, I.D.) **270**, 109

Rotational behaviour
Sensory imbalance; Dopamine; Sensory neglect; Apomorphine; Circling (Szechtman, H.) **264**, 332

Rotation behavior
Dopamine; Striatum; Chronic cannula; Drug distribution (Wolfson, L.I.) **261**, 205

Dopamine; Deoxyglucose; Cannula; Striatum; Subthalamic nucleus; Entopeduncular nucleus (Brown, L.L.) **261**, 213

Rough endoplasmic reticulum
Cerebrovascular smooth muscle culture: isolation, dissociation, propagation; Myofilaments; Free ribosomes (Spatz, M.) **280**, 387

Rubrobulbar projection
Red nucleus; Trigeminal nuclei; Facial nucleus; HRP; Snake (Ten Donkelaar, H.J.) **279**, 229

Russell's viper venom
Vipoxin; *Aplysia*; Acetylcholine receptors (Slater, N.T.) **278**, 266

Ruthenium ions
Frog muscle spindle; Calcium channels (Ito, F.) **276**, 277

Rutilus
Retino-tectal regeneration; Double-labeling technique (Peyrichoux, J.) **263**, 125

S

SBS reflex
Reticulospinal neuron; Spike pattern; Quadrupedal movement; Thalamic cat (Shimamura, M.) **260**, 27

SI cortex
Receptive fields; Bicuculline; Intracortical inhibition (Hicks, T.P.) **274**, 160

SITS
Dorsal root ganglia; GABA-receptor; Temperature; pH; Chloride pump; Furosemide; Bumetanide; Ammonium ion (Gallagher, J.P.) **267**, 249

L-Glutamic acid uptake; Astrocytes; Synaptosomes; Glia (Waniewski, R.A.) **268**, 390

SS mice
Ethanol; LS mice; Cerebellum; Purkinje cells; in vitro Brain slices (Basile, A.) **264**, 69

Saccades
Vestibulo-ocular reflex summation; Eye-head movements (Fuller, J.H.) **271**, 241

Superior colliculus; Substantia nigra; GABA; Bicuculline; Muscimol (Hikosaka, O.) **272**, 368

Saccadic eye movements
Cerebellar vermis; Microstimulation; Intrasaccadic stimulation; Ocular dysmetria; Monkey (Keller, E.L.) **288**, 131

Saccular nerve
Mauthner cell; Synaptic distribution; Club endings; Endbulbs (Lin, J.-W.) **274**, 319

Sacral spinal cord
Primary afferent depolarization; Decerebrate control; Cutaneous afferents (Wójcik, G.) **266**, 233

Sagittal zones
Topography; Olivocerebellar projection; Rat; Unilateral projection (Campbell, N.C.) **275**, 235

Salamander
Olfaction; Electrophysiology; Neuroreceptor cell; Intracellular recording (Trotier, D.) **268**, 225

Salbutamol
β-Adrenoceptors; α-Adrenoceptors; Sleep stages; Prenalterol; Atenolol; Metoprolol; Propranolol; Clonidine; Prazosin; Phentolamine (Hilakivi, I.) **277**, 109

Salivatory neuron
Salivatory reflex; Trigeminal afferent (Murakami, T.) **280**, 233

Salivatory reflex
Salivatory neuron; Trigeminal afferent (Murakami, T.) **280**, 233

Salt appetite
Subfornical organ; Salt homeostasis; Drinking (Schulkin, J.) **263**, 351

Salt homeostasis
Subfornical organ; Drinking; Salt appetite (Schulkin, J.) **263**, 351

Schaffer collateral
Hippocampus; Long-term potentiation; Kainic acid; Commissural afferents; CA1 pyramidal cells (Wheal, H.V.) **272**, 247

Schizophrenia
Cholecystokinin; Vasoactive intestinal polypeptide; Substance P; Neurotensin; Somatostatin; Amygdala; Hippocampus (Roberts, G.W.) **288**, 199

Schwann cell
Basal lamina; Basal lamina scaffold; Nerve regeneration; Macrophage (Ide, C.) **288**, 61

Schwann cells
Nerve grafts; Spinal cord; Astrocytes; Immunohistochemistry; Axonal elongation (Fishman, P.S.) **277**, 175

Myelin; Myelin proteins; P_o Protein; Shark; Immunoblotting; Oligodendroglial cells (Tai, F.L.) **278**, 350

Mitogenic factor; Axolemmal fraction (Sobue, G.) **280**, 263

Immuno response gene associated antigen (Ia); Oligodendrocyte (Lisak, R.P.) **289**, 285

Sciatic nerve
Nerve injury; Nerve regeneration; Neuronotrophic factors; Peripheral neuron (Longo, F.M.) **261**, 109

Axonal regeneration; Collateral sprouting; Partial denervation; Rat (Sparrow, J.R.) **269**, 133

Blood-nerve barrier; Sucrose; Urea; Xenograft (Rosenberg, G.A.) **270**, 231

Sensory ganglia; α-Bungarotoxin; Nicotinic receptor; Spinal cord; Axonal transport; Dorsal roots (Ninkovic, M.) **272**, 57

Sciatic nerve resection
Quantitative histology; Electron microscopy; Neuroma excision; Dorsal root ganglia; Dorsal roots; Kitten (Aldskogius, H.) **289**, 358

Scopolamine
Senile dementia of Alzheimer-type; Aging; Human cortex; Human hippocampus; Autoradiography; α-Bungarotoxin; Cholinergic receptor (Lang, W.) **267**, 271

Opioid peptides; Naltrexone; Analgesia; Stress analgesia; Oxotremorine (Lewis, J.W.) **270**, 289

Scopolamine supersensitivity
Lead neurotoxicity; Visual system; Muscarinic acetylcholine receptor; Acetylcholinesterase; Developmental toxicology; Neurotoxicology; Visual cortex (Costa, L.G.) **276**, 259

α-Scorpion toxin
Differentiation; Cell line culture; Phenotypic specificity; Sodium channel; Neuronal maturation (Martin-Moutot, N.) **274**, 267

Scratch reflex
Turtle; In vitro spinal cord; Pattern generation (Keifer, J.) **266**, 148

Secondary pain
Polymodal receptor; Unitary discharges; Temperature effects; Nociceptor; Inflammation pain; Bradykinin; Hypertonic NaCl (Kumazawa, T.) **278**, 305

non-Segmental inhibition
Rat; Spinal cord; Dorsal horn; Somatosensory; Inhibition; Time-course; Anesthetic; Pain; Noxious inhibitory controls (Tomlinson, R.W.W.) **279**, 291

Segmental root distribution
Development; Synapse elimination; Mammalian muscle (Brown, M.C.) **273**, 188

Seizure
Locus coeruleus; Cerebral blood flow; Cyclic nucleotides (Ingvar, M.) **264**, 225

Seizure discharge
Cyclic nucleotide; Calcium; Pentylenetetrazole; Bursting activity; Snail neuron; Protein kinase (Onozuka, M.) **269**, 277

Seizure model
Audiogenic seizures; Auditory pathology; Neural degeneration; Paroxysmal mutant; Seizure-prone chick (Beck, M.M.) **260**, 11

Seizure-prone chick
Audiogenic seizures; Auditory pathology; Neural degeneration; Paroxysmal mutant; Seizure model (Beck, M.M.) **260**, 11

Seizures
Stress; Endogenous opioids; Electroconvulsive shock; Mice (Oliverio, A.) **271**, 193

Substantia nigra; Midbrain tegmentum; Chemoconvulsants; maximal Electroshock; Bicuculline; Epilepsy (Garant, D.S.) **273**, 156

Gerbils; NADH; Redox state; Ischemia; Frozen brain; Stroke; Redox state mapping (Mayevsky, A.) **276**, 95

Corticotropin releasing factor; EEG; Epilepsy; Kindling; Arousal (Ehlers, C.L.) **278**, 332

Kindling; Cysteamine; Anti-somatostatin antibody; Somatostatin; Epilepsy (Higuchi, T.) **288**, 359

Selective anxiolytic
Benzodiazepine receptor; PK 8165; PK 9084; Benzodiazepine receptor antagonist; (+)Bicuculline; Quinoline derivatives; Diazepam (Gee, K.W.) **264**, 168

Selective attention
Dorsal noradrenergic bundle; Locus coeruleus; Noradrenaline; Spatial alternation; Place memory; Fear (Pisa, M.) **272**, 319

Selective inhibition
Tonic descending inhibition; Dorsal horn neurones; Lateral reticular nucleus (Morton, C.R.) **275**, 13

Self-stimulation
RHA/Verh. rat; RLA/Verh. rat; Septal rage; Active avoidance (Lieblich, I.) **263**, 113

Hypothalamus; Cold; Warm; Perception (Cabanac, M.) **264**, 79

Catecholamines; High-performance liquid chromatography; Mouse (Garrigues, A.-M.) **265**, 265

2-Deoxyglucose; Autoradiography; Medial frontal bundle; Medial prefrontal cortex; Locus coeruleus (Yadin, E.) **266**, 39

Hypothalamus; Intrinsic neurons; Ibotenic acid (Velley, L.) **268**, 79

Posterior hypothalamus; Clorgyline; Rats; Long-term (Aulakh, C.S.) **270**, 383

Aversive stimulation; Mesencephalic central gray; Lateral hypothalamus (Cazala, P.) **273**, 143

Lateral hypothalamus; Medial forebrain bundle; Brain stimulation reward (Gratton, A.) **274**, 25

Reward-gating; Inhibition; GABA; Glycine; Medial hypothalamus; Lateral hypothalamus (Porrino, L.J.) **277**, 269

Self-stimulation behavior
Apomorphine; Dopamine; Reward (Leith, N.J.) **277**, 129

Semicircular canal
Vestibular efferent fiber; Vestibular nucleus; Parvocellular reticular nucleus; Gigantocellular reticular nucleus; Lateral reticular nucleus; Horseradish peroxidase (Ito, J.) **259**, 293

Semicircular canals
Nystagmus; Otolith organs; Velocity storage; Labyrinth; Vestibulo-ocular reflex (Cohen, B.) **276**, 159

Vestibulo-ocular reflex; Otolith organs; Coriolis force; Pitch; Nystagmus; Velocity storage (Raphan, T.) **276**, 165

Semilunar ganglion
Extraocular muscles; Stretch receptor; First-order neurons; Single unit; HRP; Rat (Daunicht, W.J.) **278**, 291

Senescence
Recovery of function; Mesotelencephalic dopamine; 6-Hydroxydopamine (Marshall, J.F.) **259**, 249

Senile dementia
Alzheimer's disease; Senile (neuritic) plaque; Amyloid; Amino acid composition (Allsop, D.) **259**, 348

Senile dementia, Alzheimer type
Neuritic plaques; Human hippocampus; Axons; Dendrites; Golgi impregnation technique (Probst, A.) **268**, 249

Senile dementia of Alzheimer type
Aging; Human hippocampus; Human cortex; Human medial septum; Nucleus basalis of Meynert; Choline acetyltransferase; Acetylcholinesterase (Henke, H.) **267**, 281

Aging; Human cortex; Human hippocampus; Autoradiography; Scopolamine; *α*-Bungarotoxin; Cholinergic receptor (Lang, W.) **267**, 271

Senile (neuritic) plaque
Alzheimer's disease; Senile dementia; Amyloid; Amino acid composition (Allsop, D.) **259**, 348

Sensations
Median nerve; Skin; Man; Sensory unit (Schady, W.J.L.) **277**, 249

Sensitivity
Luteinizing hormone-releasing hormone; Nicotinic ACh-receptor; Sympathetic ganglion cells; Skeletal muscle end-plates; Dose-response curve (Akasu, T.) **279**, 347

Sensitization
Nociceptor; Cold receptor; Mechanoreceptor; C-Fiber; Rat (Fleischer, E.) **267**, 81

Aplysia ; [^{3}H]Serotonin uptake; Presynaptic facilitation; Identified neurons; Serotonin; Synaptic modulation (Bailey, C.H.) **272**, 71

Aplysia ; Heterosynaptic facilitation; endogenous cAMP; Adenylate cyclase inhibitors (Belardetti, F.) **288**, 95

Sensorimotor tests
Anorexia; [^{14}C]2-Deoxy-D-glucose autoradiography; Brain metabolism; Ethanolamine-O-sulfate; Food intake; GABA; GABA-T inhibition; Tail-pinch (Nobrega, J.N.) **262**, 243

Sensory axons
Asymmetry; Motoneuron somata; Nerve root; Fiddler crabs; Hypertrophy; Hyperplasia (Young, R.E.) **280**, 251

Sensory convergence
Sensory interactions; Forelimb afferents; Somatosensory cortex; Afferent inhibition (Macgillis, M.) **276**, 329

Sensory discharges
Carotid body; Temperature; Arrhenius equation (Ito, H.) **279**, 286

Sensory ganglia
α-Bungarotoxin; Nicotinic receptor; Spinal cord; Axonal transport; Sciatic nerve; Dorsal roots (Ninkovic, M.) **272**, 57

Sensory imbalance
Dopamine; Sensory neglect; Apomorphine; Circling; Rotational behaviour (Szechtman, H.) **264**, 332

Sensory interactions
Sensory convergence; Forelimb afferents; Somatosensory cortex; Afferent inhibition (Macgillis, M.) **276**, 329

Sensory modulation
Medial lemniscus; Spontaneously hypertensive rat (Garsik, J.T.) **271**, 188

Sensory neglect
Sensory imbalance; Dopamine; Apomorphine; Circling; Rotational behaviour (Szechtman, H.) **264**, 332

Sensory nerve
Mutant mouse; Dystrophy; Myelin; Internode; Node of Ranvier; Axon/Schwann cells; Morphometry; Peripheral nerve (Jaros, E.) **258**, 181

Sensory neuron
Regeneration; Axon segment; Axon fusion; HRP; Leech (Deriemer, S.A.) **272**, 157

Sensory neurons
Na$^+$,K$^+$ pump; Nerve growth factor; Survival (Skaper, S.D.) **271**, 263

Sensory neuropathy
Neurotransmitter; Substance P; Neurological mutants; Rat; *m f* Mutant (Scaravilli, F.) **263**, 147

Sensory neurotransmitters
Nociception; Dorsal horn; L-glutamate; Substance P; Iontophoresis; Piperidine dicarboxylate (Salt, T.E.) **263**, 167

Sensory pathways
Spinal cord; Descending controls; Visceral pain (Cervero, F.) **275**, 251

Sensory recovery
Microneurography; Human skin; Reinnervation; Mechanoreceptors; Adaptive behavior; Receptive fields; Distribution density (Mackel, R.) **268**, 49

Sensory responsiveness
Paradoxical sleep waves; Sleep; Locus coeruleus; Reticular formation; Startle reflex (Kaufman, L.S.) **276**, 73

Sensory stimulation
Sleep-waking; Substantia nigra; Dopamine; Unit activity; Orientation; Cat; Behavior (Steinfels, G.F.) **258**, 217

Voltammetry; Stress; Striatum; Electrochemistry; Dopamine; Homeostasis; Caudate nucleus (Keller, R.W. Jr.) **279**, 159

Sensory unit
Sensations; Median nerve; Skin; Man (Schady, W.J.L.) **277**, 249

Septal lesion
Sympathetic sprouting; Recovery of function (Crutcher, K.A.) **262**, 91

Reinnervation; Hippocampus; Entorhinal ablation; Acetylcholinesterase (Chen, L.-L.) **272**, 354

Septal nuclei
Angiotensin-converting enzyme; Angiotensin II; Bradykinin; Vasopressin; Brattleboro rats; Diabetes insipidus; Brainstem nuclei (Chevillard, C.) **272**, 283

Septal rage
RHA/Verh. rat; RLA/Verh. rat; Self-stimulation; Active avoidance (Lieblich, I.) **263**, 113

Septohippocampal pathway
Regeneration; Cholinergic neurotrophic factor; Heart conditioned medium; Choline acetyltransferase; [^{3}H]Quinuclidinylbenzilate (Schonfeld, A.R.) **266**, 271

Adult rat; Cholinergic neurons; Recovery of cholinergic enzymes; Hippocampus; Partial fimbrial lesions; Sprouting; Homotypic regeneration (Dravid, A.R.) **277**, 169

Septum
Reinnervation; Quantitative electron microscopy (Field, P.M.) **272**, 83

Acetylcholine; Choline acetyltransferase; GABA; Glutamate decarboxylase; Habenula; Nucleus interpeduncularis; Nucleus triangularis septi; Nucleus septo-fimbrialis (Contestabile, A.) **275**, 287

Sequential displacement
Spinal cord; Opiate receptors; μ-, δ, κ-Types; [^{3}H]Diprenorphine; [^{3}H]RX 78006 (H-Tyr-D-Ala-Gly-MePhe-NH (CH$_2$)$_2$OH); Human (Członkowski, A.) **267**, 392

Serotonergic innervation
Electrochemical detection; 5-Hydroxyindoles; Rat somatosensory cortex; Laminar distribution (Lamour, Y.) **259**, 163

Serotonergic neurons
Serotonin; Dorsal raphe nucleus; Motor systems; Muscle relaxant drugs; Freely moving cats (Steinfels, G.F.) **279**, 77

Raphe nuclei; Lysergic acid diethylamide; Analgesic pathways (Wessendorf, M.W.) **279**, 93

GABA; GABA agonist and antagonist agents; 5-Hydroxytryptophan accumulation; Dorsal raphé; Striatum (Nishikawa, T.) **279**, 325

Dorsal raphe nucleus; Brain slices; Extracellular recording; Intracellular recording; Norepinephrine; LSD; α_1-Adrenoreceptors (Vandermaelen, C.P.) **289**, 109

Serotonergic pathways
Electrochemical detection; 5-Hydroxyindoles; Rat somatosensory cortex; Electrical stimulation; *p*-Chlorophenylalanine (Rivot, J.P.) **275**, 164

Serotonergic system
Barbiturates; Functional tolerance; Glucocorticoids; Tryptophan hydroxylase; Mice (Yanai, J.) **269**, 297

Serotonin
Aplysia; Glyoxylic acid; Catecholamine (Tritt, S.H.) **259**, 159

Basilar artery contractions; 5-HT$_1$ receptors (Peroutka, S.J.) **259**, 327

Lesion; Feeding; Mollusc; Neuromodulation; Arousal; Hunger (Rosen, S.C.) **260**, 151

Area postrema; Carbamylcholine; Angiotensin II; Dopamine; Neostigmine; Atropine (Brooks, M.J.) **261**, 85

Hypothalamus; Neurotoxins; 5,7-Dihydroxytryptamine; 6-Hydroxydopamine; Immunocytochemistry; Axotomy (Frankfurt, M.) **261**, 91

Nucleus raphe magnus; Somatostatin; Neurotensin; Cholecystokinin (Beitz, A.J.) **261**, 132

Thyrotropin stimulating hormone; *m*-Chlorophenylpiperazine; 5,7-Dihydroxytryptamine; Supersensitivity of central 5-HT receptors (Schettini, G.) **261**, 349

Kainic acid; Reticular formation; Noradrenaline; Turning behavior; 6-Hydroxydopamine; 5,7-Dihydroxytryptamine (Porceddu, M.L.) **262**, 187

Ventral mesencephalic tegmental-A10; Locus coeruleus; Raphé dorsalis; Dopamine (McRae-Degueurce, A.) **263**, 344

Vasoactive intestinal polypeptide; Hypothalamus; Perifusion; Cyproheptadine (Shimatsu, A.) **264**, 148

Corticosterone; Aldosterone; Receptor; Hippocampus (De Kloet, E.R.) **264**, 323

Lordosis behavior; 5,7-Dihydroxytryptamine (Luine, V.N.) **264**, 344

Control of respiration; Phrenic nerve; Cat (Millhorn, D.E.) **264**, 349

Tryptamine; Hyperalgesia; Intrathecal administration; Pain; Spinal cord (Larson, A.A.) **265**, 109

In vitro release; 5,7-Dihydroxytryptamine; Parachloroamphetamine; Pancreas; Radioautography (Koevary, S.B.) **265**, 328

Rat; Spinal cord; Nociception (Maxwell, D.J.) **266**, 253

Retina; Immunohistochemistry; Elasmobranch fish; Indoleamine accumulating cells (Ritchie, T.C.) **267**, 352

Nociception; Spinal dorsal horn; HRP; Immunocytochemistry; Descending inhibition; Cat (Hoffert, M.J.) **267**, 361

Compensatory collateral sprouting; Regeneration; Functional recovery; Cingulate cortex; Fimbria-fornix; Hippocampus; Acetylcholine; Noradrenaline; T-maze; Alternation behavior (Gage, F.H.) **268**, 39

Locomotor activity; Limbic-midbrain region; Behavior; Nucleus medianus raphe; 5,7-Dihydroxytryptamine (Asin, K.E.) **268**, 211

Pain; Dorsal raphe; Thalamus (Andersen, E.) **269**, 57

Substance P; Spinal cord; Capsaicin; *p*-Chloroamphetamine (Bergstrom, L.) **270**, 181

Nodose ganglion; Nucleus of the solitary tract; Autoradiography; Cat (Gaudin-Chazal, G.) **270**, 239

Cortical lesions; Rat; Catecholamines; Subcortical structures (Finklestein, S.) **271**, 279

Aplysia; [^{3}H]Serotonin uptake; Presynaptic facilitation; Identified neurons; Sensitization; Synaptic modulation (Bailey, C.H.) **272**, 71

5-Methoxy-N,N-dimethyltryptamine; Prolactin; Dopamine; Tuberoinfundibular neurons (Simonovic, M.) **272**, 269

Tryptophan hydroxylase; 5-Hydroxytrytophan decarboxylase; 3-Hydroxybenzylhydrazine; *p*-Chlorophenylalanine (Pandey, A.) **273**, 67

Morphine; Systemic injection; Nucleus reticularis gigantocellularis; Periaqueductal gray matter; Spinal cord; Pain; Noradrenaline (Kuraishi, Y.) **273**, 245

Dorsal horn; Ultrastructure; Immunohistochemistry; Primate (LaMotte, C.C.) **274**, 65

5-Hydroxyindoleacetic acid; Spinal cord; Voltammetry; Electrochemistry (Rivot, J.P.) **275**, 311

Parkinson's disease; Cortical areas; Hippocampus; Dopamine; Dihydroxyphenylacetic acid; Homovanillic acid; Noradrenaline; 5-Hydroxyindoleacetic acid (Scatton, B.) **275**, 321

GABA; Immunocytochemistry (Belin, M.F.) **275**, 329

Celiac ganglia; non-cholinergic EPSP (Kiraly, M.) **275**, 378

Electrochemistry; Dorsal raphe nucleus; 5-Hydroxyindole acetic acid; Norepinephrine; Urethane-anesthetized rats (Echizen, H.) **277**, 55

Hypothyroidism; *p*-Chlorophenylalanine; Spinal cord; Substance P; Thyrotropin-releasing hormone (Savard, P.) **277**, 263

Castration; Adrenalectomy; 5-Hydroxytryptophan biosynthesis; CNS (Long, J.B.) **277**, 289

Hypothalamus; Immunohistochemistry; Paraventricular nucleus; Raphe nuclei; Supraoptic nucleus (Sawchenko, P.E.) **277**, 355

Serotonergic neurons; Dorsal raphe nucleus; Motor systems; Muscle relaxant drugs; Freely moving cats (Steinfels, G.F.) **279**, 77

Fluoxetine; Corticotropin releasing factor; Vasopressin; Adrenal cortical tropic hormone; Hypophysial portal blood (Gibbs, D.M.) **280**, 176

Insect optic lobe; Neuroanatomy; Immunocytochemistry; Golgi method; Electron-microscopy (Nässel, D.R.) **280**, 361

Fetal pancreas; Perikarya; Culture; Radioautography (Koevary, S.B.) **280**, 368

Raphe nuclei; Methysergide; Homosynaptic depression; Monosynaptic responses of motoneurons; Frog spinal cord (Cardona, A.) **280**, 373

Substance P; Enkephalin; Thyrotropin-releasing hormone; Immunocytochemistry; Spinal cord; Raphe nuclei (Bowker, R.M.) **288**, 33

Sympathetic preganglionic neurons; Cat (McCall, R.B.) **289**, 121

Circadian rhythm; Pineal; Melatonin; Suprachiasmatic nuclei (Cassone, V.M.) **289**, 129

Primary afferent depolarization; Tooth pulp; Nucleus raphe magnus; Reticular formation; GABA; Opioid peptides (Lovick, T.A.) **289**, 135

Primary astroglial culture; Autoradiography; GABA; Glutamate; Aspartate; Dopamine; Norepinephrine; Enkephalin; Valine (Hansson, E.) **289**, 189

Serotonin cell groups
5-Hydroxytryptamine; Vitamin B_1; Tryptophan hydroxylase; Brain development (Howe, P.R.C.) **270**, 19

Serotoninergic terminals
Red nucleus; Monoaminergic innervation; Radioautography (Bosler, O.) **259**, 288

Serotonin-like immunoreactivity
Carotid body; Rat; Glomus cells (Grönblad, M.) **276**, 348

Serotonin receptor
Lithium; Neuroleptic receptor (Tanimoto, K.) **265**, 148

Serotonin receptor phenotype
Dopamine receptor genetics; Receptor phenotype; D_2/D_3 binding (Boehme, R.E.) **266**, 51

Serotonin receptors
[^{3}H]LSD binding; Human brain; Brainstem; Raphe nuclei; Autoradiography (Palacios, J.M.) **274**, 150

Kainic acid; Hippocampus; Muscarinic receptors; α-Adrenoceptors; β-Adrenoceptors (Forloni, G.L.) **274**, 165

Serotonin release
In vivo voltammetry; Hippocampus; *p*-Chlorophenylalanine; α-Methyl-*p*-tyrosine; L-Tryptophan; L-Tyrosine; L-Valine; Immobilization stress (Joseph, M.H.) **270**, 251

5-Serotonin release
Opiate receptors localization; Serotonin terminals; Striatum (Parenti, M.) **280**, 317

Serotonin response
Neuroblastoma x glioma hybrid; Electrophysiology; Membrane excitability; Catecholamine response (Ogura, A.) **258**, 243

Serotonin S_2-receptors
Regional distribution; Human brain; [^{3}H]Ketanserin binding (Schotte, A.) **276**, 231

Serotonin terminals
Opiate receptors localization; Striatum; 5-Serotonin release (Parenti, M.) **280**, 317

Serotonin turnover
Myocardial infarction; Vagus nerve; Cardiocardiac reflexes; Hypothalamic nuclei; Raphe nuclei (Sole, M.J.) **265**, 55

[^{3}H]Serotonin uptake
Aplysia; Presynaptic facilitation; Identified neurons; Serotonin; Sensitization; Synaptic modulation (Bailey, C.H.) **272**, 71

Serotonin uptake
Cobalt-induced epilepsy; Noradrenaline; Rat; Dihydroxyphenylethyleneglycol; 5-Hydroxyindoleacetic acid (Trottier, S.) **272**, 255

Serotonin$_1$ receptor subtypes
Spiperone displacement; Computerized autoradiography (Deshmukh, P.P.) **288**, 338

Sex behavior
Testosterone-uptake; Metabolism; Preoptic area; Dove; Male (Steimer, Th.) **274**, 193

Sex difference
Barbiturate protection; Cerebral ischemia (Nakatomi, Y.) **270**, 146

Sex differences
Hamster; Androgen receptors; Estrogen receptors; Hypothalamus-preoptic area; Species differences (Vito, C.C.) **264**, 132

Dopamine-stimulated adenylate cyclase; Hypothalamus; Pituitary estrous cycle; Castration; Gonadal hormones; Dopamine receptors; Down- and up-regulation of receptors (Barr, G.A.) **277**, 299

Sexual behavior
Preoptic neurons; Hypothalamic neurons (Oomura, Y.) **266**, 340

Monoaminergic neurons; 6-Hydroxydopamine; 5,7-Dihydroxytryptamine (Hansen, S.) **268**, 285

Sexual differentiation
Preoptic area; Hypothalamus; Amygdala; Rat brain; Protein phosphorylation; Sexual dimorphism; Testosterone (Angelbeck, J.H.) **264**, 277

Aromatization; Cervical stimulation; Prolactin (Krey, L.C.) **274**, 188

Sexual dimorphism
Preoptic area; Hypothalamus; Amygdala; Rat brain; Protein phosphorylation; Sexual differentiation; Testosterone (Angelbeck, J.H.) **264**, 277

Brain testosterone metabolism; Japanese quail; 5β-Reductase (Schumacher, M.) **278**, 337

Shark
Retinofugal projections; Autoradiography; *Hemiscyllium plagiosum* (Jen, L.S.) **274**, 135

Myelin; Myelin proteins; P_o Protein; Immunoblotting; Schwann cells; Oligodendroglial cells (Tai, F.L.) **278**, 350

Sheep
Dehydration; Natriuresis; Hypernatremia; Brain lesion; Anterior third ventricle (McKinley, M.J.) **263**, 340

Epiglottis; Superior laryngeal nerve; Chemoreception; Neurophysiology (Bradley, R.M.) **276**, 81

Unit recording; Hypothalamus; Food intake (Maddison, S.) **278**, 195

Shiverer mouse
Central myelin; Radial component; Electron lucent linear structure; Major dense line (Nagara, H.) **263**, 336

Myelin; Myelin basic protein; Myelin proteolipid protein; 2',3'-Cyclic nucleotide-3'-phosphohydrolase; 5'-Nucleotidase; Carbonic anhydrase (Cammer, W.) **265**, 73

Short latency reflex
Core cooling; Long latency reflex; Differential latency shift (Bawa, P.) **264**, 320

Shrinkage
Red nucleus; Collateral sprouting (Bromberg, M.B.) **276**, 154

Signal averaging techniques
Sympathetic discharges; Phrenic activity; Periodicities; Barbiturates; Pulmonary afferents; Correlation techniques (Gootman, P.M.) **270**, 134

Silent phase
Paraventricular neurosecretory neuron; Recurrent inhibition; Antidromic spike; Electrical properties; Threshold; Latency; Rat (Akaishi, T.) **262**, 151

Silver impregnation
Accessory optic system; Rats; Fasciculi of accessory optic tract; Terminal nuclei; HRP (Yamadori, T.) **269**, 41

Simple cell
Cat; Striate cortex; Lateral geniculate nucleus; X-cell; Y-cell; Iontophoresis; Bicuculline (Tanaka, K.) **265**, 143

Single bilayer vesicles
Phosphatidylinositol transfer protein; Phosphatidylinositol; Phosphatidylinositol 4-phosphate (Schermoly, M.J.) **268**, 197

Single cell recordings
Nucleus isthmi; Nucleus profundus mesencephali; Optic tectum; HRP; Golgi-Cox method; Cobalt staining; Lizard (Wang, S.-R.) **275**, 355

Single fiber recording
Inter-spike interval variability; Neuronal spike-trains; Muscle spindle; Hand muscles; Human (Nordh, E.) **271**, 89

Single neurons
Taste; Breadth of responsiveness; Spontaneous rates; Cortex; Thalamus (Funakoshi, M.) **262**, 155

Single unit
α_1-Adrenoceptor; Norepinephrine; Lateral geniculate; Microiontophoresis; Receptor binding; Denervation; Supersensitivity (Menkes, D.B.) **272**, 1

Extraocular muscles; Semilunar ganglion; Stretch receptor; First-order neurons; HRP; Rat (Daunicht, W.J.) **278**, 291

Monkey; Color-opponent; Lateral pulvinar; Extrageniculate (Felsten, G.) **288**, 363

Continuous amphetamine; Substantia nigra; Dopamine; Autoreceptors (Ellinwood, E.H. Jr.) **273**, 379

Single unit activity
Dopaminergic neurons; Substantia nigra; Glucose; Cat; Feeding (Strecker, R.E.) **260**, 317

Single-unit analysis
Substantia innominata; Amygdala; Stria terminalis; Cat; Lateral olfactory tract; Temporal cortex (Femano, P.A.) **269**, 119

Single unit recording
Substantia gelatinosa; adult Rat spinal cord in vitro; Microiontophoresis; Amino acid neurotransmitters; Opioid peptides (Zieglgänsberger, W.) **279**, 316

Nucleus tractus solitarius; Locus coeruleus; Noradrenergic neuron (Moore, S.D.) **263**, 211

Single units
Vibrissae; Stimulus control; Piezoelectric; SmI cortex (Simons, D.J.) **276**, 178

Sinoaortic denervation
Neurogenic hypertension; Brain catecholamines; Brain noradrenaline; Brain adrenaline (Saavedra, J.M.) **274**, 388

Sinusoidal stretching
Muscle spindle; Fusimotor neuron; After-effect; Dynamic sensitivity; Control of posture (Baumann, T.K.) **258**, 139

Skeletal muscle end-plates
Luteinizing hormone-releasing hormone; Nicotinic ACh-receptor; Sensitivity; Sympathetic ganglion cells; Dose-response curve (Akasu, T.) **279**, 347

Skeletofusimotor innervation
Cat; Muscle spindles; Long chain fibers (Kucera, J.) **262**, 309

Skeleto-fusimotor innervation
Muscle spindle; β-Axons (Emonet-Dénand, F.) **258**, 101

Skin
Sensations; Median nerve; Man; Sensory unit (Schady, W.J.L.) **277**, 249

Sleep
β-Endorphin; Neuromuscular blockade; Wakefulness; Stress; Gallamine triethiodide (Foutz, A.S.) **263**, 119

Rhesus monkey; Macaque monkey; 2-Deoxyglucose; Hypnogenic center; Cerebral metabolism (Nakamura, R.K.) **268**, 372

Cat; Anterior hypothalamic-preoptic region; Thermoresponsive neurons; Wakefulness (Parmeggiani, P.L.) **269**, 382

REM; Cholinergic; Pontine brainstem; Bethanechol (Hobson, J.A.) **275**, 127

Paradoxical sleep waves; Sensory responsiveness; Locus coeruleus; Reticular formation; Startle reflex (Kaufman, L.S.) **276**, 73

Aging; Rat (Van Gool, W.A.) **279**, 394

Sleep cycle averaging
Dorsal raphe; Ponto-geniculo-occipital waves; EMG (Lydic, R.) **274**, 365

Sleep deprivation
Paradoxical sleep; Slow-wave sleep; *p*-Chlorophenylalanine; Indolamine (Sallanon, M.) **268**, 95

Sleep stages
β-Adrenoceptors; α-Adrenoceptors; Prenalterol; Salbutamol; Atenolol; Metoprolol; Propranolol; Clonidine; Prazosin; Phentolamine (Hilakivi, I.) **277**, 109

Sleep-wakefulness cycle
Calorimetry; Heat production; Heat loss; Paradoxical sleep; Environmental temperature (Schmidek, W.R.) **288**, 261

Sleep-waking
Substantia nigra; Dopamine; Unit activity; Sensory stimulation; Orientation; Cat; Behavior (Steinfels, G.F.) **258**, 217

Dopamine; Auditory stimulation; Substantia nigra; Dopaminergic unit activity; REM sleep (Steinfels, G.F.) **277**, 150

Sleep-waking cycle
Lateral geniculate nucleus; Perigeniculate neurons; Stimulation of mesencephalic reticular formation; State dependent effects (Fourment, A.) **259**, 301

Sleep-waking stages
Dopamine unit activity; Substantia nigra; Ventral tegmental area (Miller, J.D.) **273**, 133

Slice
Adenosine; Hippocampus; Receptor (Lee, K.S.) **260**, 156

Medulla; Respiratory; pH; Central chemoreceptors (Miles, R.) **271**, 349

Slices
Nucleus of the tractus solitarius; Medulla oblongata; Rhythmic activity (Champagnat, J.) **280**, 155

Slow IPSP
Atropine insensitive; Prevertebral ganglia (Ma, R.C.) **270**, 350

Slow relay cells
Albino rabbit; Dorsal lateral geniculate nucleus; Recurrent inhibition (Lo, F.-S.) **271**, 335

Slow-release pellet
Amphetamine; Dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; Neurotoxicity (Ellison, G.) **268**, 387

Slow rhythms
EEG waves; Midbrain reticular formation; Drowsiness; Synchronized sleep (Oakson, G.) **269**, 386

Slow sleep
Chronic intracellular recording; Lateral geniculate body relay neuron; Membrane potential; Current injection; Paradoxical sleep (Hirsch, J.C.) **259**, 308

Slow wave sleep
Minocycline; Ampicillin; Protein synthesis inhibitors; Human sleep; REM sleep (Nonaka, K.) **288**, 253

Paradoxical sleep; Sleep deprivation; *p*-Chlorophenylalanine; Indolamine (Sallanon, M.) **268**, 95

Amygdala kindling; REM sleep (Shouse, M.N.) **271**, 196

Slow-wave sleep (S_2)
Deoxycoformycin; REM sleep; Adenosine (Radulovacki, M.) **271**, 392

SmI cortex
Vibrissae; Stimulus control; Piezoelectric; Single units (Simons, D.J.) **276**, 178

Smooth endoplasmic reticulum
Axoplasmic transport; Neuropathy (Sahenk, Z.) **268**, 239

Fast axonal transport; Quantitative electron microscopic autoradiography; Ultrastructural morphometry (Papasozomenos, S.C.) **278**, 232

Snail neuron
Cyclic nucleotide; Calcium; Pentylenetetrazole; Bursting activity; Protein kinase; Seizure discharge (Onozuka, M.) **269**, 277

cAMP; Intracellular injection; Intracellular sodium and chloride; Sodium current; Voltage clamp (Aldenhoff, J.B.) **276**, 289

Snake
Red nucleus; Rubrobulbar projection; Trigeminal nuclei; Facial nucleus; HRP (Ten Donkelaar, H.J.) **279**, 229

Sodium aspartate
Electroretinogram; Cone response; Spectral sensitivity; Ground squirrel (Raisanen, J.) **270**, 311

Sodium channel
α-Scorpion toxin; Differentiation; Cell line culture; Phenotypic specificity; Neuronal maturation (Martin-Moutot, N.) **274**, 267

Patch clamp; Insecticide tetramethrin; Pyrethroid; Neuroblastoma (Yamamoto, D.) **274**, 344

Sodium current
cAMP; Intracellular injection; Intracellular sodium and chloride; Voltage clamp; Snail neuron (Aldenhoff, J.B.) **276**, 289

Sodium gradients
Taurine release; Brain cortical slices (Korpi, E.R.) **289**, 197

Sodium pump
K conductance; Pyramidal cell; Hippocampus (Gustafsson, B.) **275**, 159

Sodium - rat mediobasal hypothalamus
Iontophoresis; Extracellular recording; Cortisol; Osmoreception (Mandelbrod, I.) **273**, 35

Sodium spikes
Reeler mice; Purkinje cells; Calcium spikes (Dupont, J.-L.) **274**, 350

Solitary nucleus
Inferior olivary nucleus; Dorsal motor nucleus; Gigantocellular reticular nucleus; Vagus nerve; Baroreceptor reflex (Liu, R.H.) **271**, 184

Visceral cortex; Medial frontal cortex; Autonomic nervous system; Rat (Terreberry, R.R.) **278**, 245

Solitary tract
Vomiting center; Motion sickness; Reticular formation (Miller, A.D.) **270**, 154

Somatic peripheral receptive fields
Rat; Arthritis; Somatosensory cortex; Laminar distribution (Lamour, Y.) **273**, 183

Somatosensory
Rat; Spinal cord; Dorsal horn; Inhibition; non-Segmental inhibition; Time-course; Anesthetic; Pain; Noxious inhibitory controls (Tomlinson, R.W.W.) **279**, 291

Somatosensory cortex
Primates; Cebus monkeys; Somatotopic organization (Felleman, D.J.) **268**, 15

Rat; Arthritis; Somatic peripheral receptive fields; Laminar distribution (Lamour, Y.) **273**, 183

Sensory convergence; Sensory interactions; Forelimb afferents; Afferent inhibition (Macgillis, M.) **276**, 329

Plasticity; Surround inhibition; Raccoon (Rasmusson, D.D.) **288**, 368

Blood vessel; non-Random distribution; Barrel (Patel, U.) **289**, 65

Rat; Acetylcholine; Iontophoresis; Dose-response curves (Lamour, Y.) **289**, 157

Somatosensory evoked potential
Trigeminal; Pain; Operant conditioning of neural activity (Dowman, R.) **269**, 111

Somatosensory pathways
Lemniscal pathways; Dorsal columns; Ventral spinal cord; Auditory input; Visual input; Inferior colliculus; Cat (Tawil, R.N.) **269**, 149

Somatosensory system
Cortical connections; Autoradiography; Monkey (Friedman, D.P.) **273**, 147

Somatostatin
Nucleus raphe magnus; Neurotensin; Serotonin; Cholecystokinin (Beitz, A.J.) **261**, 132

pro-Somatostatin
Immunohistochemistry; Peptides; Cerebral cortex (Morrison, J.H.) **262**, 344

Somatostatin
Immunohistochemistry; Hypothalamus; Synapse; Rat (Ohtsuka, M.) **263**, 191

Hypothalamic cells; Membrane depolarization; Glucoprivation (Richardson, S.B.) **266**, 75

Immunocytochemistry; GABA; Taurine; Aspartate; Rat retina (Lin, C.T.) **270**, 273

Cerebral cortex; Cell culture; Amino acids; Neurotransmitters (Robbins, R.J.) **273**, 374

Bombesin; Adrenal epinephrine; Plasma catecholamines (Brown, M.R.) **276**, 253

Vasopressin; Brattleboro rats; Diabetes insipidus; Pituitary gland; Intermediate pituitary lobe; Posterior pituitary lobe; Brain nuclei (Saavedra, J.M.) **277**, 23

Basal ganglia; Striatum (Beal, M.F.) **278**, 103

Retina; Substance P; Dopamine; Kainic acid; Neurotoxin (Sagar, S.M.) **278**, 109

Parkinson's disease; Dementia; Alzheimer's disease; Post-mortem; Human; Cortex; Hippocampus (Epelbaum, J.) **278**, 376

Cholecystokinin; Vasoactive intestinal polypeptide; Substance P; Neurotensin; Schizophrenia; Amygdala; Hippocampus (Roberts, G.W.) **288**, 199

Barrel rotation; Vestibular nuclear complex; Chlorpromazine methiodide; Antimuscarinic (Burke, R.E.) **288**, 273

Kindling; Cysteamine; Anti-somatostatin antibody; Seizures; Epilepsy (Higuchi, T.) **288**, 359

cGMP; Substance P; Methionine-enkephalin; Immunofluorescence (Ariano, M.A.) **289**, 362

Somatostatin immunoreactivity
Striatum; Kainic acid (Beal, M.F.) **266**, 67

Somatostatin neuron
Periventricular nucleus; Median eminence hypothalamus; Immunohistochemistry; Electron microscopy; Rat (Ibata, Y.) **258**, 291

Somatostatin 14
Somatostatin 28; Hypophysial portal plasma; Median eminence stimulation (Millar, R.P.) **260**, 334

Somatostatin 28
Somatostatin 14; Hypophysial portal plasma; Median eminence stimulation (Millar, R.P.) **260**, 334

Somatotopic organization
Spinal cord; Dorsal horn; Peripheral nerve injury (Lisney, S.J.W.) **259**, 31

Somatosensory cortex; Primates; Cebus monkeys (Felleman, D.J.) **268**, 15

Spinal cord; Dorsal horn; Peripheral nerve injury (Lisney, S.J.W.) **271**, 166

Somatotopy
Lateral vestibulospinal tract; Medial vestibulospinal tract; Deiters' nucleus; Vestibular activation (Akaike, T.) **259**, 217

Spinal cord; Hemisection; Plasticity; Dorsal horn (Brenowitz, G.L.) **279**, 250

Somestethic input
Vestibulocerebellum-vestibular input; Climbing fibers; Motor control; Frog (Amat, J.) **278**, 287

Sound localization
Cerebellar granule cells; Auditory receptive fields; Cat (Aitkin, L.M.) **265**, 317

Spasticity
Dorsal column stimulation; Stretch reflexes; Decerebrate cat (Chapman, C.E.) **258**, 211

Spatial alternation
Dorsal noradrenergic bundle; Locus coeruleus; Noradrenaline; Selective attention; Place memory; Fear (Pisa, M.) **272**, 319

Spatial distribution
Lateral vestibular nucleus; Cerebellum; Corticovestibular; Fastigiovestibular (Akaike, T) **272**, 223

Spatial interaction
Receptive field; non-Linear estimate; Stimulus; Spatiotemporal white noise; Cortex; Cat (Citron, M.C.) **279**, 271

Spatial memory
Radial maze; Mice; Fimbria/fornix; Acetylcholine (Reinstein, D.K.) **263**, 172

Spatial resolution
2-Deoxyglucose autoradiography; ^{14}C-^{3}H (Gallistel, C.R.) **267**, 323

Spatiotemporal white noise
Receptive field; non-Linear estimate; Spatial interaction; Stimulus; Cortex; Cat (Citron, M.C.) **279**, 271

Species differences
Hamster; Androgen receptors; Estrogen receptors; Hypothalamus-preoptic area; Sex differences (Vito, C.C.) **264**, 132

Spectral sensitivity
Electroretinogram; Cone response; Sodium aspartate; Ground squirrel (Raisanen, J.) **270**, 311

Spider venom
Neurotoxin; Glutamate; Receptor; Squid giant synapse (Kawai, N.) **278**, 346

Spike and wave discharges
Recurrent inhibition; Pyramidal neurons; Feline generalized epilepsy (Kostopoulos, G.) **267**, 101

Spike dissociation
A1 Noradrenergic neurons; Estrogen; Post-stimulus inhibition; 6-Hydroxydopamine (Kaba, H.) **274**, 156

Spike pattern
Reticulospinal neuron; Quadrupedal movement; Thalamic cat; SBS reflex (Shimamura, M.) **260**, 27

Spike-triggered averaging
Respiratory neurones; Bötzinger complex; Post-synaptic potentials; Nucleus tractus solitarius; Nucleus retroambigualis (Merrill, E.G.) **263**, 43

Dorsal respiratory group; R$_3$ Neurons; Antidromic activation; Phrenic motoneurons; EPSPs; Cat (Lipski, J.) **288**, 105

Spike-wave discharges
Cortical neurons; Penicillin epilepsy (Kostopoulos, G.) **278**, 207

Spinal cord
Blood flow rate; Iodoantipyrine; Rabbit (Zivin, J.A.) **258**, 197

γ-Aminobutyric acid; Caffeine; Benzodiazepine; Calcium; Bicuculline (Nistri, A.) **258**, 263

Dorsal horn; Somatotopic organization; Peripheral nerve injury (Lisney, S.J.W.) **259**, 31

2-Deoxyglucose; Functional organization; Afferent termination (Piepmeier, J.M.) **259**, 167

$_{\alpha1}$-Adrenoceptors; Startle; Prazosin; 6-Hydroxydopamine (Astrachan, D.I.) **260**, 81

Paraventricular nucleus hypothalami; Lesions; Vasopressin; Oxytocin; Brainstem; High-performance liquid chromatography (Lang, R.E.) **260**, 326

Propriospinal system; Tendon organs (Jankowska, E.) **261**, 317

Motoneurons; Cell migration; Frog; Development (Liuzzi, F.J.) **262**, 299

Descending noradrenergic systems; Dopamine-β-hydroxylase; Immunocytochemistry; Locus coeruleus; Subcoeruleus (Westlund, K.N.) **263**, 15

Noradrenergic innervation; Dopaminergic innervation; Development; Fetus; Neonate (Commissiong, J.W.) **264**, 197

Cat; Renshaw cell; Quantitative synaptology; Ultrastructure (Lagerbäck, P.-Å.) **264**, 215

Met^{5}-Enkephalin; Met^{5}-Enkephalin-Arg^{6},Phe^{7}; Opioid peptide; Neuropeptides (Majane, E.A.) **264**, 336

Tryptamine; Hyperalgesia; Intrathecal administration; Pain; Serotonin (Larson, A.A.) **265**, 109

Calcitonin; Autoradiography; Binding sites; Brain; Regional distribution (Olgıati, V.R.) **265**, 209

Motoneurons; Primary afferents; Frog; Cell death (Davis, M.R.) **265**, 283

Sympathetic ganglia; Development; Tyrosine hydroxylase; Choline acetyltransferase (Hamill, R.W.) **266**, 21

Excitant amino acids; Excitant amino acid antagonists; Synaptic excitation (Peet, M.J.) **266**, 83

Rat; Serotonin; Nociception (Maxwell, D.J.) **266**, 253

Corticotropin Releasing Factor (CRF); Immunocytochemistry; Medulla oblongata; Mapping; Corticotropin releasing factor neurons (Schipper, J.) **267**, 145

Glucocorticoids; Apomorphine; Dopamine; Receptors (Hall, E.D.) **267**, 380

Opiate receptors; μ-, δ, κ-Types; [^{3}H]Diprenorphine; [^{3}H]RX 78006 (H-Tyr-D-Ala-Gly-MePhe-NH $(CH_2)_2OH$); Sequential displacement; Human (Członkowski, A.) **267**, 392

Binding; [^{3}H]α-Amino-3-hydroxy-5-methyl-4-isoxazole-propionic acid; Autoradiography; Tissue culture; Brainstem (Hösli, E.) **268**, 177

Lateral hypothalamus; Bisbenzimide; Acetylcholinesterase; [^{3}H]Choline; Basal forebrain; Cholinergic neurons (Haring, J.H.) **268**, 275

Epinephrine; Development; Preganglionic sympathetic nucleus; Phenylethanolamine-N-methyltransferase; Uptake; Autoradiography (Caserta, M.T.) **270**, 11

Serotonin; Substance P; Capsaicin; *p*-Chloroamphetamine (Bergstrom, L.) **270**, 181

Thyrotropin-releasing hormone; Receptors; Peptides (Sharif, N.A.) **270**, 259

Dorsal horn; Somatotopic organization; Peripheral nerve injury (Lisney, S.J.W.) **271**, 166

Fetal locus coeruleus; Reinnervation (Commissiong, J.W.) **271**, 174

Sensory ganglia; α-Bungarotoxin; Nicotinic receptor; Axonal transport; Sciatic nerve; Dorsal roots (Ninkovic, M.) **272**, 57

Presynaptic inhibition; Primary afferent depolarization; Potassium accumulation (Jiménez, I.) **272**, 179

Swelling of neurons; Mechanical response; Dorsal root ganglion (Tasaki, I.) **272**, 360

Morphine; Inhibition; Naloxone; Analgesia (Soja, P.J.) **273**, 1

Kynurenic acid; Quinolinic acid; Amino acid antagonists; Synaptic antagonists; Hippocampus (Ganong, A.H.) **273**, 170

Morphine; Systemic injection; Nucleus reticularis gigantocellularis; Periaqueductal gray matter; Pain; Noradrenaline; Serotonin (Kuraishi, Y.) **273**, 245

HRP; Motoneurons; Rat; Deafferentation; Retrograde transport (Peyronnard, J.-M.) **275**, 203

Descending controls; Sensory pathways; Visceral pain (Cervero, F.) **275**, 251

Serotonin; 5-Hydroxyindoleacetic acid; Voltammetry; Electrochemistry (Rivot, J.P.) **275**, 311

Lateral funiculus; Marginal zone; Intermediolateral column; Spinal cord transection; Hypophysectomy (Merchenthaler, I.) **275**, 373

Intraspinal Schwann cells and myelin; Astrocytes; X-radiation (Sims, T.J.) **276**, 17

α_1-Adrenoceptors; Startle; Prazosin; Desensitization (Astrachan, D.I.) **276**, 183

Motor nuclei; HRP; Elasmobranch (Droge, M.H.) **276**, 201

Cl^-/Ca^{2+}-activated Glutamate receptors; Cerebellum; 2-Amino-4-phosphonobutyrate (Whittemore, S.R.) **277**, 99

Nerve grafts; Astrocytes; Schwann cells; Immunohistochemistry; Axonal elongation (Fishman, P.S.) **277**, 175

Hypothyroidism; *p*-Chlorophenylalanine; Serotonin; Substance P; Thyrotropin-releasing hormone (Savard, P.) **277**, 263

Lithium; Motoneurons; Glial cells; Cortex; Hippocampus; Potassium (Grafe, P.) **279**, 65

Regeneration; Command neurons; Lamprey (Currie, S.N.) **279**, 238

Hemisection; Plasticity; Dorsal horn; Somatotopy (Brenowitz, G.L.) **279**, 250

Rat; Dorsal horn; Somatosensory; Inhibition; non-Segmental inhibition; Time-course; Anesthetic; Pain; Noxious inhibitory controls (Tomlinson, R.W.W.) **279**, 291

Dynorphin; Radioimmunoassay; Rat brain nuclei (Zamir, N.) **280**, 81

Clarke's column; Dorsal spinocerebellar tract (DSCT); Golgi tendon organs; Cross-correlation analysis; Muscle contraction (Osborn, C.E.) **280**, 339

Serotonin; Substance P; Enkephalin; Thyrotropin-releasing hormone; Immunocytochemistry; Raphe nuclei (Bowker, R.M.) **288**, 33

Δ^9-Tetrahydrocannabinol; Mechanisms of action; Synaptic effects; Membrane effects; Motoneurons (Turkanis, S.A.) **288**, 283

HRP; Intracellular staining; Electron microscopy; Muscle spindle afferents (Maxwell, D.J.) **288**, 297

Spinal cord cultures

Benzodiazepine; Diazepam; Inhibiton; GABA (Sher, P.K.) **268**, 171

Spinal cord in vitro
Lamprey; Fictive swimming; Tail fin reflexes (McClellan, A.D.) **269**, 237

Spinal cord neurons
Neuronotrophic factors; Motoneurons; Regeneration; Neuron survival; Choline acetyltransferase (Manthorpe, M.) **267**, 57

Spinal cord transection
Spinal cord; Lateral funiculus; Marginal zone; Intermediolateral column; Hypophysectomy (Merchenthaler, I.) **275**, 373

Spinal dorsal horn
Nociception; HRP; Immunocytochemistry; Serotonin; Descending inhibition; Cat (Hoffert, M.J.) **267**, 361

Spinal hemisection
Axonal sprouting; Dorsal root (Hulsebosch, C.E.) **265**, 187

Spinal Ia termination
Noradrenaline; 5-Hydroxytryptamine; Ouabain (Curtis, D.R.) **258**, 328

Spinal motoneurons
Cross-correlation techniques; Muscle stretch evoked EPSPs (Harrison, P.J.) **264**, 316

Spinal neurone excitation
Aspartate; Glutamate; Acetylcholine; Post-excitatory depression (Peet, M.J.) **263**, 162

Spinal neurons
Neurotensin; Extra- and intracellular recording; Iontophoresis; Microperfusion (Stanzione, P.) **268**, 111

Action potentials; Cultured vertebrate neurons (Smith, T.G. Jr.) **288**, 381

Spinal reflex
Plasticity; Stretch reflex; Primate; Memory; Learning (Wolpaw, J.R.) **267**, 196

Plasticity; Stretch reflex; Primate; Learning; Memory (Wolpaw, J.R.) **278**, 299

Spinal reflex pathway
Cutaneous mechanoreceptor; Cutaneous nociceptor; Flexor reflex afferent (Behrends, T.) **260**, 131

Group II muscle afferent; Cutaneous mechanoreceptor; Flexor reflex afferent (Behrends, T.) **265**, 125

Spinal serotonin nerves
Blood pressure; Immunohistochemistry; 5,7-Dihydroxytryptamine; Electrical stimulation (Howe, P.R.C.) **270**, 29

Spinal trigeminal nucleus
Axon collaterals; Nucleus reticularis gigantocellularis; Raphe magnus; Brainstem (Beitz, A.J.) **258**, 305

Periaqueductal gray; Raphe magnus; Nucleus reticularis paragigantocellularis (Beitz, A.J.) **288**, 307

Spindle potential
Frog muscle spindle; Na^+-free effects; K^+ Channel blockers (Ito, F.) **277**, 352

Spine
Stimulation; Dendrite; Optic tectum; Fish (Burgess, J.W.) **266**, 217

Spine apparatus
Dendritic spine; Calcium; Dentate fascia (Fifková, E.) **266**, 163

Spinoannular tract
Periaqueductal gray; Intermediate gray (Liu, R.P.) **264**, 118

Spino-cerebellar
Lateral cuneate nucleus; Vestibulo-somatosensory integration; Vestibular nerve; Guinea pig (Jensen, D.W.) **280**, 335

Spinothalamic tract
Ventrobasal complex; Rat; Pain (Peschanski, M.) **278**, 240

Spiperone
Dopamine; Hypothalamic slice; Oxytocin; Vasopressin; Haloperidol; Sulpiride; Flupenthixol (Mason, W.T.) **267**, 113

$[^3H]$Spiperone
Cholecystokinin-octapeptide; Striatum; Homovanillic acid; DOPAC; 5-Hydroxyindoleacetic acid (5-HIAA) (Mashal, R.D.) **277**, 375

Ergot derivatives; Guanine nucleotides; D-2 Receptors; Corpus striatum (Gundlach, A.L.) **278**, 155

Mouse striatum; $[^3H]$N-Propylnorapomorphine; Dopamine receptors; 6-Hydroxydopamine; Kainic acid; Frontal cortical ablation (Severson, J.A.) **279**, 295

Spiperone displacement
Serotonin$_1$ receptor subtypes; Computerized autoradiography (Deshmukh, P.P.) **288**, 338

$[^3H]$Spiroperidol binding
Dopamine; Lithium; Neglect neostriatum; Recovery of function (Kozlowski, M.R.) **267**, 301

Spontaneous and K^+-induced efflux
D- and L-α-Aminoadipic acids; Glutamate; Aspartate; GABA; Exchange diffusion; Antagonist of amino acid-induced excitation (Charles, A.K.) **259**, 331

Spontaneous convulsions
Barbital treatment; Hexobarbital tolerance; Physical dependence; Convulsive threshold (Wahlström, G.) **266**, 225

Spontaneously hypertensive rat
Brainstem; Neuroanal size; Brain volume; Neuronal density (Nelson, D.O.) **261**, 145

Medial lemniscus; Sensory modulation (Garsik, J.T.) **271**, 188

Spontaneously hypertensive rats
Methionine-enkephalin; Opioid neurons; Cerebral nuclei; Development (Nakamura, K.) **271**, 21

Fear; Emotion; Classical conditioning; Strain differences (Ledoux, J.E.) **277**, 137

Spontaneous rates
Taste; Breadth of responsiveness; Cortex; Thalamus; Single neurons (Funakoshi, M.) **262**, 155

Spreading depression
Carbon dioxide; pH; Chick; Retina (Skelton, J.L.) **288**, 229

Sprouting
Plasticity; Transmitter release; Motoneuron (Pockett, S.) **258**, 296

Synapse formation; Polyneuronal innervation; Axotomy (Ring, G.) **260**, 313

Hippocampus; Sympathetic fibers; Target cells; Kainic acid; Colchicine (Peterson, G.M.) **264**, 21

Contralateral controls; Quantal content (Pockett, S.) **268**, 349

Sympathetic innervation; Central noradrenergic projections; Habenula; Partial deafferentation; Norepinephrine; Adult rat (Gottesfeld, Z.) **268**, 359

CNS plasticity; Regeneration; Red nucleus; Hemispherectomy (Olmstead, C.E.) **274**, 336

Adult rat; Cholinergic neurons; Recovery of cholinergic enzymes; Hippocampus; Septohippocampal pathway; Partial fimbrial lesions; Homotypic regeneration (Dravid, A.R.) **277**, 169

Sprouting response
GM_1 Ganglioside; Nigro-striatal DA neurons; Hemitransection; Immunohistochemistry (Toffano, G.) **261**, 163

Squid giant synapse
Neurotoxin; Spider venom; Glutamate; Receptor (Kawai, N.) **278**, 346

Squirrel monkey
Superior colliculus; Pulvinar nucleus; Anterograde autoradiography; Horseradish peroxidase; Sublamination of SGS (Huerta, M.F.) **261**, 119

Staggerer mutant mouse
Olivocerebellar projections; Autoradiography (Dupont, J.-L.) **270**, 330

Starburst amacrine cells
Cholinergic neurons; Rabbit retina (Famiglietti, E.V. Jr.) **261**, 138

Starlings
Olfaction; Trigeminal receptors; Food aversion; Methiocarb; Phenethyl alcohol (Mason, J.R.) **269**, 196

Startle
$_{\alpha1}$-Adrenoceptors; Prazosin; 6-Hydroxydopamine; Spinal cord (Astrachan, D.I.) **260**, 81

Conditioning; Lateral lemniscus; Superior colliculus; Visual cortex; Lateral geniculate (Tischler, M.D.) **276**, 55

α_1-Adrenoceptors; Prazosin; Spinal cord; Desensitization (Astrachan, D.I.) **276**, 183

Startle reflex
Paradoxical sleep waves; Sleep; Sensory responsiveness; Locus coeruleus; Reticular formation (Kaufman, L.S.) **276**, 73

State dependent effects
Lateral geniculate nucleus; Perigeniculate neurons; Sleep-waking cycle; Stimulation of mesencephalic reticular formation (Fourment, A.) **259**, 301

Stationary currents
Mollusc neurons; cAMP; Voltage-clamp; Potential-activated calcium currents (Kononenko, N.I.) **268**, 321

Stellate cell
Taurine; Purkinje cell; Ca spikes; Na spikes; Transmitter; Cerebellar slice; Intracellular recording (Okamoto, K.) **260**, 249

Taurine; Intradendritic recording; Purkinje cell dendrite; Ca spikes; Cl conductance; Ca channels; Cerebellar slices; Transmitter (Okamoto, K.) **260**, 261

Motor cortex; Cerebellothalamocortical pathway; EPSP; intracellular HRP staining; Pyramidal cell; Cat (Noda, T.) **268**, 153

Steriod hormone
$[^3H]$Prazosin binding; Prazosin; α-Adrenergic receptor; Guinea pig brain; Estradiol; Progesterone (Nock, B.) **262**, 163

non-Steroidal antiestrogens
Estradiol-17β; Estrogen receptors; Progestin receptors; Pituitary gland; Hypothalamus; Uterus (Kirchhoff, J.) **289**, 380

Steroid receptors
Corticosterone receptors; Hippocampus; Rat brain; Quantitative autoradiography; LKB Ultrofilm (Sapolsky, R.M.) **271**, 331

Stimulation
Dendrite; Spine; Optic tectum; Fish (Burgess, J.W.) **266**, 217

Stimulation of mesencephalic reticular formation
Lateral geniculate nucleus; Perigeniculate neurons; Sleep-waking cycle; State dependent effects (Fourment, A.) **259**, 301

Stimulation-produced analgesia
Pain; Analgesia; Nucleus raphe magnus; Periaqueductal gray matter; Opioid peptides (Prieto, G.J.) **261**, 53

Mesodiencephalic junction; Efferent connection (Peschanski, M.) **263**, 181

Stimulus
Receptive field; non-Linear estimate; Spatial interaction; Spatiotemporal white noise; Cortex; Cat (Citron, M.C.) **279**, 271

Stimulus- and movement-related changes in neuronal activity
Detection of neuronal responses; Latency estimations (Seal, J.) **278**, 382

Stimulus control
Vibrissae; Piezoelectric; Sml cortex; Single units (Simons, D.J.) **276**, 178

Stimulus rate effects
[^{14}C]2-Deoxyglucose; Inferior colliculus; Densitometry (Sargent Jones, L.) **279**, 85

Strabismus
Corpus callosum; Effects of experience; Interhemispheric connections; Visual cortex; Cat (Berman, N.E.) **274**, 201

Lateral suprasylvian cortex; Corpus callosum; Binocularity; Striate cortex; Visual development; Cat (Elberger, A.J.) **278**, 295

Strain differences
Fear; Emotion; Classical conditioning; Spontaneously hypertensive rats (Ledoux, J.E.) **277**, 137

Streptomycin
Quisqualic acid; Amino acids; Glutamate (Stone, T.W.) **260**, 347

Neuromuscular junction; Frog (Tamaki, M.) **265**, 241

Stress
β-Endorphin; Neuromuscular blockade; Wakefulness; Sleep; Gallamine triethiodide (Foutz, A.S.) **263**, 119

Noradrenaline; Ventral noradrenergic bundle; Endorphins; Core temperature; Food intake; Water intake; Open-field behaviour (Millan, M.J.) **263**, 283

[^{3}H]Choline accumulation; [^{3}H]Quinuclidinylbenzilate binding; Hippocampus; Rat strains (Gilad, G.M.) **267**, 171

Adrenomedulla; Homoestasis; Tyrosine hydroxylase; Cold exposure; Hypoglycemia; Enzyme activation; Enzyme induction (Fluharty, S.J.) **267**, 384

Corticotropin-releasing factor; Locus coeruleus; Pituitary; Peptide hormone; Norepinephrine; Hypothalamus; Median eminence (Valentino, R.J.) **270**, 363

Seizures; Endogenous opioids; Electroconvulsive shock; Mice (Oliverio, A.) **271**, 193

Adrenaline; Noreadrenaline; Dopamine; Rat brain (Sudo, A.) **276**, 372

Analgesia; Naloxone; Amphibian; Opiates (Pezalla, P.D.) **278**, 354

Voltammetry; Striatum; Electrochemistry; Dopamine; Homeostasis; Caudate nucleus; Sensory stimulation (Keller, R.W. Jr.) **279**, 159

Cerebrospinal fluid; β-Endorphin; Adreno corticaltropic hormone; Met-Enkephalin; Rats (Kiser, R.S.) **288**, 187

Stress analgesia
Opioid peptides; Tolerance; Cross-tolerance (Terman, G.W.) **260**, 147

Analgesia; Dorsolateral funiculus; Opioid peptides; Footshock-induced analgesia; Pain (Lewis, J.W.) **267**, 139

Opioid peptides; Nucleus raphe magnus; Analgesia; Morphine; Brainstem (Cannon, J.T.) **269**, 231

Opioid peptides; Naltrexone; Scopolamine; Analgesia; Oxotremorine (Lewis, J.W.) **270**, 289

Stretch receptor
Extraocular muscles; Semilunar ganglion; First-order neurons; Single unit; HRP; Rat (Daunicht, W.J.) **278**, 291

Stretch reflex
Posture control; Vestibulospinal reflex; Human ankle muscles (Allum, J.H.J.) **264**, 297

Plasticity; Primate; Memory; Spinal reflex; Learning (Wolpaw, J.R.) **267**, 196

Human; Triceps brachii; Fatigue (Darling, W.G.) **267**, 345

Plasticity; Spinal reflex; Primate; Learning; Memory (Wolpaw, J.R.) **278**, 299

Stretch reflexes
Dorsal column stimulation; Spasticity; Decerebrate cat (Chapman, C.E.) **258**, 211

Striate cortex
Behaving monkeys; Extracellular recordings; Non-oriented cells; Corollary discharge; Movement perception (Galletti, C.) **260**, 128

Cat; Simple cell; Lateral geniculate nucleus; X-cell; Y-cell; Iontophoresis; Bicuculline (Tanaka, K.) **265**, 143

Lateral geniculate nucleus; Geniculo-cortical afferents; Axons; Galago; Primate; Vision (Florence, S.L.) **270**, 127

Grey squirrel; Lateral geniculate; Laminar specificity; Geniculostriate; Autoradiography (Harting, J.K.) **272**, 341

Lateral suprasylvian cortex; Corpus callosum; Binocularity; Visual development; Strabismus; Cat (Elberger, A.J.) **278**, 295

Vision; Pulvinar; Monkeys; Superior colliculus; Receptive-fields; Lesions (Bender, D.B.) **279**, 258

Striate cortex, prestriate
Superior colliculus; Oculomotor maps; Inferior parietal (Keating, E.G.) **269**, 145

Striate/extrastriate area
Visual cortex; Visual topography; Microelectrode mapping; Rat (Espinoza, S.G.) **272**, 137

Stria terminalis
Substantia innominata; Amygdala; Cat; Single-unit analysis; Lateral olfactory tract; Temporal cortex (Femano, P.A.) **269**, 119

Memory; Avoidance learning; Lesions; Amygdaloid stimulation; Rats (Liang, K.C.) **274**, 309

Striatonigral neurons
Taurine; Neostriatum; Autoradiography; Retrograde transport; Electron microscopy (Clarke, D.J.) **289**, 342

Striatum
Opiates; Naloxone; Dopamine; Substantia nigra (Chesselet, M.F.) **258**, 229

Dopamine; Rotation behavior; Chronic cannula; Drug distribution (Wolfson, L.I.) **261**, 205

Dopamine; Deoxyglucose; Cannula; Subthalamic nucleus; Entopeduncular nucleus; Rotation behavior (Brown, L.L.) **261**, 213

Claustrum; Cholinergic nuclei; Cortex (Pearson, R.C.A.) **261**, 327

Rat; Kainic acid; Neuron-specific enolase; Glutamine synthetase; Glutamic acid decarboxylase (Francis, A.) **263**, 89

Nucleus accumbens; Substantia nigra; Globus pallidus lesions (Scarnati, E.) **265**, 249

Somatostatin immunoreactivity; Kainic acid (Beal, M.F.) **266**, 67

Dopamine binding sites; Nucleus accumbens; D-Amphetamine; Phencyclidine (Robertson, H.A.) **267**, 179

Neurotensin; Dopamine; Release; Rat (De Quidt, M.E.) **274**, 376

Dopamine receptor; Denervation; Neuroleptics (Reches, A.) **275**, 183

Basal ganglia; Globus pallidus; HRP; Nucleus basalis of Meynert; Wheat germ agglutinin (Jayaraman, A.) **275**, 279

Cholecystokinin-octapeptide; [^{3}H]Spiperone; Homovanillic acid; DOPAC; 5-Hydroxyindoleacetic acid (5-HIAA) (Mashal, R.D.) **277**, 375

Somatostatin; Basal ganglia (Beal, M.F.) **278**, 103

Met-Enkephalin; Enkephalin release; Substance P; Neuropeptides; Periaqueductal gray matter (Del Río, J.) **279**, 121

Voltammetry; Stress; Electrochemistry; Dopamine; Homeostasis; Caudate nucleus; Sensory stimulation (Keller, R.W. Jr.) **279**, 159

GABA; GABA agonist and antagonist agents; Serotonergic neurons; 5-Hydroxytryptophan accumulation; Dorsal raphé (Nishikawa, T.) **279**, 325

Dopamine release; Dopamine metabolism; Nicotinic drugs; Lobeline; Acetylcholine; Methamphetamine; high K^{+} stimulation (Takano, Y.) **279**, 330

Dopamine; Monkey; [^{18}F]6-Fluoro-L-dopa; Positron emission tomography (Garnett, S.) **280**, 169

Opiate receptors localization; Serotonin terminals; 5-Serotonin release (Parenti, M.) **280**, 317

Striosomes
Neurotensin; Met-Enkephalin; Corpus striatum; Immunohistochemistry (Goedert, M.) **274**, 176

Acetylcholine; Acetylcholinesterase; Dopamine; Caudate-putamen; 6-Hydroxydopamine; Nigrostriatal bundle; Basal ganglia; Neostriatum (Marhsall, J.F.) **274**, 283

Stroke
Gerbils; Seizures; NADH; Redox state; Ischemia; Frozen brain; Redox state mapping (Mayevsky, A.) **276**, 95

Strychnine
Sympathetic preganglionic neurons; GABA; Glycine; Bicuculline (Backman, S.B.) **277**, 365

Bicuculline; Glycine; GABA; Dopamine; Retina; Light; Rat (Morgan, W.W.) **278**, 362

Subcoeruleus
Descending noradrenergic systems; Spinal cord; Dopamine-β-hydroxylase; Immunocytochemistry; Locus coeruleus (Westlund, K.N.) **263**, 15

Subcortical structures
Cortical lesions; Rat; Catecholamines; Serotonin (Finklestein, S.) **271**, 279

Subfornical organ
Salt homeostasis; Drinking; Salt appetite (Schulkin, J.) **263**, 351

Electrically induced drinking; Central control of water balance (Robertson, A.) **274**, 197

Vasopressin; Brattleboro rat; Diabetes insipidus; Pituitary neural lobe; Angiotensin; [^{14}C]Deoxyglucose (Kadekaro, M.) **275**, 189

Angiotensin; Blood pressure; Drinking; Rat (Lind, R.W.) **275**, 361

Supraoptic nucleus connections; Terminal degeneration; Neurosecretory neurons (Renaud, L.P.) **275**, 365

Anteroventral third ventricular region (AV3V); Median preoptic nucleus; Paraventricular nucleus; Parabrachial nucleus; Nucleus of the solitary tract (Saper, C.B.) **288**, 21

Subicular cortex
Fluorescent dye; Entorhinal cortex; Mammillary body; Ventral medial hypothalamus; Anterior thalamic nucleus (Donovan, M.K.) **259**, 181

Subiculum
Rat; Limbic system; Hippocampal formation (Kosel, K.C.) **269**, 347

Hippocampus; Hippocampal efferents; HRP; Rat; Limbic system; Tracing techniques (Finch, D.M.) **271**, 201

Sublamination of SGS
Superior colliculus; Pulvinar nucleus; Squirrel monkey; Anterograde autoradiography; Horseradish peroxidase (Huerta, M.F.) **261**, 119

Submammillothalamic
Dentate gyrus; Supramammillary; Acetylcholinesterase; Hippocampal afferents; Posterior hypothalamus (Harley, C.W.) **270**, 335

Submucous plexus
Tissue culture; Autonomic nervous system; Enteric nervous system; Histogenesis; Neuroglia interactions; Myenteric plexus (Jessen, K.R.) **262**, 17

Subnuclei
Neurotransmitters; Lateral geniculate nucleus (Mantyh, P.W.) **288**, 344

Suboptimal zinc intake
Aluminum accumulation; CNS (Wenk, G.L.) **288**, 393

Substance P
Thyrotropin-releasing hormone; Luteinizing hormone-releasing hormone; Choline acetyltransferase; Post-mortem brain; Post-mortem spinal cord; Alzheimer-type dementia; Down's syndrome (Yates, C.M.) **258**, 45

Nucleus laterodorsalis tegmenti; Medial frontal cortex (Sakanaka, M.) **259**, 123

Neurotransmitter; Sensory neuropathy; Neurological mutants; Rat; *mf* Mutant (Scaravilli, F.) **263**, 147

Nociception; Dorsal horn; Sensory neurotransmitters; L-glutamate; Iontophoresis; Piperidine dicarboxylate (Salt, T.E.) **263**, 167

Human brainstem; Neuropeptide immunocytochemistry (Del Fiacco, M.) **264**, 142

Trigeminal nerve; Circle of Willis; Immunohistochemistry; Innervation of cerebral arteries (Liu-Chen, L.-Y.) **268**, 162

Pylorus; Immunohistochemistry; Retrograde axonal tracing; Dorsal root ganglia; Vagal ganglia; Guinea pig (Lindh, B.) **269**, 365

Nucleus of the solitary tract; Vasopressin; Oxytocin; Enkephalin; Blood pressure (Voorn, P.) **270**, 169

Immunofluorescence; Vagus nerve; Nodose ganglion; Superior cervical ganglion; Cross-anastomosis (Hayashi, H.) **270**, 178

Serotonin; Spinal cord; Capsaicin; *p*-Chloroamphetamine (Bergstrom, L.) **270**, 181

Edinger-Westphal nucleus; Ciliary ganglion; Oculomotor complex (Maciewicz, R.) **270**, 217

Nociception; Caudal trigeminal; Iontophoresis; Primary afferent transmitters (Salt, T.E.) **273**, 217

Anterior pituitary; Neonatal imprinting; Testosterone (Yoshikawa, K.) **273**, 362

Dorsal horn; Ultrastructure; Immunohistochemistry; Primate (de Lanerolle, N.C.) **274**, 31

Hypothyroidism; *p*-Chlorophenylalanine; Serotonin; Spinal cord; Thyrotropin-releasing hormone (Savard, P.) **277**, 263

Retina; Somatostatin; Dopamine; Kainic acid; Neurotoxin (Sagar, S.M.) **278**, 109

Met-Enkephalin; Enkephalin release; Neuropeptides; Periaqueductal gray matter; Striatum (Del Río, J.) **279**, 121

Transmitter release; Neuropeptides; Synaptosomes (Floor, E.) **279**, 321

Dynorphin; Opioid peptides; Human spinal cord/spinal ganglia; Radioimmunoassay (Przewłocki, R.) **280**, 95

Serotonin; Enkephalin; Thyrotropin-releasing hormone; Immunocytochemistry; Spinal cord; Raphe nuclei (Bowker, R.M.) **288**, 33

Cholecystokinin; Vasoactive intestinal polypeptide; Neurotensin; Somatostatin; Schizophrenia; Amygdala; Hippocampus (Roberts, G.W.) **288**, 199

Immunohistochemistry; Hypothalamus; Synapse; Ultrastructure; Rat (Tsuruo, Y.) **289**, 1

Leu-Enkephalin; Basal ganglia; Huntington's disease; Immunocytochemistry (Marshall, P.E.) **289**, 11

cGMP; Somatostatin; Methionine-enkephalin; Immunofluorescence (Ariano, M.A.) **289**, 362

Substance P-like immunoreactivity
Post-mortem human brain; Basal ganglia; Parkinson's disease (Mauborgne, A.) **268**, 167

Substantia gelatinosa
Single unit recording; adult Rat spinal cord in vitro; Microiontophoresis; Amino acid neurotransmitters; Opioid peptides (Zieglgänsberger, W.) **279**, 316

Substantia innominata
Rabbit; Parabrachial nuclei; Gustation; Amygdala; Thalamus (Block, C.H.) **259**, 1

Amygdala; Stria terminalis; Cat; Single-unit analysis; Lateral olfactory tract; Temporal cortex (Femano, P.A.) **269**, 119

Prefrontal neuron; Intracranial self-stimulation; Visual tracking task; Movement-related neuron; Monkey (Funahashi, S.) **276**, 267

Parkinson's disease; Alzheimer disease; Choline acetyltransferase; Muscarinic receptors; Cerebral cortex; Human brain (Dubois, B.) **288**, 213

Substantia nigra
GABA; Nigrotegmental; Pedunculopontine nucleus; Axonal transport; Glutamic acid decarboxylase; γ-vinyl-GABA (Childs, J.A.) **258**, 109

Sleep-waking; Dopamine; Unit activity; Sensory stimulation; Orientation; Cat; Behavior (Steinfels, G.F.) **258**, 217

Striatum; Opiates; Naloxone; Dopamine (Chesselet, M.F.) **258**, 229

Dopaminergic neurons; Glucose; Cat; Single unit activity; Feeding (Strecker, R.E.) **260**, 317

Dopamine; Catecholamine fluorescence; Retrograde dyes; Amygdala; Ventral tegmental area (Loughlin, S.E.) **262**, 334

Sulpiride; Firing; Tyrosine hydroxylase activity DA receptors; DA neurons (Mereu, G.) **264**, 105

Rotational behavior; 6-Hydroxydopamine lesions (Robinson, T.E.) **264**, 127

Met^5-Enkephalin; Microinjection; Contraversive rotation; Parkinsonism (Jacquet, Y.F.) **264**, 340

Nucleus accumbens; Striatum; Globus pallidus lesions (Scarnati, E.) **265**, 249

[^{3}H]GABA release; Muscimol; Caudate nucleus; Bilateral regulation (Kemel, M.L.) **272**, 331

Superior colliculus; GABA; Bicuculline; Muscimol; Saccades (Hikosaka, O.) **272**, 368

Dopamine unit activity; Ventral tegmental area; Sleep-waking stages (Miller, J.D.) **273**, 133

Midbrain tegmentum; Chemoconvulsants; maximal Electroshock; Bicuculline; Seizures; Epilepsy (Garant, D.S.) **273**, 156

Single-unit; Continuous amphetamine; Dopamine; Autoreceptors (Ellinwood, E.H. Jr.) **273**, 379

Dopamine; Reaggregates; Neuron survival; Neuronal culture (Hoffmann, P.C.) **274**, 275

Dopamine; Sleep-waking; Auditory stimulation; Dopaminergic unit activity; REM sleep (Steinfels, G.F.) **277**, 150

Dopamine; Dendrites; Locomotor activity; Amphetamine (Jacksn, E.A.) **278**, 366

Motor impairment; Electrolytic lesion; Pointing movement; Reaction time; Kinematic analysis; Recovery of function; Monkey (Viallet, F.) **279**, 193

γ-Substitution
Glutamate analogues; Perforant path; Agonists; Antagonists; Extracellular recording (Koerner, J.F.) **272**, 299

Subthalamic nucleus
Dopamine; Deoxyglucose; Cannula; Striatum; Entopeduncular nucleus; Rotation behavior (Brown, L.L.) **261**, 213

Centre median-parafascicular complex; Autoradiography; Electron microscopy; HRP; Rat (Sugimoto, T.) **267**, 335

Chronically lesioned rats; Entopeduncular output neurons; Inhibitory response; Miroiontophoresis; GABA glycine; Acetylcholine (Rouzaire-Dubois, B.) **271**, 11

Caudate nucleus; Putamen; Wheatgerm agglutinin; HRP; Autoradiography (Beckstead, R.M.) **275**, 137

Sucrose
Blood-nerve barrier; Sciatic nerve; Urea; Xenograft (Rosenberg, G.A.) **270**, 231

Sulfate
Cholecystokinin; Peptides; Cerebral cortex; Turnover (Meek, J.L.) **276**, 375

Sulfate-esters
Pregnenolone; Dehydroepiandrosterone; Brain steroids; Neuro-steroids (Corpéchot, C.) **270**, 119

Sulpiride
Substantia nigra; Firing; Tyrosine hydroxylase activity DA receptors; DA neurons (Mereu, G.) **264**, 105

Dopamine; Hypothalamic slice; Oxytocin; Vasopressin; Haloperidol; Spiperone; Flupenthixol (Mason, W.T.) **267**, 113

Superior and recurrent nerves
Ambiguus motoneuron; Antidromic identification; Ultrasonic vocalization; Ventral and dorsal formations; Rat (Yajima, Y.) **288**, 302

Superior cervical ganglia
Pineal; Circadian rhythm; Melatonin (Cassone, V.M.) **272**, 311

Superior cervical ganglion
Iris; Pineal; Trigeminal ganglion; 6-Hydroxydopamine (Kessler, J.A.) **258**, 144

Dexamethasone; Glucocorticoids; Tyrosine hydroxylase (Sze, P.Y.) **265**, 81

Substance P; Immunofluorescence; Vagus nerve; Nodose ganglion; Cross-anastomosis (Hayashi, H.) **270**, 178

Superior colliculus
Pulvinar nucleus; Squirrel monkey; Anterograde autoradiography; Horseradish peroxidase; Sublamination of SGS (Huerta, M.F.) **261**, 119

Catecholaminergic innervation; Plasticity (Rhoades, R.W.) **261**, 353

Pontine visual area; Axon collaterals; Bifurcation; Visual cortex; Antidromic stimulation; Area 18; Lateral suprasylvian (Baker, J.) **265**, 227

Oculomotor maps; Striate cortex, prestriate; Inferior parietal (Keating, E.G.) **269**, 145

Retinal synapses; W,X,Y,system; Electron microscope autoradiography; Cat visual pathways (Mize, R.R.) **269**, 211

Substantia nigra; GABA; Bicuculline; Muscimol; Saccades (Hikosaka, O.) **272**, 368

Synaptogenesis; Monoclonal antibodies; Radioimmunoassay; Corticotectal projections; Retinotectal projections; Rabbit visual system (Greif, K.F.) **275**, 143

Auditory neurons (Sun, X.) **275**, 148

Startle; Conditioning; Lateral lemniscus; Visual cortex; Lateral geniculate (Tischler, M.D.) **276**, 55

Callosal projections; Axon collaterals; Fluorescent dyes; Cat (Weber, J.T.) **276**, 333

Vision; Pulvinar; Monkeys; Striate cortex; Receptive-fields; Lesions (Bender, D.B.) **279**, 258

Parabigeminal nuclei; Visual field; HRP; Cat (Roldán, M.) **280**, 1

Extra-geniculate system; Lateral thalamus; Visual system (Donnelly, J.F.) **288**, 315

Superior laryngeal nerve
Horseradish peroxidase; Recurrent laryngeal nerve; Dogs; Bronchoconstriction; Cells of origin (Wallach, J.H.) **261**, 307

Epiglottis; Chemoreception; Neurophysiology; Sheep (Bradley, R.M.) **276**, 81

Superior salivatory nucleus
Hypothalamus; Autoradiography; HRP; Rat (Hosoya, Y.) **266**, 329

Superior temporal gyrus
Entorhinal cortex; Entorhinal afferents; Monkey hippocampal formation (Amaral, D.G.) **275**, 263

Superoxide
Iron; Electron spin resonance; Isocortex (Willmore, L.J.) **277**, 393

Supersensitivity
Cerebral cortex; cAMP; Adrenergic receptors; Brain energy metabolism; Glycogen (Magistretti, P.J.) **261**, 159

Apomorphine; Cerebral blood flow; Iodoantipyrine; Caudate-putamen; Nigrostriatal pathway (Ingvar, M.) **262**, 259

Rotational behavior; Enkephalin; Apomorphine; Amphetamine; Nigrostriatum (Hirschhorn, I.D.) **270**, 109

α_1-Adrenoceptor; Norepinephrine; Lateral geniculate; Microiontophoresis; Single unit; Receptor binding; Denervation (Menkes, D.B.) **272**, 1

Supersensitivity of central 5-HT receptors
Serotonin; Thyrotropin stimulating hormone; *m*-Chlorophenylpiperazine; 5,7-Dihydroxytryptamine (Schettini, G.) **261**, 349

Suprachiasmatic nuclei
Vasopressin; Oxytocin; Cerebrospinal fluid; Circadian rhythms (Reppert, S.M.) **261**, 341

Circadian rhythmicity; ^{14}C-Deoxyglucose (Schwartz, W.J.) **274**, 184

Voltammetry; 5-Hydroxyindoles; 5-Hydroxyindoleacetic acid (5-HIAA); Rest-activity; Circadian fluctuations (Faradji, H.) **279**, 111

Circadian rhythm; Pineal; Melatonin; Serotonin (Cassone, V.M.) **289**, 129

Suprachiasmatic nucleus
Vasopressin; Cerebrospinal fluid; Circadian rhythm; Memory (Schwartz, W.J.) **263**, 105

Circadian clocks; Activity rhythm; Retinohypothalamic tract (Pickard, G.E.) **268**, 201

Adenosine-3',5'-monophosphate; Circadian rhythm; Corticosterone; Food restriction; Free run; Ventromedial hypothalamus (Murakami, N.) **276**, 297

non-Monoaminergic AADC neurons; Arginine-vasopressin; Brattleboro rat; Hypothalamus (Jaeger, C.B.) **276**, 362

Circadian pacemaker; Ventromedial hypothalamic nucleus; Restricted feeding schedule; Multiple unit activity; Motor activity; Rat (Inouye, S.-I.T.) **279**, 53

Supramammillary
Dentate gyrus; Acetylcholinesterase; Submammillothalamic; Hippocampal afferents; Posterior hypothalamus (Harley, C.W.) **270**, 335

Supraoptic nucleus
Vasopressin; Diabetes insipidus; Histamine; Brattleboro rat; Hypothalamus (Correa, F.M.A.) **276**, 247

Brattleboro rat; Cathepsin D; Proteinases; Radioimmunoassay; Vasopressin (Whitaker, J.N.) **277**, 181

Hypothalamus; Immunohistochemistry; Paraventricular nucleus; Raphe nuclei; Serotonin (Sawchenko, P.E.) **277**, 355

Dynorphin; α-Neo-endorphin; Paraventricular nucleus; Median eminence; Posterior pituitary (Palkovits, M.) **278**, 258

Brattleboro rat; Metabolic activity; Cytochrome oxidase histochemistry; Paraventricular nucleus; Nucleus circularis (Krukoff, T.L.) **280**, 160

Supraoptic nucleus connections
Subfornical organ; Terminal degeneration; Neurosecretory neurons (Renaud, L.P.) **275**, 365

Suprapituitary mechanism
N-Methylaspartate; GABA; Luteinizing hormone-releasing hormone; Glutamate; Neuroactive amino acids; Arcuate hypothalamic nucleus (Tal, J.) **273**, 179

Sural nerve
Deep innervation; Pain; Nociceptor (Chang, S.C.) **279**, 262

Sural stimulation
Reflex response; EMG; Thigh muscles; Human stepping (Kanda, K.) **288**, 378

Surface antigens
Ependymal cells; Neural antigens; Monoclonal antibodies (Tardieu, M.) **277**, 339

Surface e.m.g.
Voluntary force exertion; Ballistic contraction; Ramp contraction; Isometric force; Integrated e.m.g.; Discharge rate; Force rate (Yoneda, T.) **275**, 305

Surround
Dorsal lateral geniculate nucleus; Acetylcholine; Receptive field properties; Centre; Antagonism; Arousal; Reticular facilitation (Sillito, A.M.) **280**, 299

Surround inhibition
Plasticity; Somatosensory cortex; Raccoon (Rasmusson, D.D.) **288**, 368

Survival
Na^+,K^+ pump; Nerve growth factor; Sensory neurons (Skaper, S.D.) **271**, 263

Sustaining fiber
Crayfish; Visual field contour sensitivity; Lucifer Yellow; Dendrite frequency (Kirk, M.D.) **274**, 231

Sustentacular cell
Monoclonal antibody; Localization; Cell-specific marker; Lesioning (Hempstead, J.L.) **288**, 289

Swelling of neurons
Mechanical response; Dorsal root ganglion; Spinal cord (Tasaki, I.) **272**, 360

Swiss-Webster mouse
Brain androgen metabolism; Estrogen; Aromatization (Sheridan, P.J.) **273**, 285

Sympathetic discharges
Phrenic activity; Periodicities; Barbiturates; Pulmonary afferents; Correlation techniques; Signal averaging techniques (Gootman, P.M.) **270**, 134

Sympathetic fibers
Hippocampus; Sprouting; Target cells; Kainic acid; Colchicine (Peterson, G.M.) **264**, 21

Sympathetic ganglia
Spinal cord; Development; Tyrosine hydroxylase; Choline acetyltransferase (Hamill, R.W.) **266**, 21

Synapses; 4-Aminopyridine; Freeze-fracture; Ultrastructure; Guinea pig; Rat (Andersson Forsman, C.) **280**, 355

Sympathetic ganglion
α-Bungarotoxin; Radioautography; Cholinergic receptor (Smolen, A.J.) **289**, 177

Sympathetic ganglion cell
Adenosine triphosphate; Action potential; voltage-dependent K^+ current; Bullfrog (Akasu, T.) **258**, 313

Bullfrog; Late slow EPSP; Luteinizing hormone-releasing hormone; Action potential; Voltage-dependent K^+ current (Akasu, T.) **280**, 349

Sympathetic ganglion cells
Luteinizing hormone-releasing hormone; Nicotinic ACh-receptor; Sensitivity; Skeletal muscle end-plates; Dose-response curve (Akasu, T.) **279**, 347

Sympathetic innervation
Central noradrenergic projections; Sprouting; Habenula; Partial deafferentation; Norepinephrine; Adult rat (Gottesfeld, Z.) **268**, 359

Habenula; Deafferentation; Norepinephrine; Central noradrenergic projections; Rat (Gottesfeld, Z.) **275**, 299

Sympathetic nerves
Cardiac afferents; Coronary arteries (Vance, W.H.) **258**, 96

Sympathetic nervous system
Neuronal sprouting; Afferent input; Hippocampus (Madison, R.) **270**, 1

Anaphylactic shock; Naloxone; Endorphin; Mice (Amir, S.) **274**, 180

Corticotropin releasing factor; Blood pressure regulation (Brown, M.R.) **280**, 75

Sympathetic neurons
Axotomy; Polyamine biosynthesis (Gilad, G.M.) **273**, 191

Sympathetic preganglionic neurons
Neonatal rats; HRP (McKenna, K.E.) **269**, 201

GABA; Glycine; Bicuculline; Strychnine (Backman, S.B.) **277**, 365

Glutamate; Aspartate; D,L-Homocysteic acid (Backman, S.B.) **277**, 370

Serotonin; Cat (McCall, R.B.) **289**, 121

Sympathetic sprouting
Septal lesion; Recovery of function (Crutcher, K.A.) **262**, 91

Sympathetic stimulation
Retial arteries; Cerebral arteries; Cerebrovascular resistance (Diéguez, G.) **289**, 281

Sympatho-excitatory pathways
Ventrolateral medulla; Central autonomic area of thoracic cord; Carotid sinus; Aortic depressor nerves; Paraventricular nucleus; Sympatho inhibitory pathways; Bulbospinal cardiovascular reflex pathways (Caverson, M.M.) **274**, 354

Sympatho inhibitory pathways
Ventrolateral medulla; Central autonomic area of thoracic cord; Carotid sinus; Aortic depressor nerves; Paraventricular nucleus; Sympatho-excitatory pathways; Bulbospinal cardiovascular reflex pathways (Caverson, M.M.) **274**, 354

Symport
β-Hydroxybutyrate transport; Monocarboxylate transport; Blood-brain barrier; Trans effects (Regen, D.M.) **271**, 289

Synapse
Astrocyte; Visual cortex; Rat (Edmunds, S.M.) **259**, 285

Muscarinic receptor; Nicotinic receptor; Cholinergic receptor; Modulation; Retina (Siman, R.G.) **262**, 99

Somatostatin; Immunohistochemistry; Hypothalamus; Rat (Ohtsuka, M.) **263**, 191

Neurotransmitter; Glutamic acid; Antagonist; Hippocampus (Sawada, S.) **267**, 156

Initial segment; Granule cell; Axo-axonic cell; Chandelier cell; Basket cell; Dentate gyrus (Kosaka, T.) **274**, 129

Substance P; Immunohistochemistry; Hypothalamus; Ultrastructure; Rat (Tsuruo, Y.) **289**, 1

Synapse elimination
Development; Segmental root distribution; Mammalian muscle (Brown, M.C.) **273**, 188

Synapse formation
Sprouting; Polyneuronal innervation; Axotomy (Ring, G.) **260**, 313

Synapses
Chick ciliary ganglion; α-Bungarotoxin receptors; Ultrastructural autoradiography; Tissue culture (Messing, A.) **269**, 172

Climbing fibers; Cerebellar cultures; Electrophysiology (Blank, N.K.) **271**, 135

Sympathetic ganglia; 4-Aminopyridine; Freeze-fracture; Ultrastructure; Guinea pig; Rat (Andersson Forsman, C.) **280**, 355

Synaptic activation
Paraventricular nucleus; Medulla oblongata (Zerihun, L.) **261**, 13

Hippocampus; Inhibition; Bicuculline insensitivity (Kehl, S.J.) **279**, 278

Synaptic activity
Purkinje neuron; Culture; Endogenous activity; Putative neurotransmitter (Gruol, D.L.) **263**, 223

Synaptic antagonists
Kynurenic acid; Quinolinic acid; Amino acid antagonists; Hippocampus; Spinal cord (Ganong, A.H.) **273**, 170

Synaptic boutons density
Quantitative histology; Electron microscopy; Cell density; Hypothalamus; Paraventricular nucleus (Kiss, J.Z.) **262**, 217

Synaptic distribution
Mauthner cell; Saccular nerve; Club endings; Endbulbs (Lin, J.-W.) **274**, 319

Synaptic effects
Δ^9-Tetrahydrocannabinol; Mechanisms of action; Membrane effects; Spinal cord; Motoneurons (Turkanis, S.A.) **288**, 283

Synaptic efficacy
Neuromuscular junction; Polyneuronal innervation (Weakly, J.N.) **273**, 319

Synaptic excitation
Excitant amino acids; Excitant amino acid antagonists; Spinal cord (Peet, M.J.) **266**, 83

Synaptic interaction
Radioautography; Immunocytochemistry; Nucleus tractus solitarius; Vagal afferents; Tyrosine hydroxylase (Sumal, K.K.) **277**, 31

Synaptic junctions
Glycoproteins; Phosphorylation; cAMP; Protein kinase (Gurd, J.W.) **269**, 287

Synaptic membranes
Vasotocin; Biotransformation; Proteolytic enzymes; Neurohypophyseal hormones; Neuropeptides (Wang, X.-C.) **275**, 83

Synaptic modulation
Adrenaline; Interaction of facilitation and depression; Bullfrog sympathetic ganglia (Kumamoto, E.) **265**, 344

Aplysia; [^{3}H]Serotonin uptake; Presynaptic facilitation; Identified neurons; Serotonin; Sensitization (Bailey, C.H.) **272**, 71

Synaptic morphology
Carotid body innervation; Autoradiography; Domestic fowl (Taha, A.A.M.) **266**, 193

Synaptic plasticity
Glutamate receptors; Proteinase; Hippocampus (Baudry, M.) **270**, 142

Long-term potentiation; Protein phosphorylation; Hippocampal slices; Rat brain (Tielen, A.M.) **277**, 189

Synaptic transmission
Insect; Adenosine 3',5'-monophosphate; Neurosecretory cell (Orchard, I.) **258**, 152

Hyperbaric oxygen; Oxygen toxicity; Hippocampal slice; Potassium (King, G.L.) **260**, 139

Mauthner reflex; Collateral inhibition; Cranial relay neuron (CRN) (Hackett, J.T.) **264**, 302

Nerve regeneration; Axonal transport; Goldfish optic nerve; Tetrodotoxin (Schmidt, J.T.) **269**, 15

Insect; Adenosine 3'5'-monophosphate; Hormone release; Adipokinetic hormone; Neurosecretory cell (Orchard, I.) **288**, 349

Benzodiazepines; GABA; Embryology; Receptors; Inhibition; Motility (Maderdrut, J.L.) **289**, 385

Synaptic vesicle
Calmodulin; Phosphorylation; ATPase activity; Affinity-purified antibody; Affinity chromatography (Moskowitz, N.) **263**, 243

Synaptic vesicle recycling
HRP uptake; Muscle fiber degeneration; Carbocaine (Tal, M.) **270**, 131

Synaptogenesis
Superior colliculus; Monoclonal antibodies; Radioimmunoassay; Corticotectal projections; Retinotectal projections; Rabbit visual system (Greif, K.F.) **275**, 143

Polylysine-coated beads; Cerebellar cortex; Electron microscopy (Burry, R.W.) **278**, 236

Synaptosomal tyrosine uptake
Phenylketonuria; Hyperphenylalaninemia; Brain catecholamines; Amino acid inhibition (Peterson, N.A.) **272**, 189

Synaptosome
Brain; TSH (Hojvat, S.) **265**, 259

Myenteric plexus; GABA; Acetylcholine; Release (Yau, W.M.) **278**, 271

Synaptosomes
Glutamine; Tyrosine hydroxylase; Tryptophan hydroxylase; DOPA decarboxylase; Amino acid transport (Katz, I.R.) **264**, 160

Dopamine; Tyrosine hydroxylase; Forskolin; Adenylate cyclase; cAMP; Retina (Katz, I.R.) **264**, 173

Calcium channels; Cobalt ions (Meyer, E.M.) **265**, 173

L-Glutamic acid uptake; SITS; Astrocytes; Glia (Waniewski, R.A.) **268**, 390

Etomidate; Prolactin release; Dopamine; 5-Hydroxytryptophan; Haloperidol; GABA (Preziosi, P.) **271**, 379

Norepinephrine uptake; Estradiol-17β; Estradiol-17α; Ethinylestradiol; Catecholestrogens; Methylestrogens (Ghraf, R.) **277**, 163

Substance P; Transmitter release; Neuropeptides (Floor, E.) **279**, 321

Microtubules; Neurotransmitter release; Taxol; Presynaptic terminal; Acetylcholine (Burgoyne, R.D.) **280**, 190

Choline transport; Alzheimer dementia; Hippocampus; Cortex (Rylett, R.J.) **289**, 169

Synchronized sleep
EEG waves; Midbrain reticular formation; Slow rhythms; Drowsiness (Oakson, G.) **269**, 386

Systemic injection
Morphine; Nucleus reticularis gigantocellularis; Periaqueductal gray matter; Spinal cord; Pain; Noradrenaline; Serotonin (Kuraishi, Y.) **273**, 245

T

[^{3}H]TCP
Phencyclidine; Receptor; Dissociation; PCP analogues (Vignon, J.) **280**, 194

T-maze
Compensatory collateral sprouting; Regeneration; Functional recovery; Cingulate cortex; Fimbria-fornix; Hippocampus; Acetylcholine; Noradrenaline; Serotonin; Alternation behavior (Gage, F.H.) **268**, 39

TSH
Brain; Synaptosome (Hojvat, S.) **265**, 259

Tactile discrimination
Reaching; Parietal cortex; Early ablations (Brown, J.V.) **267**, 67

Tactile response
Postcentral cortex; Pyramidal tract neuron (Tanji, J.) **273**, 352

Tail fin reflexes
Lamprey; Spinal cord in vitro; Fictive swimming (McClellan, A.D.) **269**, 237

Tail-pinch
Anorexia; [^{14}C]2-Deoxy-D-glucose autoradiography; Brain metabolism; Ethanolamine-O-sulfate; Food intake; GABA; GABA-T inhibition; Sensorimotor tests (Nobrega, J.N.) **262**, 243

Target cells
Hippocampus; Sprouting; Sympathetic fibers; Kainic acid; Colchicine (Peterson, G.M.) **264**, 21

Taste
Breadth of responsiveness; Spontaneous rates; Cortex; Thalamus; Single neurons (Funakoshi, M.) **262**, 155

Taste aversion
Apomorphine; Nucleus accumbens; Area postrema (Van der Kooy, D.) **259**, 111

Taste response
Amino acids; Receptor potential; Eel; Phase boundary potential; Transduction mechanisms (Yoshii, K.) **280**, 63

Taurine
Cerebellar slice; Purkinje cell; Purkinje cell dendrite; Cl-conductance; Transmitter; Intradendritic recording; Reversal potential (Okamoto, K.) **259**, 319

Stellate cell; Purkinje cell; Ca spikes; Na spikes; Transmitter; Cerebellar slice; Intracellular recording (Okamoto, K.) **260**, 249

Intradendritic recording; Purkinje cell dendrite; Ca spikes; Cl conductance; Ca channels; Cerebellar slices; Transmitter; Stellate cell (Okamoto, K.) **260**, 261

Transmitter; Purkinje cell; Purkinje cell dendrite; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide (TAG); Taurine antagonist; Reversal potential; Intracellular recording; Cerebellum (Okamoto, K.) **265**, 163

Immunocytochemistry; GABA; Aspartate; Somatostatin; Rat retina (Lin, C.T.) **270**, 273

Neostriatum; Striatonigral neurons; Autoradiography; Retrograde transport; Electron microscopy (Clarke, D.J.) **289**, 342

Taurine antagonist
Taurine; Transmitter; Purkinje cell; Purkinje cell dendrite; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide (TAG); Reversal potential; Intracellular recording; Cerebellum (Okamoto, K.) **265**, 163

Taurine release
Sodium gradients; Brain cortical slices (Korpi, E.R.) **289**, 197

Taxol
Synaptosomes; Microtubules; Neurotransmitter release; Presynaptic terminal; Acetylcholine (Burgoyne, R.D.) **280**, 190

Tay-Sachs disease
Gangliosides; Gangliosidosis (Yu, R.K.) **275**, 47

Tectum
Retina; Retinotectal projection (Linden, R.) **272**, 145

Tegmental reticular nucleus
REM sleep; Ponto-geniculo-occipital (PGO) waves; Medial pontine reticular formation; Intracellular recording in naturally sleeping cat; Long lead PGO wave positive neurons (McCarley, R.W.) **280**, 343

Tele-methylhistamine
Histamine; Brain; Hypothalamus; Amygdala; Histaminergic neuron (Oishi, R.) **280**, 172

Telencephalon
Turtles; Vision; Multiple unit activity (Bass, A.H.) **263**, 201

Teleost
Lateral line nerve; Eighth nerve; Lateralis branchlet; Octavolateralis area of the medulla (McCormick, C.A.) **265**, 177

Teleost retina
Rod input; Amacrine; HRP; Electron microscopy; Dace (Sakai, H.) **270**, 345

Temperature
Dorsal root ganglia; GABA-receptor; pH; Chloride pump; SITS; Furosemide; Bumetanide; Ammonium ion (Gallagher, J.P.) **267**, 249

Azide; Calcium; Miniature end-plate potentials (Anwyl, R.) **270**, 355

Denervation; Membranes; Glomus cells (Eyzaguirre, C.) **279**, 282

Carotid body; Sensory discharges; Arrhenius equation (Ito, H.) **279**, 286

Temperature effects
Polymodal receptor; Unitary discharges; Nociceptor; Secondary pain; Inflammation pain; Bradykinin; Hypertonic NaCl (Kumazawa, T.) **278**, 305

Temperature regulation
Calmodulin; Feeding; Food intake; Intracerebroventricular infusion; Calcium in brain (Myers, R.D.) **266**, 178

Temporal cortex
Substantia innominata; Amygdala; Stria terminalis; Cat; Single-unit analysis; Lateral olfactory tract (Femano, P.A.) **269**, 119

Temporal neocortex
Neurotransmitter release; Amino acids; Human brain; Alzheimer's disease (Smith, C.C.T.) **264**, 138

Tendon organs
Spinal cord; Propriospinal system (Jankowska, E.) **261**, 317

Tensor tympani
Trigeminal motor nucleus; Tensor veli palatini; Accessory trigeminal nucleus (Keller, J.T.) **270**, 209

Tensor veli palatini
Trigeminal motor nucleus; Tensor tympani; Accessory trigeminal nucleus (Keller, J.T.) **270**, 209

Terminal degeneration
Subfornical organ; Supraoptic nucleus connections; Neurosecretory neurons (Renaud, L.P.) **275**, 365

Terminal nuclei
Accessory optic system; Rats; Fasciculi of accessory optic tract; Silver impregnation; HRP (Yamadori, T.) **269**, 41

Terminal sprouting
Motor nerve; Endplates (Huang, C.L.-H.) **274**, 225

Test-dependent effects
5-Hydroxytryptamine; Brainstem; Morphine-induced; Analgesia; *p*-Chloroamphetamine; *p*-Chlorophenylalanine; Zimelidine (Berge, O.-G.) **271**, 51

Testosterone
Castration; Medial preoptic/anterior hypothalamus; Lateral septum; Medial forebrain bundle; Arcuate/median eminence (Kendrick, K.M.) **262**, 137

Preoptic area; Hypothalamus; Amygdala; Rat brain; Protein phosphorylation; Sexual dimorphism; Sexual differentiation (Angelbeck, J.H.) **264**, 277

Substance P; Anterior pituitary; Neonatal imprinting (Yoshikawa, K.) **273**, 362

Development; Pituitary; Met^5-Enkephalin (Yoshikawa, K.) **279**, 343

Testosterone-uptake
Metabolism; Preoptic area; Dove; Male; Sex behavior (Steimer, Th.) **274**, 193

Tetanic potentiation
Divalent cations; Neuromuscular junction; Miniature end-plate potentials; Power law; Transmitter release (Narita, K.) **289**, 79

Tetanus toxin
Neuromuscular junction; Nerve terminal; Ca^{2+}-current; Botulinum toxin (Dreyer, F.) **270**, 373

Action potential; Ca spike; Na spike; Channel blocker; Neuroblastoma cells (Higashida, H.) **279**, 363

Tetanus toxin receptor
Glutamic acid decarboxylase; Action potentials; Clones; Quail; Neuroretina cell cultures (Pessac, B.) **275**, 53

Tetrahydrobiopterin
Development; Guanosine-5'-triphosphate cyclohydrolase; Brain; Pineal gland (Kapatos, G.) **258**, 351

Δ^9-Tetrahydrocannabinol
Mechanisms of action; Synaptic effects; Membrane effects; Spinal cord; Motoneurons (Turkanis, S.A.) **288**, 283

Tetrasialogangliosides
Gangliosides; Monoclonal antibody A2B5; Neuronal maturation (Kasai, N.) **277**, 155

Tetrodotoxin
Cytochrome oxidase; Impulse blockage; Adult visual system (Wong-Riley, M.) **261**, 185

Estrogenic action; Lordosis; Local anesthetics; Hypothalamus; Electrical activity (Harlan, R.E.) **268**, 67

Nerve regeneration; Visual pathway; Axonal transport; Vision; Axon; Goldfish optic nerve (Edwards, D.L.) **269**, 1

Synaptic transmission; Nerve regeneration; Axonal transport; Goldfish optic nerve (Schmidt, J.T.) **269**, 15

Thalamic
Cortex; Auditory; Rat; Connections; Callosal (Vaughan, D.W.) **260**, 181

Thalamic cat
Reticulospinal neuron; Spike pattern; Quadrupedal movement; SBS reflex (Shimamura, M.) **260**, 27

Thalamic organization
Monkey; HRP; Thalamocortical neurons; Corticothalamic neurons; Cerebellar nuclei (Miyata, M.) **274**, 213

Thalamo-cortical connections
Area 20; Visual cortex; Cortico-cortical connections; Basal forebrain-cortical connections; Brainstem-cortical connections; HRP; Cat (Cavada, C.) **270**, 319

Thalamocortical neurons
Monkey; HRP; Corticothalamic neurons; Thalamic organization; Cerebellar nuclei (Miyata, M.) **274**, 213

Thalamus
HRP; Cortex; Intralaminar nuclei; Cat (Royce, G.J.) **258**, 11

Rabbit; Parabrachial nuclei; Gustation; Amygdala; Substantia innominata (Block, C.H.) **259**, 1

Taste; Breadth of responsiveness; Spontaneous rates; Cortex; Single neurons (Funakoshi, M.) **262**, 155

Caudate; Intracellular response (Schneider, J.S.) **265**, 322

Cortical projection; Glutamergic projection; Aspartergic projection; Amygdala (Walker, J.E.) **267**, 371

Pain; Serotonin; Dorsal raphe (Andersen, E.) **269**, 57

Norepinephrine; Dopamine (Oke, A.) **269**, 180

Ventral lateral nucleus; Cholinesterase; Cytoarchitecture; Cerebellum; Dog (Sakai, S.T.) **271**, 1

Pyramidal tract; Ventrobasal complex; Ventroanterior nucleus; Ventrolateral nucleus; Ventromedial nucleus; Cats (Giuffrida, R.) **279**, 254

Pain; Brain stimulation; Opioids (Benabid, A.L.) **280**, 217

Thermal analgesia
Electroconvulsive shock; Endogenous opioids; Gastrointestinal motility (Galligan, J.J.) **271**, 354

Thermal sensation
Pain; Response latency; Warmth sensation; First pain (Campbell, J.N.) **266**, 203

Thermal stimulus
Aging; Analgesia; Diurnal rhythm; Light-dark cycle; Morphine; Opioid (Kavaliers, M.) **279**, 387

Thermoafferent pathway
Hibernation; Paratrigeminal nucleus; Nuclei insulae cuneati lateralis; 2-Deoxyglucose (Kilduff, T.S.) **262**, 117

Thermoregulation
Amine accumulation; Colchicine; Consummatory behaviour; Motor reflex control; Locomotory behaviour; Lateral hypothalamus (Willis, G.L.) **276**, 119

Thermo-regulation
Preoptic area; Paraventricular nucleus; Periventricular nucleus; Neurosecretory cell; Thermo-sensitive neuron; Body fluid control (Matsumura, K.) **289**, 330

Thermoresponsive neurons
Cat; Anterior hypothalamic-preoptic region; Wakefulness; Sleep (Parmeggiani, P.L.) **269**, 382

Thermo-sensitive neuron
Preoptic area; Paraventricular nucleus; Periventricular nucleus; Neurosecretory cell; Thermo-regulation; Body fluid control (Matsumura, K.) **289**, 330

Theta cells
Hippocampus; Dentate gyrus; Granule cells; Learning and memory (Rose, G.) **266**, 29

Thiamine pyrophosphatase staining
Vasoactive intestinal polypeptide; Avian pancreatic polypeptide; Neuropeptides; Peripheral nervous system; Immunohistochemistry; Golgi apparatus (Johansson, O.) **262**, 71

Thigh muscles
Sural stimulation; Reflex response; EMG; Human stepping (Kanda, K.) **288**, 378

Thirst
Medio-ventral septal area; Vasopressin; Polyuria; Polydipsia (Iovino, M.) **258**, 123

Threshold
Paraventricular neurosecretory neuron; Recurrent inhibition; Antidromic spike; Silent phase; Electrical properties; Latency; Rat (Akaishi, T.) **262**, 151

Threshold for vocalization
Morphine; Enkephalinase inhibitor; Arthritic rats (Kayser, V.) **267**, 131

Thresholds
Tooth-pulp nerves; Electrical stimulation; Conduction velocity (Cadden, S.W.) **261**, 31

Thyroid-stimulating hormone release
Benzodiazepines; Diazepam; Clonazepam; Ro 15-1788; Cold-induced TSH release (Camoratto, A.M.) **265**, 339

Thyrotropin
GABA; Hypothalamic; Pituitary relation (Jordan, D.) **268**, 105

Thyrotropin releasing hormone
Receptors; Down regulation; Central nervous system; Muscarinic ACh-receptors (Ogawa, N.) **263**, 348

Luteinizing hormone-releasing hormone; Substance P; Choline acetyltransferase; Post-mortem brain; Post-mortem spinal cord; Alzheimer-type dementia; Down's syndrome (Yates, C.M.) **258**, 45

Prolactin; Cerebrospinal fluid; Cortisol; Morphine; 5-Hydroxytryptophan; Monkey (Herbert, J.) **258**, 251

Prolactin; Reserpine; Calcium; Adrenocorticotropic hormone; Dopamine (Login, I.S.) **260**, 99

Receptors; Spinal cord; Peptides (Sharif, N.A.) **270**, 259

Lateral septal area; Acetylcholine; Muscarinic receptors; Pressor responses (Pirola, C.J.) **273**, 387

Brainstem; Radioimmunoassay (Eskay, R.L.) **277**, 159

Hypothyroidism; *p*-Chlorophenylalanine; Serotonin; Spinal cord; Substance P (Savard, P.) **277**, 263

Serotonin; Substance P; Enkephalin; Immunocytochemistry; Spinal cord; Raphe nuclei (Bowker, R.M.) **288**, 33

Thyrotropin stimulating hormone
Serotonin; *m*-Chlorophenylpiperazine; 5,7-Dihydroxytryptamine; Supersensitivity of central 5-HT receptors (Schettini, G.) **261**, 349

Time-course
Rat; Spinal cord; Dorsal horn; Somatosensory; Inhibition; non-Segmental inhibition; Anesthetic; Pain; Noxious inhibitory controls (Tomlinson, R.W.W.) **279**, 291

Time-dependency
Desmethylimipramine; β-Adrenergic subsensitivity; Antidepressants (Lace, J.W.) **278**, 359

Tissue culture
Cerebellar neuron; Na-Ca spike (Mori-Okamoto, J.) **258**, 318

Myelinogenesis; Twitcher mice; Krabbe disease; UDP-Galactose:ceramide; Galactosyltransferase; Galactosylceramidase (Bourque, E.A.) **261**, 295

Autonomic nervous system; Enteric nervous system; Histogenesis; Neuroglia interactions; Myenteric plexus; Submucous plexus (Jessen, K.R.) **262**, 17

Autonomic nervous system; Enteric nervous system; Electron microscopy; Histotypic aggregation; Myenteric plexus (Bałuk, P.) **262**, 37

Autonomic nervous system; Enteric nervous system; Maintenance of differentiation in culture; Neuronal survival; VIP-containing neurons; GABAergic neurons; Adrenergic neurons (Jessen, K.R.) **262**, 49

Myelin proteins; Encephalitogenic basic proteins; Neuroglia; Proteolipid protein (Mithen, F.A.) **262**, 63

Herpes simplex virus (Fukuda, J.) **262**, 79

Binding; [^{3}H]α-Amino-3-hydroxy-5-methyl-4-isoxazole-propionic acid; Autoradiography; Spinal cord; Brainstem (Hösli, E.) **268**, 177

Brainstem; Oval neuron; Enkephalin; Transmitter (Okada, J.) **268**, 377

Chick ciliary ganglion; α-Bungarotoxin receptors; Ultrastructural autoradiography; Synapses (Messing, A.) **269**, 172

Myelin; Genetic mutation; Disease; Morphology (Wolf, M.K.) **271**, 121

Microglia; Nerve injury; Leech; Weak silver carbonate; Cell migration (Morgese, V.J.) **272**, 166

Astrocytes; Membrane structure; Freeze-fracture; Glial fibrillary acidic protein (Landis, D.M.D.) **276**, 31

Binding; [^{3}H]Delta sleep-including peptide (DSIP); Autoradiography; Brainstem (Hösli, E.) **279**, 374

Tissue cultured dorsal root ganglion cells
Nomarski optics; Colchicine; Disruption of microtubules; Axonal transport; Morphology (Horie, H.) **288**, 85

Tissue transplantation
Adrenal medulla; Brain grafts; Catecholamines; Dopamine; Chromaffin cells (Freed, W.J.) **269**, 184

α-Tocopherol
reduced Ubiquinone; oxidized Ubiquinone; Cerebral ischemia; Free radicals; Rat brain (Abe, K.) **273**, 166

Tolerance
Stress analgesia; Opioid peptides; Cross-tolerance (Terman, G.W.) **260**, 147

Benzodiazepine; Addiction; Receptor; Cell culture; Chronic treatment (Prezioso, P.J.) **288**, 354

Tonic descending inhibition
Dorsal horn neurones; Lateral reticular nucleus; Selective inhibition (Morton, C.R.) **275**, 13

Tonic vasomotor control
Adrenaline neurons; Ventrolateral medulla (Ross, C.A.) **273**, 356

Tonotopicity
Ferret; Auditory; Midbrain; Tuning; Binaural (Moore, D.R.) **269**, 69

Tooth pulp
HRP; Anterograde transport; Trigeminal sensory nerve endings; Cornea; Peripheral nervous system (Marfurt, C.F.) **261**, 1

Primary afferent depolarization; Nucleus raphe magnus; Reticular formation; Serotonin; GABA; Opioid peptides (Lovick, T.A.) **289**, 135

Tooth-pulp nerves
Electrical stimulation; Thresholds; Conduction velocity (Cadden, S.W.) **261**, 31

Topographic organization
Optic nerve; Optic tract; *Rana pipiens*; Axonal guidance; Fiber-filling; HRP (Scalia, F.) **266**, 121

Topography
Goldfish; Retina; Cobalt; Optic tract; Optic tectum (Springer, A.D.) **273**, 152

Olivocerebellar projection; Rat; Sagittal zones; Unilateral projection (Campbell, N.C.) **275**, 235

Toxic ricin
Fink-Heimer method; Lectin; Retrograde transport; Wallerian degeneration (Yamamoto, T.) **274**, 325

Tracheal smooth muscle
Cholinergic pathways; β-Adrenergic pathways; Capsaicin; Airway caliber; Dogs (Rybicki, K.J.) **270**, 159

Tracing techniques
Hippocampus; Hippocampal efferents; Subiculum; HRP; Rat; Limbic system (Finch, D.M.) **271**, 201

Tractus intermediolateralis
Adrenaline-containing neurons; Dopamine-β-hydroxylase; Medulla oblongata; Noradrenaline-containing neurons; Phenylethanolamine-N-methyltransferase; Tyrosine hydroxylase; 6-Hydroxydopamine (Fety, R.) **272**, 277

Tractus septomesencephalicus
Pigeons; Wulst; HRP; Hyperstriatum accessorium; Efferent projections; Laminar organization (Reiner, A.) **275**, 349

Transduction mechanisms
Taste response; Amino acids; Receptor potential; Eel; Phase boundary potential (Yoshii, K.) **280**, 63

Trans effects
β-Hydroxybutyrate transport; Monocarboxylate transport; Blood-brain barrier; Symport (Regen, D.M.) **271**, 289

Transfer
Kindling; Carbachol; Electrical stimulation; Amygdala (Cain, D.P.) **260**, 135

Transganglionic HRP transport
Barrels; Infraorbital nerve; Adult rat; Trigeminal system; Lesion-induced reorganization (Jacquin, M.F.) **269**, 137

Transganglionic transport
Vagal nerve; Primary axons; Infrared sensory system; HRP; Boid snakes (Kishida, R.) **263**, 132

Transmedian innervation
Trigeminal nerve; Trigeminal sensory root section; Collateral sprouting (Robinson, P.P.) **259**, 177

Transmitter
Taurine; Cerebellar slice; Purkinje cell; Purkinje cell dendrite; Cl-conductance; Intradendritic recording; Reversal potential (Okamoto, K.) **259**, 319

Taurine; Stellate cell; Purkinje cell; Ca spikes; Na spikes; Cerebellar slice; Intracellular recording (Okamoto, K.) **260**, 249

Taurine; Intradendritic recording; Purkinje cell dendrite; Ca spikes; Cl conductance; Ca channels; Cerebellar slices; Stellate cell (Okamoto, K.) **260**, 261

Taurine; Purkinje cell; Purkinje cell dendrite; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide (TAG); Taurine antagonist; Reversal potential; Intracellular recording; Cerebellum (Okamoto, K.) **265**, 163

Tissue culture; Brainstem; Oval neuron; Enkephalin (Okada, J.) **268**, 377

Transmitter receptors
Cerebellum; Asymmetric junctions; major Postsynaptic density protein; Concanavalin A binding glycoproteins (Groswald, D.E.) **278**, 63

Transmitter release
Plasticity; Sprouting; Motoneuron (Pockett, S.) **258**, 296

Presynaptic modulation; Potassium current (Shimahara, T.) **263**, 51

Miniature endplate potentials; Botulinum toxin; 4-Aminoquinoline (Thesleff, S.) **264**, 89

Mercury; Methylmercury; Neurotoxicity; Neuromuscular junction (Miyamoto, M.D.) **267**, 375

Substance P; Neuropeptides; Synaptosomes (Floor, E.) **279**, 321

Divalent cations; Neuromuscular junction; Miniature end-plate potentials; Power law; Tetanic potentiation (Narita, K.) **289**, 79

Transmitter-sensitive conductance
N-methyl-D-Aspartate; Neocortical neurons; Depolarization shift; Inward rectification (Flatman, J.A.) **266**, 169

Transneuronal transport
Vestibular system; Vestibulo-ocular pathway; Vestibulospinal pathway; Pigeon; Autoradiography (Correia, M.J.) **278**, 53

Transplant
Carotid body; Chemosensory discharge (Monti-Bloch, L.) **270**, 77

Transplantation
Olfactory neurons (Morrison, E.E.) **279**, 241

Transport
Lectins; Immunocytochemistry (Phillipson, O.T.) **265**, 199

Transport system inhibitor
β-Endorphin; cAMP; Hyperthermia; Naloxone-sensitive receptor; Non-peptide opioid; Peptide opioid; Prostaglandin (Kandasamy, S.B.) **265**, 63

Triazolopyridazine
Benzodiazepine binding; Ontogeny; Cortex; Hippocampus; Cerebellum; Binding subtypes (Chisholm, J.) **267**, 388

Triazolopyridazine CL218,872
Benzodiazepines; BDZ_1 and BDZ_2 receptor subtypes; Cortical receptors; Aging; Diazepam (Reeves, P.M.) **270**, 376

Triazolopyridazines
Benzodiazepines; Benzodiazepine receptors; Amygdala; Multiple receptors; Autoradiography (Niehof, D.L.) **276**, 237

Triceps brachii
Human; Stretch reflex; Fatigue (Darling, W.G.) **267**, 345

Long-latency stretch reflex; Voluntary reaction; Gain control; Premovement; Flexor pollicis longus (Day, B.L.) **270**, 55

Tricyclic antidepressants
Imipramine binding site; Retina, bovine (Borbe, H.O.) **264**, 178

Trigeminal
Somatosensory evoked potential; Pain; Operant conditioning of neural activity (Dowman, R.) **269**, 111

Trigeminal afferent
Salivatory neuron; Salivatory reflex (Murakami, T.) **280**, 233

Trigeminal ganglion
Superior cervical ganglion; Iris; Pineal; 6-Hydroxydopamine (Kessler, J.A.) **258**, 144

Neuronal tracing; Herpes virus suis (Martin, X.) **273**, 253

Trigeminal motoneuron
Ethanol; Juxtacellular microinjection; Intracellular microinjection; Cat (Baranyi, A.) **269**, 159

Trigeminal motor nucleus
Tensor tympani; Tensor veli palatini; Accessory trigeminal nucleus (Keller, J.T.) **270**, 209

Trigeminal nerve
Trigeminal sensory root section; Collateral sprouting; Transmedian innervation (Robinson, P.P.) **259**, 177

Substance P; Circle of Willis; Immunohistochemistry; Innervation of cerebral arteries (Liu-Chen, L.-Y.) **268**, 162

Trigeminal nuclei
Red nucleus; Rubrobulbar projection; Facial nucleus; HRP; Snake (Ten Donkelaar, H.J.) **279**, 229

Trigeminal receptors
Olfaction; Food aversion; Starlings; Methiocarb; Phenethyl alcohol (Mason, J.R.) **269**, 196

Trigeminal sensory field
Aggression; Quiet biting attack; Hippocampal formation; $[^{14}C]$2-Deoxyglucose autoradiography (Watson, R.E. Jr.) **269**, 327

Trigeminal sensory nerve endings
HRP; Anterograde transport; Cornea; Tooth pulp; Peripheral nervous system (Marfurt, C.F.) **261**, 1

Trigeminal sensory root section
Trigeminal nerve; Collateral sprouting; Transmedian innervation (Robinson, P.P.) **259**, 177

Trigeminal system
Barrels; Infraorbital nerve; Adult rat; Transganglionic HRP transport; Lesion-induced reorganization (Jacquin, M.F.) **269**, 137

Trigeminothalamic projections
Caudal medulla; Origin of cells (Shigenaga, Y.) **277**, 201

Triiodothyronine
Cerebrum; Liver; Receptor; Nuclei; Pathological conditions (Thrall, C.L.) **279**, 177

Trimethaphan
Glutamate; Glutamate inhibitor; Active channel blocker; Crayfish neuromuscular junction (Shinozaki, H.) **268**, 295

Trypsinization
Astrocytes; Differential centrifugation; Freeze-fracture; Plasma membrane; Intramembranous particles; Assemblies; Rearrangement (Anders, J.J.) **278**, 81

Tryptamine
Hyperalgesia; Intrathecal administration; Pain; Spinal cord; Serotonin (Larson, A.A.) **265**, 109

L-Tryptophan
In vivo voltammetry; Serotonin release; Hippocampus; *p*-Chlorophenylalanine; α-Methyl-*p*-tyrosine; L-Tyrosine; L-Valine; Immobilization stress (Joseph, M.H.) **270**, 251

Tryptophan hydroxylase
Glutamine; Synaptosomes; Tyrosine hydroxylase; DOPA decarboxylase; Amino acid transport (Katz, I.R.) **264**, 160

Barbiturates; Functional tolerance; Glucocorticoids; Serotonergic system; Mice (Yanai, J.) **269**, 297

5-Hydroxytryptamine; Vitamin B_1; Serotonin cell groups; Brain development (Howe, P.R.C.) **270**, 19

Serotonin; 5-Hydroxytrytophan decarboxylase; 3-Hydroxybenzylhydrazine; *p*-Chlorophenylalanine (Pandey, A.) **273**, 67

Tuberoinfundibular dopaminergic neurons
Prolactin; Placental lactogen; Growth hormone; DOPA accumulation (Demarest, K.T.) **272**, 175

Tuberoinfundibular neurons
5-Methoxy-N,N-dimethyltryptamine; Prolactin; Dopamine; Serotonin (Simonovic, M.) **272**, 269

Tubulin
Immunohistochemistry; Human brain; Creatine kinase BB-isoenzyme; Astroprotein (Yoshimine, T.) **265**, 101

Tuning
Ferret; Auditory; Midbrain; Tonotopicity; Binaural (Moore, D.R.) **269**, 69

Turning
Head movement; Pontine reticular formation; Amphetamine; Apomorphine; Nigrostriatal bundle; Lesion; Labyrinthectomy (Sirkin, D.W.) **260**, 291

Turning behavior
Kainic acid; Reticular formation; Noradrenaline; Serotonin; 6-Hydroxydopamine; 5,7-Dihydroxytryptamine (Porceddu, M.L.) **262**, 187

Turnover
Cholecystokinin; Peptides; Sulfate; Cerebral cortex (Meek, J.L.) **276**, 375

Turtle
Nucleus rotundus; Difference threshold; Reptiles; Vision (Schade Powers, A.) **264**, 47

Scratch reflex; In vitro spinal cord; Pattern generation (Keifer, J.) **266**, 148

Turtle cortex
Acetylcholine; Choline acetyltransferase (Höhmann, C.F.) **258**, 120

Turtles
Telencephalon; Vision; Multiple unit activity (Bass, A.H.) **263**, 201

Twitcher mice
Myelinogenesis; Krabbe disease; Tissue culture; UDP-Galactose:ceramide; Galactosyltransferase; Galactosylceramidase (Bourque, E.A.) **261**, 295

μ-, δ, κ-Types
Spinal cord; Opiate receptors; $[^3H]$Diprenorphine; $[^3H]$RX 78006 (H-Tyr-D-Ala-Gly-MePhe-NH $(CH_2)_2OH$); Sequential displacement; Human (Członkowski, A.) **267**, 392

L-Tyrosine
In vivo voltammetry; Serotonin release; Hippocampus; *p*-Chlorophenylalanine; *α*-Methyl-*p*-tyrosine; L-Tryptophan; L-Valine; Immobilization stress (Joseph, M.H.) **270**, 251

Tyrosine hydroxylase
Adrenaline-containing neurons; Catecholamine synthesizing enzymes; Dopamine-β-hydroxylase; Medulla oblongata; Noradrenaline-containing neurons; Phenylethanolamine-N-methyltransferase; Brainstem (Chamba, G.) **259**, 95

Glutamine; Synaptosomes; Tryptophan hydroxylase; DOPA decarboxylase; Amino acid transport (Katz, I.R.) **264**, 160

Dopamine; Forskolin; Adenylate cyclase; cAMP; Synaptosomes; Retina (Katz, I.R.) **264**, 173

Dexamethasone; Glucocorticoids; Superior cervical ganglion (Sze, P.Y.) **265**, 81

Sympathetic ganglia; Spinal cord; Development; Choline acetyltransferase (Hamill, R.W.) **266**, 21

Adrenomedulla; Homoestasis; Cold exposure; Hypoglycemia; Enzyme activation; Enzyme induction; Stress (Fluharty, S.J.) **267**, 384

Tyrosine hydroxylase phosphorylation; Tyrosine hydroxylase, two forms; DEAE-cellulose separation (Sze, P.Y.) **268**, 129

Adrenaline-containing neurons; Dopamine-β-hydroxylase; Medulla oblongata; Noradrenaline-containing neurons; Phenylethanolamine-N-methyltransferase; Tractus intermediolateralis; 6-Hydroxydopamine (Fety, R.) **272**, 277

Radioautography; Immunocytochemistry; Nucleus tractus solitarius; Vagal afferents; Synaptic interaction (Sumal, K.K.) **277**, 31

Regeneration; Axonal transport; Norepinephrine; Dopamine-β-hydroxylase; 6-Hydroxydopamine; Locus coeruleus; Norepinephrine uptake (Levin, B.E.) **289**, 205

Tyrosine hydroxylase activity DA receptors
Sulpiride; Substantia nigra; Firing; DA neurons (Mereu, G.) **264**, 105

Tyrosine hydroxylase phosphorylation
Tyrosine hydroxylase; Tyrosine hydroxylase, two forms; DEAE-cellulose separation (Sze, P.Y.) **268**, 129

Tyrosine hydroxylase, two forms
Tyrosine hydroxylase; Tyrosine hydroxylase phosphorylation; DEAE-cellulose separation (Sze, P.Y.) **268**, 129

U

reduced Ubiquinone
α-Tocopherol; oxidized Ubiquinone; Cerebral ischemia; Free radicals; Rat brain (Abe, K.) **273**, 166

oxidized Ubiquinone
α-Tocopherol; reduced Ubiquinone; Cerebral ischemia; Free radicals; Rat brain (Abe, K.) **273**, 166

Ultrasonic vocalization
Ambiguus motoneuron; Antidromic identification; Superior and recurrent nerves; Ventral and dorsal formations; Rat (Yajima, Y.) **288**, 302

Ultrastructural analysis
Intrauterine enucleation; Compensatory response; Dorsal lateral geniculate nucleus; Mouse (Kaiserman-Abramof, I.R.) **270**, 149

Ultrastructural autoradiography
Chick ciliary ganglion; α-Bungarotoxin receptors; Tissue culture; Synapses (Messing, A.) **269**, 172

Ultrastructural morphometry
Fast axonal transport; Quantitative electron microscopic autoradiography; Smooth endoplasmic reticulum (Papasozomenos, S.C.) **278**, 232

Ultrastructure
Giant interneuron; Degeneration; Regeneration (Meiri, H.) **263**, 1

Cat; Spinal cord; Renshaw cell; Quantitative synaptology (Lagerbäck, P.-Å.) **264**, 215

Substance P; Dorsal horn; Immunohistochemistry; Primate (de Lanerolle, N.C.) **274**, 31

met Enkephalin; Dorsal horn; Immunohistochemistry; Primate (LaMotte, C.C.) **274**, 51

Serotonin; Dorsal horn; Immunohistochemistry; Primate (LaMotte, C.C.) **274**, 65

Sympathetic ganglia; Synapses; 4-Aminopyridine; Freeze-fracture; Guinea pig; Rat (Andersson Forsman, C.) **280**, 355

Substance P; Immunohistochemistry; Hypothalamus; Synapse; Rat (Tsuruo, Y.) **289**, 1

Umbelliferone fluorescence
Brain pH; Cats; Rats; Cerebral ischemia (Csiba, L.) **289**, 334

Undernutrition
Zinc deficiency (trace elements); Malnutrition; Cerebellum development; Granule cells (Dvergsten, C.L.) **271**, 217

Unequal alternating exposure
Visual deprivation; Recovery; Visual fields; Cats (Tieman, S.B.) **271**, 170

Unfused contraction
Cat muscle in vivo; Motor unit types; Dantrolene sodium; Potentiation (Jami, L.) **261**, 285

Unilateral fixation
Optically-induced strabismus; Visual field; Esotropia; Alternating fixation; Binocularity; Cats (Elberger, A.J.) **268**, 147

Unilateral projection
Topography; Olivocerebellar projection; Rat; Sagittal zones (Campbell, N.C.) **275**, 235

Unit activity
Sleep-waking; Substantia nigra; Dopamine; Sensory stimulation; Orientation; Cat; Behavior (Steinfels, G.F.) **258**, 217

Prefrontal cortex; Monkey; Functional heterogeneity; Arcuate concavity; Principal sulcus; Inferior convexity (Aou, S.) **260**, 121

Acetylcholine; Monkey; Orbitofrontal cortex; Microiontophoresis; Feeding behavior (Aou, S.) **275**, 178

Olfactory bulb; Mitral cells; Unrestrained rat; Nutritional state; Neuron variability (Pager, J.) **289**, 87

Unitary discharges
Polymodal receptor; Temperature effects; Nociceptor; Secondary pain; Inflammation pain; Bradykinin; Hypertonic NaCl (Kumazawa, T.) **278**, 305

Unit recording
Prefrontal cortex; Mediodorsal thalamic nucleus; Avoidance learning; Discriminative conditioning; Rabbit (Orona, E.) **263**, 295

Prefrontal cortex; Learning; Mediodorsal thalamus; Discriminative conditioning; Reversal; Rabbits (Orona, E.) **263**, 313

Orbitofrontal cortex; Monkey; Microiontophoresis; Catecholamine; Noradrenaline; Dopamine; Reward (Aou, S.) **267**, 165

Sheep; Hypothalamus; Food intake (Maddison, S.) **278**, 195

Unmyelinated axons
Axonal sprouting; Dorsal root; Regeneration (Hulsebosch, C.E.) **288**, 77

Unrestrained rat
Unit activity; Olfactory bulb; Mitral cells; Nutritional state; Neuron variability (Pager, J.) **289**, 87

Uptake
Epinephrine; Spinal cord; Development; Preganglionic sympathetic nucleus; Phenylethanolamine-N-methyltransferase; Autoradiography (Caserta, M.T.) **270**, 11

Adenosine; Cerebral endothelium; Kinetics (Beck, D.W.) **271**, 180

Norepinephrine; Release; Rat globus pallidus (Fujiwara, H.) **279**, 127

Uptake in passing fibers
HRP; Wheat germ agglutinin conjugate; Retrograde and anterograde transport (Brodal, P.) **278**, 1

Uptake 2
$[^3H]$6-Hydroxydopamine; Catecholamines; High-affinity uptake; Rat CNS; Autoradiography (Sievers, H.) **275**, 23

Urea
Blood-nerve barrier; Sciatic nerve; Sucrose; Xenograft (Rosenberg, G.A.) **270**, 231

Urethane-anesthetized rats
Electrochemistry; Dorsal raphe nucleus; Serotonin; 5-Hydroxyindole acetic acid; Norepinephrine (Echizen, H.) **277**, 55

Uterus
Neonatal estrogenization; Estradiol; Catecholestrogens; Luteinizing hormone surges; Progestin receptors; Pituitary gland (Kirchhoff, J.) **268**, 382

Neonatal androgenization; Estradiol; Luteinizing hormone surges; Progestin receptors; Hypothalamus; Pituitary gland (Kirchhoff, J.) **275**, 173

non-Steroidal antiestrogens; Estradiol-17β; Estrogen receptors; Progestin receptors; Pituitary gland; Hypothalamus (Kirchhoff, J.) **289**, 380

V

VIP-containing neurons
Tissue culture; Autonomic nervous system; Enteric nervous system; Maintenance of differentiation in culture; Neuronal survival; GABAergic neurons; Adrenergic neurons (Jessen, K.R.) **262**, 49

Vagal afferent
Lateral hypothalamic area; Glucose-sensitive neuron; Hepatic portal vein; Glucose-sensitive unit; Feeding behavior; α-Noradrenergic pathway (Shimizu, N.) **265**, 49

Vagal afferents
Radioautography; Immunocytochemistry; Nucleus tractus solitarius; Tyrosine hydroxylase; Synaptic interaction (Sumal, K.K.) **277**, 31

Vagal ganglia
Pylorus; Substance P; Immunohistochemistry; Retrograde axonal tracing; Dorsal root ganglia; Guinea pig (Lindh, B.) **269**, 365

Vagal nerve
Primary axons; Infrared sensory system; HRP; Transganglionic transport; Boid snakes (Kishida, R.) **263**, 132

Vagus nerve
Myocardial infarction; Cardiocardiac reflexes; Hypothalamic nuclei; Raphe nuclei; Serotonin turnover (Sole, M.J.) **265**, 55

Substance P; Immunofluorescence; Nodose ganglion; Superior cervical ganglion; Cross-anastomosis (Hayashi, H.) **270**, 178

Inferior olivary nucleus; Dorsal motor nucleus; Solitary nucleus; Gigantocellular reticular nucleus; Baroreceptor reflex (Liu, R.H.) **271**, 184

L-Valine
In vivo voltammetry; Serotonin release; Hippocampus; *p*-Chlorophenylalanine; α-Methyl-*p*-tyrosine; L-Tryptophan; L-Tyrosine; Immobilization stress (Joseph, M.H.) **270**, 251

Valine
Primary astroglial culture; Autoradiography; GABA; Glutamate; Aspartate; Dopamine; Norepinephrine; Serotonin; Enkephalin (Hansson, E.) **289**, 189

Vasoactive intestinal polypeptide
Avian pancreatic polypeptide; Neuropeptides; Peripheral nervous system; Immunohistochemistry; Thiamine pyrophosphatase staining; Golgi apparatus (Johansson, O.) **262**, 71

Serotonin; Hypothalamus; Perifusion; Cyproheptadine (Shimatsu, A.) **264**, 148

Push-pull cannula; Fourth ventricle; Cholinergic pathway (Kaji, H.) **269**, 303

Hippocampus; Electron miscroscopic immunostaining; Commissural afferents; non-Pyramidal neurons (Léránth, C.) **276**, 357

Cholecystokinin; Cerebral cortex; Ventricles; Release (Wang, J.-Y.) **280**, 105

Cholecystokinin; Substance P; Neurotensin; Somatostatin; Schizophrenia; Amygdala; Hippocampus (Roberts, G.W.) **288**, 199

Vasodilatation
Hypothalamic temperature; Fever; Panting (Kruk, B.) **267**, 237

Locus coeruleus; Cat; Electromagnetic flow probes; Facial nerve; Electrical stimulation (Goadsby, P.J.) **278**, 175

Vasopressin
Medio-ventral septal area; Polyuria; Polydipsia; Thirst (Iovino, M.) **258**, 123

arginine-Vasopressin; Endotoxin; Fever (Kasting, N.W.) **258**, 127

arginine-Vasopressin
Vasopressin; Endotoxin; Fever (Kasting, N.W.) **258**, 127

Vasopressin
Dynorphin; *α*-Neo-Endorphin; Brattleboro rats; Radioimmunoassay; Hypothalamus; Posterior pituitary (Weber, E.) **260**, 166

Paraventricular nucleus hypothalami; Lesions; Oxytocin; Brainstem; Spinal cord; High-performance liquid chromatography (Lang, R.E.) **260**, 326

Hypothalamic and extrahypothalamic brain nuclei; Passive avoidance behavior; Radioimmunoassay (Laczi, F.) **260**, 342

Oxytocin; Cerebrospinal fluid; Circadian rhythms; Suprachiasmatic nuclei (Reppert, S.M.) **261**, 341

Oxytocin; Cerebrospinal fluid; Blood-brain barrier; Cerebrospinal fluid clearance (Mens, W.B.J.) **262**, 143

Cerebrospinal fluid; Circadian rhythm; Suprachiasmatic nucleus; Memory (Schwartz, W.J.) **263**, 105

Radioimmunoassay; Vasopressin brain levels; Non-equilibrium radioimmunoassay (Brinton, R.E.) **266**, 344

Oxytoxin; Neuropeptide; Memory; L-prolyl-L-leucyl-Glycineamide (PLG); Chick (Davis, J.L.) **266**, 355

Dopamine; Hypothalamic slice; Oxytocin; Haloperidol; Spiperone; Sulpiride; Flupenthixol (Mason, W.T.) **267**, 113

Nucleus of the solitary tract; Oxytocin; Substance P; Enkephalin; Blood pressure (Voorn, P.) **270**, 169

Amygdala; Pyriform cortex; Electrical kindling; Brattleboro rat (Gillis, B.J.) **271**, 375

Angiotensin-converting enzyme; Angiotensin II; Bradykinin; Brattleboro rats; Diabetes insipidus; Brainstem nuclei; Septal nuclei (Chevillard, C.) **272**, 283

Oxytocin; Lateral septum; Bed nucleus of the stria terminalis; Paraventricular nucleus (De Vries, G.J.) **273**, 307

Brattleboro rat; Diabetes insipidus; Subfornical organ; Pituitary neural lobe; Angiotensin; [^{14}C]Deoxyglucose (Kadekaro, M.) **275**, 189

Diabetes insipidus; Histamine; Brattleboro rat; Hypothalamus; Supraoptic nucleus (Correa, F.M.A.) **276**, 247

Somatostatin; Brattleboro rats; Diabetes insipidus; Pituitary gland; Intermediate pituitary lobe; Posterior pituitary lobe; Brain nuclei (Saavedra, J.M.) **277**, 23

Brattleboro rat; Cathepsin D; Proteinases; Radioimmunoassay; Supraoptic nucleus (Whitaker, J.N.) **277**, 181

Serotonin; Fluoxetine; Corticotropin releasing factor; Adrenal cortical tropic hormone; Hypophysial portal blood (Gibbs, D.M.) **280**, 176

Hippocampus; Amygdala; Behavior (Laczi, F.) **280**, 309

Vasopressin brain levels
Radioimmunoassay; Vasopressin; Non-equilibrium radioimmunoassay (Brinton, R.E.) **266**, 344

Vasotocin
Synaptic membranes; Biotransformation; Proteolytic enzymes; Neurohypophyseal hormones; Neuropeptides (Wang, X.-C.) **275**, 83

Velocity storage
Nystagmus; Otolith organs; Semicircular canals; Labyrinth; Vestibulo-ocular reflex (Cohen, B.) **276**, 159

Vestibulo-ocular reflex; Semicircular canals; Otolith organs; Coriolis force; Pitch; Nystagmus (Raphan, T.) **276**, 165

Optokinetic nystagmus; Vestibular nystagmus; Eye movements (Demer, J.L.) **276**, 173

Ventral and dorsal formations
Ambiguus motoneuron; Antidromic identification; Ultrasonic vocalization; Superior and recurrent nerves; Rat (Yajima, Y.) **288**, 302

Ventral anterior thalamic nucleus
Entopeduncular nucleus; Ventral lateral thalamic nucleus; Centromedian nucleus of thalamus (Nakano, K.) **262**, 283

Ventral funiculus
Cat spinal cord; Ventral horn; Ventral root; Motoraxons; Axotomy; Regeneration; Electron microscopy; HRP (Risling, M.) **280**, 15

Ventral horn
Cat spinal cord; Ventral funiculus; Ventral root; Motoraxons; Axotomy; Regeneration; Electron microscopy; HRP (Risling, M.) **280**, 15

Ventral lateral geniculate nucleus
Ground squirrel; Retinal projections; Visual system; Autoradiography (Kicliter, E.) **267**, 340

Ventral lateral nucleus
Thalamus; Cholinesterase; Cytoarchitecture; Cerebellum; Dog (Sakai, S.T.) **271**, 1

Ventral lateral thalamic nucleus
Entopeduncular nucleus; Ventral anterior thalamic nucleus; Centromedian nucleus of thalamus (Nakano, K.) **262**, 283

Ventral medial hypothalamus
Subicular cortex; Fluorescent dye; Entorhinal cortex; Mammillary body; Anterior thalamic nucleus (Donovan, M.K.) **259**, 181

Ventral mesencephalic tegmental-A10
Locus coeruleus; Raphé dorsalis; Dopamine; Serotonin (McRae-Degueurce, A.) **263**, 344

Ventral nerve cord
Octopamine; *Lumbricus*; Blood; Biosynthesis; Modulation (Tanaka, K.R.) **260**, 160

Ventral noradrenergic bundle
Noradrenaline; Endorphins; Core temperature; Food intake; Water intake; Open-field behaviour; Stress (Millan, M.J.) **263**, 283

Ventral nucleus of the lateral lemniscus
Medial geniculate nucleus; Extralemniscal auditory paths; Cat (Henkel, C.K.) **259**, 21

Ventral root
Catecholamine; Dorsal root ganglion (Stevens, R.T.) **261**, 151

GABA; γ-Aminobutyric acid; Receptors; Potassium ions; Peripheral nerve; Myelinated fibers; Dorsal root; Depolarization; Localization (Morris, M.E.) **278**, 127

Cat spinal cord; Ventral funiculus; Ventral horn; Motoraxons; Axotomy; Regeneration; Electron microscopy; HRP (Risling, M.) **280**, 15

Ventral root potentials
isolated perfused Frog spinal cord; Hypoxia; Glucose free medium; Presynaptic inhibition; Dorsal root potentials (Haji, A.) **274**, 107

Ventral spinal cord
Somatosensory pathways; Lemniscal pathways; Dorsal columns; Auditory input; Visual input; Inferior colliculus; Cat (Tawil, R.N.) **269**, 149

Ventral tegmental area
Neurophysin axon; Limbic system (Phillipson, O.T.) **258**, 33

Opiate; Reward (Britt, M.D.) **258**, 105

Dopamine; Catecholamine fluorescence; Retrograde dyes; Amygdala; Substantia nigra (Loughlin, S.E.) **262**, 334

Electrical stimulation; Catecholamines; Rat brain (Van Heuven-Nolsen, D.) **268**, 362

Dopamine unit activity; Substantia nigra; Sleep-waking stages (Miller, J.D.) **273**, 133

Morphine; Dopamine neurons; Mesolimbic system (Gysling, K.) **277**, 119

Ventricles
Vasoactive intestinal polypeptide; Cholecystokinin; Cerebral cortex; Release (Wang, J.-Y.) **280**, 105

Ventroanterior nucleus
Pyramidal tract; Thalamus; Ventrobasal complex; Ventrolateral nucleus; Ventromedial nucleus; Cats (Giuffrida, R.) **279**, 254

Ventrobasal complex
Nucleus reticularis thalami; Electron microscopy; Kainic acid (Peschanski, M.) **270**, 325

Spinothalamic tract; Rat; Pain (Peschanski, M.) **278**, 240

Pyramidal tract; Thalamus; Ventroanterior nucleus; Ventrolateral nucleus; Ventromedial nucleus; Cats (Giuffrida, R.) **279**, 254

Intracellular recording; Intracellular and intra-axonal injection; Reticular nucleus; Cat (Yen, C.-T.) **280**, 148

Ventrobasal thalamic neuron
Arthritic rats; Joint stimuli; Morphine; Naloxone (Kayser, V.) **267**, 187

Ventrolateral medulla
A1 catecholamine cell group; Bulbospinal projection (Fleetwood-Walker, S.M.) **273**, 25

Adrenaline neurons; Tonic vasomotor control (Ross, C.A.) **273**, 356

Central autonomic area of thoracic cord; Carotid sinus; Aortic depressor nerves; Paraventricular nucleus; Sympatho-excitatory pathways; Sympatho inhibitory pathways; Bulbospinal cardiovascular reflex pathways (Caverson, M.M.) **274**, 354

Ventrolateral nucleus
Pyramidal tract; Thalamus; Ventrobasal complex; Ventroanterior nucleus; Ventromedial nucleus; Cats (Giuffrida, R.) **279**, 254

Ventromedial hypothalamic nucleus
Circadian pacemaker; Restricted feeding schedule; Multiple unit activity; Motor activity; Suprachiasmatic nucleus; Rat (Inouye, S.-I.T.) **279**, 53

Ventromedial hypothalamus
Adenosine-3',5'-monophosphate; Circadian rhythm; Suprachiasmatic nucleus; Corticosterone; Food restriction; Free run (Murakami, N.) **276**, 297

Ventromedial nucleus
Pyramidal tract; Thalamus; Ventrobasal complex; Ventroanterior nucleus; Ventrolateral nucleus; Cats (Giuffrida, R.) **279**, 254

Ventromedial nucleus of hypothalamus
Growth hormone; Electrical stimulation; Lesions; Anterior periventricular nucleus (Kato, M.) **280**, 69

Vestibular activation
Lateral vestibulospinal tract; Medial vestibulospinal tract; Deiters' nucleus; Somatotopy (Akaike, T.) **259**, 217

Vestibular afferents
Anesthesia; Decerebration; Linear forces; Gerbils (Perachio, A.A.) **280**, 287

Vestibular compensation
Neuronal plasticity; Labyrinthectomy; Regeneration; Degeneration; Guinea pig (Jensen, D.W.) **273**, 175

Vestibular complex
Internuclear connections; Vestibular nuclei; HRP (Rubertone, J.A.) **263**, 137

Vestibular efferent fiber
Semicircular canal; Vestibular nucleus; Parvocellular reticular nucleus; Gigantocellular reticular nucleus; Lateral reticular nucleus; Horseradish peroxidase (Ito, J.) **259**, 293

Vestibular efferent system
Frog labyrinth; Branching efferent fibers; Efferent responses; Widespread control (Prigioni, I.) **269**, 83

Vestibular nerve
Lateral cuneate nucleus; Vestibulo-somatosensory integration; Spino-cerebellar; Guinea pig (Jensen, D.W.) **280**, 335

Vestibular nuclear complex
Barrel rotation; Chlorpromazine methiodide; Antimuscarinic; Somatostatin (Burke, R.E.) **288**, 273

Vestibular nuclei
Internuclear connections; Vestibular complex; HRP (Rubertone, J.A.) **263**, 137

Abducens internuclear neurons; Oculomotor complex; Vestibulo-oculomotor projections (Carpenter, M.B.) **274**, 144

Extraocular nuclei; Cerebellum; Fastigial nucleus; Interstitial nucleus of Cajal; Perihypoglossal nuclei; Central cervical nucleus; Reticular formation (Carleton, S.C.) **278**, 29

Vestibular nucleus
Vestibular efferent fiber; Semicircular canal; Parvocellular reticular nucleus; Gigantocellular reticular nucleus; Lateral reticular nucleus; Horseradish peroxidase (Ito, J.) **259**, 293

Vestibular nucleus neuron
Cerebellar cortex; Lobule I; Primary vestibular afferent; Mossy fiber response (Hirai, N.) **277**, 145

Vestibular nystagmus
Optokinetic nystagmus; Velocity storage; Eye movements (Demer, J.L.) **276**, 173

Vestibular system
Transneuronal transport; Vestibulo-ocular pathway; Vestibulospinal pathway; Pigeon; Autoradiography (Correia, M.J.) **278**, 53

Vestibulocerebellum-vestibular input
Somestethic input; Climbing fibers; Motor control; Frog (Amat, J.) **278**, 287

Vestibulo-ocular pathway
Vestibular system; Transneuronal transport; Vestibulospinal pathway; Pigeon; Autoradiography (Correia, M.J.) **278**, 53

Vestibuloocular reflex
Neuronal-plasticity; Catecholamines; 6-Hydroxydopamine; Visual adaptation; Cat (Keller, E.L.) **258**, 323

Vestibulo ocular reflex
Natural vestibular stimulation; Eye muscles; EMG; Alert rabbit; Macular convergence; Ampullar convergence (Favilla, M.) **280**, 277

Nystagmus; Otolith organs; Semicircular canals; Velocity storage; Labyrinth (Cohen, B.) **276**, 159

Semicircular canals; Otolith organs; Coriolis force; Pitch; Nystagmus; Velocity storage (Raphan, T.) **276**, 165

Eye movements; Nystagmus; Cervico-ocular reflex (Böhmer, A.) **277**, 241

Vestibulo-ocular reflex summation
Saccades; Eye-head movements (Fuller, J.H.) **271**, 241

Vestibulo-oculomotor projections
Abducens internuclear neurons; Oculomotor complex; Vestibular nuclei (Carpenter, M.B.) **274**, 144

Vestibulo-somatosensory integration
Lateral cuneate nucleus; Vestibular nerve; Spino-cerebellar; Guinea pig (Jensen, D.W.) **280**, 335

Vestibulospinal pathway
Vestibular system; Transneuronal transport; Vestibulo-ocular pathway; Pigeon; Autoradiography (Correia, M.J.) **278**, 53

Vestibulospinal reflex
Posture control; Stretch reflex; Human ankle muscles (Allum, J.H.J.) **264**, 297

Vibrissae
Stimulus control; Piezoelectric; SmI cortex; Single units (Simons, D.J.) **276**, 178

Video fluorescence microscopy
Axotomy; Fluorescent dye irradiation; Identified molluscan neurons; Neurite outgrowth; Organ culture (Cohan, C.S.) **270**, 93

Vinblastine
Angiotensinogen; Rat brain; Biosynthesis; Renin-substrate; Concanavalin A; Cycloheximide (Sernia, C.) **259**, 275

Vipoxin
Russell's viper venom; *Aplysia*; Acetylcholine receptors (Slater, N.T.) **278**, 266

Visceral cortex
Medial frontal cortex; Solitary nucleus; Autonomic nervous system; Rat (Terreberry, R.R.) **278**, 245

Visceral pain
Spinal cord; Descending controls; Sensory pathways (Cervero, F.) **275**, 251

Vision
Turtles; Telencephalon; Multiple unit activity (Bass, A.H.) **263**, 201

Turtle; Nucleus rotundus; Difference threshold; Reptiles (Schade Powers, A.) **264**, 47

Nerve regeneration; Visual pathway; Axonal transport; Axon; Goldfish optic nerve; Tetrodotoxin (Edwards, D.L.) **269**, 1

Striate cortex; Lateral geniculate nucleus; Geniculo-cortical afferents; Axons; Galago; Primate (Florence, S.L.) **270**, 127

Pulvinar; Monkeys; Superior colliculus; Striate cortex; Receptive-fields; Lesions (Bender, D.B.) **279**, 258

Visual adaptation
Neuronal-plasticity; Vestibuloocular reflex; Catecholamines; 6-Hydroxydopamine; Cat (Keller, E.L.) **258**, 323

Visual area MT
Inferior pulvinar; Lateral pulvinar (Standage, G.P.) **262**, 288

Visual cortex
Astrocyte; Synapse; Rat (Edmunds, S.M.) **259**, 285

Receptive field; Morphology; HRP; Rat (Parnavelas, J.G.) **261**, 21

Pontine visual area; Superior colliculus; Axon collaterals; Bifurcation; Antidromic stimulation; Area 18; Lateral suprasylvian (Baker, J.) **265**, 227

Macaque monkey; Middle temporal area; Frontal eye field; Autoradiography; Cortico-cortical connections (Maioli, M.G.) **265**, 294

$[^{14}C]$2-Deoxyglucose; Ocular dominance; Cat (Tieman, S.B.) **267**, 35

Area 20; Cortico-cortical connections; Thalamo-cortical connections; Basal forebrain-cortical connections; Brainstem-cortical connections; HRP; Cat (Cavada, C.) **270**, 319

Visual topography; Striate/extrastriate area; Microelectrode mapping; Rat (Espinoza, S.G.) **272**, 137

Corpus callosum; Strabismus; Effects of experience; Interhemispheric connections; Cat (Berman, N.E.) **274**, 201

Startle; Conditioning; Lateral lemniscus; Superior colliculus; Lateral geniculate (Tischler, M.D.) **276**, 55

Lead neurotoxicity; Visual system; Muscarinic acetylcholine receptor; Acetylcholinesterase; Scopolamine supersensitivity; Developmental toxicology; Neurotoxicology (Costa, L.G.) **276**, 259

Pretectum; Primate; Retinal projections; Frontal eye fields; Visual pathways (Dineen, J.T.) **278**, 250

Corpus callosum; Infragranular cortex (Olavarria, J.) **279**, 233

Acetylcholine; Cholinergic mechanism; Cortical lamination; Arousal (Sillito, A.M.) **289**, 143

Visual deprivation
Recovery; Visual fields; Unequal alternating exposure; Cats (Tieman, S.B.) **271**, 170

Visual development
Lateral suprasylvian cortex; Corpus callosum; Binocularity; Striate cortex; Strabismus; Cat (Elberger, A.J.) **278**, 295

Visual-evoked potentials
Early auditory deprivation; Humans; Peripheral visual system (Neville, H.J.) **266**, 127

Visual field
Optically-induced strabismus; Esotropia; Unilateral fixation; Alternating fixation; Binocularity; Cats (Elberger, A.J.) **268**, 147

Parabigeminal nuclei; Superior colliculus; HRP; Cat (Roldán, M.) **280**, 1

Visual field contour sensitivity
Crayfish; Sustaining fiber; Lucifer Yellow; Dendrite frequency (Kirk, M.D.) **274**, 231

Visual fields
Visual deprivation; Recovery; Unequal alternating exposure; Cats (Tieman, S.B.) **271**, 170

Monocular deprivation; Cats; Binocular competition; Electrophysiology (Tieman, D.G.) **280**, 41

Visual input
Somatosensory pathways; Lemniscal pathways; Dorsal columns; Ventral spinal cord; Auditory input; Inferior colliculus; Cat (Tawil, R.N.) **269**, 149

Visually initiated hand movement
Premovement cortical potentials; Cerebro-cerebellar interaction; Motor learning; Monkey (Sasaki, K.) **277**, 41

Visual pathway
Nerve regeneration; Axonal transport; Vision; Axon; Goldfish optic nerve; Tetrodotoxin (Edwards, D.L.) **269**, 1

Visual pathways
Inferior pulvinar; Medial pulvinar; Primate (Itaya, S.K.) **269**, 223

Pretectum; Primate; Visual cortex; Retinal projections; Frontal eye fields (Dineen, J.T.) **278**, 250

Visual physiology
Optic tectum; Inhibition; GABA; Picrotoxin; Bicuculline (Sajovic, P.) **271**, 227

Visual stimuli
Chloral hydrate anesthesia; Excitatory response; Dorsal raphe neurons; Phasic auditory stimuli; Cat (Trulson, M.E.) **265**, 129

Visual system
Double labeling; Inferior olive; Lateral thalamus; Pretectum (Robertson, R.T.) **258**, 91

Ground squirrel; Retinal projections; Ventral lateral geniculate nucleus; Autoradiography (Kicliter, E.) **267**, 340

Lead neurotoxicity; Muscarinic acetylcholine receptor; Acetylcholinesterase; Scopolamine supersensitivity; Developmental toxicology; Neurotoxicology; Visual cortex (Costa, L.G.) **276**, 259

Extra-geniculate system; Lateral thalamus; Superior colliculus (Donnelly, J.F.) **288**, 315

Visual topography
Visual cortex; Striate/extrastriate area; Microelectrode mapping; Rat (Espinoza, S.G.) **272**, 137

Visual tracking task
Prefrontal neuron; Substantia innominata; Intracranial self-stimulation; Movement-related neuron; Monkey (Funahashi, S.) **276**, 267

Visual Wulst
Nucleus of the basal optic root projections; Pigeon; Orthograde optical/electron microscope techniques (Rio, J.P.) **271**, 145

Visual wulst cooling
Receptive fields; Optic tectum; Pigeon (Leresche, N.) **267**, 225

Vitamin B$_1$
5-Hydroxytryptamine; Tryptophan hydroxylase; Serotonin cell groups; Brain development (Howe, P.R.C.) **270**, 19

Voltage clamp
cAMP; Intracellular injection; Intracellular sodium and chloride; Sodium current; Snail neuron (Aldenhoff, J.B.) **276**, 289

Alcohol; Ethanol; *Aplysia* neuron; Bursting pacemaker; Pacemaker (Schwartz, M.H.) **278**, 341

Purkinje cells; Excitatory amino acids (Crepel, F.) **279**, 311

4-Aminopyridine; Voltage-dependent calcium channel; Neuronal cell culture (Rogawski, M.A.) **280**, 180

Mollusc neurons; cAMP; Stationary currents; Potential-activated calcium currents (Kononenko, N.I.) **268**, 321

Voltage-clamp of solitary photoreceptor in culture
Internal messenger for transduction and adaptation; Inverse relation of cGMP and Ca^{2+}; Minimizing voltage-dependent currents; Amplification in sensory organ (Lipton, S.A.) **265**, 41

Voltage-dependence
Ca^{2+} conductance; Depolarizing response; Hyperpolarizing response; Associative conditioning (Walters, E.T.) **280**, 165

Voltage-dependent calcium channel
4-Aminopyridine; Neuronal cell culture; Voltage clamp (Rogawski, M.A.) **280**, 180

Voltage-dependent K$^+$ current
Sympathetic ganglion cell; Bullfrog; Late slow EPSP; Luteinizing hormone-releasing hormone; Action potential (Akasu, T.) **280**, 349

Voltammetry
In vivo electrochemistry; Pergolide; Ascorbic acid; Dopamine agonists (Clemens, J.A.) **267**, 183

Locus coeruleus; Catecholamine metabolism; Noradrenaline; DOPAC (Gonon, F.) **273**, 207

Serotonin; 5-Hydroxyindoleacetic acid; Spinal cord; Electrochemistry (Rivot, J.P.) **275**, 311

5-Hydroxyindoles; 5-Hydroxyindoleacetic acid (5-HIAA); Suprachiasmatic nuclei; Rest-activity; Circadian fluctuations (Faradji, H.) **279**, 111

Stress; Striatum; Electrochemistry; Dopamine; Homeostasis; Caudate nucleus; Sensory stimulation (Keller, R.W. Jr.) **279**, 159

5-Hydroxyindoles; Cerebrospinal fluid; Caudate; Pargyline; para-Chlorophenylalanine; Body temperature; Cerebral ventricles (Hahn, Z.) **289**, 215

Voluntary force exertion
Ballistic contraction; Ramp contraction; Isometric force; Surface e.m.g.; Integrated e.m.g.; Discharge rate; Force rate (Yoneda, T.) **275**, 305

Voluntary movement
Fastigial nucleus; Paleocerebellum; Cerebellar nuclei; Cerebellum; Motor control; Primate (Bava, A.) **288**, 371

Voluntary movements
Reflex pathways; Descending control (Fournier, E.) **288**, 375

Voluntary reaction
Long-latency stretch reflex; Gain control; Premovement; Flexor pollicis longus; Triceps brachii (Day, B.L.) **270**, 55

Vomeronasal system
Amygdala; Bed nucleus of the stria terminalis; Medial preoptic-anterior hypothalamic area; Olfactory system; Hamster (Lehman, M.N.) **268**, 139

Vomiting center
Motion sickness; Reticular formation; Solitary tract (Miller, A.D.) **270**, 154

W

WGA-HRP
Pretectum; Inferior olive; Cat (Itoh, K.) **272**, 350

WG-FITC
WG-HRP; HRP; Orthograde axonal transport (Trojanowski, J.Q.) **267**, 365

WG-HRP
WG-FITC; HRP; Orthograde axonal transport (Trojanowski, J.Q.) **267**, 365

WKY/SHR rats
Circadian rhythms; Adrenoceptors (Wirz-Justice, A.) **262**, 233

W,X,Y,system
Superior colliculus; Retinal synapses; Electron microscope autoradiography; Cat visual pathways (Mize, R.R.) **269**, 211

Wakefulness
β-Endorphin; Neuromuscular blockade; Sleep; Stress; Gallamine triethiodide (Foutz, A.S.) **263**, 119

Cat; Anterior hypothalamic-preoptic region; Thermoresponsive neurons; Sleep (Parmeggiani, P.L.) **269**, 382

Wallerian degeneration
Fink-Heimer method; Lectin; Toxic ricin; Retrograde transport (Yamamoto, T.) **274**, 325

Nerve regeneration; Axonal necrosis; Batrachotoxin (Moore, G.R.W.) **279**, 246

Warm
Hypothalamus; Cold; Perception; Self-stimulation (Cabanac, M.) **264**, 79

Warmth sensation
Pain; Response latency; First pain; Thermal sensation (Campbell, J.N.) **266**, 203

Water intake
Noradrenaline; Ventral noradrenergic bundle; Endorphins; Core temperature; Food intake; Open-field behaviour; Stress (Millan, M.J.) **263**, 283

Weak silver carbonate
Microglia; Nerve injury; Tissue culture; Leech; Cell migration (Morgese, V.J.) **272**, 166

Wheatgerm agglutinin
Subthalamic nucleus; Caudate nucleus; Putamen; HRP; Autoradiography (Beckstead, R.M.) **275**, 137

Wheat germ agglutinin
Basal ganglia; Globus pallidus; HRP; Nucleus basalis of Meynert; Striatum (Jayaraman, A.) **275**, 279

Wheat germ agglutinin conjugate
HRP; Retrograde and anterograde transport; Uptake in passing fibers (Brodal, P.) **278**, 1

Wheat germ agglutinin (WGA)
HRP; Anterograde transport; Retrograde transport; Golgi method; Pontine nuclei; Cerebellum; Cerebral cortex (Brodal, P.) **267**, 1

Ricin; HRP; Axonal transport; Nucleus tractus solitarius; Nodose ganglion; Caudate nucleus (Wiley, R.G.) **269**, 357

White matter activation
Hypothermia; Brachium conjunctivum; 2-Deoxyglucose; Optical density ratios (Kilduff, T.S.) **269**, 168

Widespread control
Frog labyrinth; Vestibular efferent system; Branching efferent fibers; Efferent responses (Prigioni, I.) **269**, 83

Wrist movements
Putamen neurons; Monkey motor system (Liles, S.L.) **263**, 156

Wulst
Pigeons; HRP; Hyperstriatum accessorium; Tractus septomesencephalicus; Efferent projections; Laminar organization (Reiner, A.) **275**, 349

X

X-cell
Cat; Striate cortex; Simple cell; Lateral geniculate nucleus; Y-cell; Iontophoresis; Bicuculline (Tanaka, K.) **265**, 143

X-irradiation
Goldfish; Optic nerve; Regeneration; Proliferation (Neuman, D.) **272**, 237

X-radiation
Spinal cord; Intraspinal Schwann cells and myelin; Astrocytes (Sims, T.J.) **276**, 17

Xenograft
Blood-nerve barrier; Sciatic nerve; Sucrose; Urea (Rosenberg, G.A.) **270**, 231

Y

Y-cell
Cat; Striate cortex; Simple cell; Lateral geniculate nucleus; X-cell; Iontophoresis; Bicuculline (Tanaka, K.) **265**, 143

Yohimbine
Na^+,K^+-ATPase; α-Adrenergic receptors; β-Adrenergic receptors; Prazosin; Propranolol; Norepinephrine, biochemical effects (Swann, A.C.) **260**, 338

Nucleus tractus solitarii; Blood pressure (Tung, C.-S.) **277**, 193

Z

Zn^{2+}
Metals; Cu^{2+}; Audiogenic mice (Chung, S.-H.) **280**, 323

Zebra finch
Acetylcholinesterase; Choline acetylase; Androgens; Estrogens; Muscle (Luine, V.N.) **279**, 339

Zimelidine
5-Hydroxytryptamine; Brainstem; Morphine-induced; Analgesia; *p*-Chloroamphetamine; *p*-Chlorophenylalanine; Test-dependent effects (Berge, O.-G.) **271**, 51

Zinc
Brain; Hepatic encephalopathy (Baraldi, M.) **258**, 170

Hippocampus; Mossy fibers (Frederickson, C.J.) **273**, 335

Zinc deficiency (trace elements)
Undernutrition; Malnutrition; Cerebellum development; Granule cells (Dvergsten, C.L.) **271**, 217

DEVELOPMENTAL BRAIN RESEARCH
AUTHOR INDEX
1983
VOLUMES 5–11

A

Ackermann, R.F., see Moshé, S.L., **7**, 81
Adinolfi, A.M., see Phelps, P.E., **10**, 1
Adler, R., Manthorpe, M. and Varon, S.
  Lectin reactivity of PNPF, a polyornithine-binding neurite-promoting factor, **6**, 69
Adrien, J., see Verney, C., **5**, 41
Akeson, R.A., Rodman, J.S. and Roberts, A.
  Induction of expression of the rat G5 nervous system antigen occurs postnatally, **7**, 327
Albala, B.J., see Moshé, S.L., **7**, 81
Albus, K., Wolf, W. and Beckman, R.
  Orientation bias in the response of kitten LGNd neurons to moving light bars, **6**, 308
Alesci, R., see Bagnoli, P., **10**, 243
Alfano, D.P., Petit, T.L. and LeBoutillier, J.C.
  Development and plasticity of the hippocampal-cholinergic system in normal and early lead exposed rats, **10**, 117
Ali, M., Mujoo, K. and Sahib, M.K.
  Synthesis and secretion of alpha-fetoprotein and albumin by newborn rat brain cells in culture, **6**, 47
Ali, M. and Sahib, M.K.
  Changes in alpha-fetoprotein and albumin synthesis rates and their levels during fetal and neonatal development of rat brain, **6**, 314
Amaral, D.G., see Milner, T.A., **8**, 343
Annunziata, P., Regan, C. and Balázs, R.
  Development of cerebellar cells in neuron-enriched cultures: cell surface proteins, **8**, 261
Arai, Y., see Suzuki, Y., **10**, 151
Arnold, A.P., see Breedlove, S.M., **9**, 39
Astic, L. and Saucier, D.
  Ontogenesis of the functional activity of guinea-pig olfactory bulb: autoradiographic study with the 2-deoxyglucose method, **10**, 257

B

Bagnoli, P., Barsellotti, R., Pellegrini, M. and Alesci, R.
  Norepinephrine levels in developing pigeon brain: effect of monocular deprivation on the Wulst noradrenergic system, **10**, 243
Baker, R.E., Habets, A.M.M.C., Brenner, E. and Corner, M.A.
  Influence of growth medium, age in vitro and spontaneous bioelectric activity on the distribution of sensory ganglion-evoked activity in spinal cord explants, **5**, 329
Balázs, R., see Annunziata, P., **8**, 261
Balazs, R., see Thangnipon, W., **11**, 177
Balcar, V.J., Dammasch, I. and Wolff, J.R.
  Is there a non-synaptic component in the K^+-stimulated release of GABA in the developing rat cortex?, **10**, 309
Bambrick, L., see Baumgold, J., **9**, 405
Barde, Y.-A., see Turner, J.E., **6**, 77
Barnes, E.M. Jr., see Thampy, K.G., **8**, 101
Barret, A., see Loudes, C., **9**, 231
Barsellotti, R., see Bagnoli, P., **10**, 243
Bates, C.A., Erzurumlu, R.S. and Killackey, H.P.
  Central correlates of peripheral pattern alterations in the trigeminal system of the rat. III. Neurons of the principal sensory nucleus, **5**, 108
Battelle, B.-A., see Yeh, H.H., **10**, 63
Baum, M.J., see Holbrook, P.G., **7**, 1
Baumgold, J., Zimmerman, I. and Bambrick, L.
  Appearance of $[^3H]$saxitoxin binding sites in developing rat brain, **9**, 405
Beale, R. and Osborne, N.N.
  Selective uptake of tritiated glycine, GABA and D-aspartate by retinal cells in culture: a study using autoradiography and simultaneous immunofluorescence, **7**, 107
Beckman, R., see Albus, K., **6**, 308
Beinfeld, M.C., Korchak, D.M., Nilaver, G. and O'Dorisio, T.M.
  The development of motilin, cholecystokinin and vasoactive intestinal peptide immunoreactivity in the forebrain and hindbrain of the rat, as determined by radioimmunoassay, **10**, 146
Belford, D.A. and Rush, R.A.
  A survival factor for sympathetic neurons from avian smooth muscle, **6**, 304
Bennet, M.R. and Lavidis, N.A.
  Variation in quantal secretion at different release sites along developing and mature motor terminal branches, **5**, 1
Bennett, M.R., see Davey, D.F., **5**, 11
Berger, B., see Verney, C., **5**, 41
Berrebi, A.S., see Rosen, G.D., **9**, 99
Berwald-Netter, Y., see Koulakoff, A., **5**, 139
Best, W., see De Vries, G.J., **8**, 377
Beutler, D. and Giotta, G.J.
  Conditioned medium from a clonal rous sarcoma virus transformed cerebellar cell line induces process extension in glial lines, **11**, 169
Bhat, N.R.
  Insulin dependent neurite outgrowth in cultured embryonic mouse brain cells, **11**, 315
Bijlani, V., see Mishra, P.R., **6**, 193
Bisconte, J.C., see Rebiere, A., **6**, 113
Bizzini, B., see Koulakoff, A., **5**, 139
Björklund, A., see Schmidt, R.H., **5**, 222
Björklund, H., Dahl, D., Haglid, K., Rosengren, L. and Olson, L.

Astrocytic development in fetal parietal cortex grafted to cerebral and cerebellar cortex of immature rats, **9**, 171
Björklund, H., Seiger, Å., Hoffer, B. and Olson, L.
Trophic effects of brain areas on the developing cerebral cortex: I. Growth and histological organization of intraocular grafts, **6**, 131
Björklund, H., see Palmer, M., **6**, 141
Blass, E.M., see Moran, T.H., **7**, 197
Bockaert, J., see Premont, J., **9**, 53
Bodick, N., Stevens, J.K., Sasaki, S. and Purpura, D.P.
Microtubular disarray in cortical dendrites and neurobehavioral failure. II. Computer reconstruction of perturbed microtubular arrays, **5**, 299
Bodick, N., see Purpura, D.P., **5**, 287
Boer, G.J., see Mirmiran, M., **7**, 277
Bornstein, M.B., see Heath, J.W., **5**, 238
Bower, A.J., see Payne, J.N., **11**, 124
Bowers, L.M., see Brenneman, D.E., **9**, 13
Bradley, R.M., see Mistretta, C.M., **11**, 107
Bragin, A.G. and Vinogradova, O.S.
Comparison of neuronal activity in septal and hippocampal grafts developing in the anterior eye chamber of the rat, **10**, 279
Brändle, K., see Stirling, R.V., **5**, 343
Breedlove, S.M., Jordan, C.L. and Arnold, A.P.
Neurogenesis of motoneurons in the sexually dimorphic spinal nucleus of the bulbocavernosus in rats, **9**, 39
Bregman, B.S. and Goldberger, M.E.
Infant lesion effect: I. Development of motor behavior following neonatal spinal cord damage in cats, **9**, 103
Bregman, B.S. and Goldberger, M.E.
Infant lesion effect: II. Sparing and recovery of function after spinal cord damage in newborn and adult cats, **9**, 119
Bregman, B.S. and Goldberger, M.E.
Infant lesion effct: III. Anatomical correlates of sparing and recovery of function after spinal cord damage in newborn and adult cats, **9**, 137
Brenneman, D.E., Neale, E.A., Habig, W.H., Bowers, L.M. and Nelson, P.G.
Developmental and neurochemical specificity of neuronal deficits produced by electrical impulse blockade in dissociated spinal cord cultures, **9**, 13
Brenner, E., see Baker, R.E., **5**, 329
Brinkley, B.R., see Thampy, K.G., **8**, 101
Brunjes, P.C.
Olfactory bulb maturation in *Acomys cahirinus:* is neural growth similar in precocial and altricial murids?, **8**, 335
Brunjes, P.C., Schwark, H.D. and Greenough, W.T.
Olfactory granule cell development in normal and hyperthyroid rats, **5**, 149
Brunso-Bechtold, J.K., Florence, S.L. and Casagrande, V.A.
The role of retinogeniculate afferents in the development of connections between visual cortex and the dorsal lateral geniculate nucleus, **10**, 33
Bu'Lock, A.J., see Varró, A., **9**, 347
Bunge, R.P., see Cornbrooks, C.J., **6**, 57
Bunt, S.M., Lund, R.D. and Land, P.W.
Prenatal development of the optic projection in albino and hooded rats, **6**, 149
Burchfiel, J.L., see Mower, G.D., **5**, 311
Burgess, J.W. and Monachello, M.P.
Chronic exposure to caffeine during early development increases dendritic spine and branch formation in midbrain optic tectum, **6**, 123
Buschmann, MB.T., see LaVelle, A., **10**, 171
Buse, E. and Matthaei, H.
Single neuron cultivation of embryonic and perinatal rabbit or rat brains based on plasma clot technique, **7**, 221

C

Cammer, W. and Zimmerman, T.R. Jr.
Glycerolphosphate dehydrogenase, glucose-6-phosphate dehydrogenase, lactate dehydrogenase and carbonic anhydrase activities in oligodendrocytes and myelin: comparisons between species and CNS regions, **6**, 21
Campbell, B.G., see Crabtree, J.W., **8**, 1
Cancalon, P.
Slow flow in regenerating C-fibers, **6**, 197
Cancalon, P.
Regeneration of three populations of olfactory axons as a function of temperature, **9**, 265
Cancalon, P.
Influence of temperature on slow flow in populations of regenerating axons with different elongation velocities, **9**, 279
Cano, J. and Reinoso-Suárez, F.
Postnatal development in the serotonin content of brain visual structures, **5**, 199
Carey, E.M., see Morris, A.J., **8**, 381
Carlson, C.G., see Muniak, C.G., **5**, 123
Carri, N.G. and Ebendal, T.
Organotypic cultures of neural retina: neurite outgrowth stimulated by brain extracts, **6**, 219
Casagrande, V.A., see Brunso-Bechtold, J.K., **10**, 33
Cavanagh, M.E., Cornelis, M.E.P., Dziegielewska, K.M., Evans, C.A.N., Lorscheider, F.L., Møllgård, K., Reynolds, M.L. and Saunders, N.R.
Comparison of proteins in CSF of lateral and IVth ventricles during early development of fetal sheep, **11**, 159

Chang, S., Ho, R.K. and Goodman, C.S. Selective groups of neuronal and mesodermal cells recognized early in grasshopper embryogenesis by a monoclonal antibody, **9**, 297

Chaudhuri, D., Choudhury, I. and Mukherjea, M. Ontogeny of polyamines in relation to nucleic acids in brain and spinal cord of the developing human fetus, **10**, 143

Chaudhury, L., see Chaudhury, S., **9**, 291

Chaudhury, S., Chaudhury, L. and Sarkar, P.K. Modulation of tubulin synthesis by tri-iodothyronine in the embryonic chick brain, **9**, 291

Cheema, S.S. and Lauder, J.M. Infrapyramidal mossy fibers in the hippocampus of methylazoxymethanol acetate-induced microcephalic rats, **9**, 411

Cherkin, A., see Pico, R.M., **9**, 227

Cherubini, E., De Feo, M.R., Mecarelli, O. and Ricci, G.F. Behavioral and electrographic patterns induced by systemic administration of kainic acid in developing rats, **9**, 69

Chiappinelli, V.A. Blockade of ganglionic transmission during synaptogenesis decreases α-bungarotoxin binding in the chick ciliary ganglion and iris, **5**, 118

Choi, B.H., Kim, R.C. and Lapham, L.W. Do radial glia give rise to both astroglial and oligodendroglial cells?, **8**, 119

Choudhury, I., see Chaudhuri, D., **10**, 143

Chow, K.L., see Crabtree, J.W., **8**, 1

Chubb, I.W., see Morgan, I.G., **8**, 71

Ciotti, M.T., see Levi, G., **10**, 227

Clarke, S., see Innocenti, G.M., **11**, 39, **11**, 55

Cochran, F.B., Ledeen, R.W. and Yu, R.K. Gangliosides and proteins in developing chicken brain myelin, **6**, 7

Cochran, J.M., see Cornbrooks, C.J., **6**, 57

Cole, G.J., see Dyer, S.A., **9**, 197

Cole, J., Dolin, R., Fahrner, K., Gallenson, N., Hall, J. and Harris, W. Retinofugal pathways from albino eyes embryonically transplanted to normal and albino axolotls, **5**, 346

Commissiong, J.W. The development of catecholaminergic nerves in the spinal cord of rat. II. Regional development, **11**, 75

Constantine-Paton, M., see Reh, T.A., **10**, 187

Cornbrooks, C.J., Mithen, F., Cochran, J.M. and Bunge, R.P. Factors affecting Schwann cell basal lamina formation in cultures of dorsal root ganglia from mice with muscular dystrophy, **6**, 57

Cornelis, M.E.P., see Cavanagh, M.E., **11**, 159

Corner, M.A., see Baker, R.E., **5**, 329

Corner, M.A., see Mirmiran, M., **7**, 102

Corwin, J.V., Leonard, C.M., Schoenfeld, T.A. and Crandall, J.E. Anatomical evidence for differential rates of maturation of the medial dorsal nucleus projections to prefrontal cortex in rats, **8**, 89

Cowan, W.M., see O'Leary, D.D.M., **10**, 93

Crabtree, J.W., Ostrach, L.H., Campbell, B.G. and Chow, K.L. Long-term effects of early cortical epileptiform activity on development of visuocortical receptive fields in the rabbit, **8**, 1

Crandall, J.E., see Corwin, J.V., **8**, 89

Crapon de Caprona, M.-D. and Fritzsch, B. The development of the retinopetal nucleus olfacto-retinalis of two cichlid fish as revealed by horseradish peroxidase, **11**, 281

Crossland, W.J. and Uchwat, C.J. Neurogenesis in the central visual pathways of the golden hamster, **5**, 99

Crossland, W.J. and Uchwat, C.J. Neurogenesis in the chick ventral lateral geniculate and ectomammillary nuclei: relationship of soma size to birthdate, **6**, 33

Cullheim, S. and Ulfhake, B. Evidence for a postnatal elimination of terminal arborizations and synaptic boutons of recurrent motor axon collaterals in the cat, **5**, 234

Currie, R.W., White, S.R. and White, F.P. Postnatal development of a cellular response to stress in rat brain, **11**, 308

Cynader, M. Prolonged sensitivity to monocular deprivation in dark-reared cats: effects of age and visual exposure, **8**, 155

Cynader, M., see Wilkinson, M., **7**, 349

D

Daguet-de Montety, M.-C., see Premont, J., **9**, 53

Dahl, D., see Björklund, H., **9**, 171

Dainat, J., see Rebiere, A., **6**, 113

Dammasch, I., see Balcar, V.J., **10**, 309

Darby, P., see Day, M.A., **11**, 133

Daszuta, A., Gambarelli, F. and Ternaux, J.P. Sleep variations in C57BL and BALBc mice from 3 weeks to 14 weeks of age, **7**, 87

Davey, D.F. and Bennett, M.R. Variation in the size of synaptic contacts along developing and mature motor terminal branches, **5**, 11

Davies, D.C., Horn, G. and McCabe, B.J. Changes in telencephalic catecholamine levels in the domestic chick. Effects of age and visual experience, **10**, 251

Davis, J.L., see Pico, R.M., **9**, 227

Day, M.A., Darby, P. and Hagin, S.
Autoradiographic analysis of regional brain glucose utilization in chronically monitored unanesthetized fetal sheep, **11**, 133
De Feo, M.R., see Cherubini, E., **9**, 69
De Vellis, J., see Morrison, R.S., **9**, 337
De Vries, G.J., Best, W. and Sluiter, A.A.
The influence of androgens on the development of a sex difference in the vasopressinergic innervation of the rat lateral septum, **8**, 377
Deguchi, T., see Ishida, I., **7**, 13
Del Carmen Gutierrez, M., see Nishio, H., **6**, 107
Del Cerro, M.C.R., see Segovia, S., **5**, 206
Del Fà, A., see Olivieri-Sangiacomo, C., **7**, 61
Denenberg, V.H., see Rosen, G.D., **9**, 99
Derby, M.A., Dyer, S.A. and Glaser, L.
Monoclonal antibodies against a differentiated retinal cell population, **7**, 317
Derby, M.A., see Dyer, S.A., **9**, 197
Devilliers, G., see Dontenwill, M., **10**, 287
Devon, R.M., see Doering, L.C., **6**, 183
DeVries, G.H., Minier, L.N. and Lewis, B.L.
Further studies on the mitogenic response of cultured Schwann cells to rat CNS axolemma-enriched fractions, **9**, 87
Dixon, P.G., see Sanderson, K.J., **5**, 161
Dockray, G.J., see Rawdon, B.B., **7**, 53
Dockray, G.J., see Varró, A., **9**, 347
Doering, L.C. and Fedoroff, S.
Isolation and identification of neuroblast precursor cells from mouse neopallium, **5**, 229
Doering, L.C., Fedoroff, S. and Devon, R.M.
Fibrous astrocytes and reactive astrocyte-like cells in transplants of cultured astrocyte precursor cells, **6**, 183
Dolin, R., see Cole, J., **5**, 346
Dontenwill, M., Devilliers, G., Langley, O.K., Roussel, G., Hubert, P., Reeber, A., Vincendon, G. and Zanetta, J.P.
Arguments in favour of endocytosis of glycoprotein components of the membranes of parallel fibers by Purkinje cells during the development of the rat cerebellum, **10**, 287
Dreosti, I.E., see King, R.A., **7**, 287
Duband, J.-L., see Vincent, M., **9**, 235
Duffy, F.H., see Mower, G.D., **5**, 311
Dütting, D., Gierer, A. and Hansmann, G.
Self-renewal of stem cells and differentiation of nerve cells in the developing chick retina, **10**, 21
Dyer, S.A., Derby, M.A., Cole, G.J. and Glaser, L.
Identification of sub-populations of chick neural retinal cells by monoclonal antibodies: a fluorescence activated cell sorter screening technique, **9**, 197
Dyer, S.A., see Derby, M.A., **7**, 317
Dziegielewska, K.M., see Cavanagh, M.E., **11**, 159

E

Ebendal, T., see Carri, N.G., **6**, 219
Eckenhoff, M.F. and Pysh, J.J.
Conjugate internalization of apposed plasma membranes in mouse olfactory bulb during postnatal development, **6**, 201
Edgar, D. and Thoenen, H.
Modulation of NGF-induced survival of chick sympathetic neurons by contact with a conditioned medium factor bound to the culture substrate, **5**, 89
Elberger, A.J.
The corpus callosum is a critical factor for developing maximum visual acuity, **5**, 350
Eliyahu, D., see Soreq, H., **10**, 73
End, D., Pevzner, L., Lloyd, A. and Guroff, G.
Identification of nerve growth factor receptors in primary cultures of chick neural crest cells, **7**, 131
Engel, J. Jr., see Moshé, S.L., **7**, 81
Erzurumlu, R.S., see Bates, C.A., **5**, 108
Escobar Del Rey, F., see Ruiz-Marcos, A., **9**, 205
Evans, C.A.N., see Cavanagh, M.E., **11**, 159
Evans, K.L., see Sharp, F.R., **6**, 1

F

Fabris, M., see Ferrari, G., **8**, 215
Fahrner, K., see Cole, J., **5**, 346
Faivre, C., Legrand, Ch. and Rabié, A.
Effects of thyroid deficiency and corrective effects of thyroxine on microtubules and mitochondria in cerebellar Purkinje cell dendrites of developing rats, **8**, 21
Faivre-Bauman, A., see Loudes, C., **9**, 231
Fajszi, C., see Maderspach, K., **6**, 251
Farel, P.B. and McIlwain, D.L.
Cholinergic enzyme activity in neurons of the developing anuran spinal cord, **8**, 27
Fedoroff, S., White, R., Neal, J., Subrahmanyan, L. and Kalnins, V.I.
Astrocyte cell lineage. II. Mouse fibrous astrocytes and reactive astrocytes in cultures have vimentin- and GFP-containing intermediate filaments, **7**, 303
Fedoroff, S., see Doering, L.C., **5**, 229, **6**, 183
Fedoroff, S., see Houle, J., **9**, 189
Feldman, J.D., Gaze, R.M. and Keating, M.J.
Development of the orientation of the visuo-tectal map in *Xenopus*, **6**, 269
Ferrari, G., Fabris, M. and Gorio, A.
Gangliosides enhance neurite outgrowth in PC 12 cells, **8**, 215

Fiore, J.M., see Rhoades, R.W., **7**, 337
Fishman, R.H.B., Gaathon, A. and Yanai, J. Early barbiturate treatment eliminates peak serum thyroxine levels in neonatal mice and produces ultrastructural damage in the brains of adults, **5**, 202
Florence, S.L., see Brunso-Bechtold, J.K., **10**, 33
Fonnum, F., see Kvale, I., **7**, 137, **11**, 261
Fosse, V.M., see Kvale, I., **7**, 137
Friedman, W.J., McEwen, B.S., Toran-Allerand, C.D. and Gerlach, J.L. Perinatal development of hypothalamic and cortical estrogen receptors in mouse brain: methodological aspects, **11**, 19
Friedman, W.J., see Gerlach, J.L., **11**, 7
Fritzsch, B., see Crapon de Caprona, M.-D., **11**, 281
Fujisawa, H., see Okamura, H., **9**, 223
Fukui, K., see Okamura, H., **9**, 223
Furuya, K., Furuya, S. and Yamagishi, S. Developmental time courses of Na and Ca spikes in neuroblastoma x glioma hybrid cells, **11**, 229
Furuya, K., see Furuya, S., **11**, 235
Furuya, S. and Furuya, K. A quantitative analysis of intramembranous particles during the development of neuroblastoma x glioma hybrid cells, **11**, 235
Furuya, S., see Furuya, K., **11**, 229

G

Gaathon, A., see Fishman, R.H.B., **5**, 202
Gallenson, N., see Cole, J., **5**, 346
Gambarelli, F., see Daszuta, A., **7**, 87
Gangitano, C., see Olivieri-Sangiacomo, C., **7**, 61
Gay, M., see Verney, C., **5**, 41
Gaze, R.M., see Feldman, J.D., **6**, 269
Gerfen, C.R., see O'Leary, D.D.M., **10**, 93
Gerlach, J.L., McEwen, B.S., Toran-Allerand, C.D. and Friedman, W.J. Perinatal development of estrogen receptors in mouse brain assessed by radioautography. Nuclear isolation and receptor assay, **11**, 7
Gerlach, J.L., see Friedman, W.J., **11**, 19
Giacobini, E., see Nishio, H., **6**, 107
Gibbs, W., see Moonen, G., **5**, 59
Gibson, D.A. and Vernadakis, A. Critical period for LAAM in the chick embryo: toxicity and altered opiate receptor binding, **8**, 61
Gierer, A., see Dütting, D., **10**, 21
Gierer, A., see Liu, L., **8**, 223
Gilmore, D.P., see Masudi, N.A., **7**, 9
Giotta, G.J., see Beutler, D., **11**, 169
Girardie, J., see Vanhems, E., **10**, 177
Glaser, L., see Derby, M.A., **7**, 317
Glaser, L., see Dyer, S.A., **9**, 197
Glowinski, J., see Premont, J., **9**, 53
Gnahn, H., Hefti, F., Heumann, R., Schwab, M.E. and Thoenen, H. NGF-mediated increase of choline acetyltransferase (ChAT) in the neonatal rat forebrain: evidence for a physiological role of NGF in the brain?, **9**, 45
Goldberger, M.E., see Bregman, B.S., **9**, 103, **9**, 119, **9**, 137
Goodman, C.S., see Chang, S., **9**, 297
Gorio, A., see Ferrari, G., **8**, 215
Gottlieb, D.I., see Witte, D., **9**, 63
Gozes, I., see Gozes, Y., **6**, 93
Gozes, Y., Moskowitz, M.A., Strom, T.B. and Gozes, I. Conditioned media from activated lymphocytes maintain sympathetic neurons in culture, **6**, 93
Greenough, W.T., see Brunjes, P.C., **5**, 149
Greenough, W.T., see Toran-Allerand, C.D., **7**, 97
Greer, C.A., see Stewart, W.B., **8**, 247
Grewal, M.S., see Mishra, P.R., **6**, 193
Grimm, V.E., see Hershkowitz, M., **7**, 147
Grouselle, D., see Loudes, C., **9**, 231
Guentert-Lauber, B. and Honegger, P. Epidermal growth factor (EGF) stimulation of cultured brain cells. II. Increased production of extracellular soluble proteins, **11**, 253
Guentert-Lauber, B., see Honegger, P., **11**, 245
Guernsey, L.A., see Hamill, R.W., **11**, 303
Guillamon, A., see Segovia, S., **5**, 206
Guillamón, A., see Segovia, S., **5**, 209
Guroff, G., see End, D., **7**, 131
Guth, L., see Reier, P.J., **10**, 201

H

Habets, A.M.M.C., see Baker, R.E., **5**, 329
Habig, W.H., see Brenneman, D.E., **9**, 13
Hagin, S., see Day, M.A., **11**, 133
Haglid, K., see Björklund, H., **9**, 171
Hall, J., see Cole, J., **5**, 346
Halperin, J.J., see Landis, D.M.D., **8**, 231
Hamill, R.W. and Guernsey, L.A. Hormonal regulation of sympathetic neuron development. The effects of neonatal castration, **11**, 303
Hansmann, G., see Dütting, D., **10**, 21
Harris, W., see Cole, J., **5**, 346
Harris, W.A. Differences between embryos and adults in

the plasticity of somatosensory afferents to the axolotl tectum, **7**, 245
Hashimoto, K., see Toran-Allerand, C.D., **7**, 97
Hatakenaka, S., Kuo, C.-H. and Miki, N.
Analysis of a distinctive protein in chick retina during development, **10**, 155
Hatanaka, H.
Nerve growth factor-mediated differentiation of a nerve cell line cultured in a hormone-supplemented serum-free medium, **6**, 243
Hayashi, Y., see Kato, S., **11**, 143
Heath, J.W., Peterson, E.R., Bornstein, M.B. and Raine, C.S.
Myelination in organotypic cultures of sympathetic ganglia, **5**, 238
Heffner, T.G., Heller, A., Miller, F.E., Kotake, C. and Seiden, L.S.
Locomotor hyperactivity in neonatal rats following electrolytic lesions of mesocortical dopamine neurons, **9**, 29
Hefti, F., see Gnahn, H., **9**, 45
Heller, A., see Heffner, T.G., **9**, 29
Herbert, A., see Premont, J., **9**, 53
Herrup, K.
Role of staggerer gene in determining cell number in cerebellar cortex. I. Granule cell death is an indirect consequence of staggerer gene action, **11**, 267
Herrup, K., see Wetts, R., **10**, 41
Hershkowitz, M., Grimm, V.E. and Speiser, Z.
The effects of postnatal anoxia on behaviour and on the muscarinic and beta-adrenergic receptors in the hippocampus of the developing rat, **7**, 147
Heumann, R., see Gnahn, H., **9**, 45
Hilbush, B.S., see Sarthy, P.V., **11**, 275
Hirata, Y., see Ichikawa, M., **9**, 181
Hirsch, H.V.B. and Leventhal, A.G.
Effects of monocular deprivation upon the binocularity of cells in area 18 of cat visual cortex, **8**, 140
Ho, K.P., see Tsang, D., **5**, 257
Ho, R.K., see Chang, S., **9**, 297
Ho, W.K.K., see Tsang, D., **5**, 257
Hoffer, B., see Björklund, H., **6**, 131
Hoffer, B., see Palmer, M., **6**, 141
Hofmann, H.-D., see Unsicker, K., **7**, 41, **9**, 369
Hofmann, H.-D., see Ziegler, W., **7**, 353
Höhne, I., see Unsicker, K., **9**, 369
Holbrook, P.G. and Baum, M.J.
Characterization of estradiol receptors in brain cytosols from perinatal ferrets, **7**, 1
Holmes, G.L.
Effect of serial seizures on subsequent kindling in the immature brain, **6**, 190
Holmes, G.L. and Weber, D.A.
Increased susceptibility to pentylenetetrazol-induced seizures in adult rats following electrical kindling during brain development, **11**, 312
Hompes, P.G.A., Vermes, I., Tilders, F.J.H. and Schoemaker, J.
Immunoreactive beta-endorphin in the hypothalamus of female rats: changes in content and release during prepubertal development, **5**, 281
Honegger, P. and Guentert-Lauber, B.
Epidermal growth factor (EGF) stimulation of cultured brain cells. I. Enhancement of the developmental increase in glial enzymatic activity, **11**, 245
Honegger, P., see Guentert-Lauber, B., **11**, 253
Honegger, P., see Lenoir, D., **7**, 205
Hoovler, D.W., see Hwang, B.H., **5**, 104
Horn, G., see Davies, D.C., **10**, 251
Houle, J. and Fedoroff, S.
Temporal relationship between the appearance of vimentin and neural tube development, **9**, 189
Hubert, P., see Dontenwill, M., **10**, 287
Hunt, A., see Patel, A.J., **8**, 31, **10**, 83
Hwang, B.H. and Hoovler, D.W.
Characterization of monoaminergic terminals in the neostriatum of neonatal rats: an electron microscopic morphometric analysis, **5**, 104
Hyndman, A.G., see Zambrano, C.H., **9**, 396

I

Ibata, Y., see Okamura, H., **9**, 223
Ichikawa, M., Shiga, T. and Hirata, Y.
Spatial and temporal pattern of postnatal proliferation of glial cells in the parietal cortex of the rat, **9**, 181
Innocenti, G.M., Clarke, S. and Koppel, H.
Transitory macrophages in the white matter of the developing visual cortex. II. Development and relations with axonal pathways, **11**, 55
Innocenti, G.M., Koppel, H. and Clarke, S.
Transitory macrophages in the white matter of the developing visual cortex. I. Light and electron microscopic characteristics and distribution, **11**, 39
Ishida, I. and Deguchi, T.
Regulation of choline acetyltransferase in primary cell cultures of spinal cord by neurotransmitter L-norepinephrine, **7**, 13
Ishii, H., see Suzuki, Y., **10**, 151
Ishikawa, Y., Masuko, S. and Shimada, Y.
Acetylcholine receptors and motor nerve terminals in developing chick skeletal muscles as revealed by fluorescence microscopy, **8**, 111
Ishikawa, Y. and Shimada, Y.
Acetylcholine receptors and cholinesterase in developing chick skeletal muscle fibers, **5**, 187

J

Jacobsen, M., Møllgård, K., Reynolds, M.L. and Saunders, N.R.
The choroid plexus in fetal sheep during development with special reference to intracellular plasma proteins, **8**, 77
Jacquin, M.F., see Rhoades, R.W., **7**, 337
Jaeger, C.B. and Joh, T.H.
Transient expression of tyrosine hydroxylase in some neurons of the developing inferior colliculus of the rat, **11**, 128
Jain, V.K., see Mishra, P.R., **6**, 193
Jaros, E. and Jenkison, M.
Defective differentiation of peripheral nerves in the dystrophic mouse, **6**, 231
Jenkison, M., see Jaros, E., **6**, 231
Joh, T.H., see Jaeger, C.B., **11**, 128
Johnson, A., see Stern, W.C., **9**, 95
Johnstone, S., see Levi, G., **10**, 227
Johnstone, S.R., see Wilkin, G.P., **10**, 265
Jones, D.G., see Wong, A., **6**, 259
Jones, E.G., see Valentino, K.L., **9**, 317
Jones, H.C. and Jopling, C.A.C.
The development of interependymal pores in the rhombencephalic posterior tela in late embryonic, larval and metamorphosing stages of *Rana pipiens*, **7**, 121
Jopling, C.A.C., see Jones, H.C., **7**, 121
Jordan, C.L., see Breedlove, S.M., **9**, 39

K

Kalnins, V.I., see Fedoroff, S., **7**, 303
Kamp, G., Ledig, M., Tholey, G. and Mandel, P.
Comparative investigations of glutaminase development in cerebral cortex of chick embryo and in primary cultures of neurons and glial cells, **11**, 1
Kane, S.A., see Valentino, K.L., **9**, 317
Kasper, E.K., see Kristt, D.A., **8**, 373
Kato, S., Madachi-Yamamoto, S., Hayashi, Y., Miki, N. and Negishi, K.
Effect of sodium fluorescein on neurite outgrowth from the retinal explant culture: an in vitro model for retinal toxicity, **11**, 143
Kato, S., see Negishi, K., **10**, 111
Kawai, M., see Nomura, Y., **9**, 381
Keating, M.J., see Feldman, J.D., **6**, 269
Keller, E., see Pico, R.M., **9**, 227
Khan, I., see Wilkinson, M., **7**, 349
Killackey, H.P., see Bates, C.A., **5**, 108
Kim, R.C., see Choi, B.H., **8**, 119
King, R.A., Smith, R.M. and Dreosti, I.E.
Regional effects of hypothyroidism on 5'-nucleotidase and cyclic nucleotide phosphohydrolase activities in developing rat brain, **7**, 287
Kingsbury, A., see Thangnipon, W., **11**, 177
Kirby, M.L.
Recovery of spinal cord volume in postnatal rats following prenatal exposure to morphine, **6**, 211
Kita, H., see Shibata, S., **5**, 114
Kitajima, S., see Sano, M., **7**, 215
Ko, L., see Vinores, S.A., **5**, 23
Komatsu, Y.
Development of cortical inhibition in kitten striate cortex investigated by a slice preparation, **8**, 136
Koppel, H.., Lewis, P.D. and Patel, A.J.
Mitochondria in the postnatally developing rat cerebellar cortex: a morphological and biochemical study, **11**, 199
Koppel, H., see Innocenti, G.M., **11**, 39, **11**, 55
Korchak, D.M., see Beinfeld, M.C., **10**, 146
Kotake, C., see Heffner, T.G., **9**, 29
Koulakoff, A., Bizzini, B. and Berwald-Netter, Y.
A correlation between the appearance and the evolution of tetanus toxin binding cells and neurogenesis, **5**, 139
Koyama, E., see Okamura, H., **9**, 223
Kriebel, M.E., see Muniak, C.G., **5**, 123
Kristt, D.A. and Kasper, E.K.
High density of cholinergic muscarinic receptors accompanies high intensity acetylcholinesterase-staining in layer IV of infant rat somatosensory cortex, **8**, 373
Krukoff, T.L. and Scott, T.M.
The postnatal metabolic development of the nucleus commissuralis and nucleus medialis of the nucleus tractus solitarius, **9**, 359
Kuenzel, W.J., see Mass, J.H., **10**, 165
Kuhar, M.J., see Unnerstall, J.R., **7**, 157
Kuo, C.-H., see Hatakenaka, S., **10**, 155
Kvale, I. and Fonnum, F.
The effects of unilateral neonatal removal of visual cortex on transmitter parameters in the adult superior colliculus and lateral geniculate body, **11**, 261
Kvale, I., Fosse, V.M. and Fonnum, F.
Development of neurotransmitter parameters in lateral geniculate body, superior colliculus and visual cortex of the albino rat, **7**, 137

L

Labourdette, G., see Roussel, G., **8**, 193
Laing, N.G.
  Timing of motoneuron death in the brachial and lumbar regions of the chick embryo, **5**, 181
Lam, D.M.K., see Sarthy, P.V., **6**, 99
Land, P.W., see Bunt, S.M., **6**, 149
Landis, D.M.D., Weinstein, L.A. and Halperin, J.J.
  Development of synaptic junctions in cerebellar glomeruli, **8**, 231
Langley, O.K., see Dontenwill, M., **10**, 287
Lapham, L.W., see Choi, B.H., **8**, 119
Lauder, J.M., see Cheema, S.S., **9**, 411
LaVelle, A. and Buschmann, MB.T.
  Nuclear envelope invaginations in hamster facial motor neurons during development and aging, **10**, 171
Lavidis, N.A., see Bennet, M.R., **5**, 1
Lawson, E.E., see McNamara, M.C., **7**, 181
Layer, P.G., see Liu, L., **8**, 223
LeBoutillier, J.C., see Alfano, D.P., **10**, 117
Ledeen, R.W., see Cochran, F.B., **6**, 7
Ledig, M., see Kamp, G., **11**, 1
Lefauconnier, J.-M. and Trouvé, R.
  Developmental changes in the pattern of amino acid transport at the blood-brain barrier in rats, **6**, 175
Legrand, C., see Uziel, A., **7**, 295
Legrand, Ch., see Faivre, C., **8**, 21
Legrand, J., see Uziel, A., **7**, 295
Lemmon, V. and Rieser, G.
  The developmental distribution of vimentin in the chick retina, **11**, 191
Lenoir, D. and Honegger, P.
  Insulin-like growth factor I (IGF I) stimulates DNA synthesis in fetal rat brain cell cultures, **7**, 205
Lenoir, M., see Shnerson, A., **9**, 305
Lent, R.
  Cortico-cortical connections reorganize in hamsters after neonatal transection of the callosal bridge, **11**, 137
Leonard, C.M., see Corwin, J.V., **8**, 89
Leonard, C.M., see Small, R.K., **7**, 25
Leventhal, A.G., see Hirsch, H.V.B., **8**, 140
Levi, G., Wilkin, G.P., Ciotti, M.T. and Johnstone, S.
  Enrichment of differentiated, stellate astrocytes in cerebellar interneuron cultures as studied by GFAP immunofluorescence and autoradiographic uptake patterns with [^{3}H]D-aspartate and [^{3}H]GABA, **10**, 227
Levi, G., see Wilkin, G.P., **10**, 265
Levine, M.S., see Phelps, P.E., **10**, 1
Levine, R.L.
  Widespread regeneration of central axons through the central nervous system of the goldfish, **9**, 416
Lewis, B.L., see DeVries, G.H., **9**, 87
Lewis, P.D., see Koppel, H.., **11**, 199
Lim, R. and O'Connell, M.M.
  Effect of glia maturation factor on glial fibrillary acidic protein and fibronectin: a comparative study on glioblasts and fibroblasts using immunofluorescence, **5**, 29
Lindvall, O., see Schmidt, R.H., **5**, 222
Littauer, U.Z., see Soreq, H., **7**, 257
Liu, L., Layer, P.G. and Gierer, A.
  Binding of FITC-coupled peanut-agglutinin (FITC-PNA) to embryonic chicken retinas reveals developmental spatio-temporal patterns, **8**, 223
Lloyd, A., see End, D., **7**, 131
Lorén, I., see Schmidt, R.H., **5**, 222
Lorscheider, F.L., see Cavanagh, M.E., **11**, 159
Loudes, C., Faivre-Bauman, A., Barret, A., Grouselle, D., Puymirat, J. and Tixier-Vidal, A.
  Release of immunoreactive TRH in serum-free cultures of mouse hypothalamic cells, **9**, 231
Loy, R., see Milner, T.A., **8**, 343
Lund, R.D., see Bunt, S.M., **6**, 149

M

McCabe, B.J., see Davies, D.C., **10**, 251
Macdonald, R.L., Moonen, G., Neale, E.A. and Nelson, P.G.
  Cerebellar macroneurons in microexplant cell culture. Postsynaptic amino acid pharmacology, **5**, 75
Macdonald, R.L., see Moonen, G., **5**, 59
McEwen, B.S., see Friedman, W.J., **11**, 19
McEwen, B.S., see Gerlach, J.L., **11**, 7
McIlwain, D.L., see Farel, P.B., **8**, 27
McKoon, M., see Miller, A.J., **8**, 205
McNamara, M.C. and Lawson, E.E.
  Ontogeny of biogenic amines in respiratory nuclei of the rabbit brainstem, **7**, 181
Madachi-Yamamoto, S., see Kato, S., **11**, 143
Maderspach, K. and Fajszi, C.
  Development of β-adrenergic receptors and their function in glia-neuron communication in cultured chick brain, **6**, 251
Mandel, P., see Kamp, G., **11**, 1
Manthorpe, M., see Adler, R., **6**, 69
Marangos, P.J., see Vinores, S.A., **5**, 23
Mass, J.H. and Kuenzel, W.J.
  Precocious development of the testes in chicks following parasagittal knife cuts of the lateral hypothalamic area, **10**, 165
Masudi, N.A. and Gilmore, D.P.
  Biogenic amine levels in the mid-term human fetus, **7**, 9

Masuko, S., see Ishikawa, Y., **8**, 111
Math, M.F., see Rhoades, R.W., **7**, 337
Matthaei, H., see Buse, E., **7**, 221
Mecarelli, O., see Cherubini, E., **9**, 69
Meyer, R.L.
  The growth and formation of ocular dominance columns by deflected optic fibers in goldfish, **6**, 279
Meyer, R.L.
  Tetrodotoxin inhibits the formation of refined retinotopography in goldfish, **6**, 293
Miki, N., see Hatakenaka, S., **10**, 155
Miki, N., see Kato, S., **11**, 143
Mikoshiba, K., Takamatsu, K. and Tsukada, Y.
  Peripheral nervous system of shiverer mutant mice: developmental change of myelin components and immunohistochemical demonstration of the absence of MBP and presence of P2 protein, **7**, 71
Mikoshiba, K., see Terada, S., **11**, 219
Miller, A.J., McKoon, M., Pinneau, M. and Silverstein, R.
  Postnatal synaptic development of the nucleus tractus solitarius (NTS) of the rat, **8**, 205
Miller, F.E. and Seiden, L.S.
  Locomotor hyperactivity following chronic alpha-methyltyrosine administration in the neonatal rat, **6**, 91
Miller, F.E., see Heffner, T.G., **9**, 29
Milner, T.A., Loy, R. and Amaral, D.G.
  An anatomical study of the development of the septo-hippocampal projection in the rat, **8**, 343
Minier, L.N., see DeVries, G.H., **9**, 87
Mirmiran, M., Scholtens, J., Van De Poll, N.E., Uylings, H.B.M., Van Der Gugten, J. and Boer, G.J.
  Effects of experimental suppression of active (REM) sleep during early development upon adult brain and behavior in the rat, **7**, 277
Mirmiran, M., Uylings, H.B.M. and Corner, M.A.
  Pharmacological suppression of REM sleep prior to weaning counteracts the effectiveness of subsequent environmental enrichment on cortical growth in rats, **7**, 102
Mishra, P.R., Jain, V.K., Bijlani, V. and Grewal, M.S.
  DNA loss in the developing cerebellum of nervous mouse: a flow cytometric study, **6**, 193
Miskin, R., see Soreq, H., **7**, 257, **11**, 149
Mistretta, C.M. and Bradley, R.M.
  Developmental changes in taste responses from glossopharyngeal nerve in sheep and comparisons with chorda tympani responses, **11**, 107
Mithen, F., see Cornbrooks, C.J., **6**, 57
Miyata, Y.
  A new mutant mouse with motor neuron disease, **10**, 139
Møllgård, K., see Cavanagh, M.E., **11**, 159
Møllgård, K., see Jacobsen, M., **8**, 77
Molliver, M.E., see Unnerstall, J.R., **7**, 157
Monachello, M.P., see Burgess, J.W., **6**, 123
Moonen, G., Neale, E.A., Macdonald, R.L., Gibbs, W. and Nelson, P.G.
  Cerebellar macroneurons in microexplant cell culture. Methodology, basic electrophysiology, and morphology after horseradish peroxidase injection, **5**, 59
Moonen, G., see Macdonald, R.L., **5**, 75
Mooney, R.D. and Rhoades, R.W.
  Neonatal enucleation alters functional organization in hamster's lateral posterior nucleus, **9**, 399
Moran, T.H., Schwartz, G.J. and Blass, E.M.
  Stimulation-induced ingestion in neonatal rats, **7**, 197
Morgan, I.G., Oliver, J. and Chubb, I.W.
  The development of amacrine cells containing somatostatin-like immunoreactivity in chicken retina, **8**, 71
Morgane, P.J., see Resnick, O., **10**, 221
Morgane, P.J., see Stern, W.C., **9**, 95
Morreale De Escobar, G., see Ruiz-Marcos, A., **9**, 205
Morris, A.J. and Carey, E.M.
  Postnatal changes in the concentration of carnitine and acylcarnitines in rat brain, **8**, 381
Morris, G.L. and O'Shea, K.S.
  Anomalies of neuroepithelial cell associations in the Splotch mutant embryo, **9**, 408
Morrison, R.S. and De Vellis, J.
  Differentiation of purified astrocytes in a chemically defined medium, **9**, 337
Moshé, S.L., Albala, B.J., Ackermann, R.F. and Engel, J. Jr.
  Increased seizure susceptibility of the immature brain, **7**, 81
Moskowitz, M.A., see Gozes, Y., **6**, 93
Motomori-Suzaki, E., see Nomura, Y., **9**, 381
Mower, G.D., Burchfiel, J.L. and Duffy, F.H.
  Animal models of strabismic amblyopia: physiological studies of visual cortex and the lateral geniculate nucleus, **5**, 311
Mujoo, K., see Ali, M., **6**, 47
Mukherjea, M., see Chaudhuri, D., **10**, 143
Müller, T.H., see Unsicker, K., **9**, 369
Muniak, C.G., Kriebel, M.E. and Carlson, C.G.
  Changes in MEPP and EPP amplitude distributions in the mouse diaphragm during synapse formation and degeneration, **5**, 123
Murakami, D.M. and Wilson, P.D.
  The effect of monocular deprivation on cells in the C-laminae of the cat lateral geniculate nucleus, **9**, 353
Murphy, E.H., see Pearson, H.E., **9**, 241

N

Navarrete, R. and Vrbová, G.
  Changes of activity patterns in slow and fast muscles during postnatal development, **8**, 11
Neal, J., see Fedoroff, S., **7**, 303
Neale, E.A., see Brenneman, D.E., **9**, 13
Neale, E.A., see Macdonald, R.L., **5**, 75
Neale, E.A., see Moonen, G., **5**, 59
Negishi, K., Kato, S. and Teranishi, T.
  Development of retinal monoamine neurons in larval goldfish: a histofluorescence study, **10**, 111
Negishi, K., see Kato, S., **11**, 143
Nelson, P.G., see Brenneman, D.E., **9**, 13
Nelson, P.G., see Macdonald, R.L., **5**, 75
Nelson, P.G., see Moonen, G., **5**, 59
Ng, A.Y.K. and Stone, J.
  The optic nerve of the cat: appearance and loss of axons during normal development, **5**, 263
Ng, S.C., see Tsang, D., **5**, 257
Nicholls, J., see Zhang, R.-J., **8**, 131
Nilaver, G., see Beinfeld, M.C., **10**, 146
Nishio, H., Giacobini, E., Ortiz, J. and Del Carmen Gutierrez, M.
  Accumulation and metabolism of pipecolic acid in the developing brain of the mouse, **6**, 107
Noguchi, T., Sekiguchi, M., Sugisaki, T., Tsukada, Y. and Shimai, K.
  Faulty development of cortical neurons in the Snell dwarf cerebrum, **10**, 125
Nomura, Y., Yotsumoto, I., Motomori-Suzaki, E., Kawai, M. and Segawa, T.
  Influences of isoproterenol pretreatment on cerebral cortical bindings of [^{3}H]clonidine and [^{3}H]dihydroalprenolol in infant and adult rats, **9**, 381
Nussbaum, J.-L., see Roussel, G., **8**, 193

O

Oakes, S.G. and Pozos, R.S.
  Electrophysiologic effects of acute ethanol exposure. I. Alterations in the action potentials of dorsal root ganglia neurons in dissociated culture, **5**, 243
Oakes, S.G. and Pozos, R.S.
  Electrophysiologic effects of acute ethanol exposure. II. Alterations in the calcium component of action potentials from sensory neurons in dissociated culture, **5**, 251
Obata, K., see Tanaka, H., **9**, 390
O'Connell, M.M., see Lim, R., **5**, 29
O'Dorisio, T.M., see Beinfeld, M.C., **10**, 146
Okamura, H., Fukui, K., Koyama, E., Tsutou, H.L.O., Tsutou, T., Terubayashi, H., Fujisawa, H. and Ibata, Y.
  Time of vasopressin neuron origin in the mouse hypothalamus: examination by combined technique of immunocytochemistry and [^{3}H]thymidine autoradiography, **9**, 223
O'Leary, D.D.M., Gerfen, C.R. and Cowan, W.M.
  The development and restriction of the ipsilateral retinofugal projection in the chick, **10**, 93
Oliver, J., see Morgan, I.G., **8**, 71
Olivieri-Sangiacomo, C., Del Fà, A. and Gangitano, C.
  Developmental distributive pattern of acetylcholinesterase in chick embryo ciliary ganglion, **7**, 61
Olson, L., see Björklund, H., **6**, 131, **9**, 171
Olson, L., see Palmer, M., **6**, 141
Oomura, Y., see Shibata, S., **5**, 114
Ortiz, J., see Nishio, H., **6**, 107
Osborne, N.N., see Beale, R., **7**, 107
O'Shea, K.S., see Morris, G.L., **9**, 408
Ostrach, L.H., see Crabtree, J.W., **8**, 1

P

Palacios, J.M., see Unnerstall, J.R., **7**, 157
Palmer, M., Björklund, H., Olson, L. and Hoffer, B.
  Trophic effects of brain areas on the developing cerebral cortex: II. Electrophysiology of intraocular grafts, **6**, 141
Patel, A.J., Hunt, A. and Tahourdin, C.S.M.
  Regional development of glutamine synthetase activity in the rat brain and its association with the differentiation of astrocytes, **8**, 31
Patel, A.J., Hunt, A. and Tahourdin, C.S.M.
  Regulation of in vivo glutamine synthetase activity by glucocorticoids in the developing rat brain, **10**, 83
Patel, A.J., see Koppel, H.., **11**, 199
Payne, J.N. and Bower, A.J.
  Rat cerebellar afferents after unilateral pedunculotomy. A retrograde fluorescent double-labelling study, **11**, 124
Peacock, J.H. and Walker, C.R.
  Development of calcium action potentials in mouse hippocampal cell cultures, **8**, 39

Pearson, H.E.
Frequency specific effects of stroboscopic rearing in the visual cortex of the rabbit, **7**, 187
Pearson, H.E. and Murphy, E.H.
Effects of stroboscopic rearing on the response properties and laminar distribution of single units in the rabbit superior colliculus, **9**, 241
Pearson, K.J., see Sanderson, K.J., **5**, 161
Peck, C.K., see Wark, R.C., **5**, 218
Pellegrini, M., see Bagnoli, P., **10**, 243
Perlow, M.J., see Reier, P.J., **10**, 201
Peterson, E.R., see Heath, J.W., **5**, 238
Petit, T.L., see Alfano, D.P., **10**, 117
Pettmann, B., see Roussel, G., **8**, 193
Pevzner, L., see End, D., **7**, 131
Phelps, P.E., Adinolfi, A.M. and Levine, M.S.
Development of the kitten substantia nigra: a rapid Golgi study of the early postnatal period, **10**, 1
Pico, R.M., Keller, E., Cherkin, A. and Davis, J.L.
Brain glutamate inhibition and amnesia: evidence provided by proline analog action, **9**, 227
Pieringer, R.A., see Shanker, G., **6**, 169
Pinneau, M., see Miller, A.J., **8**, 205
Powell, S.L., see Westerfield, M., **10**, 301
Pozos, R.S., see Oakes, S.G., **5**, 243, **5**, 251
Premont, J., Daguet-de Montety, M.-C., Herbert, A., Glowinski, J., Bockaert, J. and Prochiantz, A.
Biogenic amines and adenosine-sensitive adenylate cyclases in primary cultures of striatal neurons, **9**, 53
Prochiantz, A., see Premont, J., **9**, 53
Pugh, W.W., see Stern, W.C., **9**, 95
Pujol, R., see Shnerson, A., **9**, 305
Pujol, R., see Uziel, A., **7**, 295
Puro, D.G.
Glucocorticoid regulation of synaptic development, **8**, 283
Puro, D.G.
Cholinergic transmission by embryonic retinal neurons in culture: inhibition by dopamine, **9**, 79
Puro, D.G., see Yeh, H.H., **10**, 63
Purpura, D.P., Bodick, N., Suzuki, K., Rapin, I. and Wurzelmann, S.
Microtubule disarray in cortical dendrites and neurobehavioral failure. I. Golgi and electron microscopic studies, **5**, 287
Purpura, D.P., see Bodick, N., **5**, 299
Puymirat, J., see Loudes, C., **9**, 231
Pysh, J.J., see Eckenhoff, M.F., **6**, 201

R

Rabié, A., see Faivre, C., **8**, 21
Racine, R.J., see Wilson, D.A., **7**, 271
Raine, C.S., see Heath, J.W., **5**, 238
Rapaport, D.H. and Stone, J.
The site of commencement of maturation in mammalian retina: observations in the cat, **5**, 273
Rapin, I., see Purpura, D.P., **5**, 287
Rauschecker, J.P.
Competition and orientation-dependent recovery from monocular deprivation in the kitten's striate cortex, **10**, 305
Rawdon, B.B. and Dockray, G.J.
Directional growth of sympathetic nerve fibres in vitro towards enteric smooth muscle and heart from mice with congenital aganglionic colon and their normal littermates, **7**, 53
Rebiere, A., Dainat, J. and Bisconte, J.C.
Autoradiographic study of neurogenesis in the duck olfactory bulb, **6**, 113
Reeber, A., see Dontenwill, M., **10**, 287
Regan, C., see Annunziata, P., **8**, 261
Reh, T.A. and Constantine-Paton, M.
Qualitative and quantitative measures of plasticity during the normal development of the *Rana pipiens* retinotectal projection, **10**, 187
Reier, P.J., Perlow, M.J. and Guth, L.
Development of embryonic spinal cord transplants in the rat, **10**, 201
Reinoso-Suárez, F., see Cano, J., **5**, 199
Resnick, O. and Morgane, P.J.
Animal models for small-for-gestational-age (SGA) neonates and infants-at-risk (IAR), **10**, 221
Reynolds, M.L., see Cavanagh, M.E., **11**, 159
Reynolds, M.L., see Jacobsen, M., **8**, 77
Rhoades, R.W., Fiore, J.M., Math, M.F. and Jacquin, M.F.
Reorganization of trigeminal primary afferents following neonatal infraorbital nerve section in hamster, **7**, 337
Rhoades, R.W., see Mooney, R.D., **9**, 399
Ricci, G.F., see Cherubini, E., **9**, 69
Riddle, P.N., see Wilkin, G.P., **10**, 265
Rieser, G., see Lemmon, V., **11**, 191
Roberts, A., see Akeson, R.A., **7**, 327
Rodman, J.S., see Akeson, R.A., **7**, 327
Rogers, L.J., see Zappia, J.V., **11**, 93
Rosen, G.D., Berrebi, A.S., Yutzey, D.A. and Denenberg, V.H.
Prenatal testosterone causes shift of asymmetry in neonatal tail posture of the rat, **9**, 99
Rosenbluth, J., see Tao-Cheng, J.-H., **9**, 251
Rosengren, L., see Björklund, H., **9**, 171
Rothe, F., Schmidt, W. and Wolf, G.
Postnatal changes in the activity of glutamate dehydrogenase and aspartate

aminotransferase in the rat nervous system with special reference to the glutamate transmitter metabolism, **11**, 67
Roussel, G., Sensenbrenner, M., Labourdette, G., Wittendorp-Rechenmann, E., Pettmann, B. and Nussbaum, J.-L.
An immunohistochemical study of two myelin-specific proteins in enriched oligodendroglial cell cultures combined with an autoradiographic investigation using [^{3}H]thymidine, **8**, 193
Roussel, G., see Dontenwill, M., **10**, 287
Ruiz-Marcos, A., Salas, J., Sanchez-Toscano, F., Escobar Del Rey, F. and Morreale De Escobar, G.
Effect of neonatal and adult-onset hypothyroidism on pyramidal cells of the rat auditory cortex, **9**, 205
Rush, R.A., see Belford, D.A., **6**, 304

S

Safran, A., see Soreq, H., **10**, 73
Sahib, M.K., see Ali, M., **6**, 47, **6**, 314
Salas, J., see Ruiz-Marcos, A., **9**, 205
Saltarelli, M., see Toran-Allerand, C.D., **7**, 97
Sanchez-Toscano, F., see Ruiz-Marcos, A., **9**, 205
Sanderson, K.J., Dixon, P.G. and Pearson, K.J.
Postnatal development of retinal projections in the brushtailed possum, *Trichosurus vulpecula*, **5**, 161
Sano, M. and Kitajima, S.
Ontogeny of calmodulin and calmodulin-dependent adenylate cyclase in rat brain, **7**, 215
Sapirstein, V.S.
Development of membrane-bound carbonic anhydrase and glial fibrillary acidic protein in normal and quaking mice, **6**, 13
Sarkar, P.K., see Chaudhury, S., **9**, 291
Sarthy, P.V. and Hilbush, B.S.
Lucifer yellow uptake in developing rat retina: selective staining of horizontal cells, **11**, 275
Sarthy, P.V. and Lam, D.M.K.
Retinal regeneration in the adult newt, *Notophthalamus viridescens:* appearance of neurotransmitter synthesis and the electroretinogram, **6**, 99
Sasaki, S., see Bodick, N., **5**, 299
Saucier, D., see Astic, L., **10**, 257
Sauls, C.D., see Thampy, K.G., **8**, 101
Saunders, N.R., see Cavanagh, M.E., **11**, 159
Saunders, N.R., see Jacobsen, M., **8**, 77
Schachter, B.S. and Toran-Allerand, C.D.
Intraneuronal α-fetoprotein and albumin are not synthesized locally in developing brain, **5**, 93
Schmidt, R., see Unsicker, K., **9**, 369
Schmidt, R.H., Björklund, A., Lindvall, O. and Lorén, I.
Prefrontal cortex: dense dopaminergic input in the newborn rat, **5**, 222
Schmidt, W., see Rothe, F., **11**, 67
Schoemaker, J., see Hompes, P.G.A., **5**, 281
Schoenfeld, T.A., see Corwin, J.V., **8**, 89
Scholtens, J., see Mirmiran, M., **7**, 277
Schwab, M.E., see Gnahn, H., **9**, 45
Schwab, M.E., see Turner, J.E., **6**, 77
Schwark, H.D., see Brunjes, P.C., **5**, 149
Schwartz, G.J., see Moran, T.H., **7**, 197
Scott, T.M., see Krukoff, T.L., **9**, 359
Segawa, T., see Nomura, Y., **9**, 381
Segovia, S., Del Cerro, M.C.R. and Guillamon, A.
Effects of neonatal thyroidectomy on the development of the vomeronasal organ in the rat, **5**, 206
Segovia, S. and Guillamón, A.
Effects of sex steroids on the development of the vomeronasal organ in the rat, **5**, 209
Seiden, L.S., see Heffner, T.G., **9**, 29
Seiden, L.S., see Miller, F.E., **6**, 91
Seiger, Å., see Björklund, H., **6**, 131
Sekiguchi, M., see Noguchi, T., **10**, 125
Selak, I., Skaper, S.D. and Varon, S.
Age-dependent requirements of sympathetic neurons in serum-free culture, **7**, 171
Sensenbrenner, M., see Roussel, G., **8**, 193
Shanker, G. and Pieringer, R.A.
Effect of thyroid hormones on the synthesis of sialosyl galactosylceramide (GM$_4$) in myelinogenic cultures of cells dissociated from embryonic mouse brain, **6**, 169
Sharp, F.R. and Evans, K.L.
Bilateral [^{14}C]2-deoxyglucose uptake by motor pathways after unilateral neonatal cortex lesions in the rat, **6**, 1
Shaw, C., see Wilkinson, M., **7**, 349
Sher, P.K.
Development and differentiation of the benzodiazepine receptor in cultures of fetal mouse spinal cord, **7**, 343
Sherman, S.M., see Wilson, J.R., **8**, 53
Shibata, S., Oomura, Y. and Kita, H.
Ontogenesis of glucose sensitivity in the rat lateral hypothalamus: a brain slice study, **5**, 114
Shiga, T., see Ichikawa, M., **9**, 181
Shimada, Y., see Ishikawa, Y., **5**, 187, **8**, 111
Shimai, K., see Noguchi, T., **10**, 125
Shimai, K., see Terada, S., **11**, 219
Shnerson, A., Lenoir, M., Van de Water, T.R. and Pujol, R.
The pattern of sensorineural degeneration in the cochlea of the deaf shaker-1 mouse: ultrastructural observations, **9**, 305
Silverstein, R., see Miller, A.J., **8**, 205
Skaper, S.D., see Selak, I., **7**, 171

Sluiter, A.A., see De Vries, G.J., **8**, 377

Small, R.K. and Leonard, C.M.
Early recovery of function after olfactory tract section correlated with reinnervation of olfactory tubercle, **7**, 25

Smith, R.M., see King, R.A., **7**, 287

Smolen, A.J., see Wright, L.L., **6**, 299, **8**, 145

Soreq, H. and Miskin, R.
Plasminogen activator in the developing rat cerebellum: biosynthesis and localization in granular neurons, **11**, 149

Soreq, H., Miskin, R., Zutra, A. and Littauer, U.Z.
Modulation in the levels and localization of plasminogen activator in differentiating neuroblastoma cells, **7**, 257

Soreq, H., Safran, A. and Eliyahu, D.
Modified composition of major ontogenetically regulated mRNAs and proteins in the cerebellum of old and of staggerer mice, **10**, 73

Speiser, Z., see Hershkowitz, M., **7**, 147

Spira, M.E. and Yarom, Y.
Functional elimination of afferent pathways and decreased safety factor during postembryonic development of cockroach giant interneurons, **8**, 311

Spira, M.E., see Yarom, Y., **8**, 321

Spohr, H.L., see Stoltenburg-Didinger, G., **11**, 119

Stern, W.C., Pugh, W.W., Johnson, A. and Morgane, P.J.
Spontaneous forebrain neuronal activity in developmentally protein malnourished rats, **9**, 95

Stevens, J.K., see Bodick, N., **5**, 299

Stewart, W.B., Greer, C.A. and Teicher, M.H.
The effect of intranasal zinc sulfate treatment on odor-mediated behavior and on odor-induced metabolic activity in the olfactory bulbs of neonatal rats, **8**, 247

Stirling, R.V. and Brändle, K.
Expansion of the visual projection to the tectum of axolotls during metamorphosis, **5**, 343

Stoltenburg-Didinger, G. and Spohr, H.L.
Fetal alcohol syndrome and mental retardation: spine distribution of pyramidal cells in prenatal alcohol-exposed rat cerebral cortex: a Golgi study, **11**, 119

Stone, J., see Ng, A.Y.K., **5**, 263

Stone, J., see Rapaport, D.H., **5**, 273

Strom, T.B., see Gozes, Y., **6**, 93

Subrahmanyan, L., see Fedoroff, S., **7**, 303

Suda, K., see Tsumoto, T., **11**, 29

Sugisaki, T., see Noguchi, T., **10**, 125

Sunde, N.Aa. and Zimmer, J.
Cellular, histochemical and connective organization of the hippocampus and fascia dentata transplanted to different regions of immature and adult rat brains, **8**, 165

Suzuki, K., see Purpura, D.P., **5**, 287

Suzuki, Y., Ishii, H. and Arai, Y.
Prenatal exposure of male mice to androgen increases neuron number in the hypogastric ganglion, **10**, 151

T

Tahourdin, C.S.M., see Patel, A.J., **8**, 31, **10**, 83

Takamatsu, K., see Mikoshiba, K., **7**, 71

Tanaka, H.
In vitro survival of chick embryo spinal neurons capable of forming synapses on skeletal muscle cells, **6**, 85

Tanaka, H. and Obata, K.
Survival of HRP-labeled spinal motoneurons of chick embryo in tissue and cell cultures, **9**, 390

Tao-Cheng, J.-H. and Rosenbluth, J.
Axolemmal differentiation in myelinated fibers of rat peripheral nerves, **9**, 251

Teicher, M.H., see Stewart, W.B., **8**, 247

Terada, S., Shimai, K., Mikoshiba, K. and Tsukada, Y.
Postnatal developments of AChE activity in the hippocampus of the reeler mutant mouse, **11**, 219

Teranishi, T., see Negishi, K., **10**, 111

Ternaux, J.P., see Daszuta, A., **7**, 87

Terubayashi, H., see Okamura, H., **9**, 223

Tessin, D.E., see Wilson, J.R., **8**, 53

Thampy, K.G., Sauls, C.D., Brinkley, B.R. and Barnes, E.M. Jr.
Neurons from chick embryo cerebrum: ultrastructural and biochemical development in vitro, **8**, 101

Thangnipon, W., Kingsbury, A., Webb, M. and Balazs, R.
Observations on rat cerebellar cells in vitro: influence of substratum, potassium concentration and relationship between neurones and astrocytes, **11**, 177

Thiery, J.-P., see Vincent, M., **9**, 235

Thoenen, H., see Edgar, D., **5**, 89

Thoenen, H., see Gnahn, H., **9**, 45

Thoenen, H., see Turner, J.E., **6**, 77

Tholey, G., see Kamp, G., **11**, 1

Tilders, F.J.H., see Hompes, P.G.A., **5**, 281

Timney, B.
The effects of early and late monocular deprivation on binocular depth perception in cats, **7**, 235

Tixier-Vidal, A., see Loudes, C., **9**, 231

Toran-Allerand, C.D.
Regional differences in intraneuronal localization of alpha-fetoprotein in developing mouse brain, **5**, 213

Toran-Allerand, C.D., Hashimoto, K., Greenough, W.T. and Saltarelli, M.
Sex steroids and the development of the newborn mouse hypothalamus and preoptic

area in vitro: III. Effects of estrogen on dendritic differentiation, **7**, 97
Toran-Allerand, C.D., see Friedman, W.J., **11**, 19
Toran-Allerand, C.D., see Gerlach, J.L., **11**, 7
Toran-Allerand, C.D., see Schachter, B.S., **5**, 93
Trouvé, R., see Lefauconnier, J.-M., **6**, 175
Trune, D.R.
  Influence of neonatal cochlear removal on the development of mouse cochlear nucleus. III. Its efferent projections to inferior colliculus, **9**, 1
Tsang, D., Ng, S.C., Ho, K.P. and Ho, W.K.K.
  Ontogenesis of opiate binding sites and radioimmunoassayable β-endorphin and enkephalin in regions of rat brain, **5**, 257
Tsukada, Y., see Mikoshiba, K., **7**, 71
Tsukada, Y., see Noguchi, T., **10**, 125
Tsukada, Y., see Terada, S., **11**, 219
Tsumoto, T. and Suda, K.
  Postnatal development of corticotectal neurons in the kitten striate cortex: an electrophysiological study, **11**, 29
Tsutou, H.L.O., see Okamura, H., **9**, 223
Tsutou, T., see Okamura, H., **9**, 223
Turner, J.E., Barde, Y.-A., Schwab, M.E. and Thoenen, H.
  Extract from brain stimulates neurite outgrowth from fetal rat retinal explants, **6**, 77

U

Uchwat, C.J., see Crossland, W.J., **5**, 99, **6**, 33
Ulfhake, B., see Cullheim, S., **5**, 234
Unnerstall, J.R., Molliver, M.E., Kuhar, M.J. and Palacios, J.M.
  Ontogeny of opiate binding sites in the hippocampus, olfactory bulb and other regions of the rat forebrain by autoradiographic methods, **7**, 157
Unsicker, K. and Hofmann, H.-D.
  Phenotypic plasticity of cultured bovine chromaffin cells. I. Morphological changes induced by non-chromaffin cells and organ extracts, but not by mouse and bovine nerve growth factor, **7**, 41
Unsicker, K., Hofmann, H.-D., Höhne, I., Müller, T.H. and Schmidt, R.
  Phenotypic plasticity of cultured bovine chromaffin cells. II. Fiber outgrowth induced by elevated potassium: morphology and ionic requirements, **9**, 369
Unsicker, K., see Ziegler, W., **7**, 353
Uylings, H.B.M., see Mirmiran, M., **7**, 102, **7**, 277
Uziel, A., Pujol, R., Legrand, C. and Legrand, J.
  Cochlear synaptogenesis in the hypothyroid rat, **7**, 295

V

Valentino, K.L., Jones, E.G. and Kane, S.A.
  Expression of GFAP immunoreactivity during development of long fiber tracts in the rat CNS, **9**, 317
Van De Poll, N.E., see Mirmiran, M., **7**, 277
Van de Water, T.R., see Shnerson, A., **9**, 305
Van Der Gugten, J., see Mirmiran, M., **7**, 277
Vanhems, E. and Girardie, J.
  Undifferentiated cells present in the pars intercerebralis of larval and adult locusts are glial precursors. Autoradiographic and ultrastructural study in vivo and in vitro, **10**, 177
Varon, S., see Adler, R., **6**, 69
Varon, S., see Selak, I., **7**, 171
Varró, A., Bu'Lock, A.J., Williams, R.G. and Dockray, G.J.
  Regional differences in the development of cholecystokinin-like activity in rat brain, **9**, 347
Vermes, I., see Hompes, P.G.A., **5**, 281
Vernadakis, A., see Gibson, D.A., **8**, 61
Verney, C., Berger, B., Adrien, J., Vigny, A. and Gay, M.
  Development of the dopaminergic innervation of the rat cerebral cortex. A light microscopic immunocytochemical study using anti-tyrosine hydroxylase antibodies, **5**, 41
Vigny, A., see Verney, C., **5**, 41
Vincendon, G., see Dontenwill, M., **10**, 287
Vincent, M., Duband, J.-L. and Thiery, J.-P.
  A cell surface determinant expressed early on migrating avian neural crest cells, **9**, 235
Vinogradova, O.S., see Bragin, A.G., **10**, 279
Vinores, S.A., Marangos, P.J. and Ko, L.
  Butyrate-induced increase in neuron-specific enolase and ornithine decarboxylase in anaplastic glioma cells, **5**, 23
Vrbová, G., see Navarrete, R., **8**, 11

W

Wahlsten, D.
  Mice in utero while their mother is

lactating suffer higher frequency of deficient corpus callosum, **5**, 354

Wahlsten, D.
  Maternal effects on mouse brain weight, **9**, 215

Walker, C.R., see Peacock, J.H., **8**, 39

Wark, R.C. and Peck, C.K.
  Behavioral consequences of early visual exposure to contours of a single orientation, **5**, 218

Webb, M., see Thangnipon, W., **11**, 177

Weber, D.A., see Holmes, G.L., **11**, 312

Weinstein, L.A., see Landis, D.M.D., **8**, 231

Westerfield, M. and Powell, S.L.
  Selective reinnervation of limb muscles by regenerating frog motor axons, **10**, 301

Wetts, R. and Herrup, K.
  Direct correlation between Purkinje and granule cell number in the cerebella of lurcher chimeras and wild-type mice, **10**, 41

White, F.P., see Currie, R.W., **11**, 308

White, R., see Fedoroff, S., **7**, 303

White, S.R., see Currie, R.W., **11**, 308

Wilkin, G.P., Levi, G., Johnstone, S.R. and Riddle, P.N.
  Cerebellar astroglial cells in primary culture: expression of different morphological appearances and different ability to take up [^{3}H]D-aspartate and [^{3}H]GABA, **10**, 265

Wilkin, G.P., see Levi, G., **10**, 227

Wilkinson, M., Shaw, C., Khan, I. and Cynader, M.
  Ontogenesis of β-adrenergic binding sites in kitten visual cortex and the effects of visual deprivation, **7**, 349

Williams, R.G., see Varró, A., **9**, 347

Wilson, D.A. and Racine, R.J.
  The postnatal development of post-activation potentiation in the rat neocortex, **7**, 271

Wilson, J.R., Tessin, D.E. and Sherman, S.M.
  Development of cell size in the medial interlaminar nucleus of normal and monocularly deprived kittens, **8**, 53

Wilson, P.D., see Murakami, D.M., **9**, 353

Winfield, D.A.
  The effect of visual deprivation upon the Meynert cell in the striate cortex of the cat, **5**, 53

Winfield, D.A.
  The postnatal development of synapses in the different laminae of the visual cortex in the normal kitten and in kittens with eyelid suture, **9**, 155

Witte, D. and Gottlieb, D.I.
  Time of appearance and tissue distribution of a cell surface antigen in early chick development, **9**, 63

Wittendorp-Rechenmann, E., see Roussel, G., **8**, 193

Wolf, G., see Rothe, F., **11**, 67

Wolf, W., see Albus, K., **6**, 308

Wolff, J.R., see Balcar, V.J., **10**, 309

Wong, A. and Jones, D.G.
  The effects of calcium on the surface characteristics of dissociated fetal mouse cerebral cells: morphological aspects, **6**, 259

Woodward, D.J., see Yeh, H.H., **10**, 49, **11**, 207

Wright, L.L. and Smolen, A.J.
  Effects of 17-β-estradiol on developing superior cervical ganglion neurons and synapses, **6**, 299

Wright, L.L. and Smolen, A.J.
  Neonatal testosterone treatment increases neuron and synapse numbers in male rat superior cervical ganglion, **8**, 145

Wurzelmann, S., see Purpura, D.P., **5**, 287

Y

Yamagishi, S., see Furuya, K., **11**, 229

Yanai, J., see Fishman, R.H.B., **5**, 202

Yarom, Y. and Spira, M.E.
  Morphological and electrophysiological properties of giant interneurons during the postembryonic development of the cockroach CNS, **8**, 321

Yarom, Y., see Spira, M.E., **8**, 311

Yeh, H.H., Battelle, B.-A. and Puro, D.G.
  Maturation of neurotransmission at cholinergic synapses formed in culture by rat retinal neurons: regulation by cyclic AMP, **10**, 63

Yeh, H.H. and Woodward, D.J.
  Noradrenergic action in the developing rat cerebellum: interaction between norepinephrine and γ-aminobutyric acid applied microiontophoretically to immature Purkinje cells, **10**, 49

Yeh, H.H. and Woodward, D.J.
  Noradrenergic action in the developing rat cerebellum: interaction between norepinephrine and synaptically-evoked responses of immature Purkinje cells, **11**, 207

Yotsumoto, I., see Nomura, Y., **9**, 381

Yu, R.K., see Cochran, F.B., **6**, 7

Yutzey, D.A., see Rosen, G.D., **9**, 99

Z

Zambrano, C.H. and Hyndman, A.G.
  A diffusible molecule may mediate glutamate neurotoxicity, **9**, 396

Zanetta, J.P., see Dontenwill, M., **10**, 287
Zappia, J.V. and Rogers, L.J.
  Light experience during development affects asymmetry of forebrain function in chickens, **11**, 93
Zhang, R.-J. and Nicholls, J.
  Identified neurons implanted into leech ganglia sprout and form synaptic connections, **8**, 131
Ziegler, W., Hofmann, H.-D. and Unsicker, K.
  Rat adrenal non-chromaffin cells contain a neurite outgrowth-promoting factor immunologically different from nerve growth factor, **7**, 353
Zimmer, J., see Sunde, N.Aa., **8**, 165
Zimmerman, I., see Baumgold, J., **9**, 405
Zimmerman, T.R. Jr., see Cammer, W., **6**, 21
Zutra, A., see Soreq, H., **7**, 257

DEVELOPMENTAL BRAIN RESEARCH
SUBJECT INDEX
1983
VOLUMES 5–11

A

cAMP analogues
Retinal neurons; Development; Neurotransmission; Regulation; Acetylcholine; Glutamate; Retina-muscle co-culture (Yeh, H.H.) **10**, 63

Accumulation
Pipecolic acid; Brain; Metabolism (Nishio, H.) **6**, 107

Acetylcholine
Cell culture; Explants; Retina; Dopamine; Synaptic function (Puro, D.G.) **9**, 79

Retinal neurons; Development; Neurotransmission; Regulation; cAMP analogues; Glutamate; Retina-muscle co-culture (Yeh, H.H.) **10**, 63

Hippocampus; Dentate gyrus; Lead; Plasticity; Development (Alfano, D.P.) **10**, 117

Acetylcholine esterase
Somatosensory; Visual; Serotonin; Plasticity; Salamander; Tectum; Critical period (Harris, W.A.) **7**, 245

Acetylcholine receptor
Neuromuscular junction; Cholinesterase; Development; Muscle; Chicken; Neurotoxin; Fluorescence microscopy (Ishikawa, Y.) **5**, 187

Neuromuscular junction; Neuron-specific antibody; Neurotoxin; Nerve terminal; Development; Fluorescence microscopy (Ishikawa, Y.) **8**, 111

Acetylcholinesterase
Amphibian; Tadpole; Spinal cord development; Primary neurons; Choline acetyltransferase (Farel, P.B.) **8**, 27

Hippocampal development; Septal nuclei; Septohippocampal projection (Milner, T.A.) **8**, 343

Cholinergic receptors; Somatosensory cortex; Brain development (Kristt, D.A.) **8**, 373

Reeler mutant mouse; Hippocampus; Dentate gyrus; Development; Plasticity (Terada, S.) **11**, 219

Acetylcholinesterase cytochemistry
Synaptogenesis; Embryonic development; Ciliary ganglion (Olivieri-Sangiacomo, C.) **7**, 61

l-*α*-Acetylmethadol
Methadone; Morphine; Embryonic neurotoxicity; Opiate receptors; Chick embryo (Gibson, D.A.) **8**, 61

Acomys cahirinus
Olfactory bulb; Development; Murid rodents (Brunjes, P.C.) **8**, 335

Action potentials
Ethanol; Calcium ion; Nerve cell culture; Electrophysiology; Ionic current blockers (Oakes, S.G.) **5**, 243

Ethanol; Calcium current; Nerve cell culture; Electrophysiology; Presynaptic model (Oakes, S.G.) **5**, 251

Calcium; Mouse; Hippocampus; Neurons; Cell cultures; Development (Peacock, J.H.) **8**, 39

Active sleep
Clonidine; Differential environment; Cortical development; Infant rats (Mirmiran, M.) **7**, 102

Active sleep deprivation
Clomipramine; Clonidine; Pendulum technique; Infant rats; Brain development (Mirmiran, M.) **7**, 277

Acuity
Visual perception; Visual deprivation; Cat (Wark, R.C.) **5**, 218

Acylcarnitines, concentration-development
Carnitine, total free; Short-chain, long chain; Rat brain (Morris, A.J.) **8**, 381

Adenosine receptor
Adenylate cyclase; Biogenic amine receptors; Striatal neurons; Primary cultures (Premont, J.) **9**, 53

Adenylate cyclase
Calmodulin; Rat brain; β-Adrenergic receptor; Postnatal development; Fluoride; Guanine nucleotide (Sano, M.) **7**, 215

Biogenic amine receptors; Adenosine receptor; Striatal neurons; Primary cultures (Premont, J.) **9**, 53

Adrenal chromaffin cells
Neurite outgrowth; Nerve growth factor-like factors; Culture; PC 12 cells (Ziegler, W.) **7**, 353

β-Adrenergic receptor
Adenylate cyclase; Calmodulin; Rat brain; Postnatal development; Fluoride; Guanine nucleotide (Sano, M.) **7**, 215

β- and α_2-Adrenoceptors
$[^3H]$Clonidine binding; $[^3H]$DHA binding; Isoproterenol; Development; Cerebral cortical membranes (Nomura, Y.) **9**, 381

β-Adrenoreceptors
Cat visual cortex (Wilkinson, M.) **7**, 349

Aggregating cell culture
Epidermal growth factor; Brain cell culture; Glial differentiation; Glutamine synthetase (Honegger, P.) **11**, 245

Epidermal growth factor; Brain cell culture; Extracellular proteins (Guentert-Lauber, B.) **11**, 253

Aging
Development; Translation in vitro; Cerebellum; Staggerer; 2-Dimensional gel electrophoresis (Soreq, H.) **10**, 73

Nuclear envelope invagination; Facial motor neurons; Development; Hamster; Morphometry (LaVelle, A.) **10**, 171

β-Agonists
β-Receptor; Brain culture; Neuronal development; Glia-neuron communication; Glial conditioned medium (Maderspach, K.) **6**, 251

Agranular cerebellum
Plasminogen activator molecular forms; Granular neuron migration; mRNA; Autoradiography; X-irradiation (Soreq, H.) **11**, 149

Albino
Salamander; Retina; Tectum; Embryonic transplantation; Autoradiography; Neural projection (Cole, J.) **5**, 346

Optic projection; Rat; Retino-tectal development; Embryo (Bunt, S.M.) **6**, 149

Albumin
α-Fetoprotein; Brain development; Recombinant DNA; Brain mRNA; Protein synthesis; CNS cultures (Schachter, B.S.) **5**, 93

Amacrine cells
Retina; Somatostatin (Morgan, I.G.) **8**, 71

Amblyopia
Visual cortex; Lateral geniculate nucleus; Spatial resolution; Strabismus; Cat (Mower, G.D.) **5**, 311

Amines
Development; Brainstem; Rabbit; Control of breathing; Serotonin (McNamara, M.C.) **7**, 181

Amino acid
Cerebellar macroneurons; Microexplant; Purkinje cells; HRP (Macdonald, R.L.) **5**, 75

Amino acids
Biological transport; Blood-brain barrier; Development (Lefauconnier, J.-M.) **6**, 175

Amino acid uptake
Astroglial cells; GABA; D-aspartate; Autoradiography; Astrocyte morphologies (Levi, G.) **10**, 227

Ammonia
Glutamate inhibition; Memory; Amnesia; Proline; Proline analogs (Pico, R.M.) **9**, 227

Amnesia
Glutamate inhibition; Memory; Proline; Proline analogs; Ammonia (Pico, R.M.) **9**, 227

cAMP
Trophic effect; Neurotransmitter; L-Norepinephrine; Choline acetyltransferase; Spinal cord; Cell culture (Ishida, I.) **7**, 13

Amphibian
Tadpole; Spinal cord development; Primary neurons; Acetylcholinesterase; Choline acetyltransferase (Farel, P.B.) **8**, 27

Amygdala
α-Fetoprotein; Immunocytochemistry; Brain development; Hypothalamus; Preoptic area; Estrogen receptors (Toran-Allerand, C.D.) **5**, 213

Kindling; Seizures; Epilepsy; Rat; Newborn animal (Moshé, S.L.) **7**, 81

Anaplastic glioma
Neuron-specific enolase; Sodium butyrate; Ornithine decarboxylase; Neural differentiation; Nerve growth factor (Vinores, S.A.) **5**, 23

Anatomical plasticity
Neonatal lesions; Corticospinal tract; Brainstem-spinal pathways; Recovery of function; Retrograde cell death (Bregman, B.S.) **9**, 137

Androgens
Bulbocavernosus; Levator ani; Motoneuron; Sexual dimorphism; Spinal cord; Thymidine (Breedlove, S.M.) **9**, 39

Animal studies
Fetal alcohol syndrome; Mental retardation; Pyramidal neurons; Dendritic spine distribution; Golgi-impregnation (Stoltenburg-Didinger, G.) **11**, 119

Anosmia
Olfactory bulb development; 2-Deoxyglucose (Stewart, W.B.) **8**, 247

Anti-glutamine synthetase antibody
Glucocorticoids; Regulation of glutamine synthetase; Brain development; Corticosterone; Cerebellum; Olfactory bulbs; Forebrain; Dexamethasone (Patel, A.J.) **10**, 83

Area 18
Monocular deprivation; Cat visual cortex; Binocularity (Hirsch, H.V.B.) **8**, 140

D-Aspartate
Retina; Cell culture; GABA; Glycine; Autoradiography; Cell identification (Beale, R.) **7**, 107

Aspartate aminotransferase
Glutamate dehydrogenase; Hippocampal formation; Cerebellar cortex; Dorsal root ganglion; Superior cervical ganglion; Liver; Glutamatergic transmission (Rothe, F.) **11**, 67

Astroblasts
Astrocytes; Reactive astrocyte-like; Tissue culture; Transplantation; Glial fibrillary acidic protein; Nuclear morphometry (Doering, L.C.) **6**, 183

Astrocyte morphologies
Astroglial cells; GABA; D-aspartate; Amino acid uptake; Autoradiography (Levi, G.) **10**, 227

Astrocytes
Brain cells; Growth factor; Differentiation; Development; Tissue culture (Lim, R.) **5**, 29

Astroblasts; Reactive astrocyte-like; Tissue culture; Transplantation; Glial fibrillary acidic protein; Nuclear morphometry (Doering, L.C.) **6**, 183

Differentiation; Intermediate filaments; Tissue culture; Immunofluorescence; Electron microscopy (Fedoroff, S.) **7**, 303

Intracephalic transplants; Cortex cerebri; Glial fibrillary acidic protein; S-100 Protein; Image analysis (Björklund, H.) **9**, 171

Growth factors; Differentiation; Glial fibrillary acidic protein; CNS; Cell culture (Morrison, R.S.) **9**, 337

Cerebellum; Tissue culture; Neuronal survival; Potassium; Polycation substratum (Thangnipon, W.) **11**, 177

Astrocytic proteins
Glutamine synthetase regional development; Olfactory bulbs; Forebrain; Cerebellum; Maturation (Patel, A.J.) **8**, 31

Astroglia
Gliogenesis; Human fetus; Spinal cord; Radial glia; Oligodendroglia; Myelinogenesis (Choi, B.H.) **8**, 119

Astroglial cell cultures
Uptake of amino acids; GABA; D-aspartate; Neurotransmitters; Autoradiography; Different astroglial morphologies (Wilkin, G.P.) **10**, 265

Astroglial cells
GABA; D-aspartate; Amino acid uptake; Autoradiography; Astrocyte morphologies (Levi, G.) **10**, 227

Attack and copulation
Functional lateralization; Chicken forebrain; Glutamate; Light exposure; Embryonic development (Zappia, J.V.) **11**, 93

Autoradiography
Brushtailed possum; Development of retinal pathways; Lateral geniculate nucleus; Superior colliculus (Sanderson, K.J.) **5**, 161

Albino; Salamander; Retina; Tectum; Embryonic transplantation; Neural projection (Cole, J.) **5**, 346

Duck olfactory bulb; Neurogenesis (Rebiere, A.) **6**, 113

Retina; Tectum; Regeneration; Ocular dominance columns; Goldfish; Development (Meyer, R.L.) **6**, 279

Retina; Cell culture; GABA; Glycine; D-Aspartate; Cell identification (Beale, R.) **7**, 107

Plasminogen activator; Neuroblastoma cells; Glioma cells; Differentiation; Neurites; Growth cones (Soreq, H.) **7**, 257

Glial cell cultures; Oligodendrocytes; Immunofluorescence; W1 Wolfgram protein; Myelin basic proteins (Roussel, G.) **8**, 193

Postnatal glial proliferation; Inside-out pattern; Rat parietal cortex; Electron microscopy (Ichikawa, M.) **9**, 181

Vasopressin neuron; Neurogenesis; Supraoptic nucleus; Paraventricular nucleus; Suprachiasmatic nucleus; Immunocytochemistry (Okamura, H.) **9**, 223

Cerebral glioblasts; Postembryonic life; Locust; Culture; Microscopy (Vanhems, E.) **10**, 177

Astroglial cells; GABA; D-aspartate; Amino acid uptake; Astrocyte morphologies (Levi, G.) **10**, 227

Astroglial cell cultures; Uptake of amino acids; GABA; D-aspartate; Neurotransmitters; Different astroglial morphologies (Wilkin, G.P.) **10**, 265

Chronic fetal preparation; Brain metabolism; 2-Deoxyglucose (Day, M.A.) **11**, 133

Plasminogen activator molecular forms; Agranular cerebellum; Granular neuron migration; mRNA; X-irradiation (Soreq, H.) **11**, 149

Autoradiography of receptors
Opiate receptors; Development; Olfactory bulb; Hippocampus; Neocortex; Striatum (Unnerstall, J.R.) **7**, 157

Avian embryo
Neural crest; Peripheral nervous system; Monoclonal antibody; Ciliary ganglion (Vincent, M.) **9**, 235

Avian visual system
Ipsilateral retinofugal projection; Retinotectal system; Process elimination; Cell death; Wheat germ agglutinin-conjugated HRP (O'Leary, D.D.M.) **10**, 93

Axolemma fractions
Cultured Schwann cells; Mitogenesis; Cell cycle analysis (DeVries, G.H.) **9**, 87

Axolotls
Retinotectal system; Metamorphosis (Stirling, R.V.) **5**, 343

Axon
Node of Ranvier; Intercellular junctions; Differentiation; Peripheral nerve; Myelin; Freeze-fracture; Cell membrane (Tao-Cheng, J.-H.) **9**, 251

Axonal guidance
Regeneration; Motoneuron; Spinal cord; Peripheral nerve (Westerfield, M.) **10**, 301

Axonal pathways
Development; Visual cortex; Transitory macrophages; Kitten (Innocenti, G.M.) **11**, 55

Axon collaterals
Postnatal development; Synapse elimination; Motoneurons; Spinal cord; HRP; Intracellular staining (Cullheim, S.) **5**, 234

Axon elongation
Ganglion cell; Retina; Optic lobe; Tissue culture; Chick embryo (Carri, N.G.) **6**, 219

Axon/Schwann cell
Mutant mice; Dystrophy; Myelin; Internode; Differentiation; Peripheral nerves; Sensory nerves (Jaros, E.) **6**, 231

B

BALB/c mouse
Corpus callosum; Brain weight; Maternal environment; Lactation (Wahlsten, D.) **5**, 354

Baroreceptor reflex
Nucleus tractus solitarius; Metabolism; Neuronal densities; Exchange vessels (Krukoff, T.L.) **9**, 359

Basal lamina
Murine muscular dystrophy; Neurogenic defects; Neuron; Schwann cell; Ensheathment (Cornbrooks, C.J.) **6**, 57

Behavioral development
Locomotion; Dopamine; Hyperkinesis (Miller, F.E.) **6**, 91

Benzodiazepine
Spinal cord; Receptor; Development (Sher, P.K.) **7**, 343

Benzodiazepine receptor
Cultured neurons; Chick embryo cerebrum; Microtubules; Synapses; Glutamate decarboxylase; GABA receptor (Thampy, K.G.) **8**, 101

Binocularity
Cat; Monocular deprivation; Depth perception; Sensitive period (Timney, B.) **7**, 235

Monocular deprivation; Cat visual cortex; Area 18 (Hirsch, H.V.B.) **8**, 140

Binocular vision
Corpus callosum; Visual acuity; Visual development; Visual cortex; Disparity detection; Cats (Elberger, A.J.) **5**, 350

Bioassay
Cholecystokinin octapeptide; Radioimmunoassay; Development (Varró, A.) **9**, 347

Biogenic amine concentrations
Fetal brain; CSF (Masudi, N.A.) **7**, 9

Biogenic amine receptors
Adenylate cyclase; Adenosine receptor; Striatal neurons; Primary cultures (Premont, J.) **9**, 53

Biological transport
Amino acids; Blood-brain barrier; Development (Lefauconnier, J.-M.) **6**, 175

Blood-brain barrier
Amino acids; Biological transport; Development (Lefauconnier, J.-M.) **6**, 175

Brain
Pipecolic acid; Accumulation; Metabolism (Nishio, H.) **6**, 107

Gonadal hormones; Mice; Preoptic area; Sex difference; Golgi stain; Quantitative neuroanatomy (Toran-Allerand, C.D.) **7**, 97

Stress protein; Hyperthermia; Heat shock; Development (Currie, R.W.) **11**, 308

Brain cell culture
Epidermal growth factor; Glial differentiation; Glutamine synthetase; Aggregating cell culture (Honegger, P.) **11**, 245

Epidermal growth factor; Extracellular proteins; Aggregating cell culture (Guentert-Lauber, B.) **11**, 253

Brain cell cultures
Insulin-like growth factor; Somatomedins; DNA synthesis; Fetal growth (Lenoir, D.) **7**, 205

Brain cells
Astrocytes; Growth factor; Differentiation; Development; Tissue culture (Lim, R.) **5**, 29

α-Fetoprotein-albumin synthesis; Culture; Development; Estradiol binding (Ali, M.) **6**, 47

Culture; Differentiation; Synthesis of AFP and albumin; Brain development (Ali, M.) **6**, 314

Brain culture
β-Receptor; Neuronal development; Glia-neuron communication; β-Agonists; Glial conditioned medium (Maderspach, K.) **6**, 251

Brain development
α-Fetoprotein; Albumin; Recombinant DNA; Brain mRNA; Protein synthesis; CNS cultures (Schachter, B.S.) **5**, 93

α-Fetoprotein; Immunocytochemistry; Hypothalamus; Preoptic area; Amygdala; Estrogen receptors (Toran-Allerand, C.D.) **5**, 213

Cortex cerebri; Locus coeruleus; Neurotrophism; Brain tissue grafts; Intraocular transplantations (Björklund, H.) **6**, 131

Cortex cerebri; Locus coeruleus; Neurotrophism; Brain tissue grafts; Intraocular transplantations (Palmer, M.) **6**, 141

Double-walled coated vesicles; Coated vesicles; Endocytosis; Synaptogenesis; Olfactory mitral cells; Intercellular adherence (Eckenhoff, M.F.) **6**, 201

Brain cells; Culture; Differentiation; Synthesis of AFP and albumin (Ali, M.) **6**, 314

Active sleep deprivation; Clomipramine; Clonidine; Pendulum technique; Infant rats (Mirmiran, M.) **7**, 277

Cholinergic receptors; Acetylcholinesterase; Somatosensory cortex (Kristt, D.A.) **8**, 373

Thyroid hormones; Tubulin biosynthesis (Chaudhury, S.) **9**, 291

Glucocorticoids; Regulation of glutamine synthetase; Corticosterone; Cerebellum; Olfactory bulbs; Forebrain; Dexamethasone; Anti-glutamine synthetase antibody (Patel, A.J.) **10**, 83

Protein malnutrition; Small-for-gestational age; Infants-at-risk; Brain sparing; Minimal brain dysfunction; Retardation of brain growth; Retardation of body growth; Rehabilitation following malnutrition; Maternal nutrition and pregnancy; 'Failure to thrive' syndrome (Resnick, O.) **10**, 221

Estrogen receptors; Hypothalamus; Cingulate cortex; Sexual differentiation; Mouse (Friedman, W.J.) **11**, 19

Brain lesions
Hyperactivity; Hyperkinesis; Locomotion; Dopamine (Heffner, T.G.) **9**, 29

Brain macrophages
White matter development; Neocortex; Corpus callosum; Kitten (Innocenti, G.M.) **11**, 39

Brain maturation
Experimental epilepsy; Hippocampus; Kainic acid; Limbic seizures; Wet dog shakes (Cherubini, E.) **9**, 69

Brain metabolism
Chronic fetal preparation; Autoradiography; 2-Deoxyglucose (Day, M.A.) **11**, 133

Brain mRNA
α-Fetoprotein; Albumin; Brain development; Recombinant DNA; Protein synthesis; CNS cultures (Schachter, B.S.) **5**, 93

Brain myelin
Gangliosides; Chick brain; Myelin protein (Cochran, F.B.) **6**, 7

Brain neurons
Neuronal cell culture; Cerebellum culture; Single neurons; Neuronal morphology; Plasma clot technique (Buse, E.) **7**, 221

Brain regions
Hypothyroidism; 5'-Nucleotidase; Myelination; Cyclic nucleotide; Phosphohydrolase; Development (King, R.A.) **7**, 287

Brain sexual differentiation
Estradiol receptor; Ferret; Development (Holbrook, P.G.) **7**, 1

Brain slice
Ontogeny; Lateral hypothalamic area; Glucose-sensitive neuron; Rat (Shibata, S.) **5**, 114

Brain sparing
Protein malnutrition; Small-for-gestational age; Infants-at-risk; Minimal brain dysfunction; Retardation of brain growth; Retardation of body growth; Brain development; Rehabilitation following malnutrition; Maternal nutrition and pregnancy; 'Failure to thrive' syndrome (Resnick, O.) **10**, 221

Brainstem
Development; Rabbit; Amines; Control of breathing; Serotonin (McNamara, M.C.) **7**, 181

Mouse; Development; Deafferentation; HRP; Cochlear nucleus; Inferior colliculus (Trune, D.R.) **9**, 1

Brainstem-spinal pathways
Anatomical plasticity; Neonatal lesions; Corticospinal tract; Recovery of function; Retrograde cell death (Bregman, B.S.) **9**, 137

Brain tissue grafts
Brain development; Cortex cerebri; Locus coeruleus; Neurotrophism; Intraocular transplantations (Björklund, H.) **6**, 131

Brain development; Cortex cerebri; Locus coeruleus; Neurotrophism; Intraocular transplantations (Palmer, M.) **6**, 141

Brain weight
BALB/c mouse; Corpus callosum; Maternal environment; Lactation (Wahlsten, D.) **5**, 354

Branching
Caffeine; Dendrite; Spine; Golgi staining; Fish optic tectum; Jewel fish (Burgess, J.W.) **6**, 123

Brushtailed possum
Development of retinal pathways; Lateral geniculate nucleus; Superior colliculus; Autoradiography (Sanderson, K.J.) **5**, 161

Bulbocavernosus
Androgens; Levator ani; Motoneuron; Sexual dimorphism; Spinal cord; Thymidine (Breedlove, S.M.) **9**, 39

α-Bungarotoxin
Synaptogenesis; Ciliary ganglion; Chlorisondamine; Iris (Chiappinelli, V.A.) **5**, 118

C

Ca spike
Neuroblastoma x glioma hybrid cells; Neural differentiation; Na spike; Developmental change (Furuya, K.) **11**, 229

C-fibers
Regeneration; Slow flow (Cancalon, P.) **6**, 197

C-laminae
Lateral geniculate; Cat; Monocular deprivation; W-cells; Development; Plasticity (Murakami, D.M.) **9**, 353

CNS
Early barbiturate; Thyroxine; Hypothyroidism; Neonatal mice; Ultrastructural defects (Fishman, R.H.B.) **5**, 202

Shiverer mutant mouse; PNS; Myelin basic protein (MBP); 2',3'-Cyclic nucleotide 3'-phosphohydrolase (Mikoshiba, K.) **7**, 71

Astrocytes; Growth factors; Differentiation; Glial fibrillary acidic protein; Cell culture (Morrison, R.S.) **9**, 337

Spermine; Spermidine; Fetus; Nucleic acids; Putrescine (Chaudhuri, D.) **10**, 143

CNS cultures
α-Fetoprotein; Albumin; Brain development; Recombinant DNA; Brain mRNA; Protein synthesis (Schachter, B.S.) **5**, 93

CSF
Fetal brain; Biogenic amine concentrations (Masudi, N.A.) **7**, 9

Cable properties
Safety factor; Postembryonic development; Interneuron; Cockroach (Yarom, Y.) **8**, 321

Caffeine
Dendrite; Spine; Branching; Golgi staining; Fish optic tectum; Jewel fish (Burgess, J.W.) **6**, 123

Calcium
Cerebral cells; Mouse; Surface features; Tissue culture; Embryogenesis (Wong, A.) **6**, 259

Action potentials; Mouse; Hippocampus; Neurons; Cell cultures; Development (Peacock, J.H.) **8**, 39

Chromaffin cells; Fiber outgrowth; Elevated potassium (Unsicker, K.) **9**, 369

Calcium current
Ethanol; Nerve cell culture; Action potentials; Electrophysiology; Presynaptic model (Oakes, S.G.) **5**, 251

Calcium ion
Ethanol; Nerve cell culture; Action potentials; Electrophysiology; Ionic current blockers (Oakes, S.G.) **5**, 243

Callosal agenesis
Callosal plasticity; Callosal development; Corpus callosum (Lent, R.) **11**, 137

Callosal development
Callosal plasticity; Callosal agenesis; Corpus callosum (Lent, R.) **11**, 137

Callosal plasticity
Callosal development; Callosal agenesis; Corpus callosum (Lent, R.) **11**, 137

Calmodulin
Adenylate cyclase; Rat brain; β-Adrenergic receptor; Postnatal development; Fluoride; Guanine nucleotide (Sano, M.) **7**, 215

Carbonic anhydrase
Glial development; Glial fibrillary acidic protein; Quaking mice (Sapirstein, V.S.) **6**, 13

Myelin; Oligodendrocytes; Glycerolphosphate dehydrogenase; Glucose-6-phosphate dehydrogenase; Lactate dehydrogenase (Cammer, W.) **6**, 21

Carnitine, total free
Short-chain, long chain; Acylcarnitines, concentration-development; Rat brain (Morris, A.J.) **8**, 381

Castration
Sympathetic ganglia; Tyrosine hydroxylase; Development; Testosterone (Hamill, R.W.) **11**, 303

Cat
Visual cortex; Meynert cell (Winfield, D.A.) **5**, 53

Visual perception; Acuity; Visual deprivation (Wark, R.C.) **5**, 218

Visual cortex; Lateral geniculate nucleus; Amblyopia; Spatial resolution; Strabismus (Mower, G.D.) **5**, 311

Monocular deprivation; Depth perception; Binocularity; Sensitive period (Timney, B.) **7**, 235

Development; Cell size; Monocular deprivation; dLGN (Wilson, J.R.) **8**, 53

Monocular deprivation; Critical period; Plasticity; Visual cortex; Dark-rearing (Cynader, M.) **8**, 155

Lateral geniculate; Monocular deprivation; C-laminae; W-cells; Development; Plasticity (Murakami, D.M.) **9**, 353

Visual cortex; Monocular deprivation; Selective reversal; Uni-orientational rearing; Neuronal competition; Hebb synapses (Rauschecker, J.P.) **10**, 305

Catecholaminergic nerves
Spinal cord; Development; Fetus; Neonate (Commissiong, J.W.) **11**, 75

Catecholamines
Chick; Forebrain; Development; Visual experience; Imprinting; Plasticity (Davies, D.C.) **10**, 251

Cats
Corpus callosum; Visual acuity; Visual development; Visual cortex; Disparity detection; Binocular vision (Elberger, A.J.) **5**, 350

Cat visual cortex
β-Adrenoreceptors (Wilkinson, M.) **7**, 349

Monocular deprivation; Area 18; Binocularity (Hirsch, H.V.B.) **8**, 140

Cell associations
Neuroepithelium; Mouse embryo; Neural tube closure; Splotch mutant; Electron microscopy (Morris, G.L.) **9**, 408

Cell culture
Cell survival; Somatic motoneurons; Visceral preganglionic neurons; Neuromuscular junction (Tanaka, H.) **6**, 85

Trophic effect; Neurotransmitter; L-Norepinephrine; Choline acetyltransferase; Spinal cord; cAMP (Ishida, I.) **7**, 13

Chromaffin cells; Fiber outgrowth; Nerve growth factor; Growth factors (Unsicker, K.) **7**, 41

Retina; GABA; Glycine; D-Aspartate; Autoradiography; Cell identification (Beale, R.) **7**, 107

Synaptogenesis; Cholinergic neurotransmission; Retinal neurons; Glucocorticoid hormones; Neuronal development (Puro, D.G.) **8**, 283

Explants; Retina; Acetylcholine; Dopamine; Synaptic function (Puro, D.G.) **9**, 79

Astrocytes; Growth factors; Differentiation; Glial fibrillary acidic protein; CNS (Morrison, R.S.) **9**, 337

Cell cultures
Calcium; Action potentials; Mouse; Hippocampus; Neurons; Development (Peacock, J.H.) **8**, 39

Cell cycle analysis
Axolemma fractions; Cultured Schwann cells; Mitogenesis (DeVries, G.H.) **9**, 87

Cell death
Optic nerve; Visual development (Ng, A.Y.K.) **5**, 263

Spinal motoneuron; HRP-labeling; Survival; Development (Tanaka, H.) **9**, 390

Numerical matching; Chimeric mice; Cerebellar development; Purkinje cells; Lurcher mutant mouse (Wetts, R.) **10**, 41

Avian visual system; Ipsilateral retinofugal projection; Retinotectal system; Process elimination; Wheat germ agglutinin-conjugated HRP (O'Leary, D.D.M.) **10**, 93

Staggerer; Cerebellar development; Mouse chimeras; Ichthyosis (Herrup, K.) **11**, 267

Cell identification
Retina; Cell culture; GABA; Glycine; D-Aspartate; Autoradiography (Beale, R.) **7**, 107

Cell membrane
Node of Ranvier; Intercellular junctions; Differentiation; Peripheral nerve; Myelin; Freeze-fracture; Axon (Tao-Cheng, J.-H.) **9**, 251

Cell nuclei
Estrogen receptors; Radioautography; Hypothalamus; Preoptic area; Cingulate cortex; Neural development; Mouse; Sexual differentiation (Gerlach, J.L.) **11**, 7

Cell proliferation
Chick retina; Stem cells; Self-renewal (Dütting, D.) **10**, 21

Cell size
Development; Cat; Monocular deprivation; dLGN (Wilson, J.R.) **8**, 53

Cells of external granular layer
Cells of internal granular layer; Cerebellar development; Morphological quantitation; Mitochondria; Succinate dehydrogenase; Cerebellar cells (Koppel, H..) **11**, 199

Cells of internal granular layer
Cells of external granular layer; Cerebellar development; Morphological quantitation; Mitochondria; Succinate dehydrogenase; Cerebellar cells (Koppel, H..) **11**, 199

Cell surface
Neuronal development in culture; Cerebellum; D2 Protein (Annunziata, P.) **8**, 261

Cell survival
Cell culture; Somatic motoneurons; Visceral preganglionic neurons; Neuromuscular junction (Tanaka, H.) **6**, 85

Cerebellar cell line
Conditioned medium; Glial cell lines (Beutler, D.) **11**, 169

Cerebellar cells
Cells of external granular layer; Cells of internal granular layer; Cerebellar development; Morphological quantitation; Mitochondria; Succinate dehydrogenase (Koppel, H..) **11**, 199

Cerebellar cortex
Glutamate dehydrogenase; Aspartate aminotransferase; Hippocampal formation; Dorsal root ganglion; Superior cervical ganglion; Liver; Glutamatergic transmission (Rothe, F.) **11**, 67

Cerebellar development
Synaptogenesis; Synapse; Freeze-fracture; Membrane structure (Landis, D.M.D.) **8**, 231

Cell death; Numerical matching; Chimeric mice; Purkinje cells; Lurcher mutant mouse (Wetts, R.) **10**, 41

Cells of external granular layer; Cells of internal granular layer; Morphological quantitation; Mitochondria; Succinate dehydrogenase; Cerebellar cells (Koppel, H..) **11**, 199

Staggerer; Mouse chimeras; Ichthyosis; Cell death (Herrup, K.) **11**, 267

Cerebellar external granular layer
Nervous mutant; Flow-cytometry; Purkinje cells; DNA loss; DNA dispersion (Mishra, P.R.) **6**, 193

Cerebellar macroneurons
Amino acid; Microexplant; Purkinje cells; HRP (Macdonald, R.L.) **5**, 75

Cerebellum
Developing rat; Purkinje cell dendrites; Microtubules; Mitochondria; Thyroid deficiency; Thyroxine effects (Faivre, C.) **8**, 21

Glutamine synthetase regional development; Olfactory bulbs; Forebrain; Astrocytic proteins; Maturation (Patel, A.J.) **8**, 31

Cell surface; Neuronal development in culture; D2 Protein (Annunziata, P.) **8**, 261

Norepinephrine; GABA; Development; Purkinje cell; Chemosensitivity; Modulation by NE (Yeh, H.H.) **10**, 49

Development; Translation in vitro; Staggerer; Aging; 2-Dimensional gel electrophoresis (Soreq, H.) **10**, 73

Glucocorticoids; Regulation of glutamine synthetase; Brain development; Corticosterone; Olfactory bulbs; Forebrain; Dexamethasone; Anti-glutamine synthetase antibody (Patel, A.J.) **10**, 83

Synaptogenesis; Degradation; Chloroquine; Endocytosis (Dontenwill, M.) **10**, 287

Pedunculotomy; Rat; Retrograde fluorescence (Payne, J.N.) **11**, 124

Tissue culture; Neuronal survival; Astrocytes; Potassium; Polycation substratum (Thangnipon, W.) **11**, 177

Norepinephrine; Development; Purkinje cell; Climbing fiber response; Off-beam inhibition; Modulation by NE (Yeh, H.H.) **11**, 207

Cerebellum culture
Neuronal cell culture; Brain neurons; Single neurons; Neuronal morphology; Plasma clot technique (Buse, E.) **7**, 221

Cerebellum in monolayer culture
Purkinje cells in monolayer culture; HRP-injected Purkinje cells; Spike and synaptic potentials (Moonen, G.) **5**, 59

Cerebral cells
Mouse; Surface features; Calcium; Tissue culture; Embryogenesis (Wong, A.) **6**, 259

Cerebral cortex
Neuroblasts; Tissue culture; Transplantation; Differentiation (Doering, L.C.) **5**, 229

Motilin; Cholecystokinin; Vasoactive intestinal peptide; Development (Beinfeld, M.C.) **10**, 146

Development; Release of transmitters; GABA; Inhibitory synapses (Balcar, V.J.) **10**, 309

Cerebral cortical membranes
β- and α_2-Adrenoceptors; [^{3}H]Clonidine binding; [^{3}H]DHA binding; Isoproterenol; Development (Nomura, Y.) **9**, 381

Cerebral glioblasts
Postembryonic life; Locust; Culture; Microscopy; Autoradiography (Vanhems, E.) **10**, 177

Cerebrospinal fluid circulation
Rana pipiens; Development; Rhombencephalic posterior tela; Interependymal pores (Jones, H.C.) **7**, 121

Chemosensitivity
Norepinephrine; GABA; Development; Cerebellum; Purkinje cell; Modulation by NE (Yeh, H.H.) **10**, 49

Chick
Neural antigen; Development (Witte, D.) **9**, 63

Catecholamines; Forebrain; Development; Visual experience; Imprinting; Plasticity (Davies, D.C.) **10**, 251

Chick brain
Gangliosides; Brain myelin; Myelin protein (Cochran, F.B.) **6**, 7

Chick retina; Development; 24 K_d Protein (Hatakenaka, S.) **10**, 155

Glutaminase; Development; Cultured nerve cells (Kamp, G.) **11**, 1

Chick embryo
Sympathetic neuron; Conditioned medium; Nerve growth factor; Culture substrate; Neuronal survival (Edgar, D.) **5**, 89

Spinal cord; Motoneuron death; Limb bud amputation (Laing, N.G.) **5**, 181

Axon elongation; Ganglion cell; Retina; Optic lobe; Tissue culture (Carri, N.G.) **6**, 219

Neural retina; Developmental antigen; Monoclonal antibody; Plexiform layers; Surface antigens (Derby, M.A.) **7**, 317

l-α-Acetylmethadol; Methadone; Morphine; Embryonic neurotoxicity; Opiate receptors (Gibson, D.A.) **8**, 61

Chick embryo cerebrum
Cultured neurons; Microtubules; Synapses; Glutamate decarboxylase; GABA receptor; Benzodiazepine receptor (Thampy, K.G.) **8**, 101

Chick embryonic retina
Sodium fluorescein; Explant culture; Neurite outgrowth (Kato, S.) **11**, 143

Chicken
Neuromuscular junction; Acetylcholine receptor; Cholinesterase; Development; Muscle; Neurotoxin; Fluorescence microscopy (Ishikawa, Y.) **5**, 187

Neurogenesis; Ectomammillary nucleus; Ventral lateral geniculate nucleus; Neuron size; Neurogenetic gradient (Crossland, W.J.) **6**, 33

Chicken forebrain
Functional lateralization; Glutamate; Attack and copulation; Light exposure; Embryonic development (Zappia, J.V.) **11**, 93

Chick retina
FITC-peanut agglutinin; Peanut agglutinin; Retinal development (Liu, L.) **8**, 223

Cell proliferation; Stem cells; Self-renewal (Dütting, D.) **10**, 21

Development; 24 K_d Protein; Chick brain (Hatakenaka, S.) **10**, 155

Vimentin; Müller cells; Electronmicroscopic immunohistochemistry; Development (Lemmon, V.) **11**, 191

Chimeric mice
Cell death; Numerical matching; Cerebellar development; Purkinje cells; Lurcher mutant mouse (Wetts, R.) **10**, 41

Chlorisondamine
Synaptogenesis; Ciliary ganglion; α-Bungarotoxin; Iris (Chiappinelli, V.A.) **5**, 118

Chloroquine
Cerebellum; Synaptogenesis; Degradation; Endocytosis (Dontenwill, M.) **10**, 287

Cholecystokinin
Motilin; Vasoactive intestinal peptide; Development; Cerebral cortex (Beinfeld, M.C.) **10**, 146

Cholecystokinin octapeptide
Radioimmunoassay; Bioassay; Development (Varró, A.) **9**, 347

Choline acetyltransferase
Nerve growth factor; Tyrosine hydroxylase; Pheochromocytoma cell line; Serum-free medium; Dexamethasone (Hatanaka, H.) **6**, 243

Trophic effect; Neurotransmitter; L-Norepinephrine; Spinal cord; Cell culture; cAMP (Ishida, I.) **7**, 13

Amphibian; Tadpole; Spinal cord development; Primary neurons; Acetylcholinesterase (Farel, P.B.) **8**, 27

Nerve growth factor; Forebrain cholinergic neurons; Neonatal rat (Gnahn, H.) **9**, 45

Cholinergic neurons
Spinal cord; Tetanus toxin; Development; GABA; Tetrodotoxin (Brenneman, D.E.) **9**, 13

Cholinergic neurotransmission
Synaptogenesis; Retinal neurons; Cell culture; Glucocorticoid hormones; Neuronal development (Puro, D.G.) **8**, 283

Cholinergic receptors
Acetylcholinesterase; Somatosensory cortex; Brain development (Kristt, D.A.) **8**, 373

Cholinesterase
Neuromuscular junction; Acetylcholine receptor; Development; Muscle; Chicken; Neurotoxin; Fluorescence microscopy (Ishikawa, Y.) **5**, 187

Chorda tympani nerve
Taste; Development; Glossopharyngeal nerve; Taste bud (Mistretta, C.M.) **11**, 107

Choroid plexus
Sheep fetus; Intracellular protein; Development; Immunoperoxidase (Jacobsen, M.) **8**, 77

Chromaffin cells
Fiber outgrowth; Nerve growth factor; Growth factors; Cell culture (Unsicker, K.) **7**, 41

Fiber outgrowth; Elevated potassium; Calcium (Unsicker, K.) **9**, 369

Chronic fetal preparation
Brain metabolism; Autoradiography; 2-Deoxyglucose (Day, M.A.) **11**, 133

Ciliary ganglion
Synaptogenesis; Chlorisondamine; α-Bungarotoxin; Iris (Chiappinelli, V.A.) **5**, 118

Synaptogenesis; Acetylcholinesterase cytochemistry; Embryonic development (Olivieri-Sangiacomo, C.) **7**, 61

Avian embryo; Neural crest; Peripheral nervous system; Monoclonal antibody (Vincent, M.) **9**, 235

Cingulate cortex
Estrogen receptors; Cell nuclei; Radioautography; Hypothalamus; Preoptic area; Neural development; Mouse; Sexual differentiation (Gerlach, J.L.) **11**, 7

Estrogen receptors; Brain development; Hypothalamus; Sexual differentiation; Mouse (Friedman, W.J.) **11**, 19

Climbing fiber response
Norepinephrine; Development; Cerebellum; Purkinje cell; Off-beam inhibition; Modulation by NE (Yeh, H.H.) **11**, 207

Clomipramine
Active sleep deprivation; Clonidine; Pendulum technique; Infant rats; Brain development (Mirmiran, M.) **7**, 277

Clonidine
Active sleep; Differential environment; Cortical development; Infant rats (Mirmiran, M.) **7**, 102

Active sleep deprivation; Clomipramine; Pendulum technique; Infant rats; Brain development (Mirmiran, M.) **7**, 277

[^{3}H]Clonidine binding
β- and α_2-Adrenoceptors; [^{3}H]DHA binding; Isoproterenol; Development; Cerebral cortical membranes (Nomura, Y.) **9**, 381

Coated vesicles
Double-walled coated vesicles; Brain development; Endocytosis; Synaptogenesis; Olfactory mitral cells; Intercellular adherence (Eckenhoff, M.F.) **6**, 201

Cochlea
Development; Synaptogenesis; Hypothyroidism; Rat (Uziel, A.) **7**, 295

Cochlear nucleus
Mouse; Brainstem; Development; Deafferentation; HRP; Inferior colliculus (Trune, D.R.) **9**, 1

Cockroach
Safety factor; Postembryonic development; Interneurons (Spira, M.E.) **8**, 311

Safety factor; Cable properties; Postembryonic development; Interneuron (Yarom, Y.) **8**, 321

Coeliac ganglion
Tissue culture; Superior cervical ganglion; Heart; Stomach; Colon; Hereditary aganglionic colon; Neural crest; Neuronotrophic factors (Rawdon, B.B.) **7**, 53

Colon
Tissue culture; Coeliac ganglion; Superior cervical ganglion; Heart; Stomach; Hereditary aganglionic colon; Neural crest; Neuronotrophic factors (Rawdon, B.B.) **7**, 53

Computer reconstruction
Neurobehavioral failure; Mental retardation; Dendritic varicosities; Microtubules; Cytoskeleton (Bodick, N.) **5**, 299

Conditioned media
Nerve growth factor; Superior cervical ganglia; Lymphocytes (Gozes, Y.) **6**, 93

Conditioned medium
Sympathetic neuron; Chick embryo; Nerve growth factor; Culture substrate; Neuronal survival (Edgar, D.) **5**, 89

Cerebellar cell line; Glial cell lines (Beutler, D.) **11**, 169

Conduction block
Motor nerve fibers; Divalent ions; Motoneuron disease (Miyata, Y.) **10**, 139

Control of breathing
Development; Brainstem; Rabbit; Amines; Serotonin (McNamara, M.C.) **7**, 181

Corpus callosum
Visual acuity; Visual development; Visual cortex; Disparity detection; Binocular vision; Cats (Elberger, A.J.) **5**, 350

BALB/c mouse; Brain weight; Maternal environment; Lactation (Wahlsten, D.) **5**, 354

Brain macrophages; White matter development; Neocortex; Kitten (Innocenti, G.M.) **11**, 39

Callosal plasticity; Callosal development; Callosal agenesis (Lent, R.) **11**, 137

Corpus callosum and corticospinal tract
Fetal rats; Glial fibrillary acidic protein immunoreactivity (Valentino, K.L.) **9**, 317

Cortex
Developmental protein malnutrition; Spontaneous single cell activity; Thalamus (Stern, W.C.) **9**, 95

Vision; Development; Primate; Tree shrew; Lateral geniculate nucleus; Enucleation; Layers (Brunso-Bechtold, J.K.) **10**, 33

Cortex cerebri
Brain development; Locus coeruleus; Neurotrophism; Brain tissue grafts; Intraocular transplantations (Björklund, H.) **6**, 131

Brain development; Locus coeruleus; Neurotrophism; Brain tissue grafts; Intraocular transplantations (Palmer, M.) **6**, 141

Intracephalic transplants; Astrocytes; Glial fibrillary acidic protein; S-100 Protein; Image analysis (Björklund, H.) **9**, 171

Cortical development
Active sleep; Clonidine; Differential environment; Infant rats (Mirmiran, M.) **7**, 102

Cortical inhibition
Development; Visual cortex; Kitten; Slice (Komatsu, Y.) **8**, 136

Corticofugal projection
Visual cortex; Development; Superior colliculus; Kitten (Tsumoto, T.) **11**, 29

Corticospinal tract
Anatomical plasticity; Neonatal lesions; Brainstem-spinal pathways; Recovery of function; Retrograde cell death (Bregman, B.S.) **9**, 137

Corticosterone
Glucocorticoids; Regulation of glutamine synthetase; Brain development; Cerebellum; Olfactory bulbs; Forebrain; Dexamethasone; Anti-glutamine synthetase antibody (Patel, A.J.) **10**, 83

Critical period
Somatosensory; Visual; Serotonin; Acetylcholine esterase; Plasticity; Salamander; Tectum (Harris, W.A.) **7**, 245

Monocular deprivation; Plasticity; Visual cortex; Cat; Dark-rearing (Cynader, M.) **8**, 155

Culture
α-Fetoprotein-albumin synthesis; Brain cells; Development; Estradiol binding (Ali, M.) **6**, 47

Neurites; Expansor secundariorum; Trophic; Dissociated neurons (Belford, D.A.) **6**, 304

Brain cells; Differentiation; Synthesis of AFP and albumin; Brain development (Ali, M.) **6**, 314

Adrenal chromaffin cells; Neurite outgrowth; Nerve growth factor-like factors; PC 12 cells (Ziegler, W.) **7**, 353

Synapse formation; Sprouting; Plasticity; Regeneration (Zhang, R.-J.) **8**, 131

Hypothalamus; Serum-free medium; Thyroliberin release (Loudes, C.) **9**, 231

Cerebral glioblasts; Postembryonic life; Locust; Microscopy; Autoradiography (Vanhems, E.) **10**, 177

Cultured nerve cells
Glutaminase; Chick brain; Development (Kamp, G.) **11**, 1

Cultured neurons
Chick embryo cerebrum; Microtubules; Synapses; Glutamate decarboxylase; GABA receptor; Benzodiazepine receptor (Thampy, K.G.) **8**, 101

Cultured Schwann cells
Axolemma fractions; Mitogenesis; Cell cycle analysis (DeVries, G.H.) **9**, 87

Culture substrate
Sympathetic neuron; Chick embryo; Conditioned medium; Nerve growth factor; Neuronal survival (Edgar, D.) **5**, 89

Cyclic nucleotide
Hypothyroidism; Brain regions; 5'-Nucleotidase; Myelination; Phosphohydrolase; Development (King, R.A.) **7**, 287

2',3'-Cyclic nucleotide 3'-phosphohydrolase
Shiverer mutant mouse; CNS; PNS; Myelin basic protein (MBP) (Mikoshiba, K.) **7**, 71

Cytoplasm
Inbred strain; Maternal environment; Hybrid vigour (Wahlsten, D.) **9**, 215

Cytoskeleton
Neurobehavioral failure; Mental retardation; Dendritic varicosities; Microtubules; Dendritic spines (Purpura, D.P.) **5**, 287

Neurobehavioral failure; Mental retardation; Dendritic varicosities; Microtubules; Computer reconstruction (Bodick, N.) **5**, 299

D

[^{3}H]DHA binding
β- and α_2-Adrenoceptors; [^{3}H]Clonidine binding; Isoproterenol; Development; Cerebral cortical membranes (Nomura, Y.) **9**, 381

DNA dispersion
Nervous mutant; Flow-cytometry; Purkinje cells; Cerebellar external granular layer; DNA loss (Mishra, P.R.) **6**, 193

DNA loss
Nervous mutant; Flow-cytometry; Purkinje cells; Cerebellar external granular layer; DNA dispersion (Mishra, P.R.) **6**, 193

DNA synthesis
Insulin-like growth factor; Somatomedins; Brain cell cultures; Fetal growth (Lenoir, D.) **7**, 205

Dark-rearing
Monocular deprivation; Critical period; Plasticity; Visual cortex; Cat (Cynader, M.) **8**, 155

D-aspartate
Astroglial cells; GABA; Amino acid uptake; Autoradiography; Astrocyte morphologies (Levi, G.) **10**, 227

Astroglial cell cultures; Uptake of amino acids; GABA; Neurotransmitters; Autoradiography; Different astroglial morphologies (Wilkin, G.P.) **10**, 265

Deafferentation
Mouse; Brainstem; Development; HRP; Cochlear nucleus; Inferior colliculus (Trune, D.R.) **9**, 1

Degeneration
Neuromuscular junction; Development; Membrane potentials (Muniak, C.G.) **5**, 123

Degradation
Cerebellum; Synaptogenesis; Chloroquine; Endocytosis (Dontenwill, M.) **10**, 287

Dendrite
Caffeine; Spine; Branching; Golgi staining; Fish optic tectum; Jewel fish (Burgess, J.W.) **6**, 123

Dendritic maturation
Olfactory bulb; Development; Thyroid hormone; Neonatal hyperthyroidism (Brunjes, P.C.) **5**, 149

Dendritic morphometrics
Substantia nigra; Postnatal development; Nigral afferent axons (Phelps, P.E.) **10**, 1

Dendritic spine distribution
Fetal alcohol syndrome; Mental retardation; Pyramidal neurons; Animal studies; Golgi-impregnation (Stoltenburg-Didinger, G.) **11**, 119

Dendritic spines
Neurobehavioral failure; Mental retardation; Dendritic varicosities; Microtubules; Cytoskeleton (Purpura, D.P.) **5**, 287

Dendritic varicosities
Neurobehavioral failure; Mental retardation; Microtubules; Cytoskeleton; Dendritic spines (Purpura, D.P.) **5**, 287

Neurobehavioral failure; Mental retardation; Microtubules; Cytoskeleton; Computer reconstruction (Bodick, N.) **5**, 299

Dentate gyrus
Hippocampus; Lead; Acetylcholine; Plasticity; Development (Alfano, D.P.) **10**, 117

Reeler mutant mouse; Acetylcholinesterase; Hippocampus; Development; Plasticity (Terada, S.) **11**, 219

2-Deoxyglucose
Neonatal lesions; Motor cortex; Plasticity (Sharp, F.R.) **6**, 1

Anosmia; Olfactory bulb development (Stewart, W.B.) **8**, 247

Guinea-pig; Ontogenesis; Olfactory bulb; Spatial pattern (Astic, L.) **10**, 257

Chronic fetal preparation; Brain metabolism; Autoradiography (Day, M.A.) **11**, 133

Depth perception
Cat; Monocular deprivation; Binocularity; Sensitive period (Timney, B.) **7**, 235

Developing rat
Cerebellum; Purkinje cell dendrites; Microtubules; Mitochondria; Thyroid deficiency; Thyroxine effects (Faivre, C.) **8**, 21

Development
Quantal secretion; Release sites; Endplate (Bennet, M.R.) **5**, 1

Synaptic contacts; Motor endplate (Davey, D.F.) **5**, 11

Astrocytes; Brain cells; Growth factor; Differentiation; Tissue culture (Lim, R.) **5**, 29

Neuromuscular junction; Degeneration; Membrane potentials (Muniak, C.G.) **5**, 123

Olfactory bulb; Thyroid hormone; Neonatal hyperthyroidism; Dendritic maturation (Brunjes, P.C.) **5**, 149

Neuromuscular junction; Acetylcholine receptor; Cholinesterase; Muscle; Chicken; Neurotoxin; Fluorescence microscopy (Ishikawa, Y.) **5**, 187

Monoamines; Serotonin; Visual system (Cano, J.) **5**, 199

α-Fetoprotein-albumin synthesis; Brain cells; Culture; Estradiol binding (Ali, M.) **6**, 47

Amino acids; Biological transport; Blood-brain barrier (Lefauconnier, J.-M.) **6**, 175

Retina; Tectum; Regeneration; Autoradiography; Ocular dominance columns; Goldfish (Meyer, R.L.) **6**, 279

Estradiol receptor; Brain sexual differentiation; Ferret (Holbrook, P.G.) **7**, 1

Olfactory reinnervation and behavioral recovery; Olfaction; Golden hamster; Thermotaxis; Recovery of function; Plasticity; Olfactory tubercle (Small, R.K.) **7**, 25

Rana pipiens; Rhombencephalic posterior tela; Interependymal pores; Cerebrospinal fluid circulation (Jones, H.C.) **7**, 121

Opiate receptors; Olfactory bulb; Hippocampus; Neocortex; Striatum; Autoradiography of receptors (Unnerstall, J.R.) **7**, 157

Sympathetic neurons; Serum-free culture; Transferrin (Selak, I.) **7**, 171

Brainstem; Rabbit; Amines; Control of breathing; Serotonin (McNamara, M.C.) **7**, 181

Strobe-rearing; Visual cortex; Rabbit (Pearson, H.E.) **7**, 187

Post-tetanic potentiation; Long-term potentiation; Trans-callosal response; Neocortex (Wilson, D.A.) **7**, 271

Hypothyroidism; Brain regions; 5'-Nucleotidase; Myelination; Cyclic nucleotide; Phosphohydrolase (King, R.A.) **7**, 287

Cochlea; Synaptogenesis; Hypothyroidism; Rat (Uziel, A.) **7**, 295

Spinal cord; Benzodiazepine; Receptor (Sher, P.K.) **7**, 343

Visual cortex; Receptive fields; Epileptiform activity; Penicillin model; Rabbit (Crabtree, J.W.) **8**, 1

Calcium; Action potentials; Mouse; Hippocampus; Neurons; Cell cultures (Peacock, J.H.) **8**, 39

Cell size; Cat; Monocular deprivation; dLGN (Wilson, J.R.) **8**, 53

Sheep fetus; Choroid plexus; Intracellular protein; Immunoperoxidase (Jacobsen, M.) **8**, 77

Neuromuscular junction; Acetylcholine receptor; Neuron-specific antibody; Neurotoxin; Nerve terminal; Fluorescence microscopy (Ishikawa, Y.) **8**, 111

Cortical inhibition; Visual cortex; Kitten; Slice (Komatsu, Y.) **8**, 136

Olfactory bulb; *Acomys cahirinus*; Murid rodents (Brunjes, P.C.) **8**, 335

Vasopressin; Testosterone; Lateral septum; Sex difference (De Vries, G.J.) **8**, 377

Mouse; Brainstem; Deafferentation; HRP; Cochlear nucleus; Inferior colliculus (Trune, D.R.) **9**, 1

Spinal cord; Tetanus toxin; Cholinergic neurons; GABA; Tetrodotoxin (Brenneman, D.E.) **9**, 13

Neural antigen; Chick (Witte, D.) **9**, 63

Vimentin; Mouse neural tube (Houle, J.) **9**, 189

Rabbit; Superior colliculus; Strobe-rearing; Receptive field (Pearson, H.E.) **9**, 241

Grasshopper; Embryo; Monoclonal antibodies; Neuronal specificity; Mesodermal cells (Chang, S.) **9**, 297

Cholecystokinin octapeptide; Radioimmunoassay; Bioassay (Varró, A.) **9**, 347

Lateral geniculate; Cat; Monocular deprivation; C-laminae; W-cells; Plasticity (Murakami, D.M.) **9**, 353

β- and α_2-Adrenoceptors; [^{3}H]Clonidine binding; [^{3}H]DHA binding; Isoproterenol; Cerebral cortical membranes (Nomura, Y.) **9**, 381

Spinal motoneuron; HRP-labeling; Survival; Cell death (Tanaka, H.) **9**, 390

Vision; Primate; Tree shrew; Lateral geniculate nucleus; Enucleation; Cortex; Layers (Brunso-Bechtold, J.K.) **10**, 33

Norepinephrine; GABA; Cerebellum; Purkinje cell; Chemosensitivity; Modulation by NE (Yeh, H.H.) **10**, 49

Retinal neurons; Neurotransmission; Regulation; cAMP analogues; Acetylcholine; Glutamate; Retina-muscle co-culture (Yeh, H.H.) **10**, 63

Translation in vitro; Cerebellum; Staggerer; Aging; 2-Dimensional gel electrophoresis (Soreq, H.) **10**, 73

Goldfish; Retina; Monoamine neurons; Fluorescence microscopy (Negishi, K.) **10**, 111

Hippocampus; Dentate gyrus; Lead; Acetylcholine; Plasticity (Alfano, D.P.) **10**, 117

Motilin; Cholecystokinin; Vasoactive intestinal peptide; Cerebral cortex (Beinfeld, M.C.) **10**, 146

Chick retina; 24 K_d Protein; Chick brain (Hatakenaka, S.) **10**, 155

Nuclear envelope invagination; Facial motor neurons; Aging; Hamster; Morphometry (LaVelle, A.) **10**, 171

Monocular deprivation; Norepinephrine; Wulst; Pigeon (Bagnoli, P.) **10**, 243

Catecholamines; Chick; Forebrain; Visual experience; Imprinting; Plasticity (Davies, D.C.) **10**, 251

Cerebral cortex; Release of transmitters; GABA; Inhibitory synapses (Balcar, V.J.) **10**, 309

Glutaminase; Chick brain; Cultured nerve cells (Kamp, G.) **11**, 1

Visual cortex; Corticofugal projection; Superior colliculus; Kitten (Tsumoto, T.) **11**, 29

Axonal pathways; Visual cortex; Transitory macrophages; Kitten (Innocenti, G.M.) **11**, 55

Spinal cord; Catecholaminergic nerves; Fetus; Neonate (Commissiong, J.W.) **11**, 75

Taste; Glossopharyngeal nerve; Chorda tympani nerve; Taste bud (Mistretta, C.M.) **11**, 107

Vimentin; Chick retina; Müller cells; Electronmicroscopic immunohistochemistry (Lemmon, V.) **11**, 191

Norepinephrine; Cerebellum; Purkinje cell; Climbing fiber response; Off-beam inhibition; Modulation by NE (Yeh, H.H.) **11**, 207

Reeler mutant mouse; Acetylcholinesterase; Hippocampus; Dentate gyrus; Plasticity (Terada, S.) **11**, 219

Retina; Lucifer yellow (Sarthy, P.V.) **11**, 275

Sympathetic ganglia; Tyrosine hydroxylase; Castration; Testosterone (Hamill, R.W.) **11**, 303

Stress protein; Hyperthermia; Heat shock; Brain (Currie, R.W.) **11**, 308

Developmental antigen
Neural retina; Monoclonal antibody; Chick embryo; Plexiform layers; Surface antigens (Derby, M.A.) **7**, 317

Developmental change
Neuroblastoma x glioma hybrid cells; Neural differentiation; Na spike; Ca spike (Furuya, K.) **11**, 229

Developmental mechanisms
Tyrosine hydroxylase; Transient L-DOPA neurons; Inferior colliculus (Jaeger, C.B.) **11**, 128

Developmental plasticity
Recovery of function; Sparing of function; Spinal cord; Tactile placing (Bregman, B.S.) **9**, 119

Developmental protein malnutrition
Spontaneous single cell activity; Cortex; Thalamus (Stern, W.C.) **9**, 95

Development of retinal pathways
Brushtailed possum; Lateral geniculate nucleus; Superior colliculus; Autoradiography (Sanderson, K.J.) **5**, 161

Dexamethasone
Nerve growth factor; Tyrosine hydroxylase; Pheochromocytoma cell line; Choline acetyltransferase; Serum-free medium (Hatanaka, H.) **6**, 243

Glucocorticoids; Regulation of glutamine synthetase; Brain development; Corticosterone; Cerebellum; Olfactory bulbs; Forebrain; Anti-glutamine synthetase antibody (Patel, A.J.) **10**, 83

Different astroglial morphologies
Astroglial cell cultures; Uptake of amino acids; GABA; D-aspartate; Neurotransmitters; Autoradiography (Wilkin, G.P.) **10**, 265

Differential environment
Active sleep; Clonidine; Cortical development; Infant rats (Mirmiran, M.) **7**, 102

Differentiation
Astrocytes; Brain cells; Growth factor; Development; Tissue culture (Lim, R.) **5**, 29

Mouse; Nervous system; Neurogenesis; Tetanus toxin; Surface markers (Koulakoff, A.) **5**, 139

Neuroblasts; Tissue culture; Transplantation; Cerebral cortex (Doering, L.C.) **5**, 229

Mutant mice; Dystrophy; Myelin; Internode; Axon/Schwann cell; Peripheral nerves; Sensory nerves (Jaros, E.) **6**, 231

Brain cells; Culture; Synthesis of AFP and albumin; Brain development (Ali, M.) **6**, 314

Plasminogen activator; Neuroblastoma cells; Glioma cells; Autoradiography; Neurites; Growth cones (Soreq, H.) **7**, 257

Astrocytes; Intermediate filaments; Tissue culture; Immunofluorescence; Electron microscopy (Fedoroff, S.) **7**, 303

Node of Ranvier; Intercellular junctions; Peripheral nerve; Myelin; Freeze-fracture; Cell membrane; Axon (Tao-Cheng, J.-H.) **9**, 251

Astrocytes; Growth factors; Glial fibrillary acidic protein; CNS; Cell culture (Morrison, R.S.) **9**, 337

Fetal spinal cord; Transplantation; Substantia gelatinosa; Gliosis; Ventral horn cells (Reier, P.J.) **10**, 201

2-Dimensional gel electrophoresis
Development; Translation in vitro; Cerebellum; Staggerer; Aging (Soreq, H.) **10**, 73

Discrimination learning
Postnatal anoxia; Hyperactivity; Hippocampus; Muscarinic receptors; β-Receptors (Hershkowitz, M.) **7**, 147

Disparity detection
Corpus callosum; Visual acuity; Visual development; Visual cortex; Binocular vision; Cats (Elberger, A.J.) **5**, 350

Dissociated neurons
Neurites; Culture; Expansor secundariorum; Trophic (Belford, D.A.) **6**, 304

Divalent ions
Motor nerve fibers; Conduction block; Motoneuron disease (Miyata, Y.) **10**, 139

Dopamine
Tyrosine hydroxylase; Immunocytochemistry; Fetal cerebral cortex (Verney, C.) **5**, 41

Prefrontal cortex; Mesocortical system; Ontogeny (Schmidt, R.H.) **5**, 222

Locomotion; Hyperkinesis; Behavioral development (Miller, F.E.) **6**, 91

Hyperactivity; Hyperkinesis; Locomotion; Brain lesions (Heffner, T.G.) **9**, 29

Cell culture; Explants; Retina; Acetylcholine; Synaptic function (Puro, D.G.) **9**, 79

Dorsal root ganglion
Glutamate dehydrogenase; Aspartate aminotransferase; Hippocampal formation; Cerebellar cortex; Superior cervical ganglion; Liver; Glutamatergic transmission (Rothe, F.) **11**, 67

Dorsal root ganglion cells
Neuronal specificity; Tissue culture; Electrophysiology; Serum-free medium (Baker, R.E.) **5**, 329

Double-walled coated vesicles
Coated vesicles; Brain development; Endocytosis; Synaptogenesis; Olfactory mitral cells; Intercellular adherence (Eckenhoff, M.F.) **6**, 201

Duck olfactory bulb
Neurogenesis; Autoradiography (Rebiere, A.) **6**, 113

Dystrophy
Mutant mice; Myelin; Internode; Axon/Schwann cell; Differentiation; Peripheral nerves; Sensory nerves (Jaros, E.) **6**, 231

E

EMG
Rat; Postnatal development; Motor units; Slow and fast muscles (Navarrete, R.) **8**, 11

Early barbiturate
Thyroxine; Hypothyroidism; Neonatal mice; Ultrastructural defects; CNS (Fishman, R.H.B.) **5**, 202

Ectomammillary nucleus
Neurogenesis; Ventral lateral geniculate nucleus; Neuron size; Neurogenetic gradient; Chicken (Crossland, W.J.) **6**, 33

Electrical stimulation
Ingestion; Neonatal; Medial forebrain bundle (Moran, T.H.) **7**, 197

Electroconvulsive shock
Kindling; Seizures; Immature brain (Holmes, G.L.) **6**, 190

Electronmicroscopic immunohistochemistry
Vimentin; Chick retina; Müller cells; Development (Lemmon, V.) **11**, 191

Electron microscopy
Neostriatum; Monoaminergic boutons; 5-Hydroxydopamine; Synaptogenesis (Hwang, B.H.) **5**, 104

Astrocytes; Differentiation; Intermediate filaments; Tissue culture; Immunofluorescence (Fedoroff, S.) **7**, 303

Postnatal glial proliferation; Inside-out pattern; Rat parietal cortex; Autoradiography (Ichikawa, M.) **9**, 181

Neuroepithelium; Mouse embryo; Cell associations; Neural tube closure; Splotch mutant (Morris, G.L.) **9**, 408

Electrophysiology
Ethanol; Calcium ion; Nerve cell culture; Action potentials; Ionic current blockers (Oakes, S.G.) **5**, 243

Ethanol; Calcium current; Nerve cell culture; Action potentials; Presynaptic model (Oakes, S.G.) **5**, 251

Dorsal root ganglion cells; Neuronal specificity; Tissue culture; Serum-free medium (Baker, R.E.) **5**, 329

Elevated potassium
Chromaffin cells; Fiber outgrowth; Calcium (Unsicker, K.) **9**, 369

Elongation velocity
Fish; Regeneration; Temperature (Cancalon, P.) **9**, 265

Fish; Slow flow rate; Temperature (Cancalon, P.) **9**, 279

Embryo
Optic projection; Rat; Albino; Retino-tectal development (Bunt, S.M.) **6**, 149

Grasshopper; Development; Monoclonal antibodies; Neuronal specificity; Mesodermal cells (Chang, S.) **9**, 297

Embryogenesis
Cerebral cells; Mouse; Surface features; Calcium; Tissue culture (Wong, A.) **6**, 259

Embryonic brain cells
Insulin; Neurite outgrowth; Ornithine decarboxylase (Bhat, N.R.) **11**, 315

Embryonic development
Synaptogenesis; Acetylcholinesterase cytochemistry; Ciliary ganglion (Olivieri-Sangiacomo, C.) **7**, 61

Functional lateralization; Chicken forebrain; Glutamate; Attack and copulation; Light exposure (Zappia, J.V.) **11**, 93

Embryonic neurotoxicity
l-*α*-Acetylmethadol; Methadone; Morphine; Opiate receptors; Chick embryo (Gibson, D.A.) **8**, 61

Embryonic transplantation
Albino; Salamander; Retina; Tectum; Autoradiography; Neural projection (Cole, J.) **5**, 346

Endocytosis
Double-walled coated vesicles; Coated vesicles; Brain development; Synaptogenesis; Olfactory mitral cells; Intercellular adherence (Eckenhoff, M.F.) **6**, 201

Cerebellum; Synaptogenesis; Degradation; Chloroquine (Dontenwill, M.) **10**, 287

β-Endorphin
Ontogenesis; Opiate receptors; Enkephalin (Tsang, D.) **5**, 257

β-Endorphin content
Prepubertal development; Mediobasal hypothalamus; β-Endorphin release; Female rats (Hompes, P.G.A.) **5**, 281

β-Endorphin release
Prepubertal development; Mediobasal hypothalamus; β-Endorphin content; Female rats (Hompes, P.G.A.) **5**, 281

Endplate
Quantal secretion; Release sites; Development (Bennet, M.R.) **5**, 1

Enkephalin
Ontogenesis; Opiate receptors; β-Endorphin (Tsang, D.) **5**, 257

Ensheathment
Murine muscular dystrophy; Neurogenic defects; Neuron; Schwann cell; Basal lamina (Cornbrooks, C.J.) **6**, 57

Enucleation
Vision; Development; Primate; Tree shrew; Lateral geniculate nucleus; Cortex; Layers (Brunso-Bechtold, J.K.) **10**, 33

Epidermal growth factor
Brain cell culture; Glial differentiation; Glutamine synthetase; Aggregating cell culture (Honegger, P.) **11**, 245

Brain cell culture; Extracellular proteins; Aggregating cell culture (Guentert-Lauber, B.) **11**, 253

Epilepsy
Amygdala; Kindling; Seizures; Rat; Newborn animal (Moshé, S.L.) **7**, 81

Epileptiform activity
Visual cortex; Development; Receptive fields; Penicillin model; Rabbit (Crabtree, J.W.) **8**, 1

Estradiol
Synaptogenesis; Superior cervical ganglion; Neuroendocrinology; Neuron number (Wright, L.L.) **6**, 299

Estradiol binding
α-Fetoprotein-albumin synthesis; Brain cells; Culture; Development (Ali, M.) **6**, 47

Estradiol receptor
Brain sexual differentiation; Ferret; Development (Holbrook, P.G.) **7**, 1

Estrogen receptors
α-Fetoprotein; Immunocytochemistry; Brain development; Hypothalamus; Preoptic area; Amygdala (Toran-Allerand, C.D.) **5**, 213

Cell nuclei; Radioautography; Hypothalamus; Preoptic area; Cingulate cortex; Neural development; Mouse; Sexual differentiation (Gerlach, J.L.) **11**, 7

Brain development; Hypothalamus; Cingulate cortex; Sexual differentiation; Mouse (Friedman, W.J.) **11**, 19

Ethanol
Calcium ion; Nerve cell culture; Action potentials; Electrophysiology; Ionic current blockers (Oakes, S.G.) **5**, 243

Calcium current; Nerve cell culture; Action potentials; Electrophysiology; Presynaptic model (Oakes, S.G.) **5**, 251

Exchange vessels
Nucleus tractus solitarius; Baroreceptor reflex; Metabolism; Neuronal densities (Krukoff, T.L.) **9**, 359

Expansor secundariorum
Neurites; Culture; Trophic; Dissociated neurons (Belford, D.A.) **6**, 304

Experimental epilepsy
Brain maturation; Hippocampus; Kainic acid; Limbic seizures; Wet dog shakes (Cherubini, E.) **9**, 69

Explant culture
Sodium fluorescein; Chick embryonic retina; Neurite outgrowth (Kato, S.) **11**, 143

Explants
Cell culture; Retina; Acetylcholine; Dopamine; Synaptic function (Puro, D.G.) **9**, 79

Extracellular proteins
Epidermal growth factor; Brain cell culture; Aggregating cell culture (Guentert-Lauber, B.) **11**, 253

anterior Eye chamber
Hippocampal grafts; Septal grafts - in oculo cultivation (Bragin, A.G.) **10**, 279

Eyelid suture
Postnatal development; Synaptogenesis; Visual cortex (Winfield, D.A.) **9**, 155

F

FITC-peanut agglutinin
Peanut agglutinin; Chick retina; Retinal development (Liu, L.) **8**, 223

Facial motor neurons
Nuclear envelope invagination; Development; Aging; Hamster; Morphometry (LaVelle, A.) **10**, 171

'Failure to thrive' syndrome
Protein malnutrition; Small-for-gestational age; Infants-at-risk; Brain sparing; Minimal brain dysfunction; Retardation of brain growth; Retardation of body growth; Brain development; Rehabilitation following malnutrition; Maternal nutrition and pregnancy (Resnick, O.) **10**, 221

Fascia dentata
Hippocampus; Transplant (Sunde, N.Aa.) **8**, 165

Female rats
Prepubertal development; Mediobasal hypothalamus; β-Endorphin content; β-Endorphin release (Hompes, P.G.A.) **5**, 281

Ferret
Estradiol receptor; Brain sexual differentiation; Development (Holbrook, P.G.) **7**, 1

Fetal alcohol syndrome
Mental retardation; Pyramidal neurons; Dendritic spine distribution; Animal studies; Golgi-impregnation (Stoltenburg-Didinger, G.) **11**, 119

Fetal blood-brain barrier
Fetal CSF proteins (Cavanagh, M.E.) **11**, 159

Fetal brain
CSF; Biogenic amine concentrations (Masudi, N.A.) **7**, 9

Fetal cerebral cortex
Tyrosine hydroxylase; Immunocytochemistry; Dopamine (Verney, C.) **5**, 41

Fetal CSF proteins
Fetal blood-brain barrier (Cavanagh, M.E.) **11**, 159

Fetal growth
Insulin-like growth factor; Somatomedins; Brain cell cultures; DNA synthesis (Lenoir, D.) **7**, 205

Fetal rats
Corpus callosum and corticospinal tract; Glial fibrillary acidic protein immunoreactivity (Valentino, K.L.) **9**, 317

Fetal spinal cord
Differentiation; Transplantation; Substantia gelatinosa; Gliosis; Ventral horn cells (Reier, P.J.) **10**, 201

α-Fetoprotein
Albumin; Brain development; Recombinant DNA; Brain mRNA; Protein synthesis; CNS cultures (Schachter, B.S.) **5**, 93

Immunocytochemistry; Brain development; Hypothalamus; Preoptic area; Amygdala; Estrogen receptors (Toran-Allerand, C.D.) **5**, 213

α-Fetoprotein-albumin synthesis
Brain cells; Culture; Development; Estradiol binding (Ali, M.) **6**, 47

Fetus
Spermine; Spermidine; CNS; Nucleic acids; Putrescine (Chaudhuri, D.) **10**, 143

Spinal cord; Catecholaminergic nerves; Development; Neonate (Commissiong, J.W.) **11**, 75

Fiber outgrowth
Chromaffin cells; Nerve growth factor; Growth factors; Cell culture (Unsicker, K.) **7**, 41

Chromaffin cells; Elevated potassium; Calcium (Unsicker, K.) **9**, 369

Fish
Regeneration; Elongation velocity; Temperature (Cancalon, P.) **9**, 265

Slow flow rate; Elongation velocity; Temperature (Cancalon, P.) **9**, 279

Fish development
Retina; Neuronal death; Nucleus olfacto-retinalis (NOR) development; Retinopetal innervation; Transcellular HRP-labelling (Crapon de Caprona, M.-D.) **11**, 281

Fish optic tectum
Caffeine; Dendrite; Spine; Branching; Golgi staining; Jewel fish (Burgess, J.W.) **6**, 123

Flow-cytometry
Nervous mutant; Purkinje cells; Cerebellar external granular layer; DNA loss; DNA dispersion (Mishra, P.R.) **6**, 193

Fluorescence-activated cell sorter
Neural retina; Monoclonal antibodies (Dyer, S.A.) **9**, 197

Fluorescence microscopy
Neuromuscular junction; Acetylcholine receptor; Cholinesterase; Development; Muscle; Chicken; Neurotoxin (Ishikawa, Y.) **5**, 187

Neuromuscular junction; Acetylcholine receptor; Neuron-specific antibody; Neurotoxin; Nerve terminal; Development (Ishikawa, Y.) **8**, 111

Goldfish; Retina; Development; Monoamine neurons (Negishi, K.) **10**, 111

Fluoride
Adenylate cyclase; Calmodulin; Rat brain; β-Adrenergic receptor; Postnatal development; Guanine nucleotide (Sano, M.) **7**, 215

Forebrain
Glutamine synthetase regional development; Olfactory bulbs; Cerebellum; Astrocytic proteins; Maturation (Patel, A.J.) **8**, 31

Glucocorticoids; Regulation of glutamine synthetase; Brain development; Corticosterone; Cerebellum; Olfactory bulbs; Dexamethasone; Anti-glutamine synthetase antibody (Patel, A.J.) **10**, 83

Catecholamines; Chick; Development; Visual experience; Imprinting; Plasticity (Davies, D.C.) **10**, 251

Forebrain cholinergic neurons
Nerve growth factor; Neonatal rat; Choline acetyltransferase (Gnahn, H.) **9**, 45

Freeze-fracture
Synaptogenesis; Synapse; Cerebellar development; Membrane structure (Landis, D.M.D.) **8**, 231

Node of Ranvier; Intercellular junctions; Differentiation; Peripheral nerve; Myelin; Cell membrane; Axon (Tao-Cheng, J.-H.) **9**, 251

Neuroblastoma x glioma hybrid; Neural differentiation; Intramembranous particles; Particle density; Size distribution (Furuya, S.) **11**, 235

Functional lateralization
Chicken forebrain; Glutamate; Attack and copulation; Light exposure; Embryonic development (Zappia, J.V.) **11**, 93

G

GABA
Retina; Cell culture; Glycine; D-Aspartate; Autoradiography; Cell identification (Beale, R.) **7**, 107

Spinal cord; Tetanus toxin; Development; Cholinergic neurons; Tetrodotoxin (Brenneman, D.E.) **9**, 13

Norepinephrine; Development; Cerebellum; Purkinje cell; Chemosensitivity; Modulation by NE (Yeh, H.H.) **10**, 49

Astroglial cells; D-aspartate; Amino acid uptake; Autoradiography; Astrocyte morphologies (Levi, G.) **10**, 227

Astroglial cell cultures; Uptake of amino acids; D-aspartate; Neurotransmitters; Autoradiography; Different astroglial morphologies (Wilkin, G.P.) **10**, 265

Development; Cerebral cortex; Release of transmitters; Inhibitory synapses (Balcar, V.J.) **10**, 309

Visual cortical projections; Plasticity; Glutamate (Kvale, I.) **11**, 261

GABA receptor
Cultured neurons; Chick embryo cerebrum; Microtubules; Synapses; Glutamate decarboxylase; Benzodiazepine receptor (Thampy, K.G.) **8**, 101

G5 antibody
Monoclonal antibody; Rat brain; Postnatal induction (Akeson, R.A.) **7**, 327

Ganglion cell
Axon elongation; Retina; Optic lobe; Tissue culture; Chick embryo (Carri, N.G.) **6**, 219

Gangliosides
Brain myelin; Chick brain; Myelin protein (Cochran, F.B.) **6**, 7

β-Nerve growth factor; Pheochromocytoma cell line; Neurite outgrowth (Ferrari, G.) **8**, 215

Glial cell cultures
Oligodendrocytes; Autoradiography; Immunofluorescence; W1 Wolfgram protein; Myelin basic proteins (Roussel, G.) **8**, 193

Glial cell lines
Conditioned medium; Cerebellar cell line (Beutler, D.) **11**, 169

Glial conditioned medium
β-Receptor; Brain culture; Neuronal development; Glia-neuron communication; β-Agonists (Maderspach, K.) **6**, 251

Glial development
Carbonic anhydrase; Glial fibrillary acidic protein; Quaking mice (Sapirstein, V.S.) **6**, 13

Glial differentiation
Epidermal growth factor; Brain cell culture; Glutamine synthetase; Aggregating cell culture (Honegger, P.) **11**, 245

Glial fibrillary acidic protein
Carbonic anhydrase; Glial development; Quaking mice (Sapirstein, V.S.) **6**, 13

Astroblasts; Astrocytes; Reactive astrocyte-like; Tissue culture; Transplantation; Nuclear morphometry (Doering, L.C.) **6**, 183

Intracephalic transplants; Cortex cerebri; Astrocytes; S-100 Protein; Image analysis (Björklund, H.) **9**, 171

Astrocytes; Growth factors; Differentiation; CNS; Cell culture (Morrison, R.S.) **9**, 337

Glial fibrillary acidic protein immunoreactivity
Fetal rats; Corpus callosum and corticospinal tract (Valentino, K.L.) **9**, 317

Glia-neuron communication
β-Receptor; Brain culture; Neuronal development; β-Agonists; Glial conditioned medium (Maderspach, K.) **6**, 251

Gliogenesis
Human fetus; Spinal cord; Radial glia; Astroglia; Oligodendroglia; Myelinogenesis (Choi, B.H.) **8**, 119

Glioma cells
Plasminogen activator; Neuroblastoma cells; Differentiation; Autoradiography; Neurites; Growth cones (Soreq, H.) **7**, 257

Gliosis
Fetal spinal cord; Differentiation; Transplantation; Substantia gelatinosa; Ventral horn cells (Reier, P.J.) **10**, 201

Glossopharyngeal nerve
Taste; Development; Chorda tympani nerve; Taste bud (Mistretta, C.M.) **11**, 107

Glucocorticoid hormones
Synaptogenesis; Cholinergic neurotransmission; Retinal neurons; Cell culture; Neuronal development (Puro, D.G.) **8**, 283

Glucocorticoids
Regulation of glutamine synthetase; Brain development; Corticosterone; Cerebellum; Olfactory bulbs; Forebrain; Dexamethasone; Anti-glutamine synthetase antibody (Patel, A.J.) **10**, 83

Glucose-6-phosphate dehydrogenase
Myelin; Oligodendrocytes; Glycerolphosphate dehydrogenase; Lactate dehydrogenase; Carbonic anhydrase (Cammer, W.) **6**, 21

Glucose-sensitive neuron
Ontogeny; Lateral hypothalamic area; Brain slice; Rat (Shibata, S.) **5**, 114

Glutamate
Kainic acid; Neurotoxicity; Retina; Neuronal cultures (Zambrano, C.H.) **9**, 396

Retinal neurons; Development; Neurotransmission; Regulation; cAMP analogues; Acetylcholine; Retina-muscle co-culture (Yeh, H.H.) **10**, 63

Functional lateralization; Chicken forebrain; Attack and copulation; Light exposure; Embryonic development (Zappia, J.V.) **11**, 93

Visual cortical projections; Plasticity; GABA (Kvale, I.) **11**, 261

Glutamate decarboxylase
Cultured neurons; Chick embryo cerebrum; Microtubules; Synapses; GABA receptor; Benzodiazepine receptor (Thampy, K.G.) **8**, 101

Glutamate dehydrogenase
Aspartate aminotransferase; Hippocampal formation; Cerebellar cortex; Dorsal root ganglion; Superior cervical ganglion; Liver; Glutamatergic transmission (Rothe, F.) **11**, 67

Glutamate inhibition
Memory; Amnesia; Proline; Proline analogs; Ammonia (Pico, R.M.) **9**, 227

Glutamatergic transmission
Glutamate dehydrogenase; Aspartate aminotransferase; Hippocampal formation; Cerebellar cortex; Dorsal root ganglion; Superior cervical ganglion; Liver (Rothe, F.) **11**, 67

Glutamate uptake
Visual structures; Rat; Postnatal development (Kvale, I.) **7**, 137

Glutaminase
Chick brain; Development; Cultured nerve cells (Kamp, G.) **11**, 1

Glutamine synthetase
Epidermal growth factor; Brain cell culture; Glial differentiation; Aggregating cell culture (Honegger, P.) **11**, 245

Glutamine synthetase regional development
Olfactory bulbs; Forebrain; Cerebellum; Astrocytic proteins; Maturation (Patel, A.J.) **8**, 31

Glycerolphosphate dehydrogenase
Myelin; Oligodendrocytes; Glucose-6-phosphate dehydrogenase; Lactate dehydrogenase; Carbonic anhydrase (Cammer, W.) **6**, 21

Glycine
Retina; Cell culture; GABA; D-Aspartate; Autoradiography; Cell identification (Beale, R.) **7**, 107

Golden hamster
Olfactory reinnervation and behavioral recovery; Olfaction; Thermotaxis; Recovery of function; Plasticity; Development; Olfactory tubercle (Small, R.K.) **7**, 25

Goldfish
Retina; Tectum; Regeneration; Autoradiography; Ocular dominance columns; Development (Meyer, R.L.) **6**, 279

Retinotectal; Tetrodotoxin; Regeneration; Topography (Meyer, R.L.) **6**, 293

Retina; Development; Monoamine neurons; Fluorescence microscopy (Negishi, K.) **10**, 111

Goldfish central axons
Regeneration in CNS (Levine, R.L.) **9**, 416

Golgi-impregnation
Fetal alcohol syndrome; Mental retardation; Pyramidal neurons; Dendritic spine distribution; Animal studies (Stoltenburg-Didinger, G.) **11**, 119

Golgi stain
Gonadal hormones; Mice; Preoptic area; Sex difference; Brain; Quantitative neuroanatomy (Toran-Allerand, C.D.) **7**, 97

Golgi staining
Caffeine; Dendrite; Spine; Branching; Fish optic tectum; Jewel fish (Burgess, J.W.) **6**, 123

Golgi study
Monoamines; Neuronal growth; Snell dwarf cerebrum; Synaptogenesis; Thy-1 antigen (Noguchi, T.) **10**, 125

Gonadal hormones
Mice; Preoptic area; Sex difference; Brain; Golgi stain; Quantitative neuroanatomy (Toran-Allerand, C.D.) **7**, 97

Granular neuron migration
Plasminogen activator molecular forms; Agranular cerebellum; mRNA; Autoradiography; X-irradiation (Soreq, H.) **11**, 149

Grasshopper
Embryo; Development; Monoclonal antibodies; Neuronal specificity; Mesodermal cells (Chang, S.) **9**, 297

Growth cones
Plasminogen activator; Neuroblastoma cells; Glioma cells; Differentiation; Autoradiography; Neurites (Soreq, H.) **7**, 257

Growth factor
Astrocytes; Brain cells; Differentiation; Development; Tissue culture (Lim, R.) **5**, 29

Growth factors
Chromaffin cells; Fiber outgrowth; Nerve growth factor; Cell culture (Unsicker, K.) **7**, 41

Astrocytes; Differentiation; Glial fibrillary acidic protein; CNS; Cell culture (Morrison, R.S.) **9** 337

Guanine nucleotide
Adenylate cyclase; Calmodulin; Rat brain; β-Adrenergic receptor; Postnatal development; Fluoride (Sano, M.) **7**, 215

Guinea-pig
Ontogenesis; Olfactory bulb; 2-Deoxyglucose; Spatial pattern (Astic, L.) **10**, 257

H

HRP
Cerebellar macroneurons; Amino acid; Microexplant; Purkinje cells (Macdonald, R.L.) **5**, 75

Postnatal development; Synapse elimination; Axon collaterals; Motoneurons; Spinal cord; Intracellular staining (Cullheim, S.) **5**, 234

Mouse; Brainstem; Development; Deafferentation; Cochlear nucleus; Inferior colliculus (Trune, D.R.) **9**, 1

HRP-injected Purkinje cells
Cerebellum in monolayer culture; Purkinje cells in monolayer culture; Spike and synaptic potentials (Moonen, G.) **5**, 59

HRP-labeling
Spinal motoneuron; Survival; Cell death; Development (Tanaka, H.) **9**, 390

Hamster
Neurogenesis; Visual cortex; Lateral geniculate nucleus; Superior colliculus; Suprachiasmatic nucleus; Neurogenetic gradients (Crossland, W.J.) **5**, 99

Infraorbital nerve; Trigeminal system; Plasticity; Transganglionic HRP transport (Rhoades, R.W.) **7**, 337

Lateral posterior nucleus; Plasticity; Somatosensory neurons; Neonatal enucleations (Mooney, R.D.) **9**, 399

Nuclear envelope invagination; Facial motor neurons; Development; Aging; Morphometry (LaVelle, A.) **10**, 171

Hearing
Hypothyroidism; Thyroxine treatment (Ruiz-Marcos, A.) **9**, 205

Heart
Tissue culture; Coeliac ganglion; Superior cervical ganglion; Stomach; Colon; Hereditary aganglionic colon; Neural crest; Neuronotrophic factors (Rawdon, B.B.) **7**, 53

Heat shock
Stress protein; Hyperthermia; Brain; Development (Currie, R.W.) **11**, 308

Hebb synapses
Cat; Visual cortex; Monocular deprivation; Selective reversal; Uni-orientational rearing; Neuronal competition (Rauschecker, J.P.) **10**, 305

Hereditary aganglionic colon
Tissue culture; Coeliac ganglion; Superior cervical ganglion; Heart; Stomach; Colon; Neural crest; Neuronotrophic factors (Rawdon, B.B.) **7**, 53

Hippocampal development
Septal nuclei; Acetylcholinesterase; Septohippocampal projection (Milner, T.A.) **8**, 343

Hippocampal formation
Glutamate dehydrogenase; Aspartate aminotransferase; Cerebellar cortex; Dorsal root ganglion; Superior cervical ganglion; Liver; Glutamatergic transmission (Rothe, F.) **11**, 67

Hippocampal grafts
Septal grafts - in oculo cultivation; anterior Eye chamber (Bragin, A.G.) **10**, 279

Hippocampus
Postnatal anoxia; Hyperactivity; Discrimination learning; Muscarinic receptors; β-Receptors (Hershkowitz, M.) **7**, 147

Opiate receptors; Development; Olfactory bulb; Neocortex; Striatum; Autoradiography of receptors (Unnerstall, J.R.) **7**, 157

Calcium; Action potentials; Mouse; Neurons; Cell cultures; Development (Peacock, J.H.) **8**, 39

Fascia dentata; Transplant (Sunde, N.Aa.) **8**, 165

Experimental epilepsy; Brain maturation; Kainic acid; Limbic seizures; Wet dog shakes (Cherubini, E.) **9**, 69

Methylazoxymethanol; Mossy fibers; Microcephaly (Cheema, S.S.) **9**, 411

Dentate gyrus; Lead; Acetylcholine; Plasticity; Development (Alfano, D.P.) **10**, 117

Reeler mutant mouse; Acetylcholinesterase; Dentate gyrus; Development; Plasticity (Terada, S.) **11**, 219

Human fetus
Gliogenesis; Spinal cord; Radial glia; Astroglia; Oligodendroglia; Myelinogenesis (Choi, B.H.) **8**, 119

Hybrid vigour
Inbred strain; Cytoplasm; Maternal environment (Wahlsten, D.) **9**, 215

5-Hydroxydopamine
Neostriatum; Monoaminergic boutons; Electron microscopy; Synaptogenesis (Hwang, B.H.) **5**, 104

Hyperactivity
Postnatal anoxia; Discrimination learning; Hippocampus; Muscarinic receptors; β-Receptors (Hershkowitz, M.) **7**, 147

Hyperkinesis; Locomotion; Dopamine; Brain lesions (Heffner, T.G.) **9**, 29

Hyperkinesis
Locomotion; Dopamine; Behavioral development (Miller, F.E.) **6**, 91

Hyperactivity; Locomotion; Dopamine; Brain lesions (Heffner, T.G.) **9**, 29

Hyperthermia
Stress protein; Heat shock; Brain; Development (Currie, R.W.) **11**, 308

Hypogastric ganglion
Prenatal androgen; Neuron number; Sexual dimorphism; Mouse (Suzuki, Y.) **10**, 151

Hypothalamus
α-Fetoprotein; Immunocytochemistry; Brain development; Preoptic area; Amygdala; Estrogen receptors (Toran-Allerand, C.D.) **5**, 213

Culture; Serum-free medium; Thyroliberin release (Loudes, C.) **9**, 231

Precocious puberty; Parasagittal knife cuts; Male chicks (Mass, J.H.) **10**, 165

Estrogen receptors; Cell nuclei; Radioautography; Preoptic area; Cingulate cortex; Neural development; Mouse; Sexual differentiation (Gerlach, J.L.) **11**, 7

Estrogen receptors; Brain development; Cingulate cortex; Sexual differentiation; Mouse (Friedman, W.J.) **11**, 19

Hypothyroidism
Early barbiturate; Thyroxine; Neonatal mice; Ultrastructural defects; CNS (Fishman, R.H.B.) **5**, 202

Vomeronasal organ (Segovia, S.) **5**, 206

Brain regions; 5'-Nucleotidase; Myelination; Cyclic nucleotide; Phosphohydrolase; Development (King, R.A.) **7**, 287

Cochlea; Development; Synaptogenesis; Rat (Uziel, A.) **7**, 295

Thyroxine treatment; Hearing (Ruiz-Marcos, A.) **9**, 205

I

Ichthyosis
Staggerer; Cerebellar development; Mouse chimeras; Cell death (Herrup, K.) **11**, 267

Image analysis
Intracephalic transplants; Cortex cerebri; Astrocytes; Glial fibrillary acidic protein; S-100 Protein (Björklund, H.) **9**, 171

Immature brain
Kindling; Seizures; Electroconvulsive shock (Holmes, G.L.) **6**, 190

Kindling; Seizures; Pentylenetetrazol (Holmes, G.L.) **11**, 312

Immunocytochemistry
Tyrosine hydroxylase; Fetal cerebral cortex; Dopamine (Verney, C.) **5**, 41

α-Fetoprotein; Brain development; Hypothalamus; Preoptic area; Amygdala; Estrogen receptors (Toran-Allerand, C.D.) **5**, 213

Vasopressin neuron; Neurogenesis; Supraoptic nucleus; Paraventricular nucleus; Suprachiasmatic nucleus; Autoradiography (Okamura, H.) **9**, 223

Immunofluorescence
Astrocytes; Differentiation; Intermediate filaments; Tissue culture; Electron microscopy (Fedoroff, S.) **7**, 303

Glial cell cultures; Oligodendrocytes; Autoradiography; W1 Wolfgram protein, Myelin basic proteins (Roussel, G.) **8**, 193

Immunoperoxidase
Sheep fetus; Choroid plexus; Intracellular protein; Development (Jacobsen, M.) **8**, 77

Imprinting
Catecholamines; Chick; Forebrain; Development; Visual experience; Plasticity (Davies, D.C.) **10**, 251

Inbred strain
Cytoplasm; Maternal environment; Hybrid vigour (Wahlsten, D.) **9**, 215

Inbred strains of mice
Sleep; Postnatal evolution (Daszuta, A.) **7**, 87

Indices of maturation
Prefrontal cortex; Medial dorsal nucleus (Corwin, J.V.) **8**, 89

Infant lesion effect
Sparing of function; Motor development; Neonatal lesions; Recovery of function (Bregman, B.S.) **9**, 103

Infant rats
Active sleep; Clonidine; Differential environment; Cortical development (Mirmiran, M.) **7**, 102

Active sleep deprivation; Clomipramine; Clonidine; Pendulum technique; Brain development (Mirmiran, M.) **7**, 277

Infants-at-risk
Protein malnutrition; Small-for-gestational age; Brain sparing; Minimal brain dysfunction; Retardation of brain growth; Retardation of body growth; Brain development; Rehabilitation following malnutrition; Maternal nutrition and pregnancy; 'Failure to thrive' syndrome (Resnick, O.) **10**, 221

Inferior colliculus
Mouse; Brainstem; Development; Deafferentation; HRP; Cochlear nucleus (Trune, D.R.) **9**, 1

Tyrosine hydroxylase; Transient L-DOPA neurons; Developmental mechanisms (Jaeger, C.B.) **11**, 128

Infraorbital nerve
Hamster; Trigeminal system; Plasticity; Transganglionic HRP transport (Rhoades, R.W.) **7**, 337

Ingestion
Electrical stimulation; Neonatal; Medial forebrain bundle (Moran, T.H.) **7**, 197

Inhibitory synapses
Development; Cerebral cortex; Release of transmitters; GABA (Balcar, V.J.) **10**, 309

Inside-out pattern
Postnatal glial proliferation; Rat parietal cortex; Autoradiography; Electron microscopy (Ichikawa, M.) **9**, 181

Insulin
Embryonic brain cells; Neurite outgrowth; Ornithine decarboxylase (Bhat, N.R.) **11**, 315

Insulin-like growth factor
Somatomedins; Brain cell cultures; DNA synthesis; Fetal growth (Lenoir, D.) **7**, 205

Intercellular adherence
Double-walled coated vesicles; Coated vesicles; Brain development; Endocytosis; Synaptogenesis; Olfactory mitral cells (Eckenhoff, M.F.) **6**, 201

Intercellular junctions
Node of Ranvier; Differentiation; Peripheral nerve; Myelin; Freeze-fracture; Cell membrane; Axon (Tao-Cheng, J.-H.) **9**, 251

Interependymal pores
Rana pipiens; Development; Rhombencephalic posterior tela; Cerebrospinal fluid circulation (Jones, H.C.) **7**, 121

Intermediate filaments
Astrocytes; Differentiation; Tissue culture; Immunofluorescence; Electron microscopy (Fedoroff, S.) **7**, 303

Interneuron
Safety factor; Cable properties; Postembryonic development; Cockroach (Yarom, Y.) **8**, 321

Interneurons
Safety factor; Postembryonic development; Cockroach (Spira, M.E.) **8**, 311

Internode
Mutant mice; Dystrophy; Myelin; Axon/ Schwann cell; Differentiation; Peripheral nerves; Sensory nerves (Jaros, E.) **6**, 231

Intracellular protein
Sheep fetus; Choroid plexus; Development; Immunoperoxidase (Jacobsen, M.) **8**, 77

Intracellular staining
Postnatal development; Synapse elimination; Axon collaterals; Motoneurons; Spinal cord; HRP (Cullheim, S.) **5**, 234

Intracephalic transplants
Cortex cerebri; Astrocytes; Glial fibrillary acidic protein; S-100 Protein; Image analysis (Björklund, H.) **9**, 171

Intramembranous particles
Freeze-fracture; Neuroblastoma x glioma hybrid; Neural differentiation; Particle density; Size distribution (Furuya, S.) **11**, 235

Intraocular transplantations
Brain development; Cortex cerebri; Locus coeruleus; Neurotrophism; Brain tissue grafts (Björklund, H.) **6**, 131

Brain development; Cortex cerebri; Locus coeruleus; Neurotrophism; Brain tissue grafts (Palmer, M.) **6**, 141

Ionic current blockers
Ethanol; Calcium ion; Nerve cell culture; Action potentials; Electrophysiology (Oakes, S.G.) **5**, 243

Ipsilateral retinofugal projection
Avian visual system; Retinotectal system; Process elimination; Cell death; Wheat germ agglutinin-conjugated HRP (O'Leary, D.D.M.) **10**, 93

Iris
Synaptogenesis; Ciliary ganglion; Chlorisondamine; α-Bungarotoxin (Chiappinelli, V.A.) **5**, 118

Isoproterenol
β- and α_2-Adrenoceptors; [^{3}H]Clonidine binding; [^{3}H]DHA binding; Development; Cerebral cortical membranes (Nomura, Y.) **9**, 381

J

Jewel fish
Caffeine; Dendrite; Spine; Branching; Golgi staining; Fish optic tectum (Burgess, J.W.) **6**, 123

K

Kainic acid
Experimental epilepsy; Brain maturation; Hippocampus; Limbic seizures; Wet dog shakes (Cherubini, E.) **9**, 69

Glutamate; Neurotoxicity; Retina; Neuronal cultures (Zambrano, C.H.) **9**, 396

Kindling
Seizures; Immature brain; Electroconvulsive shock (Holmes, G.L.) **6**, 190

Amygdala; Seizures; Epilepsy; Rat; Newborn animal (Moshé, S.L.) **7**, 81

Seizures; Immature brain; Pentylenetetrazol (Holmes, G.L.) **11**, 312

Kitten
Cortical inhibition; Development; Visual cortex; Slice (Komatsu, Y.) **8**, 136

Visual cortex; Corticofugal projection; Development; Superior colliculus (Tsumoto, T.) **11**, 29

Brain macrophages; White matter development; Neocortex; Corpus callosum (Innocenti, G.M.) **11**, 39

Axonal pathways; Development; Visual cortex; Transitory macrophages (Innocenti, G.M.) **11**, 55

L

dLGN
Development; Cell size; Cat; Monocular deprivation (Wilson, J.R.) **8**, 53

Lactate dehydrogenase
Myelin; Oligodendrocytes; Glycerolphosphate dehydrogenase; Glucose-6-phosphate dehydrogenase; Carbonic anhydrase (Cammer, W.) **6**, 21

Lactation
BALB/c mouse; Corpus callosum; Brain weight; Maternal environment (Wahlsten, D.) **5**, 354

Lateral geniculate
Cat; Monocular deprivation; C-laminae; W-cells; Development; Plasticity (Murakami, D.M.) **9**, 353

Lateral geniculate nucleus
Neurogenesis; Hamster; Visual cortex; Superior colliculus; Suprachiasmatic nucleus; Neurogenetic gradients (Crossland, W.J.) **5**, 99

Brushtailed possum; Development of retinal pathways; Superior colliculus; Autoradiography (Sanderson, K.J.) **5**, 161

Visual cortex; Amblyopia; Spatial resolution; Strabismus; Cat (Mower, G.D.) **5**, 311

Single neurons; Orientation tuning; Postnatal development (Albus, K.) **6**, 308

Vision; Development; Primate; Tree shrew; Enucleation; Cortex; Layers (Brunso-Bechtold, J.K.) **10**, 33

Lateral hypothalamic area
Ontogeny; Glucose-sensitive neuron; Brain slice; Rat (Shibata, S.) **5**, 114

Lateral posterior nucleus
Hamster; Plasticity; Somatosensory neurons; Neonatal enucleations (Mooney, R.D.) **9**, 399

Lateral septum
Vasopressin; Testosterone; Sex difference; Development (De Vries, G.J.) **8**, 377

Layers
Vision; Development; Primate; Tree shrew; Lateral geniculate nucleus; Enucleation; Cortex (Brunso-Bechtold, J.K.) **10**, 33

Lead
Hippocampus; Dentate gyrus; Acetylcholine; Plasticity; Development (Alfano, D.P.) **10**, 117

Lectin reactivity
Polyornithine-binding neurite-promoting factor; Neuritic regeneration; Neurite guidance; Neuronotrophic factors (Adler, R.) **6**, 69

Levator ani
Androgens; Bulbocavernosus; Motoneuron; Sexual dimorphism; Spinal cord; Thymidine (Breedlove, S.M.) **9**, 39

Light exposure
Functional lateralization; Chicken forebrain; Glutamate; Attack and copulation; Embryonic development (Zappia, J.V.) **11**, 93

Limb bud amputation
Chick embryo; Spinal cord; Motoneuron death (Laing, N.G.) **5**, 181

Limbic seizures
Experimental epilepsy; Brain maturation; Hippocampus; Kainic acid; Wet dog shakes (Cherubini, E.) **9**, 69

Liver
Glutamate dehydrogenase; Aspartate aminotransferase; Hippocampal formation; Cerebellar cortex; Dorsal root ganglion; Superior cervical ganglion; Glutamatergic transmission (Rothe, F.) **11**, 67

Locomotion
Dopamine; Hyperkinesis; Behavioral development (Miller, F.E.) **6**, 91

Hyperactivity; Hyperkinesis; Dopamine; Brain lesions (Heffner, T.G.) **9**, 29

Locus coeruleus
Brain development; Cortex cerebri; Neurotrophism; Brain tissue grafts; Intraocular transplantations (Björklund, H.) **6**, 131

Brain development; Cortex cerebri; Neurotrophism; Brain tissue grafts; Intraocular transplantations (Palmer, M.) **6**, 141

Locust
Cerebral glioblasts; Postembryonic life; Culture; Microscopy; Autoradiography (Vanhems, E.) **10**, 177

Long-term potentiation
Post-tetanic potentiation; Development; Transcallosal response; Neocortex (Wilson, D.A.) **7**, 271

Lucifer yellow
Retina; Development (Sarthy, P.V.) **11**, 275

Lurcher mutant mouse
Cell death; Numerical matching; Chimeric mice; Cerebellar development; Purkinje cells (Wetts, R.) **10**, 41

Lymphocytes
Nerve growth factor; Superior cervical ganglia; Conditioned media (Gozes, Y.) **6**, 93

M

Male chicks
Precocious puberty; Parasagittal knife cuts; Hypothalamus (Mass, J.H.) **10**, 165

Maternal environment
BALB/c mouse; Corpus callosum; Brain weight; Lactation (Wahlsten, D.) **5**, 354

Inbred strain; Cytoplasm; Hybrid vigour (Wahlsten, D.) **9**, 215

Maternal nutrition and pregnancy
Protein malnutrition; Small-for-gestational age; Infants-at-risk; Brain sparing; Minimal brain dysfunction; Retardation of brain growth; Retardation of body growth; Brain development; Rehabilitation following malnutrition; 'Failure to thrive' syndrome (Resnick, O.) **10**, 221

Maturation
Retina; Outer plexiform layer; Retinal development (Rapaport, D.H.) **5**, 273

Glutamine synthetase regional development; Olfactory bulbs; Forebrain; Cerebellum; Astrocytic proteins (Patel, A.J.) **8**, 31

Medial dorsal nucleus
Prefrontal cortex; Indices of maturation (Corwin, J.V.) **8**, 89

Medial forebrain bundle
Electrical stimulation; Ingestion; Neonatal (Moran, T.H.) **7**, 197

Mediobasal hypothalamus
Prepubertal development; β-Endorphin content; β-Endorphin release; Female rats (Hompes, P.G.A.) **5**, 281

Membrane potentials
Neuromuscular junction; Development; Degeneration (Muniak, C.G.) **5**, 123

Membrane structure
Synaptogenesis; Synapse; Cerebellar development; Freeze-fracture (Landis, D.M.D.) **8**, 231

Memory
Glutamate inhibition; Amnesia; Proline; Proline analogs; Ammonia (Pico, R.M.) **9**, 227

Mental retardation
Neurobehavioral failure; Dendritic varicosities; Microtubules; Cytoskeleton; Dendritic spines (Purpura, D.P.) **5**, 287

Neurobehavioral failure; Dendritic varicosities; Microtubules; Cytoskeleton; Computer reconstruction (Bodick, N.) **5**, 299

Fetal alcohol syndrome; Pyramidal neurons; Dendritic spine distribution; Animal studies; Golgi-impregnation (Stoltenburg-Didinger, G.) **11**, 119

Mesocortical system
Prefrontal cortex; Dopamine; Ontogeny (Schmidt, R.H.) **5**, 222

Mesodermal cells
Grasshopper; Embryo; Development; Monoclonal antibodies; Neuronal specificity (Chang, S.) **9**, 297

Metabolism
Pipecolic acid; Brain; Accumulation (Nishio, H.) **6**, 107

Nucleus tractus solitarius; Baroreceptor reflex; Neuronal densities; Exchange vessels (Krukoff, T.L.) **9**, 359

Metamorphosis
Retinotectal system; Axolotls (Stirling, R.V.) **5**, 343

Methadone
l-α-Acetylmethadol; Morphine; Embryonic neurotoxicity; Opiate receptors; Chick embryo (Gibson, D.A.) **8**, 61

Methylazoxymethanol
Hippocampus; Mossy fibers; Microcephaly (Cheema, S.S.) **9**, 411

Meynert cell
Cat; Visual cortex (Winfield, D.A.) **5**, 53

Mice
Gonadal hormones; Preoptic area; Sex difference; Brain; Golgi stain; Quantitative neuroanatomy (Toran-Allerand, C.D.) **7**, 97

Microcephaly
Methylazoxymethanol; Hippocampus; Mossy fibers (Cheema, S.S.) **9**, 411

Microexplant
Cerebellar macroneurons; Amino acid; Purkinje cells; HRP (Macdonald, R.L.) **5**, 75

Microscopy
Cerebral glioblasts; Postembryonic life; Locust; Culture; Autoradiography (Vanhems, E.) **10**, 177

Microtubules
Neurobehavioral failure; Mental retardation; Dendritic varicosities; Cytoskeleton; Dendritic spines (Purpura, D.P.) **5**, 287

Neurobehavioral failure; Mental retardation; Dendritic varicosities; Cytoskeleton; Computer reconstruction (Bodick, N.) **5**, 299

Developing rat; Cerebellum; Purkinje cell dendrites; Mitochondria; Thyroid deficiency; Thyroxine effects (Faivre, C.) **8**, 21

Cultured neurons; Chick embryo cerebrum; Synapses; Glutamate decarboxylase; GABA receptor; Benzodiazepine receptor (Thampy, K.G.) **8**, 101

Minimal brain dysfunction
Protein malnutrition; Small-for-gestational age; Infants-at-risk; Brain sparing; Retardation of brain growth; Retardation of body growth; Brain development; Rehabilitation following malnutrition; Maternal nutrition and pregnancy; 'Failure to thrive' syndrome (Resnick, O.) **10**, 221

Mitochondria
Developing rat; Cerebellum; Purkinje cell dendrites; Microtubules; Thyroid deficiency; Thyroxine effects (Faivre, C.) **8**, 21

Cells of external granular layer; Cells of internal granular layer; Cerebellar development; Morphological quantitation; Succinate dehydrogenase; Cerebellar cells (Koppel, H..) **11**, 199

Mitogenesis
Axolemma fractions; Cultured Schwann cells; Cell cycle analysis (DeVries, G.H.) **9**, 87

Modulation by NE
Norepinephrine; GABA; Development; Cerebellum; Purkinje cell; Chemosensitivity (Yeh, H.H.) **10**, 49

Norepinephrine; Development; Cerebellum; Purkinje cell; Climbing fiber response; Off-beam inhibition (Yeh, H.H.) **11**, 207

Monoamine neurons
Goldfish; Retina; Development; Fluorescence microscopy (Negishi, K.) **10**, 111

Monoaminergic boutons
Neostriatum; Electron microscopy; 5-Hydroxydopamine; Synaptogenesis (Hwang, B.H.) **5**, 104

Monoamines
Serotonin; Visual system; Development (Cano, J.) **5**, 199

Golgi study; Neuronal growth; Snell dwarf cerebrum; Synaptogenesis; Thy-1 antigen (Noguchi, T.) **10**, 125

Monoclonal antibodies
Neural retina; Fluorescence-activated cell sorter (Dyer, S.A.) **9**, 197

Grasshopper; Embryo; Development; Neuronal specificity; Mesodermal cells (Chang, S.) **9**, 297

Monoclonal antibody
Neural retina; Developmental antigen; Chick embryo; Plexiform layers; Surface antigens (Derby, M.A.) **7**, 317

G5 antibody; Rat brain; Postnatal induction (Akeson, R.A.) **7**, 327

Avian embryo; Neural crest; Peripheral nervous system; Ciliary ganglion (Vincent, M.) **9**, 235

Monocular deprivation
Cat; Depth perception; Binocularity; Sensitive period (Timney, B.) **7**, 235

Development; Cell size; Cat; dLGN (Wilson, J.R.) **8**, 53

Cat visual cortex; Area 18; Binocularity (Hirsch, H.V.B.) **8**, 140

Critical period; Plasticity; Visual cortex; Cat; Dark-rearing (Cynader, M.) **8**, 155

Lateral geniculate; Cat; C-laminae; W-cells; Development; Plasticity (Murakami, D.M.) **9**, 353

Development; Norepinephrine; Wulst; Pigeon (Bagnoli, P.) **10**, 243

Cat; Visual cortex; Selective reversal; Uniorientational rearing; Neuronal competition; Hebb synapses (Rauschecker, J.P.) **10**, 305

Morphine
Spinal cord volume; Rat (Kirby, M.L.) **6**, 211

l-α-Acetylmethadol; Methadone; Embryonic neurotoxicity; Opiate receptors; Chick embryo (Gibson, D.A.) **8**, 61

Morphological quantitation
Cells of external granular layer; Cells of internal granular layer; Cerebellar development; Mitochondria; Succinate dehydrogenase; Cerebellar cells (Koppel, H..) **11**, 199

Morphometry
Nuclear envelope invagination; Facial motor neurons; Development; Aging; Hamster (LaVelle, A.) **10**, 171

Mossy fibers
Methylazoxymethanol; Hippocampus; Microcephaly (Cheema, S.S.) **9**, 411

Motilin
Cholecystokinin; Vasoactive intestinal peptide; Development; Cerebral cortex (Beinfeld, M.C.) **10**, 146

Motoneuron
Androgens; Bulbocavernosus; Levator ani; Sexual dimorphism; Spinal cord; Thymidine (Breedlove, S.M.) **9**, 39

Regeneration; Axonal guidance; Spinal cord; Peripheral nerve (Westerfield, M.) **10**, 301

Motoneuron death
Chick embryo; Spinal cord; Limb bud amputation (Laing, N.G.) **5**, 181

Motoneuron disease
Motor nerve fibers; Conduction block; Divalent ions (Miyata, Y.) **10**, 139

Motoneurons
Postnatal development; Synapse elimination; Axon collaterals; Spinal cord; HRP; Intracellular staining (Cullheim, S.) **5**, 234

Motor cortex
Neonatal lesions; 2-Deoxyglucose; Plasticity (Sharp, F.R.) **6**, 1

Motor development
Sparing of function; Neonatal lesions; Recovery of function; Infant lesion effect (Bregman, B.S.) **9**, 103

Motor endplate
Synaptic contacts; Development (Davey, D.F.) **5**, 11

Motor nerve fibers
Conduction block; Divalent ions; Motoneuron disease (Miyata, Y.) **10**, 139

Motor units
EMG; Rat; Postnatal development; Slow and fast muscles (Navarrete, R.) **8**, 11

Mouse
Nervous system; Neurogenesis; Tetanus toxin; Surface markers; Differentiation (Koulakoff, A.) **5**, 139

Cerebral cells; Surface features; Calcium; Tissue culture; Embryogenesis (Wong, A.) **6**, 259

Calcium; Action potentials; Hippocampus; Neurons; Cell cultures; Development (Peacock, J.H.) **8**, 39

Brainstem; Development; Deafferentation; HRP; Cochlear nucleus; Inferior colliculus (Trune, D.R.) **9**, 1

Prenatal androgen; Hypogastric ganglion; Neuron number; Sexual dimorphism (Suzuki, Y.) **10**, 151

Estrogen receptors; Cell nuclei; Radioautography; Hypothalamus; Preoptic area; Cingulate cortex; Neural development; Sexual differentiation (Gerlach, J.L.) **11**, 7

Estrogen receptors; Brain development; Hypothalamus; Cingulate cortex; Sexual differentiation (Friedman, W.J.) **11**, 19

Mouse chimeras
Staggerer; Cerebellar development; Ichthyosis; Cell death (Herrup, K.) **11**, 267

Mouse embryo
Neuroepithelium; Cell associations; Neural tube closure; Splotch mutant; Electron microscopy (Morris, G.L.) **9**, 408

Mouse neural tube
Vimentin; Development (Houle, J.) **9**, 189

Müller cells
Vimentin; Chick retina; Electronmicroscopic immunohistochemistry; Development (Lemmon, V.) **11**, 191

Murid rodents
Olfactory bulb; Development; *Acomys cahirinus* (Brunjes, P.C.) **8**, 335

Murine muscular dystrophy
Neurogenic defects; Neuron; Schwann cell; Basal lamina; Ensheathment (Cornbrooks, C.J.) **6**, 57

Muscarinic receptors
Postnatal anoxia; Hyperactivity; Discrimination learning; Hippocampus; β-Receptors (Hershkowitz, M.) **7**, 147

Muscle
Neuromuscular junction; Acetylcholine receptor; Cholinesterase; Development; Chicken; Neurotoxin; Fluorescence microscopy (Ishikawa, Y.) **5**, 187

Mutant mice
Dystrophy; Myelin; Internode; Axon/Schwann cell; Differentiation; Peripheral nerves; Sensory nerves (Jaros, E.) **6**, 231

Mutant mouse
Shaker-1 mouse; Sensorineural degeneration; Spiral ganglion; Organ of Corti (Shnerson, A.) **9**, 305

Myelin
Oligodendrocytes; Glycerolphosphate dehydrogenase; Glucose-6-phosphate dehydrogenase; Lactate dehydrogenase; Carbonic anhydrase (Cammer, W.) **6**, 21

Mutant mice; Dystrophy; Internode; Axon/Schwann cell; Differentiation; Peripheral nerves; Sensory nerves (Jaros, E.) **6**, 231

Node of Ranvier; Intercellular junctions; Differentiation; Peripheral nerve; Freeze-fracture; Cell membrane; Axon (Tao-Cheng, J.-H.) **9**, 251

Myelination
Sympathetic ganglia; Organotypic cultures (Heath, J.W.) **5**, 238

Hypothyroidism; Brain regions; 5'-Nucleotidase; Cyclic nucleotide; Phosphohydrolase; Development (King, R.A.) **7**, 287

[^{3}H]Saxitoxin; Sodium channel; Rat brain development (Baumgold, J.) **9**, 405

Myelin basic protein (MBP)
Shiverer mutant mouse; CNS; PNS; 2',3'-Cyclic nucleotide 3'-phosphohydrolase (Mikoshiba, K.) **7**, 71

Myelin basic proteins
Glial cell cultures; Oligodendrocytes; Autoradiography; Immunofluorescence; W1 Wolfgram protein (Roussel, G.) **8**, 193

Myelinogenesis
Gliogenesis; Human fetus; Spinal cord; Radial glia; Astroglia; Oligodendroglia (Choi, B.H.) **8**, 119

Myelin protein
Gangliosides; Brain myelin; Chick brain (Cochran, F.B.) **6**, 7

N

Na spike
Neuroblastoma x glioma hybrid cells; Neural differentiation; Ca spike; Developmental change (Furuya, K.) **11**, 229

Neocortex
Opiate receptors; Development; Olfactory bulb; Hippocampus; Striatum; Autoradiography of receptors (Unnerstall, J.R.) **7**, 157

Post-tetanic potentiation; Long-term potentiation; Development; Trans-callosal response (Wilson, D.A.) **7**, 271

Brain macrophages; White matter development; Corpus callosum; Kitten (Innocenti, G.M.) **11**, 39

Neonatal
Electrical stimulation; Ingestion; Medial forebrain bundle (Moran, T.H.) **7**, 197

Neonatal enucleations
Hamster; Lateral posterior nucleus; Plasticity; Somatosensory neurons (Mooney, R.D.) **9**, 399

Neonatal hyperthyroidism
Olfactory bulb; Development; Thyroid hormone; Dendritic maturation (Brunjes, P.C.) **5**, 149

Neonatal lesions
Motor cortex; 2-Deoxyglucose; Plasticity (Sharp, F.R.) **6**, 1

Sparing of function; Motor development; Recovery of function; Infant lesion effect (Bregman, B.S.) **9**, 103

Anatomical plasticity; Corticospinal tract; Brainstem-spinal pathways; Recovery of function; Retrograde cell death (Bregman, B.S.) **9**, 137

Neonatal mice
Early barbiturate; Thyroxine; Hypothyroidism; Ultrastructural defects; CNS (Fishman, R.H.B.) **5**, 202

Neonatal rat
Nerve growth factor; Forebrain cholinergic neurons; Choline acetyltransferase (Gnahn, H.) **9**, 45

Neonate
Spinal cord; Catecholaminergic nerves; Development; Fetus (Commissiong, J.W.) **11**, 75

Neostriatum
Monoaminergic boutons; Electron microscopy; 5-Hydroxydopamine; Synaptogenesis (Hwang, B.H.) **5**, 104

Nerve cell culture
Ethanol; Calcium ion; Action potentials; Electrophysiology; Ionic current blockers (Oakes, S.G.) **5**, 243

Ethanol; Calcium current; Action potentials; Electrophysiology; Presynaptic model (Oakes, S.G.) **5**, 251

Nerve growth factor
Neuron-specific enolase; Sodium butyrate; Ornithine decarboxylase; Anaplastic glioma; Neural differentiation (Vinores, S.A.) **5**, 23

Sympathetic neuron; Chick embryo; Conditioned medium; Culture substrate; Neuronal survival (Edgar, D.) **5**, 89

Neurotrophic factors; Retinal explants (Turner, J.E.) **6**, 77

Superior cervical ganglia; Conditioned media; Lymphocytes (Gozes, Y.) **6**, 93

Tyrosine hydroxylase; Pheochromocytoma cell line; Choline acetyltransferase; Serum-free medium; Dexamethasone (Hatanaka, H.) **6**, 243

Chromaffin cells; Fiber outgrowth; Growth factors; Cell culture (Unsicker, K.) **7**, 41

Neural crest cells; Nerve growth factor receptors (End, D.) **7**, 131

β-Nerve growth factor
Gangliosides; Pheochromocytoma cell line; Neurite outgrowth (Ferrari, G.) **8**, 215

Nerve growth factor
Forebrain cholinergic neurons; Neonatal rat; Choline acetyltransferase (Gnahn, H.) **9**, 45

Nerve growth factor-like factors
Adrenal chromaffin cells; Neurite outgrowth; Culture; PC 12 cells (Ziegler, W.) **7**, 353

Nerve growth factor receptors
Nerve growth factor; Neural crest cells (End, D.) **7**, 131

Nerve terminal
Neuromuscular junction; Acetylcholine receptor; Neuron-specific antibody; Neurotoxin; Development; Fluorescence microscopy (Ishikawa, Y.) **8**, 111

Nervous mutant
Flow-cytometry; Purkinje cells; Cerebellar external granular layer; DNA loss; DNA dispersion (Mishra, P.R.) **6**, 193

Nervous system
Mouse; Neurogenesis; Tetanus toxin; Surface markers; Differentiation (Koulakoff, A.) **5**, 139

Neural antigen
Chick; Development (Witte, D.) **9**, 63

Neural crest
Tissue culture; Coeliac ganglion; Superior cervical ganglion; Heart; Stomach; Colon; Hereditary aganglionic colon; Neuronotrophic factors (Rawdon, B.B.) **7**, 53

Avian embryo; Peripheral nervous system; Monoclonal antibody; Ciliary ganglion (Vincent, M.) **9**, 235

Neural crest cells
Nerve growth factor; Nerve growth factor receptors (End, D.) **7**, 131

Neural development
Estrogen receptors; Cell nuclei; Radioautography; Hypothalamus; Preoptic area; Cingulate cortex; Mouse; Sexual differentiation (Gerlach, J.L.) **11**, 7

Neural differentiation
Neuron-specific enolase; Sodium butyrate; Ornithine decarboxylase; Anaplastic glioma; Nerve growth factor (Vinores, S.A.) **5**, 23

Neuroblastoma x glioma hybrid cells; Na spike; Ca spike; Developmental change (Furuya, K.) **11**, 229

Freeze-fracture; Neuroblastoma x glioma hybrid; Intramembranous particles; Particle density; Size distribution (Furuya, S.) **11**, 235

Neural projection
Albino; Salamander; Retina; Tectum; Embryonic transplantation; Autoradiography (Cole, J.) **5**, 346

Neural retina
Developmental antigen; Monoclonal antibody; Chick embryo; Plexiform layers; Surface antigens (Derby, M.A.) **7**, 317

Monoclonal antibodies; Fluorescence-activated cell sorter (Dyer, S.A.) **9**, 197

Neural tube closure
Neuroepithelium; Mouse embryo; Cell associations; Splotch mutant; Electron microscopy (Morris, G.L.) **9**, 408

Neurite guidance
Lectin reactivity; Polyornithine-binding neurite-promoting factor; Neuritic regeneration; Neuronotrophic factors (Adler, R.) **6**, 69

Neurite outgrowth
Adrenal chromaffin cells; Nerve growth factor-like factors; Culture; PC 12 cells (Ziegler, W.) **7**, 353

β-Nerve growth factor; Gangliosides; Pheochromocytoma cell line (Ferrari, G.) **8**, 215

Sodium fluorescein; Chick embryonic retina; Explant culture (Kato, S.) **11**, 143

Insulin; Embryonic brain cells; Ornithine decarboxylase (Bhat, N.R.) **11**, 315

Neurites
Culture; Expansor secundariorum; Trophic; Dissociated neurons (Belford, D.A.) **6**, 304

Plasminogen activator; Neuroblastoma cells; Glioma cells; Differentiation; Autoradiography; Growth cones (Soreq, H.) **7**, 257

Neuritic regeneration
Lectin reactivity; Polyornithine-binding neurite-promoting factor; Neurite guidance; Neuronotrophic factors (Adler, R.) **6**, 69

Neurobehavioral failure
Mental retardation; Dendritic varicosities; Microtubules; Cytoskeleton; Dendritic spines (Purpura, D.P.) **5**, 287

Mental retardation; Dendritic varicosities; Microtubules; Cytoskeleton; Computer reconstruction (Bodick, N.) **5**, 299

Neuroblastoma cells
Plasminogen activator; Glioma cells; Differentiation; Autoradiography; Neurites; Growth cones (Soreq, H.) **7**, 257

Neuroblastoma x glioma hybrid
Freeze-fracture; Neural differentiation; Intramembranous particles; Particle density; Size distribution (Furuya, S.) **11**, 235

Neuroblastoma x glioma hybrid cells
Neural differentiation; Na spike; Ca spike; Developmental change (Furuya, K.) **11**, 229

Neuroblasts
Tissue culture; Transplantation; Differentiation; Cerebral cortex (Doering, L.C.) **5**, 229

Neuroendocrinology
Estradiol; Synaptogenesis; Superior cervical ganglion; Neuron number (Wright, L.L.) **6**, 299

Testosterone propionate; Synaptogenesis; Superior cervical ganglion; Neuron number; Sexual dimorphism (Wright, L.L.) **8**, 145

Neuroepithelium
Mouse embryo; Cell associations; Neural tube closure; Splotch mutant; Electron microscopy (Morris, G.L.) **9**, 408

Neurogenesis
Hamster; Visual cortex; Lateral geniculate nucleus; Superior colliculus; Suprachiasmatic nucleus; Neurogenetic gradients (Crossland, W.J.) **5**, 99

Mouse; Nervous system; Tetanus toxin; Surface markers; Differentiation (Koulakoff, A.) **5**, 139

Ectomammillary nucleus; Ventral lateral geniculate nucleus; Neuron size; Neurogenetic gradient; Chicken (Crossland, W.J.) **6**, 33

Duck olfactory bulb; Autoradiography (Rebiere, A.) **6**, 113

Vasopressin neuron; Supraoptic nucleus; Paraventricular nucleus; Suprachiasmatic nucleus; Immunocytochemistry; Autoradiography (Okamura, H.) **9**, 223

Neurogenetic gradient
Neurogenesis; Ectomammillary nucleus; Ventral lateral geniculate nucleus; Neuron size; Chicken (Crossland, W.J.) **6**, 33

Neurogenetic gradients
Neurogenesis; Hamster; Visual cortex; Lateral geniculate nucleus; Superior colliculus; Suprachiasmatic nucleus (Crossland, W.J.) **5**, 99

Neurogenic defects
Murine muscular dystrophy; Neuron; Schwann cell; Basal lamina; Ensheathment (Cornbrooks, C.J.) **6**, 57

Neuromuscular junction
Development; Degeneration; Membrane potentials (Muniak, C.G.) **5**, 123

Acetylcholine receptor; Cholinesterase; Development; Muscle; Chicken; Neurotoxin; Fluorescence microscopy (Ishikawa, Y.) **5**, 187

Cell culture; Cell survival; Somatic motoneurons; Visceral preganglionic neurons (Tanaka, H.) **6**, 85

Acetylcholine receptor; Neuron-specific antibody; Neurotoxin; Nerve terminal; Development; Fluorescence microscopy (Ishikawa, Y.) **8**, 111

Neuron
Murine muscular dystrophy; Neurogenic defects; Schwann cell; Basal lamina; Ensheathment (Cornbrooks, C.J.) **6**, 57

Neuronal cell culture
Brain neurons; Cerebellum culture; Single neurons; Neuronal morphology; Plasma clot technique (Buse, E.) **7**, 221

Neuronal competition
Cat; Visual cortex; Monocular deprivation; Selective reversal; Uni-orientational rearing; Hebb synapses (Rauschecker, J.P.) **10**, 305

Neuronal cultures
Glutamate; Kainic acid; Neurotoxicity; Retina (Zambrano, C.H.) **9**, 396

Neuronal death
Retina; Fish development; Nucleus olfacto-retinalis (NOR) development; Retinopetal innervation; Transcellular HRP-labelling (Crapon de Caprona, M.-D.) **11**, 281

Neuronal densities
Nucleus tractus solitarius; Baroreceptor reflex; Metabolism; Exchange vessels (Krukoff, T.L.) **9**, 359

Neuronal development
β-Receptor; Brain culture; Glia-neuron communication; β-Agonists; Glial conditioned medium (Maderspach, K.) **6**, 251

Synaptogenesis; Cholinergic neurotransmission; Retinal neurons; Cell culture; Glucocorticoid hormones (Puro, D.G.) **8**, 283

Neuronal development in culture
Cell surface; Cerebellum; D2 Protein (Annunziata, P.) **8**, 261

Neuronal growth
Golgi study; Monoamines; Snell dwarf cerebrum; Synaptogenesis; Thy-1 antigen (Noguchi, T.) **10**, 125

Neuronal morphology
Neuronal cell culture; Brain neurons; Cerebellum culture; Single neurons; Plasma clot technique (Buse, E.) **7**, 221

Neuronal specificity
Dorsal root ganglion cells; Tissue culture; Electrophysiology; Serum-free medium (Baker, R.E.) **5**, 329

Grasshopper; Embryo; Development; Monoclonal antibodies; Mesodermal cells (Chang, S.) **9**, 297

Neuronal survival
Sympathetic neuron; Chick embryo; Conditioned medium; Nerve growth factor; Culture substrate (Edgar, D.) **5**, 89

Cerebellum; Tissue culture; Astrocytes; Potassium; Polycation substratum (Thangnipon, W.) **11**, 177

Neuron number
Estradiol; Synaptogenesis; Superior cervical ganglion; Neuroendocrinology (Wright, L.L.) **6**, 299

Testosterone propionate; Synaptogenesis; Superior cervical ganglion; Neuroendocrinology; Sexual dimorphism (Wright, L.L.) **8**, 145

Prenatal androgen; Hypogastric ganglion; Sexual dimorphism; Mouse (Suzuki, Y.) **10**, 151

Neuronotrophic factors
Lectin reactivity; Polyornithine-binding neurite-promoting factor; Neuritic regeneration; Neurite guidance (Adler, R.) **6**, 69

Tissue culture; Coeliac ganglion; Superior cervical ganglion; Heart; Stomach; Colon; Hereditary aganglionic colon; Neural crest (Rawdon, B.B.) **7**, 53

Neurons
Calcium; Action potentials; Mouse; Hippocampus; Cell cultures; Development (Peacock, J.H.) **8**, 39

Neuron size
Neurogenesis; Ectomammillary nucleus; Ventral lateral geniculate nucleus; Neurogenetic gradient; Chicken (Crossland, W.J.) **6**, 33

Neuron-specific antibody
Neuromuscular junction; Acetylcholine receptor; Neurotoxin; Nerve terminal; Development; Fluorescence microscopy (Ishikawa, Y.) **8**, 111

Neuron-specific enolase
Sodium butyrate; Ornithine decarboxylase; Anaplastic glioma; Neural differentiation; Nerve growth factor (Vinores, S.A.) **5**, 23

Neurotoxicity
Glutamate; Kainic acid; Retina; Neuronal cultures (Zambrano, C.H.) **9**, 396

Neurotoxin
Neuromuscular junction; Acetylcholine receptor; Cholinesterase; Development; Muscle; Chicken; Fluorescence microscopy (Ishikawa, Y.) **5**, 187

Neuromuscular junction; Acetylcholine receptor; Neuron-specific antibody; Nerve terminal; Development; Fluorescence microscopy (Ishikawa, Y.) **8**, 111

Neurotransmission
Retinal neurons; Development; Regulation; cAMP analogues; Acetylcholine; Glutamate; Retina-muscle co-culture (Yeh, H.H.) **10**, 63

Neurotransmitter
Trophic effect; L-Norepinephrine; Choline acetyltransferase; Spinal cord; Cell culture; cAMP (Ishida, I.) **7**, 13

Neurotransmitters
Newt; Retina; Regeneration (Sarthy, P.V.) **6**, 99

Astroglial cell cultures; Uptake of amino acids; GABA; D-aspartate; Autoradiography; Different astroglial morphologies (Wilkin, G.P.) **10**, 265

Neurotrophic factors
Nerve growth factor; Retinal explants (Turner, J.E.) **6**, 77

Neurotrophism
Brain development; Cortex cerebri; Locus coeruleus; Brain tissue grafts; Intraocular transplantations (Björklund, H.) **6**, 131

Brain development; Cortex cerebri; Locus coeruleus; Brain tissue grafts; Intraocular transplantations (Palmer, M.) **6**, 141

Newborn animal
Amygdala; Kindling; Seizures; Epilepsy; Rat (Moshé, S.L.) **7**, 81

Newt
Retina; Regeneration; Neurotransmitters (Sarthy, P.V.) **6**, 99

Nigral afferent axons
Substantia nigra; Postnatal development; Dendritic morphometrics (Phelps, P.E.) **10**, 1

Node of Ranvier
Intercellular junctions; Differentiation; Peripheral nerve; Myelin; Freeze-fracture; Cell membrane; Axon (Tao-Cheng, J.-H.) **9**, 251

L-Norepinephrine
Trophic effect; Neurotransmitter; Choline acetyltransferase; Spinal cord; Cell culture; cAMP (Ishida, I.) **7**, 13

Norepinephrine
GABA; Development; Cerebellum; Purkinje cell; Chemosensitivity; Modulation by NE (Yeh, H.H.) **10**, 49

Development; Monocular deprivation; Wulst; Pigeon (Bagnoli, P.) **10**, 243

Development; Cerebellum; Purkinje cell; Climbing fiber response; Off-beam inhibition; Modulation by NE (Yeh, H.H.) **11**, 207

Nuclear envelope invagination
Facial motor neurons; Development; Aging; Hamster; Morphometry (LaVelle, A.) **10**, 171

Nuclear morphometry
Astroblasts; Astrocytes; Reactive astrocyte-like; Tissue culture; Transplantation; Glial fibrillary acidic protein (Doering, L.C.) **6**, 183

Nucleic acids
Spermine; Spermidine; Fetus; CNS; Putrescine (Chaudhuri, D.) **10**, 143

5'-Nucleotidase
Hypothyroidism; Brain regions; Myelination; Cyclic nucleotide; Phosphohydrolase; Development (King, R.A.) **7**, 287

Nucleus olfacto-retinalis (NOR) development
Retina; Fish development; Neuronal death; Retinopetal innervation; Transcellular HRP-labelling (Crapon de Caprona, M.-D.) **11**, 281

Nucleus tractus solitarius
Synaptic development (Miller, A.J.) **8**, 205

Baroreceptor reflex; Metabolism; Neuronal densities; Exchange vessels (Krukoff, T.L.) **9**, 359

Numerical matching
Cell death; Chimeric mice; Cerebellar development; Purkinje cells; Lurcher mutant mouse (Wetts, R.) **10**, 41

O

Ocular dominance columns
Retina; Tectum; Regeneration; Autoradiography; Goldfish; Development (Meyer, R.L.) **6**, 279

Off-beam inhibition
Norepinephrine; Development; Cerebellum; Purkinje cell; Climbing fiber response; Modulation by NE (Yeh, H.H.) **11**, 207

Olfaction
Olfactory reinnervation and behavioral recovery; Golden hamster; Thermotaxis; Recovery of function; Plasticity; Development; Olfactory tubercle (Small, R.K.) **7**, 25

Olfactory bulb
Development; Thyroid hormone; Neonatal hyperthyroidism; Dendritic maturation (Brunjes, P.C.) **5**, 149

Opiate receptors; Development; Hippocampus; Neocortex; Striatum; Autoradiography of receptors (Unnerstall, J.R.) **7**, 157

Development; *Acomys cahirinus*; Murid rodents (Brunjes, P.C.) **8**, 335

Guinea-pig; Ontogenesis; 2-Deoxyglucose; Spatial pattern (Astic, L.) **10**, 257

Olfactory bulb development
Anosmia; 2-Deoxyglucose (Stewart, W.B.) **8**, 247

Olfactory bulbs
Glutamine synthetase regional development; Forebrain; Cerebellum; Astrocytic proteins; Maturation (Patel, A.J.) **8**, 31

Glucocorticoids; Regulation of glutamine synthetase; Brain development; Corticosterone; Cerebellum; Forebrain; Dexamethasone; Anti-glutamine synthetase antibody (Patel, A.J.) **10**, 83

Olfactory mitral cells
Double-walled coated vesicles; Coated vesicles; Brain development; Endocytosis; Synaptogenesis; Intercellular adherence (Eckenhoff, M.F.) **6**, 201

Olfactory reinnervation and behavioral recovery
Olfaction; Golden hamster; Thermotaxis; Recovery of function; Plasticity; Development; Olfactory tubercle (Small, R.K.) **7**, 25

Olfactory tubercle
Olfactory reinnervation and behavioral recovery; Olfaction; Golden hamster; Thermotaxis; Recovery of function; Plasticity; Development (Small, R.K.) **7**, 25

Oligodendrocytes
Myelin; Glycerolphosphate dehydrogenase; Glucose-6-phosphate dehydrogenase; Lactate dehydrogenase; Carbonic anhydrase (Cammer, W.) **6**, 21

Glial cell cultures; Autoradiography; Immunofluorescence; W1 Wolfgram protein; Myelin basic proteins (Roussel, G.) **8**, 193

Oligodendroglia
Gliogenesis; Human fetus; Spinal cord; Radial glia; Astroglia; Myelinogenesis (Choi, B.H.) **8**, 119

Ontogenesis
Opiate receptors; β-Endorphin; Enkephalin (Tsang, D.) **5**, 257

Guinea-pig; Olfactory bulb; 2-Deoxyglucose; Spatial pattern (Astic, L.) **10**, 257

Ontogeny
Lateral hypothalamic area; Glucose-sensitive neuron; Brain slice; Rat (Shibata, S.) **5**, 114

Prefrontal cortex; Dopamine; Mesocortical system (Schmidt, R.H.) **5**, 222

Opiate receptors
Ontogenesis; β-Endorphin; Enkephalin (Tsang, D.) **5**, 257

Development; Olfactory bulb; Hippocampus; Neocortex; Striatum; Autoradiography of receptors (Unnerstall, J.R.) **7**, 157

l-*α*-Acetylmethadol; Methadone; Morphine; Embryonic neurotoxicity; Chick embryo (Gibson, D.A.) **8**, 61

Optic lobe
Axon elongation; Ganglion cell; Retina; Tissue culture; Chick embryo (Carri, N.G.) **6**, 219

Optic nerve
Cell death; Visual development (Ng, A.Y.K.) **5**, 263

Optic projection
Rat; Albino; Retino-tectal development; Embryo (Bunt, S.M.) **6**, 149

Organ of Corti
Shaker-1 mouse; Sensorineural degeneration; Spiral ganglion; Mutant mouse (Shnerson, A.) **9**, 305

Organotypic cultures
Myelination; Sympathetic ganglia (Heath, J.W.) **5**, 238

Orientation of visuo-tectal map
Xenopus; Visuo-tectal map (Feldman, J.D.) **6**, 269

Orientation tuning
Lateral geniculate nucleus; Single neurons; Postnatal development (Albus, K.) **6**, 308

Ornithine decarboxylase
Neuron-specific enolase; Sodium butyrate; Anaplastic glioma; Neural differentiation; Nerve growth factor (Vinores, S.A.) **5**, 23

Insulin; Embryonic brain cells; Neurite outgrowth (Bhat, N.R.) **11**, 315

Outer plexiform layer
Retina; Maturation; Retinal development (Rapaport, D.H.) **5**, 273

P

PC 12 cells
Adrenal chromaffin cells; Neurite outgrowth; Nerve growth factor-like factors; Culture (Ziegler, W.) **7**, 353

PNS
Shiverer mutant mouse; CNS; Myelin basic protein (MBP); 2′,3′-Cyclic nucleotide 3′-phosphohydrolase (Mikoshiba, K.) **7**, 71

Parasagittal knife cuts
Precocious puberty; Male chicks; Hypothalamus (Mass, J.H.) **10**, 165

Paraventricular nucleus
Vasopressin neuron; Neurogenesis; Supraoptic nucleus; Suprachiasmatic nucleus; Immunocytochemistry; Autoradiography (Okamura, H.) **9**, 223

Particle density
Freeze-fracture; Neuroblastoma x glioma hybrid; Neural differentiation; Intramembranous particles; Size distribution (Furuya, S.) **11**, 235

Pattern alterations
Trigeminal system; Vibrissae; Principal sensory nucleus (Bates, C.A.) **5**, 108

Peanut agglutinin
FITC-peanut agglutinin; Chick retina; Retinal development (Liu, L.) **8**, 223

Pedunculotomy
Cerebellum; Rat; Retrograde fluorescence (Payne, J.N.) **11**, 124

Pendulum technique
Active sleep deprivation; Clomipramine; Clonidine; Infant rats; Brain development (Mirmiran, M.) **7**, 277

Penicillin model
Visual cortex; Development; Receptive fields; Epileptiform activity; Rabbit (Crabtree, J.W.) **8**, 1

Pentylenetetrazol
Kindling; Seizures; Immature brain (Holmes, G.L.) **11**, 312

Peripheral nerve
Node of Ranvier; Intercellular junctions; Differentiation; Myelin; Freeze-fracture; Cell membrane; Axon (Tao-Cheng, J.-H.) **9**, 251

Regeneration; Axonal guidance; Motoneuron; Spinal cord (Westerfield, M.) **10**, 301

Peripheral nerves
Mutant mice; Dystrophy; Myelin; Internode; Axon/Schwann cell; Differentiation; Sensory nerves (Jaros, E.) **6**, 231

Peripheral nervous system
Avian embryo; Neural crest; Monoclonal antibody; Ciliary ganglion (Vincent, M.) **9**, 235

Pheochromocytoma cell line
Nerve growth factor; Tyrosine hydroxylase; Choline acetyltransferase; Serum-free medium; Dexamethasone (Hatanaka, H.) **6**, 243

β-Nerve growth factor; Gangliosides; Neurite outgrowth (Ferrari, G.) **8**, 215

Phosphohydrolase
Hypothyroidism; Brain regions; 5′-Nucleotidase; Myelination; Cyclic nucleotide; Development (King, R.A.) **7**, 287

Pigeon
Development; Monocular deprivation; Norepinephrine; Wulst (Bagnoli, P.) **10**, 243

Pipecolic acid
Brain; Accumulation; Metabolism (Nishio, H.) **6**, 107

Plasma clot technique
Neuronal cell culture; Brain neurons; Cerebellum culture; Single neurons; Neuronal morphology (Buse, E.) **7**, 221

Plasminogen activator
Neuroblastoma cells; Glioma cells; Differentiation; Autoradiography; Neurites; Growth cones (Soreq, H.) **7**, 257

Plasminogen activator molecular forms
Agranular cerebellum; Granular neuron migration; mRNA; Autoradiography; X-irradiation (Soreq, H.) **11**, 149

Plasticity
Neonatal lesions; Motor cortex; 2-Deoxyglucose (Sharp, F.R.) **6**, 1

Olfactory reinnervation and behavioral recovery; Olfaction; Golden hamster; Thermotaxis; Recovery of function; Development; Olfactory tubercle (Small, R.K.) **7**, 25

Somatosensory; Visual; Serotonin; Acetylcholine esterase; Salamander; Tectum; Critical period (Harris, W.A.) **7**, 245

Infraorbital nerve; Hamster; Trigeminal system; Transganglionic HRP transport (Rhoades, R.W.) **7**, 337

Culture; Synapse formation; Sprouting; Regeneration (Zhang, R.-J.) **8**, 131

Monocular deprivation; Critical period; Visual cortex; Cat; Dark-rearing (Cynader, M.) **8**, 155

Lateral geniculate; Cat; Monocular deprivation; C-laminae; W-cells; Development (Murakami, D.M.) **9**, 353

Hamster; Lateral posterior nucleus; Somatosensory neurons; Neonatal enucleations (Mooney, R.D.) **9**, 399

Hippocampus; Dentate gyrus; Lead; Acetylcholine; Development (Alfano, D.P.) **10**, 117

Retinotectal connections; Retinal development (Reh, T.A.) **10**, 187

Catecholamines; Chick; Forebrain; Development; Visual experience; Imprinting (Davies, D.C.) **10**, 251

Reeler mutant mouse; Acetylcholinesterase; Hippocampus; Dentate gyrus; Development (Terada, S.) **11**, 219

Visual cortical projections; Glutamate; GABA (Kvale, I.) **11**, 261

Plexiform layers
Neural retina; Developmental antigen; Monoclonal antibody; Chick embryo; Surface antigens (Derby, M.A.) **7**, 317

Polycation substratum
Cerebellum; Tissue culture; Neuronal survival; Astrocytes; Potassium (Thangnipon, W.) **11**, 177

Polyornithine-binding neurite-promoting factor
Lectin reactivity; Neuritic regeneration; Neurite guidance; Neuronotrophic factors (Adler, R.) **6**, 69

Postembryonic development
Safety factor; Interneurons; Cockroach (Spira, M.E.) **8**, 311

Safety factor; Cable properties; Interneuron; Cockroach (Yarom, Y.) **8**, 321

Postembryonic life
Cerebral glioblasts; Locust; Culture; Microscopy; Autoradiography (Vanhems, E.) **10**, 177

Postnatal anoxia
Hyperactivity; Discrimination learning; Hippocampus; Muscarinic receptors; β-Receptors (Hershkowitz, M.) **7**, 147

Postnatal development
Synapse elimination; Axon collaterals; Motoneurons; Spinal cord; HRP; Intracellular staining (Cullheim, S.) **5**, 234

Lateral geniculate nucleus; Single neurons; Orientation tuning (Albus, K.) **6**, 308

Visual structures; Rat; Glutamate uptake (Kvale, I.) **7**, 137

Adenylate cyclase; Calmodulin; Rat brain; β-Adrenergic receptor; Fluoride; Guanine nucleotide (Sano, M.) **7**, 215

EMG; Rat; Motor units; Slow and fast muscles (Navarrete, R.) **8**, 11

Synaptogenesis; Visual cortex; Eyelid suture (Winfield, D.A.) **9**, 155

Substantia nigra; Dendritic morphometrics; Nigral afferent axons (Phelps, P.E.) **10**, 1

Postnatal evolution
Sleep; Inbred strains of mice (Daszuta, A.) **7**, 87

Postnatal glial proliferation
Inside-out pattern; Rat parietal cortex; Autoradiography; Electron microscopy (Ichikawa, M.) **9**, 181

Postnatal induction
Monoclonal antibody; G5 antibody; Rat brain (Akeson, R.A.) **7**, 327

Post-tetanic potentiation
Long-term potentiation; Development; Transcallosal response; Neocortex (Wilson, D.A.) **7**, 271

Potassium
Cerebellum; Tissue culture; Neuronal survival; Astrocytes; Polycation substratum (Thangnipon, W.) **11**, 177

Precocious puberty
Parasagittal knife cuts; Male chicks; Hypothalamus (Mass, J.H.) **10**, 165

Prefrontal cortex
Dopamine; Mesocortical system; Ontogeny (Schmidt, R.H.) **5**, 222

Medial dorsal nucleus; Indices of maturation (Corwin, J.V.) **8**, 89

Prenatal androgen
Hypogastric ganglion; Neuron number; Sexual dimorphism; Mouse (Suzuki, Y.) **10**, 151

Preoptic area
α-Fetoprotein; Immunocytochemistry; Brain development; Hypothalamus; Amygdala; Estrogen receptors (Toran-Allerand, C.D.) **5**, 213

Gonadal hormones; Mice; Sex difference; Brain; Golgi stain; Quantitative neuroanatomy (Toran-Allerand, C.D.) **7**, 97

Estrogen receptors; Cell nuclei; Radioautography; Hypothalamus; Cingulate cortex; Neural development; Mouse; Sexual differentiation (Gerlach, J.L.) **11**, 7

Prepubertal development
Mediobasal hypothalamus; β-Endorphin content; β-Endorphin release; Female rats (Hompes, P.G.A.) **5**, 281

Presynaptic model
Ethanol; Calcium current; Nerve cell culture; Action potentials; Electrophysiology (Oakes, S.G.) **5**, 251

Primary cultures
Sialyltransferase; Thyroid hormone; Sialosylgalactosylceramide (Shanker, G.) **6**, 169

Adenylate cyclase; Biogenic amine receptors; Adenosine receptor; Striatal neurons (Premont, J.) **9**, 53

Primary neurons
Amphibian; Tadpole; Spinal cord development; Acetylcholinesterase; Choline acetyltransferase (Farel, P.B.) **8**, 27

Primate
Vision; Development; Tree shrew; Lateral geniculate nucleus; Enucleation; Cortex; Layers (Brunso-Bechtold, J.K.) **10**, 33

Principal sensory nucleus
Trigeminal system; Pattern alterations; Vibrissae (Bates, C.A.) **5**, 108

Process elimination
Avian visual system; Ipsilateral retinofugal projection; Retinotectal system; Cell death; Wheat germ agglutinin-conjugated HRP (O'Leary, D.D.M.) **10**, 93

Proline
Glutamate inhibition; Memory; Amnesia; Proline analogs; Ammonia (Pico, R.M.) **9**, 227

Proline analogs
Glutamate inhibition; Memory; Amnesia; Proline; Ammonia (Pico, R.M.) **9**, 227

D2 Protein
Cell surface; Neuronal development in culture; Cerebellum (Annunziata, P.) **8**, 261

S-100 Protein
Intracephalic transplants; Cortex cerebri; Astrocytes; Glial fibrillary acidic protein; Image analysis (Björklund, H.) **9**, 171

24 K_d Protein
Chick retina; Development; Chick brain (Hatakenaka, S.) **10**, 155

Protein malnutrition
Small-for-gestational age; Infants-at-risk; Brain sparing; Minimal brain dysfunction; Retardation of brain growth; Retardation of body growth; Brain development; Rehabilitation following malnutrition; Maternal nutrition and pregnancy; 'Failure to thrive' syndrome (Resnick, O.) **10**, 221

Protein synthesis
α-Fetoprotein; Albumin; Brain development; Recombinant DNA; Brain mRNA; CNS cultures (Schachter, B.S.) **5**, 93

Purkinje cell
Norepinephrine; GABA; Development; Cerebellum; Chemosensitivity; Modulation by NE (Yeh, H.H.) **10**, 49

Norepinephrine; Development; Cerebellum; Climbing fiber response; Off-beam inhibition; Modulation by NE (Yeh, H.H.) **11**, 207

Purkinje cell dendrites
Developing rat; Cerebellum; Microtubules; Mitochondria; Thyroid deficiency; Thyroxine effects (Faivre, C.) **8**, 21

Purkinje cells
Cerebellar macroneurons; Amino acid; Microexplant; HRP (Macdonald, R.L.) **5**, 75

Nervous mutant; Flow-cytometry; Cerebellar external granular layer; DNA loss; DNA dispersion (Mishra, P.R.) **6**, 193

Cell death; Numerical matching; Chimeric mice; Cerebellar development; Lurcher mutant mouse (Wetts, R.) **10**, 41

Purkinje cells in monolayer culture
Cerebellum in monolayer culture; HRP-injected Purkinje cells; Spike and synaptic potentials (Moonen, G.) **5**, 59

Putrescine
Spermine; Spermidine; Fetus; CNS; Nucleic acids (Chaudhuri, D.) **10**, 143

Pyramidal neurons
Fetal alcohol syndrome; Mental retardation; Dendritic spine distribution; Animal studies; Golgi-impregnation (Stoltenburg-Didinger, G.) **11**, 119

Q

Quaking mice
Carbonic anhydrase; Glial development; Glial fibrillary acidic protein (Sapirstein, V.S.) **6**, 13

Quantal secretion
Release sites; Development; Endplate (Bennet, M.R.) **5**, 1

Quantitative neuroanatomy
Gonadal hormones; Mice; Preoptic area; Sex difference; Brain; Golgi stain (Toran-Allerand, C.D.) **7**, 97

R

mRNA
Plasminogen activator molecular forms; Agranular cerebellum; Granular neuron migration; Autoradiography; X-irradiation (Soreq, H.) **11**, 149

Rabbit
Development; Brainstem; Amines; Control of breathing; Serotonin (McNamara, M.C.) **7**, 181

Strobe-rearing; Visual cortex; Development (Pearson, H.E.) **7**, 187

Visual cortex; Development; Receptive fields; Epileptiform activity; Penicillin model (Crabtree, J.W.) **8**, 1

Superior colliculus; Development; Strobe-rearing; Receptive field (Pearson, H.E.) **9**, 241

Radial glia
Gliogenesis; Human fetus; Spinal cord; Astroglia; Oligodendroglia; Myelinogenesis (Choi, B.H.) **8**, 119

Radioautography
Estrogen receptors; Cell nuclei; Hypothalamus; Preoptic area; Cingulate cortex; Neural development; Mouse; Sexual differentiation (Gerlach, J.L.) **11**, 7

Radioimmunoassay
Cholecystokinin octapeptide; Bioassay; Development (Varró, A.) **9**, 347

Rana pipiens
Development; Rhombencephalic posterior tela; Interependymal pores; Cerebrospinal fluid circulation (Jones, H.C.) **7**, 121

Rat
Ontogeny; Lateral hypothalamic area; Glucose-sensitive neuron; Brain slice (Shibata, S.) **5**, 114

Optic projection; Albino; Retino-tectal development; Embryo (Bunt, S.M.) **6**, 149

Spinal cord volume; Morphine (Kirby, M.L.) **6**, 211

Amygdala; Kindling; Seizures; Epilepsy; Newborn animal (Moshé, S.L.) **7**, 81

Visual structures; Glutamate uptake; Postnatal development (Kvale, I.) **7**, 137

Cochlea; Development; Synaptogenesis; Hypothyroidism (Uziel, A.) **7**, 295

EMG; Postnatal development; Motor units; Slow and fast muscles (Navarrete, R.) **8**, 11

Cerebellum; Pedunculotomy; Retrograde fluorescence (Payne, J.N.) **11**, 124

Rat brain
Adenylate cyclase; Calmodulin; β-Adrenergic receptor; Postnatal development; Fluoride; Guanine nucleotide (Sano, M.) **7**, 215

Monoclonal antibody; G5 antibody; Postnatal induction (Akeson, R.A.) **7**, 327

Carnitine, total free; Short-chain, long chain; Acylcarnitines, concentration-development (Morris, A.J.) **8**, 381

Rat brain development
$[^3H]$Saxitoxin; Sodium channel; Myelination (Baumgold, J.) **9**, 405

Rat parietal cortex
Postnatal glial proliferation; Inside-out pattern; Autoradiography; Electron microscopy (Ichikawa, M.) **9**, 181

Reactive astrocyte-like
Astroblasts; Astrocytes; Tissue culture; Transplantation; Glial fibrillary acidic protein; Nuclear morphometry (Doering, L.C.) **6**, 183

Receptive field
Rabbit; Superior colliculus; Development; Strobe-rearing (Pearson, H.E.) **9**, 241

Receptive fields
Visual cortex; Development; Epileptiform activity; Penicillin model; Rabbit (Crabtree, J.W.) **8**, 1

β-Receptor
Brain culture; Neuronal development; Glia-neuron communication; β-Agonists; Glial conditioned medium (Maderspach, K.) **6**, 251

Receptor
Spinal cord; Benzodiazepine; Development (Sher, P.K.) **7**, 343

β-Receptors
Postnatal anoxia; Hyperactivity; Discrimination learning; Hippocampus; Muscarinic receptors (Hershkowitz, M.) **7**, 147

Recombinant DNA
α-Fetoprotein; Albumin; Brain development; Brain mRNA; Protein synthesis; CNS cultures (Schachter, B.S.) **5**, 93

Recovery of function
Olfactory reinnervation and behavioral recovery; Olfaction; Golden hamster; Thermotaxis; Plasticity; Development; Olfactory tubercle (Small, R.K.) **7**, 25

Sparing of function; Motor development; Neonatal lesions; Infant lesion effect (Bregman, B.S.) **9**, 103

Sparing of function; Spinal cord; Tactile placing; Developmental plasticity (Bregman, B.S.) **9**, 119

Anatomical plasticity; Neonatal lesions; Corticospinal tract; Brainstem-spinal pathways; Retrograde cell death (Bregman, B.S.) **9**, 137

Reeler mutant mouse
Acetylcholinesterase; Hippocampus; Dentate gyrus; Development; Plasticity (Terada, S.) **11**, 219

Regeneration
Newt; Retina; Neurotransmitters (Sarthy, P.V.) **6**, 99

C-fibers; Slow flow (Cancalon, P.) **6**, 197

Retina; Tectum; Autoradiography; Ocular dominance columns; Goldfish; Development (Meyer, R.L.) **6**, 279

Goldfish; Retinotectal; Tetrodotoxin; Topography (Meyer, R.L.) **6**, 293

Culture; Synapse formation; Sprouting; Plasticity (Zhang, R.-J.) **8**, 131

Fish; Elongation velocity; Temperature (Cancalon, P.) **9**, 265

Axonal guidance; Motoneuron; Spinal cord; Peripheral nerve (Westerfield, M.) **10**, 301

Regeneration in CNS
Goldfish central axons (Levine, R.L.) **9**, 416

Regulation
Retinal neurons; Development; Neurotransmission; cAMP analogues; Acetylcholine; Glutamate; Retina-muscle co-culture (Yeh, H.H.) **10**, 63

Regulation of glutamine synthetase
Glucocorticoids; Brain development; Corticosterone; Cerebellum; Olfactory bulbs; Forebrain; Dexamethasone; Anti-glutamine synthetase antibody (Patel, A.J.) **10**, 83

Rehabilitation following malnutrition
Protein malnutrition; Small-for-gestational age; Infants-at-risk; Brain sparing; Minimal brain dysfunction; Retardation of brain growth; Retardation of body growth; Brain development; Maternal nutrition and pregnancy; 'Failure to thrive' syndrome (Resnick, O.) **10**, 221

Release of transmitters
Development; Cerebral cortex; GABA; Inhibitory synapses (Balcar, V.J.) **10**, 309

Release sites
Quantal secretion; Development; Endplate (Bennet, M.R.) **5**, 1

Retardation of body growth
Protein malnutrition; Small-for-gestational age; Infants-at-risk; Brain sparing; Minimal brain dysfunction; Retardation of brain growth; Brain development; Rehabilitation following malnutrition; Maternal nutrition and pregnancy; 'Failure to thrive' syndrome (Resnick, O.) **10**, 221

Retardation of brain growth
Protein malnutrition; Small-for-gestational age; Infants-at-risk; Brain sparing; Minimal brain dysfunction; Retardation of body growth; Brain development; Rehabilitation following malnutrition; Maternal nutrition and pregnancy; 'Failure to thrive' syndrome (Resnick, O.) **10**, 221

Retina
Outer plexiform layer; Maturation; Retinal development (Rapaport, D.H.) **5**, 273

Albino; Salamander; Tectum; Embryonic transplantation; Autoradiography; Neural projection (Cole, J.) **5**, 346

Newt; Regeneration; Neurotransmitters (Sarthy, P.V.) **6**, 99

Axon elongation; Ganglion cell; Optic lobe; Tissue culture; Chick embryo (Carri, N.G.) **6**, 219

Tectum; Regeneration; Autoradiography; Ocular dominance columns; Goldfish; Development (Meyer, R.L.) **6**, 279

Cell culture; GABA; Glycine; D-Aspartate; Autoradiography; Cell identification (Beale, R.) **7**, 107

Somatostatin; Amacrine cells (Morgan, I.G.) **8**, 71

Cell culture; Explants; Acetylcholine; Dopamine; Synaptic function (Puro, D.G.) **9**, 79

Glutamate; Kainic acid; Neurotoxicity; Neuronal cultures (Zambrano, C.H.) **9**, 396

Goldfish; Development; Monoamine neurons; Fluorescence microscopy (Negishi, K.) **10**, 111

Development; Lucifer yellow (Sarthy, P.V.) **11**, 275

Fish development; Neuronal death; Nucleus olfacto-retinalis (NOR) development; Retinopetal innervation; Transcellular HRP-labelling (Crapon de Caprona, M.-D.) **11**, 281

Retinal development
Retina; Outer plexiform layer; Maturation (Rapaport, D.H.) **5**, 273

FITC-peanut agglutinin; Peanut agglutinin; Chick retina (Liu, L.) **8**, 223

Retinotectal connections; Plasticity (Reh, T.A.) **10**, 187

Retinal explants
Neurotrophic factors; Nerve growth factor (Turner, J.E.) **6**, 77

Retinal neurons
Synaptogenesis; Cholinergic neurotransmission; Cell culture; Glucocorticoid hormones; Neuronal development (Puro, D.G.) **8**, 283

Development; Neurotransmission; Regulation; cAMP analogues; Acetylcholine; Glutamate; Retina-muscle co-culture (Yeh, H.H.) **10**, 63

Retina-muscle co-culture
Retinal neurons; Development; Neurotransmission; Regulation; cAMP analogues; Acetylcholine; Glutamate (Yeh, H.H.) **10**, 63

Retinopetal innervation
Retina; Fish development; Neuronal death; Nucleus olfacto-retinalis (NOR) development; Transcellular HRP-labelling (Crapon de Caprona, M.-D.) **11**, 281

Retinotectal
Goldfish; Tetrodotoxin; Regeneration; Topography (Meyer, R.L.) **6**, 293

Retinotectal connections
Retinal development; Plasticity (Reh, T.A.) **10**, 187

Retino-tectal development
Optic projection; Rat; Albino; Embryo (Bunt, S.M.) **6**, 149

Retinotectal system
Axolotls; Metamorphosis (Stirling, R.V.) **5**, 343

Avian visual system; Ipsilateral retinofugal projection; Process elimination; Cell death; Wheat germ agglutinin-conjugated HRP (O'Leary, D.D.M.) **10**, 93

Retrograde cell death
Anatomical plasticity; Neonatal lesions; Corticospinal tract; Brainstem-spinal pathways; Recovery of function (Bregman, B.S.) **9**, 137

Retrograde fluorescence
Cerebellum; Pedunculotomy; Rat (Payne, J.N.) **11**, 124

Rhombencephalic posterior tela
Rana pipiens; Development; Interependymal pores; Cerebrospinal fluid circulation (Jones, H.C.) **7**, 121

S

Safety factor
Postembryonic development; Interneurons; Cockroach (Spira, M.E.) **8**, 311

Cable properties; Postembryonic development; Interneuron; Cockroach (Yarom, Y.) **8**, 321

Salamander
Albino; Retina; Tectum; Embryonic transplantation; Autoradiography; Neural projection (Cole, J.) **5**, 346

Somatosensory; Visual; Serotonin; Acetylcholine esterase; Plasticity; Tectum; Critical period (Harris, W.A.) **7**, 245

[^{3}H]Saxitoxin
Sodium channel; Rat brain development; Myelination (Baumgold, J.) **9**, 405

Schwann cell
Murine muscular dystrophy; Neurogenic defects; Neuron; Basal lamina; Ensheathment (Cornbrooks, C.J.) **6**, 57

Seizures
Kindling; Immature brain; Electroconvulsive shock (Holmes, G.L.) **6**, 190

Amygdala; Kindling; Epilepsy; Rat; Newborn animal (Moshé, S.L.) **7**, 81

Kindling; Immature brain; Pentylenetetrazol (Holmes, G.L.) **11**, 312

Selective reversal
Cat; Visual cortex; Monocular deprivation; Uni-orientational rearing; Neuronal competition; Hebb synapses (Rauschecker, J.P.) **10**, 305

Self-renewal
Chick retina; Cell proliferation; Stem cells (Dütting, D.) **10**, 21

Sensitive period
Cat; Monocular deprivation; Depth perception; Binocularity (Timney, B.) **7**, 235

Sensorineural degeneration
Shaker-1 mouse; Spiral ganglion; Organ of Corti; Mutant mouse (Shnerson, A.) **9**, 305

Sensory nerves
Mutant mice; Dystrophy; Myelin; Internode; Axon/Schwann cell; Differentiation; Peripheral nerves (Jaros, E.) **6**, 231

Septal grafts - in oculo cultivation
Hippocampal grafts; anterior Eye chamber (Bragin, A.G.) **10**, 279

Septal nuclei
Hippocampal development; Acetylcholinesterase; Septohippocampal projection (Milner, T.A.) **8**, 343

Septohippocampal projection
Hippocampal development; Septal nuclei; Acetylcholinesterase (Milner, T.A.) **8**, 343

Serotonin
Monoamines; Visual system; Development (Cano, J.) **5**, 199

Development; Brainstem; Rabbit; Amines; Control of breathing (McNamara, M.C.) **7**, 181

Somatosensory; Visual; Acetylcholine esterase; Plasticity; Salamander; Tectum; Critical period (Harris, W.A.) **7**, 245

Serum-free culture
Sympathetic neurons; Development; Transferrin (Selak, I.) **7**, 171

Serum-free medium
Dorsal root ganglion cells; Neuronal specificity; Tissue culture; Electrophysiology (Baker, R.E.) **5**, 329

Nerve growth factor; Tyrosine hydroxylase; Pheochromocytoma cell line; Choline acetyltransferase; Dexamethasone (Hatanaka, H.) **6**, 243

Hypothalamus; Culture; Thyroliberin release (Loudes, C.) **9**, 231

Sex difference
Gonadal hormones; Mice; Preoptic area; Brain; Golgi stain; Quantitative neuroanatomy (Toran-Allerand, C.D.) **7**, 97

Vasopressin; Testosterone; Lateral septum; Development (De Vries, G.J.) **8**, 377

Sex differences
Vomeronasal organ; Vomeronasal system (Segovia, S.) **5**, 209

Tail-posture asymmetry; Testosterone (Rosen, G.D.) **9**, 99

Sexual differentiation
Estrogen receptors; Cell nuclei; Radioautography; Hypothalamus; Preoptic area; Cingulate cortex; Neural development; Mouse (Gerlach, J.L.) **11**, 7

Estrogen receptors; Brain development; Hypothalamus; Cingulate cortex; Mouse (Friedman, W.J.) **11**, 19

Sexual dimorphism
Testosterone propionate; Synaptogenesis; Superior cervical ganglion; Neuroendocrinology; Neuron number (Wright, L.L.) **8**, 145

Androgens; Bulbocavernosus; Levator ani; Motoneuron; Spinal cord; Thymidine (Breedlove, S.M.) **9**, 39

Prenatal androgen; Hypogastric ganglion; Neuron number; Mouse (Suzuki, Y.) **10**, 151

Shaker-1 mouse
Sensorineural degeneration; Spiral ganglion; Organ of Corti; Mutant mouse (Shnerson, A.) **9**, 305

Sheep fetus
Choroid plexus; Intracellular protein; Development; Immunoperoxidase (Jacobsen, M.) **8**, 77

Shiverer mutant mouse
CNS; PNS; Myelin basic protein (MBP); 2',3'-Cyclic nucleotide 3'-phosphohydrolase (Mikoshiba, K.) **7**, 71

Short-chain, long chain
Carnitine, total free; Acylcarnitines, concentration-development; Rat brain (Morris, A.J.) **8**, 381

Sialosylgalactosylceramide
Sialyltransferase; Thyroid hormone; Primary cultures (Shanker, G.) **6**, 169

Sialyltransferase
Thyroid hormone; Sialosylgalactosylceramide; Primary cultures (Shanker, G.) **6**, 169

Single neurons
Lateral geniculate nucleus; Orientation tuning; Postnatal development (Albus, K.) **6**, 308

Neuronal cell culture; Brain neurons; Cerebellum culture; Neuronal morphology; Plasma clot technique (Buse, E.) **7**, 221

Size distribution
Freeze-fracture; Neuroblastoma x glioma hybrid; Neural differentiation; Intramembranous particles; Particle density (Furuya, S.) **11**, 235

Sleep
Postnatal evolution; Inbred strains of mice (Daszuta, A.) **7**, 87

Slice
Cortical inhibition; Development; Visual cortex; Kitten (Komatsu, Y.) **8**, 136

Slow and fast muscles
EMG; Rat; Postnatal development; Motor units (Navarrete, R.) **8**, 11

Slow flow
C-fibers; Regeneration (Cancalon, P.) **6**, 197

Slow flow rate
Fish; Elongation velocity; Temperature (Cancalon, P.) **9**, 279

Small-for-gestational age
Protein malnutrition; Infants-at-risk; Brain sparing; Minimal brain dysfunction; Retardation of brain growth; Retardation of body growth; Brain development; Rehabilitation following malnutrition; Maternal nutrition and pregnancy; 'Failure to thrive' syndrome (Resnick, O.) **10**, 221

Snell dwarf cerebrum
Golgi study; Monoamines; Neuronal growth; Synaptogenesis; Thy-1 antigen (Noguchi, T.) **10**, 125

Sodium butyrate
Neuron-specific enolase; Ornithine decarboxylase; Anaplastic glioma; Neural differentiation; Nerve growth factor (Vinores, S.A.) **5**, 23

Sodium channel
[^{3}H]Saxitoxin; Rat brain development; Myelination (Baumgold, J.) **9**, 405

Sodium fluorescein
Chick embryonic retina; Explant culture; Neurite outgrowth (Kato, S.) **11**, 143

Somatic motoneurons
Cell culture; Cell survival; Visceral preganglionic neurons; Neuromuscular junction (Tanaka, H.) **6**, 85

Somatomedins
Insulin-like growth factor; Brain cell cultures; DNA synthesis; Fetal growth (Lenoir, D.) **7**, 205

Somatosensory
Visual; Serotonin; Acetylcholine esterase; Plasticity; Salamander; Tectum; Critical period (Harris, W.A.) **7**, 245

Somatosensory cortex
Cholinergic receptors; Acetylcholinesterase; Brain development (Kristt, D.A.) **8**, 373

Somatosensory neurons
Hamster; Lateral posterior nucleus; Plasticity; Neonatal enucleations (Mooney, R.D.) **9**, 399

Somatostatin
Retina; Amacrine cells (Morgan, I.G.) **8**, 71

Sparing of function
Motor development; Neonatal lesions; Recovery of function; Infant lesion effect (Bregman, B.S.) **9**, 103

Recovery of function; Spinal cord; Tactile placing; Developmental plasticity (Bregman, B.S.) **9**, 119

Spatial pattern
Guinea-pig; Ontogenesis; Olfactory bulb; 2-Deoxyglucose (Astic, L.) **10**, 257

Spatial resolution
Visual cortex; Lateral geniculate nucleus; Amblyopia; Strabismus; Cat (Mower, G.D.) **5**, 311

Spermidine
Spermine; Fetus; CNS; Nucleic acids; Putrescine (Chaudhuri, D.) **10**, 143

Spermine
Spermidine; Fetus; CNS; Nucleic acids; Putrescine (Chaudhuri, D.) **10**, 143

Spike and synaptic potentials
Cerebellum in monolayer culture; Purkinje cells in monolayer culture; HRP-injected Purkinje cells (Moonen, G.) **5**, 59

Spinal cord
Chick embryo; Motoneuron death; Limb bud amputation (Laing, N.G.) **5**, 181

Postnatal development; Synapse elimination; Axon collaterals; Motoneurons; HRP; Intracellular staining (Cullheim, S.) **5**, 234

Trophic effect; Neurotransmitter; L-Norepinephrine; Choline acetyltransferase; Cell culture; cAMP (Ishida, I.) **7**, 13

Benzodiazepine; Receptor; Development (Sher, P.K.) **7**, 343

Gliogenesis; Human fetus; Radial glia; Astroglia; Oligodendroglia; Myelinogenesis (Choi, B.H.) **8**, 119

Tetanus toxin; Development; Cholinergic neurons; GABA; Tetrodotoxin (Brenneman, D.E.) **9**, 13

Androgens; Bulbocavernosus; Levator ani; Motoneuron; Sexual dimorphism; Thymidine (Breedlove, S.M.) **9**, 39

Recovery of function; Sparing of function; Tactile placing; Developmental plasticity (Bregman, B.S.) **9**, 119

Regeneration; Axonal guidance; Motoneuron; Peripheral nerve (Westerfield, M.) **10**, 301

Catecholaminergic nerves; Development; Fetus; Neonate (Commissiong, J.W.) **11**, 75

Spinal cord development
Amphibian; Tadpole; Primary neurons; Acetylcholinesterase; Choline acetyltransferase (Farel, P.B.) **8**, 27

Spinal cord volume
Rat; Morphine (Kirby, M.L.) **6**, 211

Spinal motoneuron
HRP-labeling; Survival; Cell death; Development (Tanaka, H.) **9**, 390

Spine
Caffeine; Dendrite; Branching; Golgi staining; Fish optic tectum; Jewel fish (Burgess, J.W.) **6**, 123

Spiral ganglion
Shaker-1 mouse; Sensorineural degeneration; Organ of Corti; Mutant mouse (Shnerson, A.) **9**, 305

Splotch mutant
Neuroepithelium; Mouse embryo; Cell associations; Neural tube closure; Electron microscopy (Morris, G.L.) **9**, 408

Spontaneous single cell activity
Developmental protein malnutrition; Cortex; Thalamus (Stern, W.C.) **9**, 95

Sprouting
Culture; Synapse formation; Plasticity; Regeneration (Zhang, R.-J.) **8**, 131

Staggerer
Development; Translation in vitro; Cerebellum; Aging; 2-Dimensional gel electrophoresis (Soreq, H.) **10**, 73

Cerebellar development; Mouse chimeras; Ichthyosis; Cell death (Herrup, K.) **11**, 267

Stem cells
Chick retina; Cell proliferation; Self-renewal (Dütting, D.) **10**, 21

Stomach
Tissue culture; Coeliac ganglion; Superior cervical ganglion; Heart; Colon; Hereditary aganglionic colon; Neural crest; Neuronotrophic factors (Rawdon, B.B.) **7**, 53

Strabismus
Visual cortex; Lateral geniculate nucleus; Amblyopia; Spatial resolution; Cat (Mower, G.D.) **5**, 311

Stress protein
Hyperthermia; Heat shock; Brain; Development (Currie, R.W.) **11**, 308

Striatal neurons
Adenylate cyclase; Biogenic amine receptors; Adenosine receptor; Primary cultures (Premont, J.) **9**, 53

Striatum
Opiate receptors; Development; Olfactory bulb; Hippocampus; Neocortex; Autoradiography of receptors (Unnerstall, J.R.) **7**, 157

Strobe-rearing
Visual cortex; Rabbit; Development (Pearson, H.E.) **7**, 187

Rabbit; Superior colliculus; Development; Receptive field (Pearson, H.E.) **9**, 241

Substantia gelatinosa
Fetal spinal cord; Differentiation; Transplantation; Gliosis; Ventral horn cells (Reier, P.J.) **10**, 201

Substantia nigra
Postnatal development; Dendritic morphometrics; Nigral afferent axons (Phelps, P.E.) **10**, 1

Succinate dehydrogenase
Cells of external granular layer; Cells of internal granular layer; Cerebellar development; Morphological quantitation; Mitochondria; Cerebellar cells (Koppel, H..) **11**, 199

Superior cervical ganglia
Nerve growth factor; Conditioned media; Lymphocytes (Gozes, Y.) **6**, 93

Superior cervical ganglion
Estradiol; Synaptogenesis; Neuroendocrinology; Neuron number (Wright, L.L.) **6**, 299

Tissue culture; Coeliac ganglion; Heart; Stomach; Colon; Hereditary aganglionic colon; Neural crest; Neuronotrophic factors (Rawdon, B.B.) **7**, 53

Testosterone propionate; Synaptogenesis; Neuroendocrinology; Neuron number; Sexual dimorphism (Wright, L.L.) **8**, 145

Glutamate dehydrogenase; Aspartate aminotransferase; Hippocampal formation; Cerebellar cortex; Dorsal root ganglion; Liver; Glutamatergic transmission (Rothe, F.) **11**, 67

Superior colliculus
Neurogenesis; Hamster; Visual cortex; Lateral geniculate nucleus; Suprachiasmatic nucleus; Neurogenetic gradients (Crossland, W.J.) **5**, 99

Brushtailed possum; Development of retinal pathways; Lateral geniculate nucleus; Autoradiography (Sanderson, K.J.) **5**, 161

Rabbit; Development; Strobe-rearing; Receptive field (Pearson, H.E.) **9**, 241

Visual cortex; Corticofugal projection; Development; Kitten (Tsumoto, T.) **11**, 29

Suprachiasmatic nucleus
Neurogenesis; Hamster; Visual cortex; Lateral geniculate nucleus; Superior colliculus; Neurogenetic gradients (Crossland, W.J.) **5**, 99

Vasopressin neuron; Neurogenesis; Supraoptic nucleus; Paraventricular nucleus; Immunocytochemistry; Autoradiography (Okamura, H.) **9**, 223

Supraoptic nucleus
Vasopressin neuron; Neurogenesis; Paraventricular nucleus; Suprachiasmatic nucleus; Immunocytochemistry; Autoradiography (Okamura, H.) **9**, 223

Surface antigens
Neural retina; Developmental antigen; Monoclonal antibody; Chick embryo; Plexiform layers (Derby, M.A.) **7**, 317

Surface features
Cerebral cells; Mouse; Calcium; Tissue culture; Embryogenesis (Wong, A.) **6**, 259

Surface markers
Mouse; Nervous system; Neurogenesis; Tetanus toxin; Differentiation (Koulakoff, A.) **5**, 139

Survival
Spinal motoneuron; HRP-labeling; Cell death; Development (Tanaka, H.) **9**, 390

Sympathetic ganglia
Myelination; Organotypic cultures (Heath, J.W.) **5**, 238

Tyrosine hydroxylase; Castration; Development; Testosterone (Hamill, R.W.) **11**, 303

Sympathetic neuron
Chick embryo; Conditioned medium; Nerve growth factor; Culture substrate; Neuronal survival (Edgar, D.) **5**, 89

Sympathetic neurons
Serum-free culture; Development; Transferrin (Selak, I.) **7**, 171

Synapse
Synaptogenesis; Cerebellar development; Freeze-fracture; Membrane structure (Landis, D.M.D.) **8**, 231

Synapse elimination
Postnatal development; Axon collaterals; Motoneurons; Spinal cord; HRP; Intracellular staining (Cullheim, S.) **5**, 234

Synapse formation
Culture; Sprouting; Plasticity; Regeneration (Zhang, R.-J.) **8**, 131

Synapses
Cultured neurons; Chick embryo cerebrum; Microtubules; Glutamate decarboxylase; GABA receptor; Benzodiazepine receptor (Thampy, K.G.) **8**, 101

Synaptic contacts
Development; Motor endplate (Davey, D.F.) **5**, 11

Synaptic development
Nucleus tractus solitarius (Miller, A.J.) **8**, 205

Synaptic function
Cell culture; Explants; Retina; Acetylcholine; Dopamine (Puro, D.G.) **9**, 79

Synaptogenesis
Neostriatum; Monoaminergic boutons; Electron microscopy; 5-Hydroxydopamine (Hwang, B.H.) **5**, 104

Ciliary ganglion; Chlorisondamine; α-Bungarotoxin; Iris (Chiappinelli, V.A.) **5**, 118

Double-walled coated vesicles; Coated vesicles; Brain development; Endocytosis; Olfactory mitral cells; Intercellular adherence (Eckenhoff, M.F.) **6**, 201

Estradiol; Superior cervical ganglion; Neuroendocrinology; Neuron number (Wright, L.L.) **6**, 299

Acetylcholinesterase cytochemistry; Embryonic development; Ciliary ganglion (Olivieri-Sangiacomo, C.) **7**, 61

Cochlea; Development; Hypothyroidism; Rat (Uziel, A.) **7**, 295

Testosterone propionate; Superior cervical ganglion; Neuroendocrinology; Neuron number; Sexual dimorphism (Wright, L.L.) **8**, 145

Synapse; Cerebellar development; Freeze-fracture; Membrane structure (Landis, D.M.D.) **8**, 231

Cholinergic neurotransmission; Retinal neurons; Cell culture; Glucocorticoid hormones; Neuronal development (Puro, D.G.) **8**, 283

Postnatal development; Visual cortex; Eyelid suture (Winfield, D.A.) **9**, 155

Golgi study; Monoamines; Neuronal growth; Snell dwarf cerebrum; Thy-1 antigen (Noguchi, T.) **10**, 125

Cerebellum; Degradation; Chloroquine; Endocytosis (Dontenwill, M.) **10**, 287

Synthesis of AFP and albumin
Brain cells; Culture; Differentiation; Brain development (Ali, M.) **6**, 314

T

Tactile placing
Recovery of function; Sparing of function; Spinal cord; Developmental plasticity (Bregman, B.S.) **9**, 119

Tadpole
Amphibian; Spinal cord development; Primary neurons; Acetylcholinesterase; Choline acetyltransferase (Farel, P.B.) **8**, 27

Tail-posture asymmetry
Testosterone; Sex differences (Rosen, G.D.) **9**, 99

Taste
Development; Glossopharyngeal nerve; Chorda tympani nerve; Taste bud (Mistretta, C.M.) **11**, 107

Taste bud
Taste; Development; Glossopharyngeal nerve; Chorda tympani nerve (Mistretta, C.M.) **11**, 107

Tectum
Albino; Salamander; Retina; Embryonic transplantation; Autoradiography; Neural projection (Cole, J.) **5**, 346

Retina; Regeneration; Autoradiography; Ocular dominance columns; Goldfish; Development (Meyer, R.L.) **6**, 279

Somatosensory; Visual; Serotonin; Acetylcholine esterase; Plasticity; Salamander; Critical period (Harris, W.A.) **7**, 245

Temperature
Fish; Regeneration; Elongation velocity (Cancalon, P.) **9**, 265

Fish; Slow flow rate; Elongation velocity (Cancalon, P.) **9**, 279

Testosterone
Vasopressin; Lateral septum; Sex difference; Development (De Vries, G.J.) **8**, 377

Tail-posture asymmetry; Sex differences (Rosen, G.D.) **9**, 99

Sympathetic ganglia; Tyrosine hydroxylase; Castration; Development (Hamill, R.W.) **11**, 303

Testosterone propionate
Synaptogenesis; Superior cervical ganglion; Neuroendocrinology; Neuron number; Sexual dimorphism (Wright, L.L.) **8**, 145

Tetanus toxin
Mouse; Nervous system; Neurogenesis; Surface markers; Differentiation (Koulakoff, A.) **5**, 139

Spinal cord; Development; Cholinergic neurons; GABA; Tetrodotoxin (Brenneman, D.E.) **9**, 13

Tetrodotoxin
Goldfish; Retinotectal; Regeneration; Topography (Meyer, R.L.) **6**, 293

Spinal cord; Tetanus toxin; Development; Cholinergic neurons; GABA (Brenneman, D.E.) **9**, 13

Thalamus
Developmental protein malnutrition; Spontaneous single cell activity; Cortex (Stern, W.C.) **9**, 95

Thermotaxis
Olfactory reinnervation and behavioral recovery; Olfaction; Golden hamster; Recovery of function; Plasticity; Development; Olfactory tubercle (Small, R.K.) **7**, 25

Thy-1 antigen
Golgi study; Monoamines; Neuronal growth; Snell dwarf cerebrum; Synaptogenesis (Noguchi, T.) **10**, 125

Thymidine
Androgens; Bulbocavernosus; Levator ani; Motoneuron; Sexual dimorphism; Spinal cord (Breedlove, S.M.) **9**, 39

Thyroid deficiency
Developing rat; Cerebellum; Purkinje cell dendrites; Microtubules; Mitochondria; Thyroxine effects (Faivre, C.) **8**, 21

Thyroid hormone
Olfactory bulb; Development; Neonatal hyperthyroidism; Dendritic maturation (Brunjes, P.C.) **5**, 149

Sialyltransferase; Sialosylgalactosylceramide; Primary cultures (Shanker, G.) **6**, 169

Thyroid hormones
Tubulin biosynthesis; Brain development (Chaudhury, S.) **9**, 291

Thyroliberin release
Hypothalamus; Culture; Serum-free medium (Loudes, C.) **9**, 231

Thyroxine
Early barbiturate; Hypothyroidism; Neonatal mice; Ultrastructural defects; CNS (Fishman, R.H.B.) **5**, 202

Thyroxine effects
Developing rat; Cerebellum; Purkinje cell dendrites; Microtubules; Mitochondria; Thyroid deficiency (Faivre, C.) **8**, 21

Thyroxine treatment
Hypothyroidism; Hearing (Ruiz-Marcos, A.) **9**, 205

Tissue culture
Astrocytes; Brain cells; Growth factor; Differentiation; Development (Lim, R.) **5**, 29

Neuroblasts; Transplantation; Differentiation; Cerebral cortex (Doering, L.C.) **5**, 229

Dorsal root ganglion cells; Neuronal specificity; Electrophysiology; Serum-free medium (Baker, R.E.) **5**, 329

Astroblasts; Astrocytes; Reactive astrocyte-like; Transplantation; Glial fibrillary acidic protein; Nuclear morphometry (Doering, L.C.) **6**, 183

Axon elongation; Ganglion cell; Retina; Optic lobe; Chick embryo (Carri, N.G.) **6**, 219

Cerebral cells; Mouse; Surface features; Calcium; Embryogenesis (Wong, A.) **6**, 259

Coeliac ganglion; Superior cervical ganglion; Heart; Stomach; Colon; Hereditary aganglionic colon; Neural crest; Neuronotrophic factors (Rawdon, B.B.) **7**, 53

Astrocytes; Differentiation; Intermediate filaments; Immunofluorescence; Electron microscopy (Fedoroff, S.) **7**, 303

Cerebellum; Neuronal survival; Astrocytes; Potassium; Polycation substratum (Thangnipon, W.) **11**, 177

Topography
Goldfish; Retinotectal; Tetrodotoxin; Regeneration (Meyer, R.L.) **6**, 293

Trans-callosal response
Post-tetanic potentiation; Long-term potentiation; Development; Neocortex (Wilson, D.A.) **7**, 271

Transcellular HRP-labelling
Retina; Fish development; Neuronal death; Nucleus olfacto-retinalis (NOR) development; Retinopetal innervation (Crapon de Caprona, M.-D.) **11**, 281

Transferrin
Sympathetic neurons; Serum-free culture; Development (Selak, I.) **7**, 171

Transganglionic HRP transport
Infraorbital nerve; Hamster; Trigeminal system; Plasticity (Rhoades, R.W.) **7**, 337

Transient L-DOPA neurons
Tyrosine hydroxylase; Inferior colliculus; Developmental mechanisms (Jaeger, C.B.) **11**, 128

Transitory macrophages
Axonal pathways; Development; Visual cortex; Kitten (Innocenti, G.M.) **11**, 55

Translation in vitro
Development; Cerebellum; Staggerer; Aging; 2-Dimensional gel electrophoresis (Soreq, H.) **10**, 73

Transplant
Hippocampus; Fascia dentata (Sunde, N.Aa.) **8**, 165

Transplantation
Neuroblasts; Tissue culture; Differentiation; Cerebral cortex (Doering, L.C.) **5**, 229

Astroblasts; Astrocytes; Reactive astrocyte-like; Tissue culture; Glial fibrillary acidic protein; Nuclear morphometry (Doering, L.C.) **6**, 183

Fetal spinal cord; Differentiation; Substantia gelatinosa; Gliosis; Ventral horn cells (Reier, P.J.) **10**, 201

Tree shrew
Vision; Development; Primate; Lateral geniculate nucleus; Enucleation; Cortex; Layers (Brunso-Bechtold, J.K.) **10**, 33

Trigeminal system
Pattern alterations; Vibrissae; Principal sensory nucleus (Bates, C.A.) **5**, 108

Infraorbital nerve; Hamster; Plasticity; Transganglionic HRP transport (Rhoades, R.W.) **7**, 337

Trophic
Neurites; Culture; Expansor secundariorum; Dissociated neurons (Belford, D.A.) **6**, 304

Trophic effect
Neurotransmitter; L-Norepinephrine; Choline acetyltransferase; Spinal cord; Cell culture; cAMP (Ishida, I.) **7**, 13

Tubulin biosynthesis
Thyroid hormones; Brain development (Chaudhury, S.) **9**, 291

Tyrosine hydroxylase
Immunocytochemistry; Fetal cerebral cortex; Dopamine (Verney, C.) **5**, 41

Nerve growth factor; Pheochromocytoma cell line; Choline acetyltransferase; Serum-free medium; Dexamethasone (Hatanaka, H.) **6**, 243

Transient L-DOPA neurons; Inferior colliculus; Developmental mechanisms (Jaeger, C.B.) **11**, 128

Sympathetic ganglia; Castration; Development; Testosterone (Hamill, R.W.) **11**, 303

U

Ultrastructural defects
Early barbiturate; Thyroxine; Hypothyroidism; Neonatal mice; CNS (Fishman, R.H.B.) **5**, 202

Uni-orientational rearing
Cat; Visual cortex; Monocular deprivation; Selective reversal; Neuronal competition; Hebb synapses (Rauschecker, J.P.) **10**, 305

Uptake of amino acids
Astroglial cell cultures; GABA; D-aspartate; Neurotransmitters; Autoradiography; Different astroglial morphologies (Wilkin, G.P.) **10**, 265

V

Vasoactive intestinal peptide
Motilin; Cholecystokinin; Development; Cerebral cortex (Beinfeld, M.C.) **10**, 146

Vasopressin
Testosterone; Lateral septum; Sex difference; Development (De Vries, G.J.) **8**, 377

Vasopressin neuron
Neurogenesis; Supraoptic nucleus; Paraventricular nucleus; Suprachiasmatic nucleus; Immunocytochemistry; Autoradiography (Okamura, H.) **9**, 223

Ventral horn cells
Fetal spinal cord; Differentiation; Transplantation; Substantia gelatinosa; Gliosis (Reier, P.J.) **10**, 201

Ventral lateral geniculate nucleus
Neurogenesis; Ectomammillary nucleus; Neuron size; Neurogenetic gradient; Chicken (Crossland, W.J.) **6**, 33

Vibrissae
Trigeminal system; Pattern alterations; Principal sensory nucleus (Bates, C.A.) **5**, 108

Vimentin
Development; Mouse neural tube (Houle, J.) **9**, 189

Chick retina; Müller cells; Electronmicroscopic immunohistochemistry; Development (Lemmon, V.) **11**, 191

Visceral preganglionic neurons
Cell culture; Cell survival; Somatic motoneurons; Neuromuscular junction (Tanaka, H.) **6**, 85

Vision
Development; Primate; Tree shrew; Lateral geniculate nucleus; Enucleation; Cortex; Layers (Brunso-Bechtold, J.K.) **10**, 33

Visual
Somatosensory; Serotonin; Acetylcholine esterase; Plasticity; Salamander; Tectum; Critical period (Harris, W.A.) **7**, 245

Visual acuity
Corpus callosum; Visual development; Visual cortex; Disparity detection; Binocular vision; Cats (Elberger, A.J.) **5**, 350

Visual cortex
Cat; Meynert cell (Winfield, D.A.) **5**, 53

Neurogenesis; Hamster; Lateral geniculate nucleus; Superior colliculus; Suprachiasmatic nucleus; Neurogenetic gradients (Crossland, W.J.) **5**, 99

Lateral geniculate nucleus; Amblyopia; Spatial resolution; Strabismus; Cat (Mower, G.D.) **5**, 311

Corpus callosum; Visual acuity; Visual development; Disparity detection; Binocular vision; Cats (Elberger, A.J.) **5**, 350

Strobe-rearing; Rabbit; Development (Pearson, H.E.) **7**, 187

Development; Receptive fields; Epileptiform activity; Penicillin model; Rabbit (Crabtree, J.W.) **8**, 1

Cortical inhibition; Development; Kitten; Slice (Komatsu, Y.) **8**, 136

Monocular deprivation; Critical period; Plasticity; Cat; Dark-rearing (Cynader, M.) **8**, 155

Postnatal development; Synaptogenesis; Eyelid suture (Winfield, D.A.) **9**, 155

Cat; Monocular deprivation; Selective reversal; Uni-orientational rearing; Neuronal competition; Hebb synapses (Rauschecker, J.P.) **10**, 305

Corticofugal projection; Development; Superior colliculus; Kitten (Tsumoto, T.) **11**, 29

Axonal pathways; Development; Transitory macrophages; Kitten (Innocenti, G.M.) **11**, 55

Visual cortical projections
Plasticity; Glutamate; GABA (Kvale, I.) **11**, 261

Visual deprivation
Visual perception; Acuity; Cat (Wark, R.C.) **5**, 218

Visual development
Optic nerve; Cell death (Ng, A.Y.K.) **5**, 263

Corpus callosum; Visual acuity; Visual cortex; Disparity detection; Binocular vision; Cats (Elberger, A.J.) **5**, 350

Visual experience
Catecholamines; Chick; Forebrain; Development; Imprinting; Plasticity (Davies, D.C.) **10**, 251

Visual perception
Acuity; Visual deprivation; Cat (Wark, R.C.) **5**, 218

Visual structures
Rat; Glutamate uptake; Postnatal development (Kvale, I.) **7**, 137

Visual system
Monoamines; Serotonin; Development (Cano, J.) **5**, 199

Visuo-tectal map
Xenopus; Orientation of visuo-tectal map (Feldman, J.D.) **6**, 269

Vomeronasal organ
Hypothyroidism (Segovia, S.) **5**, 206

Sex differences; Vomeronasal system (Segovia, S.) **5**, 209

Vomeronasal system
Sex differences; Vomeronasal organ (Segovia, S.) **5**, 209

W

W-cells
Lateral geniculate; Cat; Monocular deprivation; C-laminae; Development; Plasticity (Murakami, D.M.) **9**, 353

Wet dog shakes
Experimental epilepsy; Brain maturation; Hippocampus; Kainic acid; Limbic seizures (Cherubini, E.) **9**, 69

Wheat germ agglutinin-conjugated HRP
Avian visual system; Ipsilateral retinofugal projection; Retinotectal system; Process elimination; Cell death (O'Leary, D.D.M.) **10**, 93

White matter development
Brain macrophages; Neocortex; Corpus callosum; Kitten (Innocenti, G.M.) **11**, 39

W1 Wolfgram protein
Glial cell cultures; Oligodendrocytes; Autoradiography; Immunofluorescence; Myelin basic proteins (Roussel, G.) **8**, 193

Wulst
Development; Monocular deprivation; Norepinephrine; Pigeon (Bagnoli, P.) **10**, 243

X

X-irradiation
Plasminogen activator molecular forms; Agranular cerebellum; Granular neuron migration; mRNA; Autoradiography (Soreq, H.) **11**, 149

Xenopus
Visuo-tectal map; Orientation of visuo-tectal map (Feldman, J.D.) **6**, 269

BRAIN RESEARCH REVIEWS
AUTHOR INDEX
1983
VOLUMES 5–6

A

Asanuma, C,, Thach, W.T. and Jones, E.G.
Brainstem and spinal projections of the deep cerebellar nuclei in the monkey, with observations on the brainstem projections of the dorsal column nuclei, **5**, 299
Asanuma, C., Thach, W.T. and Jones, E.G.
Cytoarchitectonic delineation of the ventral lateral thalamic region in the monkey, **5**, 219
Asanuma, C., Thach, W.T. and Jones, E.G.
Distribution of cerebellar terminations and their relation to other afferent terminations in the ventral lateral thalamic region of the monkey, **5**, 237
Asanuma, C., Thach, W.T. and Jones, E.G.
Anatomical evidence for segregated focal groupings of efferent cells and their terminal ramifications in the cerebellothalamic pathway of the monkey, **5**, 267

B

Beninger, R.J.
The role of dopamine in locomotor activity and learning, **6**, 173
Block, C.H., see Watson, R.E. Jr., **5**, 1
Bodznick, D.A., see Bullock, T.H., **6**, 25
Bullock, T.H., Bodznick, D.A. and Northcutt, R.G.
The phylogenetic distribution of electroreception: evidence for convergent evolution of a primitive vertebrate sense modality, **6**, 25
Buzsáki, G., Leung, L.W.S. and Vanderwolf, C.H.
Cellular bases of hippocampal EEG in the behaving rat, **6**, 139

C

Colonnier, M., see Tremblay, J.P., **6**, 299

D

Dokas, L.A.
Analysis of brain and pituitary RNA metabolism: a review of recent methodologies, **5**, 177
Dykes, R.W.
Parallel processing of somatosensory information: a theory, **6**, 47

E

Edinger, H.M., see Watson, R.E. Jr., **5**, 133

F

Frenk, H.
Pro- and anticonvulsant actions of morphine and the endogenous opioids: involvement and interactions of multiple opiate and non-opiate systems, **6**, 197

G

Groves, P.M.
A theory of the functional organization of the neostriatum and the neostriatal control of voluntary movement, **5**, 109

H

Halata, Z. and Munger, B.L.
The sensory innervation of primate facial

skin. II. Vermilion border and mucosa of lip, **5**, 81
Halata, Z., see Munger, B.L., **5**, 45

I

Ito, H., see Vanegas, H., **6**, 117

J

Jones, E.G., see Asanuma, C,, **5**, 299
Jones, E.G., see Asanuma, C., **5**, 219, **5**, 237, **5**, 267

L

Laurie, R.E., see Tremblay, J.P., **6**, 299
Leung, L.W.S., see Buzsáki, G., **6**, 139

M

Meek, J.
  Functional anatomy of the tectum mesencephali of the goldfish. An explorative analysis of the functional implications of the laminar structural organization of the tectum, **6**, 247
Munger, B.L. and Halata, Z.
  The sensory innervation of primate facial skin. I. Hairy skin, **5**, 45
Munger, B.L., see Halata, Z., **5**, 81

N

Northcutt, R.G., see Bullock, T.H., **6**, 25

P

Poulakos, J., see Watson, R.E. Jr., **5**, 1

S

Siegel, A., see Watson, R.E. Jr., **5**, 1, **5**, 133
Swadlow, H.A.
  Efferent systems of primary visual cortex: a review of structure and function, **6**, 1

T

Thach, W.T., see Asanuma, C,, **5**, 299
Thach, W.T., see Asanuma, C., **5**, 219, **5**, 237, **5**, 267
Tremblay, J.P., Laurie, R.E. and Colonnier, M.
  Is the MEPP due to the release of one vesicle or to the simultaneous release of several vesicles at one active zone?, **6**, 299
Troiano, R., see Watson, R.E. Jr., **5**, 1

V

Vanderwolf, C.H., see Buzsáki, G., **6**, 139
Vanegas, H. and Ito, H.
  Morphological aspects of the teleostean visual system: a review, **6**, 117

W

Watson, R.E. Jr., Edinger, H.M. and Siegel, A.
  A [^{14}C]2-deoxyglucose analysis of the functional neural pathways of the limbic forebrain in the rat. III. The hippocampal formation, **5**, 133
Watson, R.E. Jr., Troiano, R., Poulakos, J., Weiner, S., Block, C.H. and Siegel, A.
  A [^{14}C]2-deoxyglucose analysis of the functional neural pathways of the limbic forebrain in the rat. I. The amygdala, **5**, 1
Weiner, S., see Watson, R.E. Jr., **5**, 1
Willner, P.
  Dopamine and depression: a review of recent evidence. I. Empirical studies, **6**, 211
Willner, P.
  Dopamine and depression: a review of recent evidence. II. Theoretical approaches, **6**, 225
Willner, P.
  Dopamine and depression: a review of recent evidence. III. The effects of antidepressant treatments, **6**, 237

BRAIN RESEARCH REVIEWS
SUBJECT INDEX
1983
VOLUMES 5–6

A

Acetylcholine
Neostriatum; Basal ganglia; Parkinson's disease; Huntington's disease; Tardive dyskinesia; Substantia nigra; Globus pallidus; Dopamine; Substance P; GABA (Groves, P.M.) **5**, 109

Dopamine; Locomotor activity; Learning; Incentive learning; Reinforcement; Basal ganglia; Adenylate cyclase; Synaptic modulation; Neuroleptics; Schizophrenia (Beninger, R.J.) **6**, 173

Active zone
MEPP; Quanta; Vesicle; Synaptic transmission; Neuromuscular transmission; Neuromuscular junction; small MEPP (Tremblay, J.P.) **6**, 299

Adenylate cyclase
Dopamine; Locomotor activity; Learning; Incentive learning; Reinforcement; Basal ganglia; Acetylcholine; Synaptic modulation; Neuroleptics; Schizophrenia (Beninger, R.J.) **6**, 173

Afferent connection
Monkey thalamus; Cerebellum; Motor cortex; Ventral lateral region (Asanuma, C.) **5**, 237

Ampullary organ
Electroreception; Phylogenetic distribution; Vertebrate; Tuberous organ; Sense modality; Convergent evolution (Bullock, T.H.) **6**, 25

Amygdala
2-Deoxyglucose; Electrical brain stimulation; Hypothalamus; Bed nucleus of the stria terminalis; Substantia innominata; Seizure activity; Functional brain mapping (Watson, R.E. Jr.) **5**, 1

Hippocampal formation; Hypothalamus; Subicular cortex; Electrical stimulation; Seizure activity; Deoxyglucose autoradiography (Watson, R.E. Jr.) **5**, 133

Animal models
Dopamine; Depression; Learned helplessness; Reward; Responsiveness (Willner, P.) **6**, 225

Antidepressant drugs
Dopamine; Electroconvulsive shock; REM sleep deprivation; Dopamine receptors; Autoreceptors (Willner, P.) **6**, 237

Atropine
Hippocampus; EEG; Unit activity; Urethane; Entorhinal cortex; Septum; Fornix; Theta model (Buzsáki, G.) **6**, 139

Autoreceptors
Dopamine; Antidepressant drugs; Electroconvulsive shock; REM sleep deprivation; Dopamine receptors (Willner, P.) **6**, 237

B

Basal ganglia
Neostriatum; Parkinson's disease; Huntington's disease; Tardive dyskinesia; Substantia nigra; Globus pallidus; Dopamine; Substance P; GABA; Acetylcholine (Groves, P.M.) **5**, 109

Dopamine; Locomotor activity; Learning; Incentive learning; Reinforcement; Acetylcholine; Adenylate cyclase; Synaptic modulation; Neuroleptics; Schizophrenia (Beninger, R.J.) **6**, 173

Bed nucleus of the stria terminalis
2-Deoxyglucose; Electrical brain stimulation; Amygdala; Hypothalamus; Substantia innominata; Seizure activity; Functional brain mapping (Watson, R.E. Jr.) **5**, 1

Brainstem
Cerebellum; Monkey; Dorsal column nucleus; Spinal cord (Asanuma, C,) **5**, 299

Brain transcription
RNA metabolism; RNA hybridization; poly(A) RNA; brain-specific messenger RNA; Steroid hormones (Dokas, L.A.) **5**, 177

C

Cerebellum
Monkey thalamus; Motor cortex; Ventral lateral region; Afferent connection (Asanuma, C.) **5**, 237

Monkey thalamus; Ventral lateral region; Motor cortex; Somatotopy (Asanuma, C.) **5**, 267

Brainstem; Monkey; Dorsal column nucleus; Spinal cord (Asanuma, C,) **5**, 299

Circuitry analysis
Tectum mesencephali; Goldfish; Teleosts; Laminar organization; Functional anatomy; Connectivity matrix; Multimodal integration (Meek, J.) **6**, 247

Coiled simple corpuscle
Monkey lip; Innervation; Free nerve ending; Merkel ending; Meissner corpuscle (Halata, Z.) **5**, 81

Connectivity matrix
Tectum mesencephali; Goldfish; Teleosts; Laminar organization; Functional anatomy; Circuitry analysis; Multimodal integration (Meek, J.) **6**, 247

Convergent evolution
Electroreception; Phylogenetic distribution; Vertebrate; Ampullary organ; Tuberous organ; Sense modality (Bullock, T.H.) **6**, 25

Corpus callosum
Visual cortex; Cortical lamination; Cortical efferent systems; Cortical axons; Cortico-tectal projection; Cortico-geniculate projection (Swadlow, H.A.) **6**, 1

Cortical axons
Visual cortex; Cortical lamination; Cortical efferent systems; Cortico-tectal projection; Cortico-geniculate projection; Corpus callosum (Swadlow, H.A.) **6**, 1

Cortical efferent systems
Visual cortex; Cortical lamination; Cortical axons; Cortico-tectal projection; Cortico-geniculate projection; Corpus callosum (Swadlow, H.A.) **6**, 1

Cortical lamination
Visual cortex; Cortical efferent systems; Cortical axons; Cortico-tectal projection; Cortico-geniculate projection; Corpus callosum (Swadlow, H.A.) **6**, 1

Cortico-geniculate projection
Visual cortex; Cortical lamination; Cortical efferent systems; Cortical axons; Cortico-tectal projection; Corpus callosum (Swadlow, H.A.) **6**, 1

Cortico-tectal projection
Visual cortex; Cortical lamination; Cortical efferent systems; Cortical axons; Cortico-geniculate projection; Corpus callosum (Swadlow, H.A.) **6**, 1

Cutaneous modality
Parallel processing; Receptor specificity; Somatosensory cortex (Dykes, R.W.) **6**, 47

Cytoarchitecture
Monkey thalamus; Ventral lateral region (Asanuma, C.) **5**, 219

D

2-Deoxyglucose
Electrical brain stimulation; Amygdala; Hypothalamus; Bed nucleus of the stria terminalis; Substantia innominata; Seizure activity; Functional brain mapping (Watson, R.E. Jr.) **5**, 1

Deoxyglucose autoradiography
Hippocampal formation; Amygdala; Hypothalamus; Subicular cortex; Electrical stimulation; Seizure activity (Watson, R.E. Jr.) **5**, 133

Depression
Dopamine; Human studies; Dopamine receptors; Dopamine turnover (Willner, P.) **6**, 211

Dopamine; Animal models; Learned helplessness; Reward; Responsiveness (Willner, P.) **6**, 225

Dopamine
Neostriatum; Basal ganglia; Parkinson's disease; Huntington's disease; Tardive dyskinesia; Substantia nigra; Globus pallidus; Substance P; GABA; Acetylcholine (Groves, P.M.) **5**, 109

Locomotor activity; Learning; Incentive learning; Reinforcement; Basal ganglia; Acetylcholine; Adenylate cyclase; Synaptic modulation; Neuroleptics; Schizophrenia (Beninger, R.J.) **6**, 173

Depression; Human studies; Dopamine receptors; Dopamine turnover (Willner, P.) **6**, 211

Depression; Animal models; Learned helplessness; Reward; Responsiveness (Willner, P.) **6**, 225

Antidepressant drugs; Electroconvulsive shock; REM sleep deprivation; Dopamine receptors; Autoreceptors (Willner, P.) **6**, 237

Dopamine receptors
Dopamine; Depression; Human studies; Dopamine turnover (Willner, P.) **6**, 211

Dopamine; Antidepressant drugs; Electroconvulsive shock; REM sleep deprivation; Autoreceptors (Willner, P.) **6**, 237

Dopamine turnover
Dopamine; Depression; Human studies; Dopamine receptors (Willner, P.) **6**, 211

Dorsal column nucleus
Cerebellum; Brainstem; Monkey; Spinal cord (Asanuma, C,) **5**, 299

E

EEG
Hippocampus; Unit activity; Urethane; Atropine; Entorhinal cortex; Septum; Fornix; Theta model (Buzsáki, G.) **6**, 139

Electrical brain stimulation
2-Deoxyglucose; Amygdala; Hypothalamus; Bed nucleus of the stria terminalis; Substantia innominata; Seizure activity; Functional brain mapping (Watson, R.E. Jr.) **5**, 1

Electrical stimulation
Hippocampal formation; Amygdala; Hypothalamus; Subicular cortex; Seizure activity; Deoxyglucose autoradiography (Watson, R.E. Jr.) **5**, 133

Electroconvulsive shock
Dopamine; Antidepressant drugs; REM sleep deprivation; Dopamine receptors; Autoreceptors (Willner, P.) **6**, 237

Electroreception
Phylogenetic distribution; Vertebrate; Ampullary organ; Tuberous organ; Sense modality; Convergent evolution (Bullock, T.H.) **6**, 25

Entorhinal cortex
Hippocampus; EEG; Unit activity; Urethane; Atropine; Septum; Fornix; Theta model (Buzsáki, G.) **6**, 139

F

Fornix
Hippocampus; EEG; Unit activity; Urethane; Atropine; Entorhinal cortex; Septum; Theta model (Buzsáki, G.) **6**, 139

Free nerve ending
Hairy skin; Innervation; Monkey face; Merkel ending; Ruffini corpuscle; Lanceolate terminal (Munger, B.L.) **5**, 45

Monkey lip; Innervation; Merkel ending; Meissner corpuscle; Coiled simple corpuscle (Halata, Z.) **5**, 81

Functional anatomy
Tectum mesencephali; Goldfish; Teleosts; Laminar organization; Circuitry analysis; Connectivity matrix; Multimodal integration (Meek, J.) **6**, 247

Functional brain mapping
2-Deoxyglucose; Electrical brain stimulation; Amygdala; Hypothalamus; Bed nucleus of the stria terminalis; Substantia innominata; Seizure activity (Watson, R.E. Jr.) **5**, 1

G

GABA
Neostriatum; Basal ganglia; Parkinson's disease; Huntington's disease; Tardive dyskinesia; Substantia nigra; Globus pallidus; Dopamine; Substance P; Acetylcholine (Groves, P.M.) **5**, 109

Globus pallidus
Neostriatum; Basal ganglia; Parkinson's disease; Huntington's disease; Tardive dyskinesia; Substantia nigra; Dopamine; Substance P; GABA; Acetylcholine (Groves, P.M.) **5**, 109

Goldfish
Tectum mesencephali; Teleosts; Laminar organization; Functional anatomy; Circuitry analysis; Connectivity matrix; Multimodal integration (Meek, J.) **6**, 247

H

Hairy skin
Innervation; Monkey face; Free nerve ending; Merkel ending; Ruffini corpuscle; Lanceolate terminal (Munger, B.L.) **5**, 45

Hippocampal formation
Amygdala; Hypothalamus; Subicular cortex; Electrical stimulation; Seizure activity; Deoxyglucose autoradiography (Watson, R.E. Jr.) **5**, 133

Hippocampus
EEG; Unit activity; Urethane; Atropine; Entorhinal cortex; Septum; Fornix; Theta model (Buzsáki, G.) **6**, 139

Human studies
Dopamine; Depression; Dopamine receptors; Dopamine turnover (Willner, P.) **6**, 211

Huntington's disease
Neostriatum; Basal ganglia; Parkinson's disease; Tardive dyskinesia; Substantia nigra; Globus pallidus; Dopamine; Substance P; GABA; Acetylcholine (Groves, P.M.) **5**, 109

Hypothalamus
2-Deoxyglucose; Electrical brain stimulation; Amygdala; Bed nucleus of the stria terminalis; Substantia innominata; Seizure activity; Functional brain mapping (Watson, R.E. Jr.) **5**, 1

Hippocampal formation; Amygdala; Subicular cortex; Electrical stimulation; Seizure activity; Deoxyglucose autoradiography (Watson, R.E. Jr.) **5**, 133

I

Incentive learning
Dopamine; Locomotor activity; Learning; Reinforcement; Basal ganglia; Acetylcholine; Adenylate cyclase; Synaptic modulation; Neuroleptics; Schizophrenia (Beninger, R.J.) **6**, 173

Innervation
Hairy skin; Monkey face; Free nerve ending; Merkel ending; Ruffini corpuscle; Lanceolate terminal (Munger, B.L.) **5**, 45

Monkey lip; Free nerve ending; Merkel ending; Meissner corpuscle; Coiled simple corpuscle (Halata, Z.) **5**, 81

L

Laminar organization
Tectum mesencephali; Goldfish; Teleosts; Functional anatomy; Circuitry analysis; Connectivity matrix; Multimodal integration (Meek, J.) **6**, 247

Lanceolate terminal
Hairy skin; Innervation; Monkey face; Free nerve ending; Merkel ending; Ruffini corpuscle (Munger, B.L.) **5**, 45

Learned helplessness
Dopamine; Depression; Animal models; Reward; Responsiveness (Willner, P.) **6**, 225

Learning
Dopamine; Locomotor activity; Incentive learning; Reinforcement; Basal ganglia; Acetylcholine; Adenylate cyclase; Synaptic modulation; Neuroleptics; Schizophrenia (Beninger, R.J.) **6**, 173

Locomotor activity
Dopamine; Learning; Incentive learning; Reinforcement; Basal ganglia; Acetylcholine; Adenylate cyclase; Synaptic modulation; Neuroleptics; Schizophrenia (Beninger, R.J.) **6**, 173

M

small MEPP
MEPP; Quanta; Vesicle; Synaptic transmission; Neuromuscular transmission; Neuromuscular junction; Active zone (Tremblay, J.P.) **6**, 299

MEPP
Quanta; Vesicle; Synaptic transmission; Neuromuscular transmission; Neuromuscular junction; Active zone; small MEPP (Tremblay, J.P.) **6**, 299

Meissner corpuscle
Monkey lip; Innervation; Free nerve ending; Merkel ending; Coiled simple corpuscle (Halata, Z.) **5**, 81

Merkel ending
Hairy skin; Innervation; Monkey face; Free nerve ending; Ruffini corpuscle; Lanceolate terminal (Munger, B.L.) **5**, 45

Monkey lip; Innervation; Free nerve ending; Meissner corpuscle; Coiled simple corpuscle (Halata, Z.) **5**, 81

Monkey
Cerebellum; Brainstem; Dorsal column nucleus; Spinal cord (Asanuma, C,) **5**, 299

Monkey face
Hairy skin; Innervation; Free nerve ending; Merkel ending; Ruffini corpuscle; Lanceolate terminal (Munger, B.L.) **5**, 45

Monkey lip
Innervation; Free nerve ending; Merkel ending; Meissner corpuscle; Coiled simple corpuscle (Halata, Z.) **5**, 81

Monkey thalamus
Ventral lateral region; Cytoarchitecture (Asanuma, C.) **5**, 219

Cerebellum; Motor cortex; Ventral lateral region; Afferent connection (Asanuma, C.) **5**, 237

Ventral lateral region; Cerebellum; Motor cortex; Somatotopy (Asanuma, C.) **5**, 267

Morphine
Opioid anticonvulsant action; Opioid convulsant action; Opioid peptides; Multiple opiate receptors; Multiple opioid systems (Frenk, H.) **6**, 197

Motor cortex
Monkey thalamus; Cerebellum; Ventral lateral region; Afferent connection (Asanuma, C.) **5**, 237

Monkey thalamus; Ventral lateral region; Cerebellum; Somatotopy (Asanuma, C.) **5**, 267

Multimodal integration
Tectum mesencephali; Goldfish; Teleosts; Laminar organization; Functional anatomy; Circuitry analysis; Connectivity matrix (Meek, J.) **6**, 247

Multiple opiate receptors
Opioid anticonvulsant action; Opioid convulsant action; Morphine; Opioid peptides; Multiple opioid systems (Frenk, H.) **6**, 197

Multiple opioid systems
Opioid anticonvulsant action; Opioid convulsant action; Morphine; Opioid peptides; Multiple opiate receptors (Frenk, H.) **6**, 197

N

Neostriatum
Basal ganglia; Parkinson's disease; Huntington's disease; Tardive dyskinesia; Substantia nigra; Globus pallidus; Dopamine; Substance P; GABA; Acetylcholine (Groves, P.M.) **5**, 109

Neuroleptics
Dopamine; Locomotor activity; Learning; Incentive learning; Reinforcement; Basal ganglia; Acetylcholine; Adenylate cyclase; Synaptic modulation; Schizophrenia (Beninger, R.J.) **6**, 173

Neuromuscular junction
MEPP; Quanta; Vesicle; Synaptic transmission; Neuromuscular transmission; Active zone; small MEPP (Tremblay, J.P.) **6**, 299

Neuromuscular transmission
MEPP; Quanta; Vesicle; Synaptic transmission; Neuromuscular junction; Active zone; small MEPP (Tremblay, J.P.) **6**, 299

Nucleus isthmi
Retina; Tectum opticum; Telencephalon; Teleost; Thalamus; Torus longitudinalis; Visual system (Vanegas, H.) **6**, 117

O

Opioid anticonvulsant action
Opioid convulsant action; Morphine; Opioid peptides; Multiple opiate receptors; Multiple opioid systems (Frenk, H.) **6**, 197

Opioid convulsant action
Opioid anticonvulsant action; Morphine; Opioid peptides; Multiple opiate receptors; Multiple opioid systems (Frenk, H.) **6**, 197

Opioid peptides
Opioid anticonvulsant action; Opioid convulsant action; Morphine; Multiple opiate receptors; Multiple opioid systems (Frenk, H.) **6**, 197

P

Parallel processing
Cutaneous modality; Receptor specificity; Somatosensory cortex (Dykes, R.W.) **6**, 47

Parkinson's disease
Neostriatum; Basal ganglia; Huntington's disease; Tardive dyskinesia; Substantia nigra; Globus pallidus; Dopamine; Substance P; GABA; Acetylcholine (Groves, P.M.) **5**, 109

Phylogenetic distribution
Electroreception; Vertebrate; Ampullary organ; Tuberous organ; Sense modality; Convergent evolution (Bullock, T.H.) **6**, 25

Q

Quanta
MEPP; Vesicle; Synaptic transmission; Neuromuscular transmission; Neuromuscular junction; Active zone; small MEPP (Tremblay, J.P.) **6**, 299

R

REM sleep deprivation
Dopamine; Antidepressant drugs; Electroconvulsive shock; Dopamine receptors; Autoreceptors (Willner, P.) **6**, 237

poly(A) RNA
Brain transcription; RNA metabolism; RNA hybridization; brain-specific messenger RNA; Steroid hormones (Dokas, L.A.) **5**, 177

RNA hybridization
Brain transcription; RNA metabolism; poly(A) RNA; brain-specific messenger RNA; Steroid hormones (Dokas, L.A.) **5**, 177

RNA metabolism
Brain transcription; RNA hybridization; poly(A) RNA; brain-specific messenger RNA; Steroid hormones (Dokas, L.A.) **5**, 177

Receptor specificity
Cutaneous modality; Parallel processing; Somatosensory cortex (Dykes, R.W.) **6**, 47

Reinforcement
Dopamine; Locomotor activity; Learning; Incentive learning; Basal ganglia; Acetylcholine; Adenylate cyclase; Synaptic modulation; Neuroleptics; Schizophrenia (Beninger, R.J.) **6**, 173

Responsiveness
Dopamine; Depression; Animal models; Learned helplessness; Reward (Willner, P.) **6**, 225

Retina
Nucleus isthmi; Tectum opticum; Telencephalon; Teleost; Thalamus; Torus longitudinalis; Visual system (Vanegas, H.) **6**, 117

Reward
Dopamine; Depression; Animal models; Learned helplessness; Responsiveness (Willner, P.) **6**, 225

brain-specific messenger RNA
Brain transcription; RNA metabolism; RNA hybridization; poly(A) RNA; Steroid hormones (Dokas, L.A.) **5**, 177

Ruffini corpuscle
Hairy skin; Innervation; Monkey face; Free nerve ending; Merkel ending; Lanceolate terminal (Munger, B.L.) **5**, 45

S

Schizophrenia
Dopamine; Locomotor activity; Learning; Incentive learning; Reinforcement; Basal ganglia; Acetylcholine; Adenylate cyclase; Synaptic modulation; Neuroleptics (Beninger, R.J.) **6**, 173

Seizure activity
2-Deoxyglucose; Electrical brain stimulation; Amygdala; Hypothalamus; Bed nucleus of the stria terminalis; Substantia innominata; Functional brain mapping (Watson, R.E. Jr.) **5**, 1

Hippocampal formation; Amygdala; Hypothalamus; Subicular cortex; Electrical stimulation; Deoxyglucose autoradiography (Watson, R.E. Jr.) **5**, 133

Sense modality
Electroreception; Phylogenetic distribution; Vertebrate; Ampullary organ; Tuberous organ; Convergent evolution (Bullock, T.H.) **6**, 25

Septum
Hippocampus; EEG; Unit activity; Urethane; Atropine; Entorhinal cortex; Fornix; Theta model (Buzsáki, G.) **6**, 139

Somatosensory cortex
Cutaneous modality; Parallel processing; Receptor specificity (Dykes, R.W.) **6**, 47

Somatotopy
Monkey thalamus; Ventral lateral region; Cerebellum; Motor cortex (Asanuma, C.) **5**, 267

Spinal cord
Cerebellum; Brainstem; Monkey; Dorsal column nucleus (Asanuma, C,) **5**, 299

Steroid hormones
Brain transcription; RNA metabolism; RNA hybridization; poly(A) RNA; brain-specific messenger RNA (Dokas, L.A.) **5**, 177

Subicular cortex
Hippocampal formation; Amygdala; Hypothalamus; Electrical stimulation; Seizure activity; Deoxyglucose autoradiography (Watson, R.E. Jr.) **5**, 133

Substance P
Neostriatum; Basal ganglia; Parkinson's disease; Huntington's disease; Tardive dyskinesia; Substantia nigra; Globus pallidus; Dopamine; GABA; Acetylcholine (Groves, P.M.) **5**, 109

Substantia innominata
2-Deoxyglucose; Electrical brain stimulation; Amygdala; Hypothalamus; Bed nucleus of the stria terminalis; Seizure activity; Functional brain mapping (Watson, R.E. Jr.) **5**, 1

Substantia nigra
Neostriatum; Basal ganglia; Parkinson's disease; Huntington's disease; Tardive dyskinesia; Globus pallidus; Dopamine; Substance P; GABA; Acetylcholine (Groves, P.M.) **5**, 109

Synaptic modulation
Dopamine; Locomotor activity; Learning; Incentive learning; Reinforcement; Basal ganglia; Acetylcholine; Adenylate cyclase; Neuroleptics; Schizophrenia (Beninger, R.J.) **6**, 173

Synaptic transmission
MEPP; Quanta; Vesicle; Neuromuscular transmission; Neuromuscular junction; Active zone; small MEPP (Tremblay, J.P.) **6**, 299

T

Tardive dyskinesia
Neostriatum; Basal ganglia; Parkinson's disease; Huntington's disease; Substantia nigra; Globus pallidus; Dopamine; Substance P; GABA; Acetylcholine (Groves, P.M.) **5**, 109

Tectum mesencephali
Goldfish; Teleosts; Laminar organization; Functional anatomy; Circuitry analysis; Connectivity matrix; Multimodal integration (Meek, J.) **6**, 247

Tectum opticum
Nucleus isthmi; Retina; Telencephalon; Teleost; Thalamus; Torus longitudinalis; Visual system (Vanegas, H.) **6**, 117

Telencephalon
Nucleus isthmi; Retina; Tectum opticum; Teleost; Thalamus; Torus longitudinalis; Visual system (Vanegas, H.) **6**, 117

Teleost
Nucleus isthmi; Retina; Tectum opticum; Telencephalon; Thalamus; Torus longitudinalis; Visual system (Vanegas, H.) **6**, 117

Teleosts
Tectum mesencephali; Goldfish; Laminar organization; Functional anatomy; Circuitry analysis; Connectivity matrix; Multimodal integration (Meek, J.) **6**, 247

Thalamus
Nucleus isthmi; Retina; Tectum opticum; Telencephalon; Teleost; Torus longitudinalis; Visual system (Vanegas, H.) **6**, 117

Theta model
Hippocampus; EEG; Unit activity; Urethane; Atropine; Entorhinal cortex; Septum; Fornix (Buzsáki, G.) **6**, 139

Torus longitudinalis
Nucleus isthmi; Retina; Tectum opticum; Telencephalon; Teleost; Thalamus; Visual system (Vanegas, H.) **6**, 117

Tuberous organ
Electroreception; Phylogenetic distribution; Vertebrate; Ampullary organ; Sense modality; Convergent evolution (Bullock, T.H.) **6**, 25

U

Unit activity
Hippocampus; EEG; Urethane; Atropine; Entorhinal cortex; Septum; Fornix; Theta model (Buzsáki, G.) **6**, 139

Urethane
Hippocampus; EEG; Unit activity; Atropine; Entorhinal cortex; Septum; Fornix; Theta model (Buzsáki, G.) **6**, 139

V

Ventral lateral region
Monkey thalamus; Cytoarchitecture (Asanuma, C.) **5**, 219

Monkey thalamus; Cerebellum; Motor cortex; Afferent connection (Asanuma, C.) **5**, 237

Monkey thalamus; Cerebellum; Motor cortex; Somatotopy (Asanuma, C.) **5**, 267

Vertebrate
Electroreception; Phylogenetic distribution; Ampullary organ; Tuberous organ; Sense modality; Convergent evolution (Bullock, T.H.) **6**, 25

Vesicle
MEPP; Quanta; Synaptic transmission; Neuromuscular transmission; Neuromuscular junction; Active zone; small MEPP (Tremblay, J.P.) **6**, 299

Visual cortex
Cortical lamination; Cortical efferent systems; Cortical axons; Cortico-tectal projection; Cortico-geniculate projection; Corpus callosum (Swadlow, H.A.) **6**, 1

Visual system
Nucleus isthmi; Retina; Tectum opticum; Telencephalon; Teleost; Thalamus; Torus longitudinalis (Vanegas, H.) **6**, 117

BRAIN RESEARCH
AUTHOR INDEX
1981
ADDITIONAL VOLUMES 229–230

A

Aamodt, A., see Heggli, D.E., **230**, 253
Adams, M.E. and O'Shea, M.
Vacuolation of an identified peptidergic (proctolin-containing) neuron, **230**, 439
Akert, K., see Zhu, A.G., **230**, 25
Akmayev, I.G., Vikhreva, O.V. and Konovalova, L.K.
The origin of the hypothalamic-vagal descending pathway: an experimental ultrastructural study, **230**, 342
Albert, E.N. and Kerns, J.M.
Reversible microwave effects on the blood–brain barrier, **230**, 153
Alexander, N., see Vlachakis, N.D., **229**, 67
Ambron, R.T., see Goldberg, D.J., **229**, 445
Arancibia, L.T., see Epelbaum, J., **230**, 412
Arnold, A.P., see Ryan, S.M., **229**, 236
Artymyshyn, R., see Tessler, A., **230**, 263

B

Baldessarini, R.J., see Majocha, R.J., **230**, 235
Battistella, A., see Crews, F.T., **229**, 256
Bell, J., see Mangold, R.F., **230**, 406
Bendesky, R.J., see Martin, G.E., **229**, 530
Biggio, G., Corda, M.G., Concas, A., Demontis, G., Rossetti, Z. and Gessa, G.L.
Rapid changes in GABA binding induced by stress in different areas of the rat brain, **229**, 363
Biggio, G., see Corda, M.G., **229**, 264
Bizzi, E., see Lestienne, F., **230**, 121
Björklund, A. and Stenevi, U.
In vivo evidence for a hippocampal adrenergic neuronotrophic factor specifically released on septal deafferentiation, **229**, 403
Björklund, A., see Dunnett, S.B., **229**, 209
Björklund, A., see Dunnett, S.B., **229**, 457
Boothe, T.E., see Ginsberg, M.D., **230**, 165
Boucher, R., see Parent, A., **230**, 356
Bradley, R.J., see Sterz, R., **230**, 434
Braford, M.R., see Wrathall, J.R., **229**, 163
Braun, C.M.J. and Pivik, R.T.
Effects of locus coeruleus lesions upon sleeping and waking in the rabbit, **230**, 133
Brimijoin, S., see Jakobsen, J., **229**, 103
Bruinvels, J., see Van der Laan, J.W., **229**, 133
Budelli, R.W., see Mulloney, B., **229**, 25
Busto, R., see Ginsberg, M.D., **230**, 165
Bush, B.M.H., see Cannone, A., **229**, 197
Buzsàki, G. and Eidelberg, E.
Commissural projection to the dentate gyrus of the rat: evidence for feed-forward inhibition, **230**, 346
Bystritsky, A., see Rabey, J.M., **230**, 422

C

Calderini, G., see Crews, F.T., **229**, 256
Campbell, J.A., see Ginsberg, M.D., **230**, 165
Cannone, A. and Bush, B.M.H.
Positive feedback to a muscle receptor stabilized by concurrent self-inhibition, **229**, 197
Carreno, N.B., see Castro-Vazquez, A., **230**, 205
Castro-Vazquez, A. and Carreno, N.B.
A study of the sensory requirements for eliciting the pseudopregnancy response, **230**, 205
Chitour, D., see Le Bars, D., **230**, 394
Clot, M., see Le Bars, D., **230**, 394
Comans, P.E. and Snow, P.J.
Ascending projections to nucleus parafascicularis of the cat, **230**, 337
Concas, A., see Corda, M.G., **229**, 264
Concas, A., see Biggio, G., **229**, 363
Corda, M.G., Concas, A., Rossetti, Z., Guarneri, P., Corongiu, F.P. and Biggio, G.
Methyl mercury enhances [^{3}H]diazepam binding in different areas of the rat brain, **229**, 264
Corda, M.G., see Biggio, G., **229**, 363
Corongiu, F.P., see Corda, M.G., **229**, 264
Cotman, C.W., see Foster, A.C., **229**, 246
Creveling, C.R., see Kaplan, G.P., **229**, 323
Crews, F.T., Calderini, G., Battistella, A. and Toffano, G.
Age dependent changes in the methylation of rat brain phospholipids, **229**, 256
Cullen, M.J., De Vries, G.H. and Webster, H. deF.
Freeze-fracture characterization of isolated myelin and axolemma membrane fractions, **229**, 311

D

Dahlgren, N., Lindvall, O., Nobin, A. and Stenevi, U.
Cerebral circulatory response to hypercapnia: effects of lesions of central dopaminergic and serotoninergic neuron systems, **230**, 221
Delong, G.R., see Majocha, R.E., **230**, 235
Demer, J.L.
The variable gain element of the vestibulo-ocular reflex is common to the optokinetic system of the cat, **229**, 1
Demontis, G., see Biggio, G., **229**, 363
De Vries, G.H., see Cullen, M.J., **229**, 311
Di Carlo, R. and Muccioli, G.
Changes in prolactin binding sites in the rabbit hypothalamus induced by physiological and pharmacological variations of prolactin serum levels, **230**, 445
Duggan, A.W., Johnson, S.M. and Morton, C.R.
Differing distributions of receptors for morphine and Met^5-enkephalinamide in the dorsal horn of the cat, **229**, 379
Dukich, T.G., see Mortimer, J.A., **229**, 337

Dun, N.J., see Jiang, Z.G., **229**, 203

Dunnett, S.B., Björklund, A., Stenevi, U. and Iversen, S.D.
Behavioural recovery following transplantation of substantia nigra in rats subjected to 6-OHDA lesions of the nigrostriatal pathway. II. Bilateral lesions, **229**, 457

Dunnett, S.B., Björklund, A., Stenevi, U. and Iversen, S.D.
Grafts of embryonic substantia nigra reinnervating the ventrolateral striatum ameliorate sensorimotor impairments and akinesia in rats with 6-OHDA lesions of the nigrostriatal pathway, **229**, 209

E

Edinger, H.M., see Fischette, C.T., **229**, 85

Eidelberg, E., see Buzsàki, G., **230**, 346

Elde, R.P., see Ryan, S.M., **229**, 236

Engel, J., see Rabey, J.M., **230**, 422

Epelbaum, J., Arancibia, L.T., Herman, J.P., Kordon, C. and Palkovits, M.
Topography of median eminence somatostatinergic innervation, **230**, 412

Enomoto, S., see Kubo, Y., **230**, 97

F

Fabre, J.W., see McKenzie, J.L., **230**, 307

Fagg, G.E., see Foster, A.C., **229**, 246

Fan, S.G., Wusteman, M. and Iversen, L.L.
3-Mercaptopropionic acid inhibits GABA release from rat brain slices in vitro, **229**, 371

Fawcett, J.W. and Gaze, R.M.
The organization of regenerating axons in the *Xenopus* optic nerve, **229**, 487

Finger, S., see Gruenthal, M., **230**, 406

Fischette, C.T., Edinger, H.M. and Siegel, A.
Temporary desynchronization among circadian rhythms with lateral fornix ablation, **229**, 85

Foster, A.C., Fagg, G.E., Mena, E.E. and Cotman, C.W.
L-Glutamate and L-aspartate bind to separate sites in rat brain synaptic membranes, **229**, 246

G

Gatipon, G.B., see Griffith, J.L., **229**, 520

Gaze, R.M., see Fawcett, J.W., **229**, 487

Geola, F.L., Yamada, T., Warwick, R.J., Tourtelotte, W.W. and Hershman, J.M.
Regional distribution of somatostatin-like immunoreactivity in the human brain, **229**, 35

Gerhart, K.D., Yezierski, R.P., Wilcox, T.K., Grossman, A.E. and Willis, W.D.
Inhibition of primate spinothalamic tract neurons by stimulation in ipsilateral or contralateral ventral posterior lateral (VPL$_c$) thalamic nucleus, **229**, 514

Gessa, G.L., see Biggio, G., **229**, 363

Gesteland, R.C., see Kleene, S.J., **229**, 536

Gilat, E., see Hocherman, S,, **230**, 65

Ginsberg, M.D., Busto, R., Boothe, T.E. and Campbell, J.A.
A radioisotopic method for the simultaneous quantitation of regional cerebral blood flow and glucose utilization in small dissected samples: validation studies and values in the nitrous oxide-anesthetized rat, **230**, 165

Giudici, D., see Limonta, P., **229**, 75

Goldberg, D.J. and Ambron, R.T.
Two rates of fast axonal transport of [^{3}H]glycoprotein in an identified invertebrate neuron, **229**, 445

Goldberger, M.E., see Tessler, A., **230**, 263

Goldstein, M., see Rabey, J.M., **230**, 422

Goodwin, P., see Sharp, F.R., **230**, 87

Gould, R.M., see Lindquist, T.D., **230**, 181

Grace, M., see Levine, A.S., **229**, 270

Gration, K.A.F., Lambert, J.J., Ramsey, R.L., Rand, R.P. and Usherwood, P.N.R.
Agonist potency determination by clamp analysis of single glutamate receptors, **230**, 400

Griffith, J.L. and Gatipon, G.B.
A comparative study of selective stimulation of raphe nuclei in the cat in inhibiting dorsal horn neuron responses to noxious stimulation, **229**, 520

Grossman, A.E., see Gerhart, K.D., **229**, 514

Gruenthal, M., see Mangold, R.F., **230**, 406

Guarneri, P., see Corda, A., **229**, 264

Gustafsson, B., see Wigström, H., **229**, 507

H

Hamada, I.
Correlation of monkey pyramidal tract neuron activity to movement velocity in rapid wrist flexion movement, **230**, 384

Hara, Y., see Sakanaka, M., **230**, 351

Hartman, B.K., see Kaplan, G.P., **229**, 323

Hayashi, Y., see Yajima, Y., **229**, 353

Heffner, T.G., see Miller, F.E., **229**, 123

Headon, M.P., Sloper, J.J., Hiorns, R.W. and Powell, T.P.S.
Cell sizes in the lateral geniculate nucleus of normal infant and adult rhesus monkeys, **229**, 183

Headon, M.P., Sloper, J.J., Hiorns, R.W. and Powell,

T.P.S.
Shrinkage of cells in undeprived laminae of the monkey lateral geniculate nucleus following late closure of one eye, **229**, 187
Heggli, D.E., Aamodt, A. and Malthe-Sørenssen, D.
Kainic acid neurotoxicity; effects of systemic injections on neurotransmitter markers in different brain regions, **230**, 253
Herman, J.P., see Epelbaum, J., **230**, 412
Hermes, M., see Sterz, R., **230**, 434
Hershman, J.M., see Geola, F.L., **229**, 35
Himes, B.T., see Tessler, A., **230**, 263
Hiorns, R.W., see Headon, M.P., **229**, 183
Hiorns, R.W., see Headon, M.P., **229**, 187
Hocherman, S., Itzhaki, A. and Gilat, E.
The response of single units in the auditory cortex of rhesus monkeys to predicted and to unpredicted sound stimuli, **230**, 65
Horowitz, S.G., see Rothman, A., **229**, 541
Hunt, S.P., see Ninkovic, M., **230**, 111

I

Iida, H., see Sakanaka, M., **230**, 351
Inagaki, S., see Sakanaka, M., **230**, 351
Ingoglia, N.A., see Lindquist, T.D., **230**, 181
Ikegami, S. and Kawamura, H.
Inhibition of intracranial self-stimulation in brain stem-transected cats — a proposed mechanism of aversive effects produced by brain stimulation, **229**, 471
Itzhaki, A., see Hocherman, S., **230**, 65
Iversen, S.D., see Dunnett, S.B., **229**, 209
Iversen, S.D., see Dunnett, S.B., **229**, 457
Iversen, L.L., see Fan, S.G., **229**, 371

J

Jakobsen, J. and Brimijoin, S.
Axonal transport of enzymes and labeled proteins in experimental axonopathy induced by *p*-bromophenylacetylurea, **229**, 103
Jacobs, W., see Rasmussen, D.D., **229**, 230
Jiang, Z.G. and Dun, N.J.
Multiple conductance change associated with the slow excitatory potential in mammalian sympathetic neurons, **229**, 203
Johnson, S.M., see Duggan, A.W., **229**, 379
Jouvet, M., see Sastre, J.-P., **229**, 147
Jüch, P.J.W. and Luiten, P.G.M.
Anatomy of respiratory rhythmic systems in brain stem and cerebellum of the carp, **230**, 51

K

Kalivas, P.W., Nemeroff, C.B. and Prange, A.J., Jr.
Increase in spontaneous motor activity following infusion of neurotensin into the ventral tegmental area, **229**, 525
Kamada, Y., Mizuno, A. and Matsuda, M.
Effect of L-glutamic acid on [^{14}C]GABA release from isolated rat retina, **229**, 251
Kaplan, G.P., Hartman, B.K. and Creveling, C.R.
Immunohistochemical localization of catechol-O-methyltransferase in circumventricular organs of the rat: potential variations in the blood–brain barrier to native catechols, **229**, 323
Katzman, R., see Rothman, A., **229**, 541
Kawai, Y., see Sakanaka, M., **230**, 351
Kawamura, H., see Ikegami, S., **229**, 471
Keefer, D.A.
Nuclear retention characteristics of [^{3}H]estrogen by cells in four estrogen target regions of the brain, **229**, 224
Kelly, J.S., see Ninkovic, M., **230**, 111
Kemper, G.B.
Sciatic nerve response to injury in hibernating and non-hibernating ground squirrels, **229**, 496
Kelly, J.-P., see Wong, D., **230**, 362
Kernell, D. and Monster, A.W.
Threshold current for repetitive impulse firing in motoneurones innervating muscle fibres of different fatigue sensitivity in the cat, **229**, 193
Kao, C.C., see Wrathall, J.R., **229**, 163
Kerns, J.M. and Rothblat, L.A.
The effects of monocular deprivation on the development of the rat trochlear nerve, **230**, 367
Kerns, J.M., see Albert, E.N., **230**, 153
Kim, Y.S., Stumpf, W.E. and Sar, M.
Anatomical distribution of estrogen target neurons in turtle brain, **230**, 195
Kissinger, P.T., see Rasmussen, D.D., **229**, 230
Kleene, S.J. and Gesteland, R.C.
Dissociation of frog olfactory epithelium with N-ethylmaleimide, **229**, 536
Knapp, S., Mandell, A.J., Russo, P.V., Vitto, A. and Stewart, K.D.
Strain differences in kinetic and thermal stability of two mouse brain tryptophan hydroxylase activities, **230**, 317
Kneip, J., see Levine, A.S., **229**, 270
Konovalova, L.K., see Akmayev, I.G., **230**, 342
Kordon, C., see Epelbaum, J., **230**, 412
Kotake, C., see Miller, F.E., **229**, 123
Krey, L.C. and Silverman, A.J.
The luteinizing hormone releasing hormone (LHRH) neuronal networks of the guinea pig brain. III. The regulation of cyclic gonadotropin secretion, **229**, 429
Kubo, Y., Enomoto, S. and Nakamura, Y.
Synaptic basis of orbital cortically induced rhythmical masticatory activity of trigeminal motoneurons in immobilized cats, **230**, 97
Kuno, T. and Tanaka, C.

Identification of the D-1 dopamine receptor subunit in rat striatum after photoaffinity labeling, **230**, 417

L

Lambert, J.J., see Gration, K.A.F., **230**, 400
Lampano, C., see Vlachakis, N.D., **229**, 67
LaVail, J.H., see Margolis, T.P., **229**, 218
Lazarus, R.E., see Stephens, P.J., **229**, 260
Le Bars, D., Chitour, D. and Clot, A.M.
The encoding of thermal stimuli by diffuse noxious inhibitory controls (DNIC), **230**, 394
Leng, G.
Phasically firing neurones in the lateral hypothalamus of anaesthetized rats, **230**, 390
Lestienne, F., Polit, A. and Bizzi, E.
Functional organization of the motor process underlying the transition from movement to posture, **230**, 121
Levine, A.S., Morley, J.E., Kneip, J., Grace, M. and Silvis, S.E.
Muscimol induces gastric acid secretion after central administration, **229**, 270
Limonta, P., Maggi, R., Giudici, D., Martini, L. and Piva, F.
Role of the subfornical organ (SFO) in the control of gonadotropin secretion, **229**, 75
Lindvall, O., see Dahlgren, N., **230**, 221
Lindquist, T.D., Ingoglia, N.A. and Gould, R.M.
4S RNA is transported axonally in normal and regenerating axons of the sciatic nerves of rats, **230**, 181
Lohse, M. and Wuttke, W.
Release and synthesis rates of catecholamines in hypothalamic, limbic and midbrain structure following intraventricular injection of β-endorphin in male rats, **229**, 389
Luiten, P.G.M., see Jüch, P.J.W., **230**, 51

M

Maggi, R., see Limonta, P., **229**, 75
Majocha, R.E., Pearse, R.N., Baldessarini, R.J., Delong, G.R. and Walton, K.G.
The noradrenergic system in cultured aggregates of fetal rat brain cells: morphology of the aggregates and pharmacological indices of noradrenergic neurons, **230**, 235
Malthe-Sørenssen, D., see Heggli, D.E., **230**, 253
Malven, P.W., see Rasmussen, D.D., **229**, 230
Mandell, A.J., see Knapp, S., **230**, 317
Mangold, R.F., Bell, J., Gruenthal, M. and Finger, S.
Undernutrition and recovery from brain damage: a preliminary investigation, **230**, 406
Manthorpe, M., Skaper, S.D. and Varon, S.
Neuronotrophic factors and their antibodies: in vitro microassays for titration and screening, **230**, 295
Margolis, T.P. and LaVail, J.H.
Rate of anterograde axonal transport of [^{125}I]wheat germ agglutinin from retina to optic tectum in the chick, **229**, 218
Maronde, R.F., see Vlachakis, N.D., **229**, 67
Martin, G.E., Bendesky, R.J. and Williams, M.
Further evidence for selective antagonism of taurine by 6-aminomethyl-3-methyl-4H-1,2,4-benzothiadiazine-1,1-dioxide, **229**, 530
Martini, L., see Limonta, P., **229**, 75
Matsuda, M., see Kamada, Y., **229**, 251
Matsuzaki, T., see Sakanaka, M., **230**, 351
McKenzie, J.L. and Fabre, J.W.
Distribution of Thy-1 in human brain: immunofluorescence and absorption analyses with a monoclonal antibody, **230**, 307
Mena, E.E., see Foster, A.C., **229**, 246
Meyers, D.E.R., see Snow, P.J., **229**, 491
Miller, F.E., Heffner, T.G., Kotake, C. and Seiden, L.S.
Magnitude and duration of hyperactivity following neonatal 6-hydroxydopamine is related to the extent of brain dopamine depletion, **229**, 123
Minagawa, H., see Sakanaka, M., **230**, 351
Miselis, R.R.
The efferent projections of the subfornical organ of the rat: a circumventricular organ within a neural network subserving water balance, **230**, 1
Mizuno, A., see Kamada, Y., **229**, 251
Monster, A.W., see Kernell, D., **229**, 193
Morley, J.E., see Levine, A.S., **229**, 270
Mortimer, J.A., Webster, D.D. and Dukich, T.G.
Changes in short and long latency stretch responses during the transition from posture to movement, **229**, 337
Morton, C.R., see Duggan, A.W., **229**, 379
Mucciolo, G., see Di Carlo, R., **230**, 445
Mulloney, B., Perkel, D.H. and Budelli, R.W.
Motor-pattern production: interaction of chemical and electrical synapses, **229**, 25
Murray, M., see Tessler, A., **230**, 263

N

Nakamura, Y., see Kubo, Y., **230**, 97
Nemeroff, C.B., see Kalivas, P.W., **229**, 525
Ninkovic, M., Hunt, S.P. and Kelly, J.S.
Effect of dorsal rhizotomy on the autoradiographic distribution of opiate and neurotensin receptors and neurotensin-like immunoreactivity within the rat spinal cord, **230**, 111
Nobin, A., see Dahlgren, N., **230**, 221

O

O'Reilly-Fromentin, J., see Parent, A., **230**, 356
O'Shea, M., see Adams, M.E., **230**, 439

P

Palkovits, M., see Epelbaum, J., **230**, 412
Parent, A., Boucher, R. and O'Reilly-Fromentin, J.
  Acetylcholinesterase-containing neurons in cat pallidal complex: morphological characteristics and projection towards the neocortex, **230**, 356
Passeltiner, P., see Rabey, J.M., **230**, 422
Pearse, R.N., see Majocha, R.E., **230**, 235
Peper, K., see Sterz, R., **230**, 434
Perkel, D.H., see Mulloney, B., **229**, 25
Perkins, M.N., see Stone, T.W., **229**, 241
Perrone, M.H.
  Biochemical evidence that L-glutamate is a neurotransmitter of primary vagal afferent nerve fibers, **230**, 283
Piva, F., see Limonta, P., **229**, 75
Pivik, R.T., see Braun, C.M.J., **230**, 133
Polit, A., see Lestienne, F., **230**, 121
Powell, T.P.S., see Headon, M.P., **229**, 183
Powell, T.P.S., see Headon, J.J., **229**, 187
Prange, A.J., Jr., see Kalivas, P.W., **229**, 525

Q

Quinn, M.R., Sturman, J.A., Wysocki, C.J. and Wen, G.Y.
  Accumulation of [^{35}S]taurine in peripheral layers of the olfactory bulb, **230**, 378

R

Rabey, J.M., Passeltiner, P., Bystritsky, A., Engel, J. and Goldstein, M.
  The regulation of striatal DOPA synthesis by α_2-adrenoreceptors, **230**, 422
Ramsey, R.L., see Gration, K.A.F., **230**, 400
Rand, R.P., see Gration, K.A.F., **230**, 400
Rasmussen, D.D., Jacobs, W., Kissinger, P.T. and Malven, P.V.
  Plasma luteinizing hormone in ovariectomized rats following pharmacologic manipulation of endogenous brain serotonin, **229**, 230
Rebillard, G. and Rubel, E.W.
  Electrophysiological study of the maturation of auditory responses from the inner ear of the chick, **229**, 15
Reeber, A., Vincendon, G. and Zanetta, J.P.
  Isolation and immunohistochemical localization of a 'Purkinje cell specific glycoprotein subunit' from rat cerebellum, **229**, 53
Rigamonti, D.D., see Wrathall, J.R., **229**, 163
Rossetti, Z., see Biggio, G., **229**, 363
Rossetti, Z., see Corda, M.G., **229**, 264
Rothblat, L.A., see Kerns, J.M., **230**, 367
Rothman, A., Thal, L.J., Horowitz, S.G. and Katzman, R.
  Heart conditioned medium promotes central cholinergic regeneration in vivo, **229**, 541
Rubel, E.W., see Rebillard, G., **229**, 15
Ruebsamen, R., see Schweizer, H., **230**, 41
Ruehle, C., see Schweizer, H., **230**, 41
Russo, P.V., see Knapp, S., **230**, 317
Ryan, A.F., see Sharp, F.R., **230**, 87
Ryan, S.M., Arnold, A.P. and Elde, R.P.
  Enkephalin-like immunoreactivity in vocal control regions of the zebra finch brain, **229**, 236

S

Sakai, K., see Sastre, J.-P., **229**, 147
Sakanaka, M., Shiosaka, S., Takatsuki, K., Inagaki, S., Takagi, H., Senba, E., Kawai, Y., Hara, Y., Iida, H., Matsuzaki, T. and Tohyama, M.
  Evidence for the existence of a substance P-containing pathway from the nucleus laterodorsalis tegmenti (Castaldi) to the lateral septal area of the rat, **230**, 351
Sandri, C., see Zhu, C.G., **230**, 25
Sar, M., see Kim, Y.S., **230**, 195
Sastre, J.-P., Sakai, K. and Jouvet, M.
  Are the gigantocellular tegmental field neurons responsible for paradoxical sleep? **229**, 147
Schweizer, H., Ruebsamen, R. and Ruehle, C.
  Localization of brain stem motoneurons innervating the laryngeal muscles in the rufous horseshoe bat, *Rhinolophus rouxi*, **230**, 41
Seiden, L.S., see Miller, F.E., **229**, 123
Seldon, H.L.
  Structure of human auditory cortex. I. cytoarchitectonics and dendritic distributions, **229**, 277
Seldon, H.L.
  Structure of human auditory cortex. II. Axon distributions and morphological correlates of speech perception, **229**, 295

Senba, E., see Sakanaka, M., **230**, 351

Sharp, F.R., Ryan, A.F., Goodwin, P. and Woolf, N.K.
Increasing intensities of wide band noise increase [^{14}C]2-deoxyglucose uptake in gerbil central auditory structures, **230**, 87

Shiosaka, S., see Sakanaka, M., **230**, 351

Siegel, A., see Fischette, C.T, **229**, 85

Silverman, A.J., see Krey, L.C., **229**, 429

Silvis, S.E., see Levine, A.S., **229**, 270

Skaper, S.D., see Manthorpe, M., **230**, 295

Sloper, J.J., see Headon, M.P., **229**, 183

Sloper, J.J., see Headon, M.P., **229**, 187

Snow, P.J. and Meyers, D.E.R.
Observations on the synaptology of intracellularly injected spinothalamic tract neurons in the cat, **229**, 491

Snow, P.J., see Comans, P.E., **230**, 337

Stenevi, U., see Dahlgren, N., **230**, 221

Stenevi, U., see Dunnett, S.B., **229**, 457

Stenevi, U., see Björklund, A., **229**, 403

Stenevi, U., see Dunnett, S.B., **229**, 209

Stephens, P.J. and Lazarus, R.E.
Ethanol and temperature modify motor axon firing patterns, **229**, 260

Sterz, R., Hermes, M., Peper, K. and Bradley, R.J.
Effects of halogenated derivatives of ethanol on the nicotine acetylcholine receptor, **230**, 434

Stewart, K.D., see Knapp, S., **230**, 317

Stone, T.W. and Perkins, M.N.
Adenine dinucleotide effects on rat cortical neurones, **229**, 241

Storm-Mathisen, J. and Wold, J.E.
In vivo high-affinity uptake and axonal transport of D-[2,3-^{3}H]aspartate in excitatory neurons, **230**, 427

Stumpf, W.E., see Kim, Y.S., **230**, 195

Sturman, J.A., see Quinn, M.R., **230**, 378

T

Takagi, H., see Sakanaka, M., **230**, 351

Takatsuki, K., see Sakanaka, M., **230**, 351

Tanaka, C., see Kuno, T., **230**, 417

Ter Keurs, H.E.D.J., see Voskuyl, R.A., **230**, 372

Tessler, A., Himes, B.T., Artymyshyn, R., Murray, M. and Goldberger, M.E.
Spinal neurons mediate return of substance P following deafferentation of cat spinal cord, **230**, 263

Thal, L.J., see Rothman, A., **229**, 541

Toffano, G., see Crews, F.T., **229**, 256

Tohyama, M., see Sakanaka, M., **230**, 351

Tourtelotte, W.W., see Geola, F.L., **229**, 35

U

Usherwood, P.N.R., see Gration, K.A.F., **230**, 400

V

Van der Laan, J.W. and Bruinvels, J.
Dipropylacetate-induced quasi-morphine abstinence behaviour in the rat: involvement of amygdaloid and thalamic structures, **229**, 133

Varon, S., see Manthorpe, M., **230**, 295

Velumian, A.A.
Intracellular recordings from embryonic chick motoneurones in the isolated perfused spinal cord, **229**, 502

Vikhreva, O.V., see Akmayev, I.G., **230**, 342

Vincendon, G., see Reeber, A., **229**, 53

Vitto, A., see Knapp, S., **230**, 317

Vlachakis, N.D., Lampano, C., Alexander, N. and Maronde, R.F.
Catecholamines and their major metabolites in plasma and cerebrospinal fluid of man, **229**, 67

Voskuyl, R.A. and Ter Keurs, H.E.D.J.
Modification of neuronal activity in olfactory cortex slices by extracellular K$^+$, **230**, 372

W

Walton, K.G., see Majocha, R.E., **230**, 235

Warwick, R.J., see Geola, F.L., **229**, 35

Webster, D.D., see Mortimer, J.A., **229**, 337

Webster, H. deF., see Cullen, M.J., **229**, 311

Wen, G.Y., see Quinn, M.R., **230**, 378

White, F.P.
Protein and RNA synthesis in cerebral microvessels: a radioautographic study, **229**, 43

Wigström, H. and Gustafsson, B.
Increased excitability of hippocampal unmyelinated fibres following conditioning stimulation, **229**, 507

Wilcox, T.K., see Gerhart, K.D., **229**, 514

Williams, M., see Martin, G.E., **229**, 530

Willis, W.D., see Gerhart, K.D., **229**, 514

Wold, J.E., see Storm-Mathisen, J., **230**, 427

Wong, D. and Kelly, J.P.
Differentially projecting cells in individual layers of the auditory cortex: a double-labeling study, **230**, 362

Woolf, N.K., see Sharp, F.R., **230**, 87

Wrathall, J.R., Rigamonti, D.D., Braford, M.R. and Kao, C.C.
Non-neuronal cell cultures from dorsal root ganglia of the adult cat: production of Schwann-like cell lines, **229**, 163

Wusteman, M., see Fan, S.G., **229**, 371

Wuttke, W., see Lohse, M., **229**, 389

Wysocki, C.J., see Quinn, M.R., **230**, 378

Y

Yajima, Y., Hayashi, Y. and Yoshii, N.
Identification of ultrasonic vocalization substrates determined by electrical stimulation applied to the medulla oblongata in the rat, **229**, 353
Yamada, T., see Geola, F.L., **229**, 35
Yezierski, R.P., see Gerhart, K.D., **229**, 514
Yoshii, N., see Yajima, Y., **229**, 353

Z

Zanetta, J.P., see Reeber, A., **229**, 53
Zhu, C.G., Sandri, C.G. and Akert, K.
Morphological identification of axo-axonic and dendrodendritic synapses in the rat substantia gelatinosa, **230**, 25

BRAIN RESEARCH
SUBJECT INDEX
1981
ADDITIONAL VOLUMES 229–230

A

Acetylcholinesterase-containing neurons
Feline globus pallidus; Entopeduncular nucleus; Striato-cortical connection; Cholinergic neocortical afferents (Parent, A.) **230**, 356

AChR
Ethanol; Endplate; Trifluoroethanol; Trichloroethanol; Tribromoethanol (Sterz, R) **230**, 434

Acidic amino acid binding
Glutamate; Aspartate; Amino acid receptors; Synaptic membranes; CNS receptors (Foster, A.C.) **229**, 246

Adenine dinucleotide
Cortical neurons (Stone, T.W.) **229**, 241

Adipsia
Neural transplantation; Nigrostriatal pathway; Dopamine; Aphagia; Akinesia; Rotation; Sensorimotor asymmetry; Recovery of function (Dunnett, S.B.) **229**, 457

Adrenal corticosteroids
Circadian rhythms; Fornix; Locomotor activity; Body temperature; Feeding and drinking (Fischette, C.T.) **229**, 85

Adrenergic neurons
Neuronotrophic factors; Neuronal transplantation; Regeneration; 5,7-Dihydroxytryptamine; Septo-hippocampal system; Locus coeruleus (Björklund, A.) **229**, 403

α_2-Adrenoreceptors
Striatum; DOPA (Rabey, J.M.) **230**, 422

Adult
Cat; Cell culture; Cell line; Dorsal root ganglia; Schwann cell (Wrathall, J.R.) **229**, 163

Afternystagmus
Gain; Optokinetics; Phase; Plasticity; Velocity-storage; Vestibulo-ocular reflex (Demer, J.L.) **229**, 1

Aging
Brain; Phospholipid methylation (Crews, F.T.) **229**, 256

Agonist potency
L-Glutamate; Glutamate channel; Glutamate agonist; L-Quisqualate; L-Cysteine sulphinate; Patch clamp analysis (Gration, K.A.F.) **230**, 400

Akinesia
Transplants; Dopamine; 6-OHDA; Substantia nigra; Neostriatum; Functional recovery; Sensorimotor tests (Dunnett, S.B.) **229**, 209

Neural transplantation; Nigrostriatal Pathway; Dopamine; Aphagia; Adipsia; Rotation; Sensorimotor asymmetry; Recovery of function (Dunnett, S.B.) **229**, 457

Alpha motoneurone
Threshold current; Rhythmic firing; Muscle unit; Fatigue sensitivity; Recruitment order (Kernell, D.) **229**, 193

Amino acid receptors
Glutamate; Aspartate; Acidic amino acid binding; Synaptic membranes; CNS receptors (Foster, A.C.) **229**, 246

6-Aminomethyl-3-methyl-4H-1,2,4-benzothiadiazine-1,1-dioxide
Taurine; Taurine agonist (Martin, G.E.) **229**, 530

Amphetamines
Brain damage; Recovery of function; Lesions; Cortex; Brightness discrimination; Malnutrition; Rat (Mangold, R.F.) **230**, 406

Amygdala
Quasi-morphine abstinence; Di-*n*-propylacetate; GABA; Morphine; Centre median; Nucleus parafascicularis (Van der Laan, J.W.) **229**, 133

Hypothalamus; Medial preoptic area; Estrogen; Estrogen receptor (Keefer, D.A.) **229**, 224

Kainic acid lesion; Systemic injection; Piriform cortex; Hippocampus; Septum neurotransmitter markers (Heggli, D.E.) **230**, 253

Analgesia
Spinothalamic neurons; Thalamic stimulation; Nociception; Inhibition (Gerhart, K.D.) **229**, 514

Anterograde axonal transport
Wheat germ agglutinin; Chick; Retinal ganglion cell (Margolis, T.P.) **229**, 218

Anterograde transport
Subfornical organ; Magnocellular neurosecretory system; Circumventricular organs; Organum vasculosum of the lamina terminalis; Supraoptic nucleus; Efferent projections; Hypothalamus; Paraventricular nucleus (Miselis, R.R.) **230**, 1

Antibody
Monoclonal; Thy-1; Human; Brain; Localization; Antigen (McKenzie, J.L.) **230**, 307

Antigen
Monoclonal; Antibody; Thy-1; Human; Brain; Localization (McKenzie, J.L.) **230**, 307

Aphagia
Neural transplantation; Nigrostriatal pathway; Dopamine; Adipsia; Akinesia; Rotation; Sensorimotor asymmetry; Recovery of function (Dunnett, S.B.) **229**, 457

Aplysia
Axonal transport; Glycoprotein; Identified neuron

(Goldberg, D.J.) **229**, 445

Area postrema
Catechol-O-methyltransferase; Organum vasculosum; Subfornical organ; Subcommissural organ; Blood–brain barrier; Ventricular system (Kaplan, G.P.) **229**, 323

Ascending projections
Thalamus; Hindbrain; Spinal cord; Pain (Comans, P.E.) **230**, 337

Ascending tract
Synaptology; Thalamus; Spinal cord (Snow, P.J.) **229**, 491

Aspartate
Glutamate; Acidic amino acid binding; Amino acid receptors; Synaptic membranes; CNS receptors (Foster, A.C.) **229**, 246

Glutamate; High-affinity uptake; Axonal transport; Excitatory neurons; Hippocampus; Septum; Striatum; Cortex (Storm-Mathisen, J.) **230**, 427

ʟ-Aspartic acid
GABA release; ʟ-Glutamic acid; Kainic acid; Neurotransmitters; Rat retina (Kamada, Y.) **229**, 251

Audition
2-Deoxyglucose; CNS metabolism; Noise exposure (Sharp, F.R.) **230**, 87

Auditory
Periphery; Development; Chicken (Rebillard, G.) **229**, 15

Auditory cortex
Golgi; Dendritic trees; Dendritic connectivity; Human neocortex; Neuron columns (Seldon, H.L.) **229**, 277

Axons; Golgi; Perception model; Cortical columns (Seldon, H.L.) **229**, 295

Prediction; Unit activity; Behaving monkeys; Signal matching; Error detection (Hocherman, S.) **230**, 65

Cat; Layers; Double-labeling (Wong, D.) **230**, 362

Autogenetic receptor motor reflex
Non-spiking neurones; Crab muscle receptors; Positive/negative feedback (Cannone, A.) **229**, 197

Autoradiography
Opiate receptors; Neurotensin receptors; Spinal cord; Dorsal rhizotomy (Ninkovic, M.) **230**, 111

Turtle brain; Estrogen target neurons (Kim, Y.S.K.) **230**, 195

Taurine; Olfactory bulb (Quinn, M.R.) **230**, 378

Axo-axonic synapses
Substantia gelatinosa Rolandi; Dendro-dendritic synapses; EM morphometric study (Zhu, C.G.) **230**, 25

Axolemma
Freeze-fractions; Membrane; Fractions; Myelin (Cullen, M.J.) **229**, 311

Axonal transport
p-Bromophenylacetylurea; Axonopathy; Neuropathy (Jakobsen, J.) **229**, 103

Glycoprotein; *Aplysia*; Identified neuron (Goldberg, D.J.) **229**, 445

4S RNA; Sciatic nerve; Regeneration (Lindquist, T.D.) **230**, 181

Aspartate; Glutamate; High-affinity uptake; Excitatory neurons; Hippocampus; Septum; Striatum; Cortex (Storm-Mathisen, J.) **230**, 427

Axonopathy
Axonal transport; *p*-Bromophenylacetylurea; Neuropathy (Jakobsen, J.) **229**, 103

Axons
Auditory cortex; Golgi; Perception model; Cortical columns (Seldon, H.L.) **229**, 295

B

Baroreceptors
ʟ-Glutamate; Neurotransmitters; Nucleus tractus solitarius; Re-uptake (Perrone, M.H.) **230**, 283

Behaving monkeys
Prediction; Auditory cortex; Unit activity; Signal matching; Error detection (Hocherman, S.) **230**, 65

Behavioral development
Locomotion; Dopamine; Hyperkinesis (Miller, F.E.) **229**, 123

Bioassay
Neuronotrophic factors; Sensory neurons; Immunotitration; Nerve growth factor; Monolayer culture (Manthorpe, M.) **230**, 295

Blood–brain barrier
Catechol-O-methyltransferase; Organum vasculosum; Subfornical organ; Subcommissural organ; Area postrema; Ventricular system (Kaplan, G.P.) **229**, 323

Microwaves; Horseradish peroxidase; Reversible effects; Platelet aggregation; Pinocytitic vesicles (Albert, E.N.) **230**, 153

Body temperature
Circadian rhythms; Fornix; Adrenal corticosteroids;

Locomotor activity; Feeding and drinking (Fischette, C.T.) **229**, 85

Bombesin
Muscimol; GABA; Enkephalin; Calcitonin; Gastric acid (Levine, A.S.) **229**, 270

Brain
Aging; Phospholipid methylation (Crews, F.T.) **229**, 256

Monoclonal; Antibody; Thy-1; Human; Localization; Antigen (McKenzie, J.L.) **230**, 307

Brain damage
Recovery of function; Lesions; Cortex; Brightness discrimination; Malnutrition; Amphetamines; Rat (Mangold, R.F.) **230**, 406

Brain development
Noradrenergic neurons; Fetal rat brain cells; Norepinephrine; Dopamine (Majocha, R.E.) **230**, 235

Brain slices
Extracellular K+; Epileptogenesis (Voskuyl, R.A.) **230**, 372

Brightness discrimination
Brain damage; Recovery of function; Lesions; Cortex; Malnutrition; Amphetamines; Rat (Mangold, R.F.) **230**, 406

Bromocriptine
Rabbit hypothalamus: Prolactin receptor; Ovine prolactin; Chlorpromazine; Lactation (Di Carlo, R.) **230**, 445

***p*-Bromophenylacetylurea**
Axonal transport; Axonopathy; Neuropathy (Jakobsen, J.) **229**, 103

C

Calcitonin
Muscimol; GABA; Enkephalin; Bombesin; Gastric acid (Levine, A.S.) **229**, 270

Castrated female rats
Subfornical organ; Cycling female rats; LH; FSH (Limonta, P.) **229**, 75

Cat
Adult; Cell culture; Cell line; Dorsal root ganglia; Schwann cell (Wrathall, J.R.) **229**, 163

Substance P; Interneurons; Immunohistochemistry; Deafferentation; Kainic acid; Dorsal horn; Recovery; Sprouting (Tessler, A.) **230**, 263

Auditory cortex; Layers; Double-labeling (Wong, D.) **230**, 362

Catecholamine metabolites
Cerebrospinal fluid; Catecholamines (Vlachakis, N.D.) **229**, 67

Catecholamines
Cerebrospinal fluid; Catecholamine metabolites (Vlachakis, N.D.) **229**, 67

Hypothalamus; Limbic system; Endorphin (Lohse, M.) **229**, 389

Catechol-O-methyltransferase
Organum vasculosum; Subfornical organ; Subcommissural organ; Area postrema; Blood–brain barrier; Ventricular system (Kaplan, G.P.) **229**, 323

Caudate nucleus
Stress-handling; GABA binding; Frontal cortex; Cerebellum (Biggio, G.) **229**, 363

Cell–cell interactions
Olfaction; Receptor neuron; N-Ethylmaleimide; Frog (Kleene, S.J.) **229**, 536

Cell culture
Adult; Cat; Cell line; Dorsal root ganglia; Schwann cell (Wrathall, J.R.) **229**, 163

Cell line
Adult; Cat; Cell culture; Dorsal root ganglia; Schwann cell (Wrathall, J.R.) **229**, 163

Centre median
Quasi-morphine abstinence; Di-*n*-propylacetate; GABA; Morphine; Amygdala; Nucleus parafascicularis (Van der Laan, J.W.) **229**, 133

Cerebellum
Purkinje cell; Glycoprotein; Immunohistochemistry (Reeber, A.) **229**, 53

Methyl mercury; Diazepam; Cortex; Striatum; Retina (Corda, M.G.) **229**, 264

Stress-handling; GABA binding; Frontal cortex; Caudate nucleus (Biggio, G.) **229**, 363

Cerebral blood flow
Dopaminergic neurons; Serotonergic neurons; Hypercapnia (Dahlgren, N.) **230**, 221

Cerebral microvessels
Protein synthesis; RNA synthesis; Pericytes; Endothelium (White, F.P.) **229**, 43

Cerebrospinal fluid
Catecholamines; Catecholamine metabolites (Vlachakis, N.D.) **229**, 67

Cervicovaginal stimulation
Pseudopregnancy; Sensory code; Progesterone; Luteal

phase; Rat (Castro-Vazquez, A.) **230**, 205

Chick
Wheat germ agglutinin; Anterograde axonal transport; Retinal ganglion cell (Margolis, T.P.) **229**, 218

Chick embryo
Spinal cord; Motoneurones; Intracellular potentials (Velumian, A.A.) **229**, 502

Chicken
Auditory; Periphery; Development (Rebillard, G.) **229**, 15

Chlorpromazine
Rabbit hypothalamus; Prolactin receptor; Ovine prolactin; Lactation; Bromocriptine (Di Carlo, R.) **230**, 445

Choline acetyltransferase
Regeneration; Septo-hippocampal pathway; Cholinergic growth factor; Heart conditioned medium (Rothman Schonfeld, A.) **229**, 541

Cholinergic growth factor
Regeneration; Septo-hippocampal pathway; Heart conditioned medium; Choline acetyltransferase (Rothman Schonfeld, A.) **229**, 541

Cholinergic neocortical afferents
Acetylcholinesterase-containing neurons; Feline globus pallidus; Entopeduncular nucleus; Striato-cortical connections (Parent, A.) **230**, 356

Circadian rhythms
Fornix; Adrenal corticosteroids; Locomotor activity; Body temperature; Feeding and drinking (Fischette, C.T.) **229**, 85

Circumventricular organs
Subfornical organ; Magnocellular system; Organum vasculosum of the lamina terminalis; Supraoptic nucleus; Efferent projections; Anterograde transport; Hypothalamus; Paraventricular nucleus (Miselis, R.R.) **230**, 1

CNS metabolism
Audition; 2-Deoxyglucose; Noise exposure (Sharp, F.R.) **230**, 87

CNS receptors
Glutamate; Aspartate; Acidic amino acid binding; Amino acid receptors; Synaptic membranes (Foster, A.C.) **229**, 246

Conformational stability
Enzyme regulation; Mouse strain differences; Spectral analysis; Tetrahydrobiopterin; Tryptophan hydroxylase (Knapp, S.) **230**, 317

Convergent neurones
Pain; Dorsal horn; DNIC (Le Bars, D.) **230**, 394

Convulsants
3-Mercaptopropionic acid; GABA release; Noradrenaline; 5-Hydroxytryptamine; Somatostatin (Fan, S.G.) **229**, 371

Cortex
Brain damage; Recovery of function; Lesions; Brightness discrimination; Malnutrition; Amphetamines; Rat (Mangold, R.F.) **230**, 406

Aspartate; Glutamate; High-affinity uptake; Axonal transport; Excitatory neurons; Hippocampus; Septum; Striatum (Storm-Mathisen, J.) **230**, 427

Cortex binding
Methyl mercury; Diazepam binding; Striatum; Cerebellum; Retina (Corda, M.G.) **229**, 264

Cortical columns
Axons; Auditory cortex; Golgi; Perception model (Seldon, H.L.) **229**, 295

Cortical neurons
Adenine dinucleotide (Stone, T.W.) **229**, 241

Crab muscle receptor
Non-spiking neurones; Autogenetic receptor motor reflex; Positive/negative feedback (Cannone, A.) **229**, 197

Cranial nerve blockade
Pretrigeminal cat; Encéphale isolé cat; Punishment; Reward; Passive avoidance; Self-stimulation; Ventralis posteromedialis of thalamus (Ikegami, S.) **229**, 471

Cranial nerve nuclei
Electrical stimulation; Ultrasonic vocalization; Reticular formation; Medulla oblongata; Rat (Yajima, Y.) **229**, 353

Critical period
Extraocular muscle/nerve; Retardation; Disuse; Monocular deprivation; Postnatal development (Kerns, J.M.) **230**, 367

Crush injury
Hibernator; Regeneration; Sciatic nerve (Kemper, G.B.) **229**, 496

Cycling female rats
Subfornical organ; Castrated female rats; LH; FSH (Limonta, P.) **229**, 75

L-Cysteine sulphinate
L-Glutamate; Glutamate channel; Glutamate agonist; L-Quisqualate; Agonist potency; Patch clamp analysis (Gration, K.A.F.) **230**, 400

D

DNIC
Pain; Dorsal horn; Convergent neurones (Le Bars, D.) **230**, 394

DOPA
Striatum; α_2-Adrenoreceptors (Rabey, J.M.) **230**, 422

Deafferentation
Substance P; Interneurons; Immunocytochemistry; Kainic acid; Dorsal horn; Recovery; Cat; Sprouting (Tessler, A.) **230**, 263

Dendritic connectivity
Auditory cortex; Golgi; Dendritic connectivity; Human neocortex; Neuron columns (Seldon, H.L.) **229**, 277

Dendritic trees
Auditory cortex; Golgi; Dendritic connectivity; Human neocortex; Neuron columns (Seldon, H.L.) **229**, 277

Dendro-dendritic synapses
Substantia gelatinosa Rolandi; Axo-axonic synapses; EM morphometric study (Zhu, C.G.) **230**, 25

2-Deoxyglucose
Audition; CNS metabolism; Noise exposure (Sharp, F.R.) **230**, 87

Regional cerebral blood flow; Regional cerebral glucose utilization; Iodoantipyrine; Double-label; Nitrous oxide; Indicator fractionation; ^{131}Iodine (Ginsberg, M.D.) **230**, 165

Development
Auditory; Periphery; Chicken (Rebillard, G.) **229**, 15

Diazepam
Methyl mercury; Cortex; Striatum; Cerebellum; Retina (Corda, M.G.) **229**, 264

5,7-Dihydroxytryptamine
Neuronotrophic factors; Neuronal transplantation; Adrenergic neurons; Regeneration; Septo-hippocampal system; Locus coeruleus (Björklund, A.) **229**, 403

Di-*n*-propylacetate
Quasi-morphine abstinence; GABA; Morphine; Amygdala; Centre median; Nucleus parafascicularis (Van der Laan, J.W.) **229**, 133

Disuse
Extraocular muscle/nerve; Retardation; Monocular deprivation; Critical period; Postnatal development (Kerns, J.M.) **230**, 367

Dopamine
Locomotion; Hyperkinesis; Behavioral development (Miller, F.E.) **229**, 123

Transplants; 6-OHDA; Substantia nigra; Neostriatum; Functional recovery; Sensorimotor tests; Akinesia (Dunnett, S.B.) **229**, 209

Neural transplantation; Nigrostriatal pathway; Aphagia; Adipsia; Akinesia; Rotation; Sensorimotor asymmetry; Recovery of function (Dunnett, S.B.) **229**, 457

Noradrenergic neurons; Fetal rat brain cells; Brain development; Norepinephrine (Majocha, R.E.) **230**, 235

Dopamine receptor subunit
Identification; Photoaffinity labeling; SDS gel electrophoresis (Kuno, T.) **230**, 417

Dopaminergic neurons
Serotonergic neurons; Cerebral blood flow; Hypercapnia (Dahlgren, N.) **230**, 221

Dorsal horn
Receptors; Morphine; Met^5-Enkephalinamide (Duggan, A.W.) **229**, 379

Substance P; Interneurons; Immunocytochemistry; Deafferentation; Kainic acid; Recovery; Cat; Sprouting (Tessler, A.) **230**, 263

Pain; Convergent neurones; DNIC (Le Bars, D.) **230**, 394

Dorsal horn neurons
Raphe nuclei; Nociception; Inhibition (Griffith, J.L.) **229**, 520

Dorsal rhizotomy
Opiate receptors; Neurotensin receptors; Autoradiography; Spinal cord (Ninkovic, M.) **230**, 111

Dorsal root ganglia
Adult; Cat; Cell culture; Cell line; Schwann cell (Wrathall, J.R.) **229**, 163

Dorsal vagal nuclei
Hypothalamic paraventricular nucleus; Presynaptic profile degeneration; Hypothalamic-vagal connections (Akamayev, I.G.) **230**, 342

Double-label
Regional cerebral blood flow; Regional cerebral glucose utilization; Iodoantipyrine; 2-Deoxyglucose; Nitrous oxide; Indicator fractionation; ^{131}Iodine (Ginsberg, M.D.) **230**, 165

Double-labeling
Auditory cortex; Cat; Layers (Wong, D.) **230**, 362

E

EM morphometric study
Substantia gelatinosa Rolandi; Axo-axonic synapses; Dendro-dendritic synapses (Zhu, C.G.) **230**, 25

Efferent projections
Subfornical organ; Magnocellular neurosecretory system; Circumventricular organs; Organum

vasculosum of the lamina terminalis; Supraoptic nucleus; Anterograde transport; Hypothalamus; Paraventricular nucleus (Miselis, R.R.) **230**, 1

Electrical stimulation
Ultrasonic vocalization; Cranial nerve nuclei; Reticular formation; Medulla oblongata; Rat (Yajima, Y.) **229**, 353

Electrical synapses
Pattern generation; Synaptic interaction; Neural simulation (Mulloney, B.) **229**, 25

Electromyography
Stretch reflex; Posture; Movement; Human; Motor set (Mortimer, J.A.) **229**, 337

Encéphale isolé cat
Pretrigeminal cat; Punishment; Reward; Passive avoidance; Self-stimulation; Ventralis posteromedialis of thalamus; Cranial nerve blockade (Ikegami, S.) **229**, 471

Endorphin
Catecholamines; Hypothalamus; Limbic system (Lohse, M.) **229**, 389

Endothelium
Protein synthesis; RNA synthesis; Cerebral microvessels; Pericytes (White, F.P.) **229**, 43

Endplate
Ethanol; AChR; Trifluoroethanol; Trichloroethanol; Tribromoethanol (Sterz, R.) **230**, 434

Enkephalin
Passerine birds; Vocal control; Zebra finch (Ryan, S.M.) **229**, 236

Muscimol; GABA; Bombesin; Calcitonin; Gastric acid (Levine, A.S.) **229**, 270

Entopeduncular nucleus
Acetylcholinesterase-containing neurons; Feline globus pallidus; Striato-cortical connections; Cholinergic neocortical afferents (Parent, A.) **230**, 356

Enzyme regulation
Conformational stability; Mouse strain differences; Septal analysis; Tetrahydrobiopterin; Tryptophan hydroxylase (Knapp, S.) **230**, 317

Epileptogenesis
Extracellular K⁺; Brain slices (Voskuyl, R.A.) **230**, 372

Error detection
Prediction; Auditory cortex; Unit activity; Behaving monkeys; Signal matching (Hocherman, S.) **230**, 65

Estrogen
Hypothalamus; Amygdala; Medial preoptic area; Estrogen receptor (Keefer, D.A.) **229**, 224

Estrogen receptor
Hypothalamus; Amygdala; Medial preoptic area; Estrogen (Keefer, D.A.) **229**, 224

Estrogen target neurons
Turtle brain; Autoradiography (Kim, Y.S.K.) **230**, 195

Ethanol
Temperature; Motor axon; Peripheral spike generation; Membrane fluidity (Stephens, P.J.) **229**, 260

AChR; Endplate; Trifluoroethanol; Trichloroethanol; Tribromoethanol (Sterz, R.) **230**, 434

N-Ethylmaleimide
Olfaction; Receptor neuron; Cell–cell interactions; Frog (Kleene, S.J.) **229**, 536

Excitatory neurons
Aspartate; Glutamate; High-affinity uptake; Axonal transport; Hippocampus; Septum; Striatum; Cortex (Storm-Mathisen, J.) **230**, 427

Extracellular K⁺
Epileptogenesis; Brain slices (Voskuyl, R. A.) **230**, 372

Extraocular muscle/nerve
Retardation; Disuse; Monocular deprivation; Critical period; Postnatal development (Kerns, J.M.) **230**, 367

F

FSH
Subfornical female rats; Cycling female rats; Castrated female rats; LH (Limonta, P.) **229**, 75

Facilitation
Hippocampus; In vitro; Unmyelinated fibres; Volley; Threshold reduction (Wigström., H.), 507

Fatigue sensitivity
Alpha motoneurone; Threshold current; Rhythmic firing; Muscle unit; Recruitment order (Kernell, D.) **229**, 193

Feed-forward inhibition
Hippocampus; Interneurons (Buzsàki, G.) **230**, 346

Feeding and drinking
Circadian rhythms; Fornix; Adrenal corticosteroids; Locomotor activity; Body temperature (Fischette, C.T.) **229**, 85

Feline globus pallidus
Acetylcholinesterase-containing neurons; Entopeduncular nucleus; Striato-cortical connections; Cholinergic neocortical afferents (Parent, A.) **230**, 356

Fetal rat brain cells
Noradrenergic neurons; Brain development; Norepinephrine; Dopamine (Majocha, R.E.) **230**, 235

Fibre order
Regeneration; Optic nerve; *Xenopus* (Fawcett, J.W.) **229**, 487

Fornix
Circadian rhythms; Adrenal corticosteroids; Locomotor activity; Body temperature; Feeding and drinking (Fischette, C.T.) **229**, 85

Fractions
Freeze-fracture; Membrane; Axolemma; Myelin (Cullen, M.J.) **229**, 311

Freeze-fracture
Membrane; Fractions; Axolemma; Myelin (Cullen, M.J.) **229**, 311

Frog
Olfaction; Receptor neuron; N-Ethylmaleimide; Cell–cell interactions (Kleene, S.J.) **229**, 536

Frontal cortex
Stress-handling; GABA binding; Caudate nucleus; Cerebellum (Biggio, G.) **229**, 363

Functional recovery
Transplants; Dopamine; 6-OHDA; Substantia nigra; Neostriatum; Sensorimotor tests; Akinesia (Dunnett, S.B.) **229**, 209

G

GABA
Quasi-morphine abstinence; Di-*n*-propylacetate; Morphine; Amygdala; Centre median; Nucleus parafascicularis (Van der Laan, J.W.) **229**, 133

Muscimol; Enkephalin; Bombesin; Calcitonin; Gastric acid (Levine, A.S.) **229**, 270

GABA binding
Stress-handling; Frontal cortex; Caudate nucleus; Cerebellum (Biggio, G.) **229**, 363

GABA release
L-Glutamic acid; L-Aspartic acid; Kainic acid; Neurotransmitters; Rat retina (Kamada, Y.) **229**, 251

3-Mercaptopropionic acid; Noradrenaline; 5-Hydroxytryptamine; Somatostatin; Convulsants (Fan, S.G.) **229**, 371

G_K inactivation
Non-cholinergic excitatory potential; Sympathetic neurons; G_{Na} activation (Jiang, Z.G.) **229**, 203

G_{Na} activation
Non-cholinergic excitatory potential; Sympathetic neurons; G_K inactivation (Jiang, Z.G.) **229**, 203

Gain
Afternystagmus; Optokinetics; Phase; Plasticity; Velocity-storage; Vestibulo-ocular reflex (Demer, J.L.) **229**, 1

Gastric acid
Muscimol; GABA; Enkephalin; Bombesin; Calcitonin (Levine, A.S.) **229**, 270

Glutamate
Aspartate; Acidic amino acid binding; Amino acid receptors; Synaptic membranes; CNS receptors (Foster, A.C.) **229**, 246

Aspartate; High-affinity uptake; Axonal transport; Excitatory neurons; Hippocampus; Septum; Striatum; Cortex (Storm-Mathisen, J.) **230**, 417

L-Glutamate
Baroreceptors; Neurotransmitters; Nucleus tractus solitarius; Re-uptake (Perrone, M.H.) **230**, 283

Glutamate channel; Glutamate agonist; L-Quisqualate; L-Cysteine sulphinate; Agonist potency; Patch clamp analysis (Gration, K.A.F.) **230**, 400

L-Glutamic acid
GABA release; L-Aspartic acid; Kainic acid; Neurotransmitters; Rat retina (Kamada, Y.) **229**, 251

Glutamate agonist
L-Glutamate; Glutamate channel; L-Quisqualate; L-Cysteine sulphinate; Agonist potency; Patch clamp analysis (Gration, K.A.F.) **230**, 400

Glutamate channel
L-Glutamate; Glutamate agonist; L-Quisqualate; L-Cysteine sulphinate; Agonist potency; Patch clamp analysis (Gration, K.A.F.) **230**, 400

Glycoprotein
Purkinje cell; Cerebellum; Immunohistochemistry (Reeber, A.) **229**, 53

Axonal transport; *Aplysia*; identified neuron (Goldberg, D.J.) **229**, 445

Golgi
Auditory cortex; Dendritic trees; Dendritic connectivity; Human neocortex; Neuron columns (Seldon, H.L.) **229**, 277

Axons; Auditory cortex; Perception model; Cortical columns (Seldon, H.L.) **229**, 295

Gonadotropin regulation
LHRH; Ovulation; Hypothalamus; Guinea pig (Krey, L.C.) **229**, 429

Guinea pig
LHRH; Ovulation; Hypothalamus; Gonadotropin regulation (Krey, L.C.) **229**, 429

H

HRP
Teleost; Respiratory system; Mesencephalon (Jüch, P.J.W.) **230**, 51

Heart conditioned medium
Regeneration; Septo-hippocampal pathway; Cholinergic growth factor; Choline acetyltransferase (Rothman Schonfeld, A.) **229**, 541

Hibernator
Crush injury; Regeneration; Sciatic nerve (Kemper, G.B.) **229**, 496

High-affinity uptake
Aspartate; Glutamate; Axonal transport; Excitatory neurons; Hippocampus; Septum; Striatum; Cortex (Storm-Mathisen, J.) **230**, 427

Hindbrain
Thalamus; Spinal cord; Ascending projections; Pain (Comans, P.E.) **230**, 337

Hippocampus
In vitro; Unmyelinated fibres; Volley; Facilitation; Threshold reduction (Wigström, H.) **229**, 507

Kainic acid lesion; Systemic injection; Piriform cortex; Amygdala; Septum neurotransmitter markers (Heggli, D.E.) **230**, 253

Feed-forward inhibition; Interneurons (Buzsàki, G.) **230**, 346

Aspartate; Glutamate; High-affinity uptake; Axonal transport; Excitatory neurons; Septum; Striatum; Cortex (Storm-Mathisen, J.) **230**, 427

Horseradish peroxidase
Microwaves; Blood–brain barrier; Reversible effects; Platelet aggregation; Pinocytotic vesicles (Albert, E.N.) **230**, 153

Human
Stretch reflex; Posture; Movement; Electromyography; Motor set (Mortimer, J.A.) **229**, 337

Monoclonal; Antibody; Thy-1; Brain; Localization; Antigen (McKenzie, J.L.) **230**, 307

Human brain
Somatostatin; Neuropeptides; Neurotransmitters; Regional distribution; Rat brain (Geola, F.L.) **229**, 35

Human neocortex
Auditory; Golgi; Dendritic trees; Dendritic connectivity; Neuron columns (Seldon, H.L.) **229**, 277

5-Hydroxytryptamine
3-Mercaptopropionic acid; GABA release; Noradrenaline; Somatostatin; Convulsants (Fan, S.G.) **229**, 371

Hypothalamus
Subfornical organ; Magnocellular neurosecretory system; Circumventricular organs; Organum vasculosum of the lamina terminalis; Supraoptic nucleus; Efferent projections; Anterograde transport; Paraventricular nucleus (Miselis, R.R.) **230**, 1

Amygdala; Medial preoptic area; Estrogen; Estrogen receptor (Keefer, D.A.) **229**, 224

Catecholamines; Limbic system; Endorphin (Lohse, M.) **229**, 389

LHRH; Ovulation; Guinea pig; Gonadotropin regulation (Krey, L.C.) **229**, 429

Hypothalamic paraventricular nucleus
Dorsal vagal nuclei; Presynaptic profile degeneration; Hypothalamic-vagal connections (Akmayev, I.G.) **230**, 342

Hypothalamic-vagal connections
Hypothalamic paraventricular nucleus; Dorsal vagal nuclei; Presynaptic profile degeneration (Akmayev, I.G.) **230**, 342

Hypercapnia
Dopaminergic neurons; Serotonergic neurons; Cerebral blood flow (Dahlgren, N.) **230**, 221

Hyperkinesis
Locomotion; Dopamine; Behavioral development (Miller, F.E.) **229**, 123

I

Identification
Dopamine receptor subunit; Photoaffinity labeling; SDS gel electrophoresis (Kuno, T.) **230**, 417

Identified neuron
Axonal transport; Glycoprotein; *Aplysia* (Goldberg, D.J.) **229**, 445

Vacuolation; Neuropeptide; Proctolin (Adams, M.E.) **230**, 439

Immunocytochemistry
Substance P; Interneurons; Deafferentation; Kainic

acid; Dorsal horn; Recovery; Cat; Sprouting (Tessler, A.) **230**, 263

Purkinje cell; Glycoprotein; Cerebellum (Reeber, A.) **229**, 53

Immunotitration
Neuronotrophic factors; Sensory neurons; Nerve growth factor; Bioassay; Monolayer culture (Manthorpe, M.) **230**, 295

Indicator fractionation
Regional cerebral blood flow; Regional cerebral glucose utilization; Iodoantipyrine; 2-Deoxyglucose; Double-label; Nitrous oxide; ^{131}Iodine (Ginsberg, M.D.) **230**, 165

Inhibition
Spinothalamic neurons; Thalamic stimulation; Nociception; Analgesia (Gerhart, K.D.) **229**, 514

Raphe nuclei; dorsal horn neurons; Nociception (Griffith, J.L.) **229**, 520

Interneurons
Substance P; Immunocytochemistry; Deafferentation; Kainic acid; Dorsal horn; Recovery; Cat; Sprouting (Tessler, A.) **230**, 263

Feed-forward inhibition; Hippocampus (Buzsàki, G.) **230**, 346

Intracellular potentials
Chick embryo; Spinal cord; Motoneurones (Velumian, A.A.) **229**, 502

Intracellular recording
Orbital gyrus; Mastication; Rhythm; Trigeminal motoneuron; Synaptic potential (Kubo, Y.) **230**, 97

In vitro
Hippocampus; Unmyelinated fibres; Volley; Facilitation; Threshold reduction (Wigström, H.) **229**, 507

^{131}Iodine
Regional cerebral blood flow; Regional cerebral glucose utilization; Iodoantipyrine; 2-Deoxyglucose; Double-label; Nitrous oxide; Indicator fractionation (Ginsberg, M.D.) **230**, 165

Iodoantipyrine
Regional cerebral blood flow; Regional cerebral glucose utilization; 2-Deoxyglucose; Double-label; Nitrous oxide; Indicator fractionation; ^{131}Iodine (Ginsberg, M.D.) **230**, 165

K

Kainic acid
Pontine reticular formation; Paradoxical sleep; Ponto-geniculo-occipital activity (Sastre, J.) **229**, 147

GABA release; L-Glutamic acid; L-Aspartic acid; Neurotransmitters; Rat retina (Kamada, Y.) **229**, 251

Substance P; Interneurons; Immunocytochemistry; Deafferentation; Dorsal horn; Recovery; Cat; Sprouting (Tessler, A.) **230**, 263

Kainic acid lesion
Systemic injection; Piriform cortex; Amygdala; Hippocampus; Septum neurotransmitter markers (Heggli, D.E.) **230**, 253

L

LH
Subfornical organ; Cycling female rats; castrated female rats; FSH (Limonta, P.) **229**, 75

LHRH
Ovulation; Hypothalamus; Guinea pig; Gonadotropin regulation (Krey, L.C.) **229**, 429

Lactation
Rabbit hypothalamus; Prolactin receptor; Ovine prolactin; Chlorpromazine; Bromocriptine (Di Carlo, R.) **230**, 445

Larynx innervation
Microchiroptera; Vagus nerve; Nucleus ambiguus (Schweizer, H.) **230**, 41

Late closure
Lateral geniculate nucleus; Monkey; Undeprived shrinkage (Headon, M.P.) **229**, 187

Lateral geniculate nucleus
Monkey; Normal cell sizes (Headon, M.P.) **229**, 183

Monkey; Undeprived shrinkage; Late closure (Headon, M.P.) **229**, 187

Lateral hypothalamus
Phasic; Neurohypophysis; Vasopressin; Rat (Leng, G.) **230**, 390

Layers
Auditory cortex; Cat; Double-labeling (Wong, D.) **230**, 362

Lesions
Locus coeruleus; Sleep; Nuchal muscle activity (Braun, C.M.J.) **230**, 133

Brain damage; Recovery of function; Cortex; Brightness discrimination; Malnutrition; Amphetamines; Rat (Mangold, R.F.) **230**, 406

Limbic system
Catecholamines; Hypothalamus; Endorphin (Lohse, M.) **229**, 389

Localization
Monoclonal; Antibody; Thy-1; Human; Brain; Antigen (McKenzie, J.L.) **230**, 307

Locomotion
Dopamine; Hyperkinesis; Behavioral development (Miller, F.E.) **229**, 123

Locomotor activity
Circadian rhythms; Fornix; Adrenal corticosteroids; Body temperature; Feeding and drinking (Fischette, C.T.) **229**, 85

Locus coeruleus
Neuronotropic factors; Neuronal transplantation; Adrenergic neurons; Regeneration; 5,7-Dihydroxytryptamine; Septo-hippocampal system (Björklund, A.) **229**, 403

Lesions; Sleep; Nuchal muscle activity (Braun, C.M.J.) **230**, 133

Luteal phase
Cervicovaginal stimulation; Pseudopregnancy; Sensory code; Progesterone; Rat (Castro-Vazquez, A.) **230**, 205

Luteinizing hormone pulses
Ovariectomized rat; Serotonin (Rasmussen, D.D.) **229**, 230

M

Magnocellular neurosecretory system
Subfornical organ; Circumventricular organs; Organum vasculosum of the lamina terminalis; Supraoptic nucleus; Efferent projections; Anterograde transport; Hypothalamus; Paraventricular nucleus (Miselis, R.R.) **230**, 1

Malnutrition
Brain damage; Recovery of function; Lesions; Cortex; Brightness discrimination; Amphetamines; Rat (Mangold, R.F.) **230**, 406

Mastication
Orbital gyrus; Rhythm; Trigeminal motoneuron; Intracellular recording; Synaptic potential (Kubo, Y.) **230**, 97

Medial preoptic area
Hypothalamus; Amygdala; Estrogen; Estrogen receptor (Keefer, D.A.) **229**, 224

Median eminence
Somatostatin; Radioimmunoassay; Neuronal pathways (Epelbaum, J.) **230**, 412

Medulla oblongata
Electrical stimulation; Ultrasonic vocalization; Cranial nerve nuclei; Reticular formation; Rat (Yajima, Y.) **229**, 353

Membrane
Freeze-fracture; Fractions; Axolemma; Myelin (Cullen, M.J.) **229**, 311

Membrane fluidity
Ethanol; Temperature; Motor axon; Peripheral generation (Stephens, P.J.) **229**, 260

3-Mercaptopropionic acid
GABA release; Noradrenaline; 5-Hydroxytryptamine; Somatostatin; Convulsants (Fan, S.G.) **229**, 371

Mesencephalon
Teleost; Respiratory system; HRP (Jüch, P.J.W.) **230**, 51

Met^5-Enkephalinamide
Receptors; Dorsal horn; Morphine (Duggan, A.W.) **229**, 379

Methyl mercury
Diazepam binding; Cortex; Striatum; Cerebellum; Retina (Corda, M.G.) **229**, 264

Microchiroptera
Larynx innervation; Vagus nerve; Nucleus ambiguus (Schweizer, H.) **230**, 41

Microinjection
Neurotensin; Ventral tegmental area; Motor activity; Neuropeptide (Kalivas, P.W.) **229**, 525

Microwaves
Horseradish peroxidase; Blood–brain barrier; Reversible effects; Platelet aggregation; Pinocytotic vesicles (Albert, E.N.) **230**, 153

Monkey
Lateral geniculate nucleus; Normal cell sizes (Headon, M.P.) **229**, 183

Lateral geniculate nucleus; Undeprived shrinkage; Late closure (Headon, M.P.) **229**, 187

Monkey PTN
Rapid wrist flexion; Velocity (Hamada, I.) **230**, 384

Monolayer culture
Neuronotrophic factors; Sensory neurons; Immunotitration; Nerve growth factor; Bioassay (Manthorpe, M.) **230**, 295

Monoclonal
Antibody; Thy-1; Human; Brain; Localization; Antigen (McKenzie, J.L.) **230**, 307

Monocular deprivation
Extraocular muscle/nerve; Retardation; Disuse; Critical period; Postnatal development (Kerns, J.M.) **230**, 367

Morphine
Quasi-morphine abstinence; Di-*n*-propylacetate; GABA; Amygdala; Centre median; Nucleus parafascicularis (Van der Laan, J.W.) **229**, 133

Receptors; Dorsal horn; Met^5-Enkephalinamide (Duggan, A.W.) **229**, 379

Motor activity
Neurotensin; Ventral tegmental area; Microinjection; Neuropeptide (Kalivas, P.W.) **229**, 525

Motoneurones
Chick embryo; Spinal cord; Intracellular potentials (Velumian, A.A.) **229**, 502

α-Motoneuron activity
Motor process; Movement; Posture (Lestienne, F.) **230**, 121

Motor axon
Ethanol; Temperature; Peripheral spike generation; Membrane fluidity (Stephens, P.J.) **229**, 260

Motor process
Movement; Posture; α-Motoneuron activity (Lestienne, F.) **230**, 121

Motor set
Stretch reflex; Posture; Movement; Electromyography; Human (Mortimer, J.A.) **229**, 337

Mouse strain differences
Conformational stability; Enzyme regulation; Spectral analysis; Tetrahydrobiopterin; Tryptophan hydroxylase (Knapp, S.) **230**, 317

Movement
Stretch reflex; Posture; Electromyography; Human; Motor set (Mortimer, J.A.) **229**, 337

Motor process; Posture; α-Motoneuron activity (Lestienne, F.) **230**, 121

Muscimol
GABA; Enkephalin; Bombesin; Calcitonin; Gastric acid (Levine, A.S.) **229**, 270

Muscle unit
Alpha motoneurone; Threshold current; Rhythmic firing; Fatigue sensitivity; Recruitment order (Kernell, D.) **229**, 193

Myelin
Freeze-fractions; Membrane; Fractions; Axolemma (Cullen, M.J.) **229**, 311

N

Nerve growth factor
Neuronotrophic factors; Sensory neurons; Immunotitration; Bioassay; Monolayer culture (Manthorpe, M.) **230**, 295

Neural simulation
Electrical synapses; Pattern generation; Synaptic interaction (Mulloney, B.) **229**, 25

Neural transplantation
Nigrostriatal pathway; Dopamine; Aphagia; Adipsia; Akinesia; Rotation; Sensorimotor asymmetry; Recovery of function (Dunnett, S.B.) **229**, 457

Neurohypophysis
Lateral hypothalamus; Vasopressin; Rat (Leng, G.) **230**, 390

Neuron columns
Auditory; Golgi; Dendritic trees; Dendritic connectivity (Seldon, H.L.) **229**, 277

Neuronal pathways
Somatostatin; Radioimmunoassay; Median eminence (Epelbaum, J.) **230**, 412

Neuronal transplantation
Neuronotrophic factors; Adrenergic neurons; Regeneration; 5,7-Dihydroxytryptamine; Septo-hippocampal system; Locus coeruleus (Björklund, A.) **229**, 403

Neuronotrophic factors
Neuronal transplantation; Adrenergic neurons; Regeneration; 5,7-Dihydroxytryptamine; Septo-hippocampal system; Locus coeruleus (Björklund, A.) **229**, 403

Sensory neurons; Immunotitration; Nerve growth factor; Bioassay; Monolayer Culture (Manthorpe, M.) **230**, 295

Neuropathy
Axonal transport; *p*-Bromophenylacetylurea; Axonopathy (Jakobsen, J.) **229**, 103

Neuropeptide
Neurotensin; Ventral tegmental area; Motor activity; Microinjection (Kalivas, P.W.) **229**, 525

Vacuolation; Identified neuron; Neuropeptide; Proctolin (Adams, M.E.) **230**, 439

Neuropeptides
Somatostatin; Neurotransmitters; Regional distribution; Human brain; Rat brain (Geola, F.L.) **229**, 35

Neurotensin
Ventral tegmental area; Motor activity; Microinjection; Neuropeptide (Kalivas, P.W.) **229**, 525

Neurotensin receptors
Opiate receptors; Autoradiography; Spinal cord; Dorsal rhizotomy (Ninkovic, M.) **230**, 111

Neurotransmitters
Somatostatin; Neuropeptides; Regional distribution; Human brain; Rat brain (Geola, F.L.) **229**, 35

GABA release; L-Glutamic acid; L-Aspartic acid; Kainic acid; Rat retina (Kamada, Y.) **229**, 251

L-Glutamate; Baroreceptors; Nucleus tractus solitarius; Re-uptake (Perrone, M.H.) **230**, 283

Neostriatum
Transplants; Dopamine; 6-OHDA; Substantia nigra; Functional recovery; Sensorimotor tests; Akinesia (Dunnett, S.B.) **229**, 209

Nigrostriatal pathway
Neural transplantation; Dopamine; Aphagia; Adipsia; Akinesia; Rotation; Sensorimotor asymmetry; Recovery of function (Dunnett, S.B.) **229**, 457

Nitrous oxide
Regional cerebral blood flow; Regional cerebral glucose utilization; Iodoantipyrine; 2-Deoxyglucose; Double-label; Indicator fractionation; ^{131}Iodine (Ginsberg, M.D.) **230**, 165

Nociception
Spinothalamic neurons; Thalamic stimulation; Inhibition; Analgesia (Gerhart, K.D.) **229**, 514

Raphe nuclei; Dorsal horn neurons; Inhibition (Griffith, J.L.) **229**, 520

Noise exposure
Audition; 2-Deoxyglucose; CNS metabolism (Sharp, F.R.) **230**, 87

Non-cholinergic excitatory potential
Sympathetic neurons; G_{Na} activation; G_K inactivation (Jiang, Z.G.) **229**, 203

Non-spiking neurones
Crab muscle receptor; Autogenetic receptor motor reflex; Positive/negative feedback (Cannone, A.) **229**, 197

Noradrenaline
3-Mercaptopropionic acid; GABA release; 5-Hydroxytryptamine; Somatostatin; Convulsants (Fan, S.G.) **229**, 371

Noradrenergic neurons
Fetal rat brain cells; Brain development; Norepinephrine; Dopamine (Majocha, R.E.) **230**, 235

Norepinephrine
Noradrenergic neurons; Fetal rat brain cells; Brain development; Dopamine (Majocha, R.E.) **230**, 235

Normal cell sizes
Lateral geniculate nucleus; Monkey (Headon, M.P.) **229**, 183

Nuchal muscle activity
Locus coeruleus; Lesions; Sleep (Braun, C.M.J.) **230**, 133

Nucleus ambiguus
Microchioptera; Larynx innervation; Vagus nerve (Schweizer, H.) **230**, 41

N. laterodorsalis
Substance P; Septum (Sakanaka, M.) **230**, 351

Nucleus parafascicularis
Quasi-morphine abstinence; Di-*n*-propylacetate; GABA; Morphine; Amygdala; Centre median (Van der Laan, J.W.) **229**, 133

Nucleus tractus solitarius
L-Glutamate; Baroreceptors; Neurotransmitters; Re-uptake (Perrone, M.H.) **230**, 283

O

6-OHDA
Transplants; Dopamine; Substantia nigra; Neostriatum; Functional recovery; Sensorimotor tests; Akinesia (Dunnett, S.B.) **229**, 209

Olfaction
Receptor neuron; N-Ethylmaleimide; Cell–cell interactions; Frog (Kleene, S.J.) **229**, 536

Olfactory bulb
Taurine; Autoradiography (Quinn, M.R.) **230**, 378

Opiate receptors
Neurotensin receptors; Autoradiography; Spinal cord; Dorsal rhizotomy (Ninkovic, M.) **230**, 111

Optic nerve
Regeneration; *Xenopus*; Fibre order (Fawcett, J.W.) **229**, 487

Optokinetics
Afternystagmus; Gain; Phase; Plasticity; Velocity-storage; Vestibulo-ocular reflex (Demer, J.L.) **229**, 1

Orbital gyrus
Mastication; Rhythm; Trigeminal motoneuron; Intracellular recording; Synaptic potential (Kubo, Y.) **230**, 97

Organum vasculosum
Catechol-O-methyltransferase; Subfornical organ; Subcommissural organ; Area postrema; Blood–brain barrier; Ventricular system (Kaplan, G.P.) **229**, 323

Organum vasculosum of the lamina terminalis
Subfornical organ; Magnocellular neurosecretory system; Circumventricular organs; Supraoptic nucleus; Efferent projections; Anterograde transport; Hypothalamus; Paraventricular nucleus (Miselis, R.R.) **230**, 1

Ovariectomized rat
Luteinizing hormone pulses; Serotonin (Rasmussen, D.D.) **229**, 230

Ovine prolactin
Rabbit hypothalamus; Prolactin receptor; Chlorpromazine; Lactation; Bromocriptine (Di Carlo, R.) **230**, 445

Ovulation
LHRH; Hypothalamus; Guinea pig; Gonadotropin regulation (Krey, L.C.) **229**, 429

P

Pain
Thalamus; Hindbrain; Spinal cord; Ascending projections (Comans, P.E.) **230**, 337

Dorsal horn; Convergent neurones; DNIC (Le Bars, D.) **230**, 394

Paradoxical sleep
Kainic acid; Pontine reticular formation; Ponto-geniculo-occipital activity (Sastre, J.) **229**, 147

Paraventricular nucleus
Subfornical organ; Magnocellular neurosecretory system; Circumventricular organs; Organum vasculosum of the lamina terminalis; Supraoptic nucleus; Efferent projections; Anterograde transport; Hypothalamus (Miselis, R.R.) **230**, 1

Passerine birds
Enkephalin; Vocal control; Zebra finch (Ryan, S.M.) **229**, 236

Passive avoidance
Pretrigeminal cat; Encéphale isolé cat; Punishment; Reward; Self-stimulation; Ventralis posteromedialis of thalamus; Cranial nerve blockade (Ikegami, S.) **229**, 471

Patch clamp analysis
L-Glutamate; Glutamate channel; Glutamate agonist; L-Quisqualate; L-Cysteine sulphinate; Agonist potency (Gration, K.A.F.) **230**, 400

Pattern generation
Electrical synapses; Synaptic interaction; Neural simulation (Mulloney, B.) **229**, 25

Perception model
Axons; Auditory cortex; Golgi; Perception model; Cortical columns (Seldon, H.L.) **229**, 295

Pericytes
Protein synthesis; RNA synthesis; Cerebral microvessels; Endothelium (White, F.P.) **229**, 43

Peripheral spike generation
Ethanol; Temperature; Motor axon; Membrane fluidity (Stephens, P.J.) **229**, 260

Periphery
Auditory; Development; Chicken (Rebillard, G.) **229**, 15

Phasic
Lateral hypothalamus; Neurohypophysis; Vasopressin; Rat (Leng, G.) **230**, 390

Photoaffinity labeling
Dopamine receptor subunit; Identification; SDS gel electrophoresis (Kuno, T.) **230**, 417

Phospholipid methylation
Aging; Brain (Crews, F.T.) **229**, 256

Pinocytotic vesicles
Microwaves; Horseradish peroxidase; Blood–brain barrier; Reversible effects; Platelet aggregation (Albert, E.N.) **230**, 153

Piriform cortex
Kainic acid lesion; Systemic injection; Amygdala; Hippocampus; Septum neurotransmitter markers (Heggli, D.E.) **230**, 253

Plasticity
Afternystagmus; Gain; Optokinetics; Phase; Velocity-storage; Vestibulo-ocular reflex (Demer, J.L.) **229**, 1

Platelet aggregation
Microwaves; Horseradish peroxidase; Blood–brain barrier; Reversible effects; Pinocytotic vesicles (Albert, E.N.) **230**, 153

Pontine reticular formation
Kainic acid; Paradoxical sleep; Ponto-geniculo-occipital activity (Sastre, J.) **229**, 147

Ponto-geniculo-occipital activity
Kainic acid; Pontine reticular formation; Paradoxical sleep (Sastre, J.) **229**, 147

Positive/negative feedback
Non-spiking neurones; Crab muscle receptor; Autogenetic receptor motor reflex (Cannone, A.) **229**, 197

Postnatal development
Extraocular muscle/nerve; Retardation; Disuse; Monocular deprivation; Critical period (Kerns, J.M.) **230**, 367

Posture
Stretch reflex; Movement; Electromyography; Human; Motor set (Mortimer, J.A.) **229**, 337

Motor process; Movement; α-Motoneuron activity (Lestienne, F.) **230**, 121

Prediction
Auditory cortex; Unit activity; Behaving monkeys; Signal matching (Hocherman, S.) **230**, 65

Presynaptic profile degeneration
Hypothalamic paraventricular nucleus; Dorsal vagal nuclei; Hypothalamic-vagal connections (Akmayev, I.G.) **230**, 342

Pretrigeminal cat
Encéphale isolé cat; Punishment; Reward; Passive avoidance; Self-stimulation; Ventralis posteromedialis of thalamus; Cranial nerve blockade (Ikegami, S.) **229**, 471

Prolactin receptor
Rabbit hypothalamus; Ovine prolactin; Chlorpromazine; Lactation; Bromocriptine (Di Carlo, R.) **230**, 445

Proctolin
Vacuolation; Identified neuron; Neuropeptide (Adams, M.E.) **230**, 439

Progesterone
Cervicovaginal stimulation; Pseudopregnancy; Sensory code; Luteal phase; Rat (Castro-Vazquez, A.) **230**, 205

Protein synthesis
RNA synthesis; Cerebral microvessels; Pericytes; Endothelium (White, F.P.) **229**, 43

Pseudopregnancy
Cervicovaginal stimulation; Sensory code; Progesterone; Luteal phase; Rat (Castro-Vazquez, A.) **230**, 205

Punishment
Pretrigeminal cat; Encéphale isolé cat; Reward; Passive avoidance; Self-stimulation; Ventralis posteromedialis of thalamus; Cranial nerve blockade (Ikegami, S.) **229**, 471

Purkinje cell
Glycoprotein; Cerebellum; Immunohistochemistry (Reeber, A.) **229**, 53

Q

Quasi-morphine abstinence
Di-*n*-propylacetate; GABA; Morphine; Amygdala; Centre median; Nucleus parafascicularis (Van der Laan, J.W.) **229**, 133

L-Quisqualate
L-Glutamate; Glutamate channel; Glutamate agonist; L-Cysteine sulphinate; Agonist potency; Patch clamp analysis (Gration, K.A.F.) **230**, 400

R

Rabbit hypothalamus
Prolactin receptor; Ovine prolactin; Chlorpromazine; Lactation; Bromocriptine (Di Carlo, R.) **230**, 445

Radioimmunoassay
Somatostatin; Median eminence; Neuronal pathways (Epelbaum, J.) **230**, 412

Raphe nuclei
Dorsal horn neurons; Nociception; Inhibition (Griffith, J.L.) **229**, 520

Rapid wrist flexion
Monkey PTN; Velocity (Hamada, I.) **230**, 384

Rat
Electrical stimulation; Ultrasonic vocalization; Cranial nerve nuclei; Reticular formation; Medulla oblongata (Yajima, Y.) **229**, 353

Cervicovaginal stimulation; Pseudopregnancy; Sensory code; Progesterone; Luteal phase (Castro-Vazquez, A.) **230**, 205

Lateral hypothalamus; Phasic; Neurohypophysis; Vasopressin (Leng, G.) **230**, 390

Brain damage; Recovery of function; Lesions; Cortex; Brightness discrimination; Malnutrition; Amphetamines (Mangold, R.F.) **230**, 406

Rat brain
Somatostatin; Neuropeptides; Neurotransmitters; Regional distribution; Human brain (Geola, F.L.) **229** 35

Rat retina
GABA release; L-Glutamic acid; L-Aspartic acid; Kainic acid; Neurotransmitters (Kamada, Y.) **229**, 251

Receptor neuron
Olfaction; N-Ethylmaleimide; Cell–cell interactions; Frog (Kleene, S.J.) **229**, 536

Receptors
Dorsal horn; Morphine; Met^5-Enkephalinamide (Duggan, A.W.) **229**, 379

Recovery
Substance P; Interneurons; Immunocytochemistry; Deafferentation; Kainic acid; Dorsal horn; Cat; Sprouting (Tessler, A.) **230**, 263

Recovery of function
Neural transplantation; Nigrostriatal pathway; Dopamine; Aphagia; Adipsia; Akinesia; Rotation; Sensorimotor asymmetry (Dunnett, S.B.) **229**, 457

Brain damage; Lesions; Cortex; Brightness discrimination; Malnutrition; Amphetamines; Rat (Mangold, R.F.) **230**, 406

Recruitment order
Alpha motoneurone; Threshold current; Rhythmic firing; Muscle unit; Fatigue sensitivity (Kernell, D.) **229**, 193

Regeneration
Optic nerve; *Xenopus*; Fibre order (Fawcett, J.W.) **229**, 487

Crush injury; Hibernator; Sciatic nerve (Kemper, G.B.) **229**, 496

Septo-hippocampal pathway; Cholinergic growth factor; Heart conditioned medium; Choline acetyltransferase (Rothman Schonfeld, A.) **229**, 541

4S RNA; Sciatic nerve; Axonal transport (Lindquist, T.D.) **230**, 181

Regenerations
Neuronotrophic factors; Neuronal transplantation; Adrenergic neurons; 5,7-Dihydroxytryptamine; Septo-hippocampal system; Locus coeruleus (Björklund, A.) **229**, 403

Regional cerebral blood flow
Regional cerebral glucose utilization; Iodoantipyrine; 2-Deoxyglucose; Double-label; Nitrous oxide; Indicator fractionation; ^{131}Iodine (Ginsberg, M.D.) **230**, 165

Regional cerebral glucose utilization
Regional cerebral blood flow; Iodoantipyrine; 2-Deoxyglucose; Double-label; Nitrous oxide; Indicator fractionation; ^{131}Iodine (Ginsberg, M.D.) **230**, 165

Regional distribution
Somatostatin; Neuropeptides; Neurotransmitters; Human brain; Rat brain (Geola, F.L.) **229**, 35

Respiratory system
Teleost; Mesencephalon; HRP (Jüch, P.J.W.) **230**, 51

Retardation
Extraocular muscle/nerve; Disuse; Monocular deprivation; Critical period; Postnatal development (Kerns, J.M.) **230**, 367

Reticular formation
Electrical stimulation; Ultrasonic vocalization; Medulla oblongata; Rat (Yajima, Y.) **229**, 353

Retina
Methyl mercury; Diazepam; Cortex; Striatum; Cerebellum (Corda, M.G.) **229**, 264

Retinal ganglion cell
Wheat germ agglutinin; Anterograde axonal transport; Chick (Margolis, T.P.) **229**, 218

Re-uptake
L-Glutamate; Baroreceptors; Neurotransmitters; Nucleus tractus solitarius (Perrone, M.H.) **230**, 283

Reversible effects
Microwaves; Horseradish peroxidase; Blood–brain barrier; Platelet aggregation; Pinocytotic vesicles (Albert, E.N.) **230**, 153

Reward
Pretrigeminal cat; Encéphale isolé cat; Punishment; Passive avoidance; Self-stimulation; Ventralis posteromedialis of thalamus; Cranial nerve blockade (Ikegami, S.) **229**, 471

Rhythm
Orbital gyrus; Mastication; Trigeminal motoneuron; Intracellular recording; Synaptic potential (Kubo, Y.) **230**, 97

Rhythmic firing
Alpha motoneurone; Threshold current; Muscle unit; Fatigue sensitivity; Recruitment order (Kernell, D.) **229**, 193

4S RNA
Sciatic nerve; Regeneration; Axonal transport (Lindquist, T.D.) **230**, 181

RNA synthesis
Protein synthesis; Cerebral microvessels; Pericytes; Endothelium (White, F.P.) **229**, 43

Rotation
Neural transplantation; Nigrostriatal pathway; Dopamine; Aphagia; Adipsia; Akinesia; Sensorimotor asymmetry; Recovery of function (Dunnett, S.B.) **229**, 457

S

Schwann cell
Adult; Cat; Cell culture; Cell line; Dorsal root ganglia (Wrathall, J.R.) **229**, 163

Sciatic nerve
Crush injury; Hibernator; Regeneration (Kemper, G.B.) **229**, 496

4S RNA; Regeneration; Axonal transport (Lindquist, T.D.) **230**, 181

SDS gel electrophoresis
Dopamine receptor subunit; Identification; Photoaffinity labeling (Kuno, T.) **230**, 417

Self-stimulation
Pretrigeminal cat; Encéphale isolé cat; Punishment; Reward; Passive avoidance; Ventralis posteromedialis of thalamus; Cranial nerve blockade (Ikegami, S.) **229**, 471

Sensorimotor asymmetry
Neural transplantation; Nigrostriatal pathway; Dopamine; Aphagia; Adipsia; Akinesia; Rotation; Recovery of function (Dunnett, S.B.) **229**, 457

Sensorimotor tests
Transplants; Dopamine; 6-OHDA; Substantia nigra; Neostriatum; Functional recovery; Akinesia (Dunnett, S.B.) **229**, 209

Sensory code
Cervicovaginal stimulation; Pseudopregnancy; Progesterone; Luteal phase; Rat (Castro-Vazquez, A.) **230**, 205

Sensory neurons
Neuronotrophic factors; Immunotitration; Nerve growth factor; Bioassay; Monolayer culture (Manthorpe, M.) **230**, 295

Septo-hippocampal pathway
Regeneration; Cholinergic growth factor; Heart conditioned medium; Choline acetyltransferase (Rothman Schonfeld, A.) **229**, 541

Septo-hippocampal system
Neurotrophic factors; Neuronal transplantation; Adrenergic neurons; Regeneration; 5,7-Dihydroxytryptamine system; Locus coeruleus (Björklund, A.) **229**, 403

Septum
Substance P; N. laterodorsalis (Sakanaka, M.) **230**, 351

Aspartate; Glutamate; High-affinity uptake; Axonal transport; Excitatory neurons; Hippocampus; Striatum; Cortex (Storm-Mathisen, J.) **230**, 427

Septum neurotransmitter markers
Kainic acid lesion; Systemic injection; Piriform cortex; Amygdala; Hippocampus (Heggli, D.E.) **230**, 253

Serotonergic neurons
Dopaminergic neurons; Cerebral blood flow; Hypercapnia (Dahlgren, N.) **230**, 221

Serotonin
Luteinizing hormone pulses; Ovariectomized rat (Rasmussen, D.D.) **229**, 230

Signal matching
Prediction; Auditory cortex; Unit activity; Behaving monkeys; Error detection (Hocherman, S.) **230**, 65

Sleep
Locus coeruleus; Lesions; Nuchal muscle activity (Braun, C.M.J.) **230**, 133

Somatostatin
Neuropeptides; Neurotransmitters; Regional distribution; Human brain; Rat brain (Geola, F.L.) **229**, 35

3-Mercaptopropionic acid; GABA release; Noradrenaline; 5-Hydroxytryptamine; Convulsants (Fan, S.G.) **229**, 371

Radioimmunoassay; Median eminence; Neuronal pathways (Epelbaum, J.) **230**, 412

Spectral analysis
Conformational stability; Enzyme regulation; Mouse strain differences; Tetrahydrobiopterin; Tryptophan hydroxylase (Knapp, S.) **230**, 317

Spinal cord
Ascending tract; Synaptology; Thalamus (Snow, P.J.) **229**, 491

Chick embryo; Motoneurones; Intracellular potentials (Velumian, A.A.) **229**, 502

Opiate receptors; Neurotensin receptors; Autoradiography; Dorsal rhizotomy (Ninkovic, M.) **230**, 111

Thalamus; Hindbrain; Ascending projections; Pain (Comans, P.E.) **230**, 337

Spinothalamic neurons
Thalamic stimulation; Nociception; Inhibition; Analgesia (Gerhart, K.D.) **229**, 514

Sprouting
Substance P; Interneurons; Immunohistochemistry; Deafferentation; Kainic acid; Dorsal horn; Recovery; Cat (Tessler, A.) **230**, 263

Stress-handling
GABA binding; Frontal cortex; Caudate nucleus; Cerebellum (Biggio, G.) **229**, 363

Stretch reflex
Posture; Movement; Electromyography; Human; Motor set (Mortimer, J.A.) **229**, 337

Striato-cortical connections
Acetylcholinesterase-containing neurons; Feline globus pallidus; Entopeduncular nucleus; Cholinergic neocortical afferents (Parent, A.) **230**, 356

Striatum
Methyl mercury; Diazepam; Cortex; Cerebellum; Retina (Corda, M.G.) **229**, 264

DOPA; α_2-Adrenoreceptors (Rabey, J.M.) **230**, 422

Aspartate; Glutamate; High-affinity uptake; Axonal transport; Excitatory neurons; Hippocampus; Septum;

Cortex (Storm-Mathisen, J.) **230**, 427

Subcommissural organ
Catechol-O-methyltransferase; Organum vasculosum; Subfornical organ; Area postrema; Blood–brain barrier; Ventricular system (Kaplan, G.P.) **229**, 323

Subfornical organ
Cycling female rats; Castrated female rats; LH; FSH (Limonta, P.) **229**, 75

Catechol-O-methyltransferase; Organum vasculosum; Subcommissural organ; Area postrema; Blood–brain barrier; Ventricular system (Kaplan, G.P.) **229**, 323

Magnocellular neurosecretory system; Circumventricular organs; Organum vasculosum of the lamina terminalis; Supraoptic nucleus; Efferent projections; Anterograde transport; Hypothalamus; Paraventricular nucleus (Miselis, R.R.) **230**, 1

Substance P
Interneurons; Immunocytochemistry; Deafferentation; Kainic acid; Dorsal horn; Recovery; Cat; Sprouting (Tessler, A.) **230**, 263

N. laterodorsalis; Septum (Sakanaka, M.) **230**, 351

Substantia gelatinosa Rolandi
Axo-axonic synapses; Dendro-dendritic synapses; EM morphometric study (Zhu, C.G.) **230**, 25

Substantia nigra
Transplants; Dopamine; 6-OHDA; Neostriatum; Functional recovery; Sensorimotor tests; Akinesia (Dunnett, S.B.) **229**, 209

Supraoptic nucleus
Subfornical organ; Magnocellular neurosecretory system; Circumventricular organs; Organum vasculosum of the lamina terminalis; Efferent projections; Anterograde transport; Hypothalamus; Paraventricular nucleus (Miselis, R.R.) **230**, 1

Sympathetic neurons
Non-cholinergic excitatory potential; G_{Na} activation; G_K inactivation (Jiang, A.G.) **229**, 203

Synaptic interaction
Electrical synapses; Pattern generation; Neural simulation (Mulloney, B.) **229**, 25

Synaptic membranes
Glutamate; Aspartate; Acidic amino acid binding; Amino acid receptors; CNS receptors (Foster, A.C.) **229**, 246

Synaptic recording
Orbital gyrus; Mastication; Rhythm; Trigeminal motoneuron; Intracellular recording (Kubo, Y.) **230**, 97

Synaptology
Ascending tract; Thalamus; Spinal cord (Snow, P.J.) **229**, 491

Systemic injection
Kainic acid lesion; Piriform cortex; Amygdala; Hippocampus; Septum neurotransmitter markers (Heggli, D.E.) **230**, 253

T

Taurine
6-Aminomethyl-3-methyl-4H-1,2,4-benzothiadiazine-1,1-dioxide; Taurine agonist (Martin, G.E.) **229**, 530

Olfactory bulb; Autoradiography (Quinn, M.R.) **230**, 378

Taurine agonist
Taurine; 6-Aminomethyl-3-methyl-4H-1,2,4-benzothiadiazine-1,1-dioxide (Martin, G.E.) **229**, 530

Teleost
Respiratory system; Mesencephalon; HRP (Jüch, P.J.W.) **230**, 51

Temperature
Ethanol; Motor axon; Peripheral spike generation; Membrane fluidity (Stephens, P.J.) **229**, 260

Tetrahydrobiopterin
Conformational stability; Enzyme regulation; Mouse strain differences; Spectral analysis; Tetrahydrobiopterin; Tryptophan hydroxylase (Knapp, S.) **230**, 317

Thalamic stimulation
Spinothalamic neurons; Nociception; Inhibition; Analgesia (Gerhart, K.D.) **229**, 514

Thalamus
Ascending tract; Synaptology; Spinal cord (Snow, P.J.) **229**, 491

Hindbrain; Spinal cord; Ascending projections; Pain (Comans, P.E.) **230**, 337

Threshold current
Alpha motoneurone; Rhythmic firing; Muscle unit; Fatigue sensitivity; Recruitment order (Kernell, D.) **229**, 193

Threshold reduction
Hippocampus; In vitro; Unmyelinated fibres; Volley; Facilitation (Wigström, H.) **229**, 507

Thy-1
Monoclonal; Antibody; Brain; Localization; Antigen (McKenzie, J.L.) **230**, 307

Transplants
Dopamine; 6-OHDA; Substantia nigra; Neostriatum;

Functional recovery; Sensorimotor tests; Akinesia (Dunnett, S.B.) **229**, 209

Tribromoethanol
Ethanol; AChR; Endplate; Trifluoroethanol; Trichloroethanol (Sterz, R.) **230**, 434

Trichloroethanol
Ethanol; AChR; Endplate; Trifluoroethanol; Tribromoethanol (Sterz, R.) **230**, 434

Trifluoroethanol
Ethanol; AChR; Endplate; Trichloroethanol; Tribromoethanol (Sterz, R.) **230**, 434

Trigeminal motoneuron
Orbital gyrus; Mastication; Rhythm; Intracellular recording; Synaptic potential (Kubo, Y.) **230**, 97

Tryptophan hydroxylase
Conformational stability; Enzyme regulation; Mouse strain differences; Spectral analysis; Tetrahydrobiopterin (Knapp, S.) **230**, 317

Turtle brain
Estrogen target neurons; Autoradiography (Kim, Y.S.K.) **230**, 195

U

Ultrasonic vocalization
Electrical stimulation; Cranial nerve nuclei; Reticular formation; Medulla oblongata; Rat (Yajima, Y.) **229**, 353

Undeprived shrinkage
Lateral geniculate nucleus; Monkey; Late closure (Headon, M.P.) **229**, 187

Unit activity
Prediction; Auditory cortex; Behaving monkeys; Signal matching; Error detection (Hocherman, S.) **230**, 65

Unmyelinated fibres
Hippocampus; In vitro; Volley; Facilitation; Threshold reduction (Wigström, H.) **229**, 507

V

Vacuolation
Identified neuron; Neuropeptide; Proctolin (Adams, M.E.) **230**, 439

Vagus nerve
Microchiroptera; Larynx innervation; Nucleus ambiguus (Schweizer, H.) **230**, 41

Vasopressin
Lateral hypothalamus; Phasic; Neurohypophysis; Rat (Leng, G.) **230**, 390

Velocity
Monkey PTN; Rapid wrist flexion (Hamada, I.) **230**, 384

Velocity-storage
Afternystagmus; Gain; Optokinetics; Phase; Plasticity; Vestibulo-ocular reflex (Demer, J.L.) **229**, 1

Ventral tegmental area
Neurotensin; Motor activity; Microinjection; Neuropeptide (Kalivas, P.W.) **229**, 525

Ventralis posteromedialis of thalamus
Pretrigeminal cat; Encéphale isolé cat; Punishment; Reward; Passive avoidance; Self-stimulation; Cranial nerve blockade (Ikegami, S.) **229**, 471

Vestibulo-ocular reflex
Afternystagmus; Gain; Optokinetics; Phase; Plasticity; Velocity-storage (Demer, J.L.) **229**, 1

Ventricular system
Catechol-O-methyltransferase; Organum vasculosum; Subfornical organ; Subcommissural organ; Area postrema; Blood–brain barrier (Kaplan, G.P.) **229**, 323

Vocal control
Passerine birds; Enkephalin; Zebra finch (Ryan, S.M.) **229**, 236

Volley
Hippocampus; In vitro; Unmyelinated fibres; Facilitation; Threshold reduction (Wigström, H.) **229**, 507

W

Wheat germ agglutinin
Anterograde axonal transport; Chick; Retinal ganglion cell (Margolis, T.P.) **229**, 218

X

Xenopus
Regeneration; Optic nerve; Fibre order (Fawcett, J.W.) **229**, 487

Z

Zebra finch
Passerine birds; Enkephalin; Vocal control (Ryan, S.M.) **229**, 236

Neuropathology and Applied Neurobiology

Journal of the British Neuropathological Society

Editor: **Professor J.B. Cavanagh** *Institute of Neurology,*
Queen Square House, London WC1N 3BG, England

This international journal publishes original papers, both clinical and experimental, on problems and pathological processes in neuropathology and muscle disease. Multidisciplinary studies which bring together structure and function are particularly welcomed, for it is editorial policy to bring basic neurobiological information to applied problems concerning mechanisms underlying disease. The journal therefore publishes contributions on all relevant aspects of neural and muscular tissues in health and in disease, regardless of methodology. Brief case reports are also published, provided they are of primary pathological interest, and the proceedings of the Society's meetings are abstracted. Some of the papers which appear in the journal provoke an interesting and lively correspondence and readers are encouraged to contribute to the discussion.

Subscription Information

Neuropathology and Applied Neurobiology is published bi-monthly. Subscription rates for 1985 are £135.00 (UK), $295.00 (USA & Canada), £162.00 (elsewhere) post free.

Order Form

Please tick the appropriate box and return to **Blackwell Scientific Publications Ltd, P.O. Box 88, Oxford, England.**

☐ I would like to subscribe to *Neuropathology and Applied Neurobiology*

☐ I wish to pay by cheque/money order *(delete as necessary)* and enclose the sum of ....

☐ I wish to pay by Access/Barclaycard/VISA/Mastercard *(delete as necessary)*

Please debit my credit card no. ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

Expiry date... .... with the sum of ....

Signature.. Date ....

☐ Please send me a specimen copy of *Neuropathology and Applied Neurobiology*

Name ....

Address ....

....

BLACKWELL SCIENTIFIC PUBLICATIONS LTD
P.O. Box 88, Oxford, England.

EUROPEAN JOURNAL OF PHARMACOLOGY

An international journal

Editor
D. DE WIED, *Utrecht, The Netherlands*
Assistant Editors
J. BRUINVELS, *Rotterdam, The Netherlands.* **W. DE JONG,** *Utrecht, The Netherlands.*
D.H.G. VERSTEEG, *Utrecht, The Netherlands.*
Stylistic Editor:
M.-L. DESBARATS-SCHÖNBAUM, *Venhorst, The Netherlands.*

The European Journal of Pharmacology publishes full length papers, short communications and rapid communications concerning animal and human pharmacology.

The European Journal of Pharmacology has been growing steadily since it first appeared in 1967. A truly international journal, it has a broad geographic distribution of authors and subscribers. Its high impact makes it one of the worlds leading pharmacology periodicals. The influx of manuscripts of high scientific quality that is attracted by the European Journal of Pharmacology increases continuously. Both editor and publisher make it their prime concern however to maintain the high standard of quality and speed of publication that were set when the European Journal of Pharmacology was founded. Publication time – from date of acceptance – is about 3 months for full length papers and about 2 months for short communications. The European Journal of Pharmacology also has a Rapid Communication section with a publication time of 4-5 weeks. This section is very popular with authors who have exciting new results and who want to reach a quality readership as fast as possible.

Editorial Board:

G.K. Aghajanian, *New Haven*
E.X. Albuquerque, *Baltimore*
M.A. Beaven, *Bethesda*
M.G. Bogaert, *Gent*
C. Braestrup, *Soeborg*
J.T. Coyle, *Baltimore*
E. De Robertis, *Buenos Aires*
A. Fleckenstein, *Freiburg*
D. Ganten, *Heidelberg*
G.L. Gessa, *Cagliari*
J.F. Giudicelli, *Le Kremlin-Bicêtre*
F.G. Graeff, *Ribeirão Preto*
R.J. Gryglewski, *Kraków*
G. Haeusler, *Darmstadt*
M. Hamon, *Paris*
V. Höllt, *München*
G. Jonsson, *Stockholm*
K. Kelemen, *Budapest*
R. Laverty, *Dunedin*
K. Lederis, *Calgary*
J. Leysen, *Beerse*
P. Meyer, *Paris*
A.H. Mulder, *Amsterdam*
U. Otten, *Basel*
M. Raiteri, *Genova*
D. Regoli, *Sherbrooke*
P. Skolnick, *Bethesda*
P. Sneddon, *Glasgow*
P.S.J. Spencer, *Cardiff*
N. Sperelakis, *Cincinnati*
C. Su, *Springfield*
L. Terenius, *Uppsala*
M. Vassalle, *Brooklyn*
K. Yamamoto, *Osaka*
M.B.H. Youdim, *Haifa*
W. Zieglgänsberger, *München*

Subscription Information:
1985 – Vols. 106-117 (12 volumes in 36 issues)
Subscription price: US $995,50/ Dfl. 2688.00 including postage and handling.
ISSN 0014-2999

ELSEVIER

For further information and/or free sample copy please write to:

In the U.S.A. and Canada:
Journal Information Center
ELSEVIER SCIENCE PUBLISHERS
52 Vanderbilt Ave., New York, NY 10017, U.S.A.

In all other countries:
ELSEVIER SCIENCE PUBLISHERS
P.O. Box 211, 1000 AE Amsterdam,
The Netherlands

Please send your orders to the Amsterdam address

Journals are sent by surface delivery to all countries, except the following where Surface Airlifted Mail is ensured: USA, Canada, Japan, Australia, New Zealand, P.R. China, India, Israel, South Africa, Malaysia, Singapore, South Korea, Taiwan, Pakistan, Hong Kong, Brazil. Airmail rates for other countries are available on request.

The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations. Prices are excl. B.T.W. for Dutch customers

FL37A164

JOURNAL OF NEUROGENETICS

Editor-in-Chief
ROGER N. ROSENBERG, Professor of Neurology and Physiology, Chairman,
Department of Neurology, University of Texas Health Science Center at Dallas,
Southwestern Medical School, 5323 Harry Hines Boulevard, Dallas, TX 75235, U.S.A.

Associate Editors
JEFFREY C. HALL, Brandeis University, Waltham, MA, U.S.A. and
MARCELLE R. MORRISON, University of Texas Health Science Center at Dallas,
Southwestern Medical School, Dallas, TX, U.S.A.

The Journal of Neurogenetics publishes original scientific papers in the broad field of neurogenetics. This covers papers on the genetic mechanisms underlying early embryonic development as well as aspects of cell differentiation, pattern formation and genetic disorders of the nervous system. It includes papers relating to the physiology, neurochemistry, molecular biology and behavioural aspects of the above. In this context, results of work on organisms ranging from microbes to man will be accepted. In addition to original articles, concise reviews and brief communications are encouraged.

Editorial Board
Seymour Benzer, *Pasadena, CA, U.S.A.*
Floyd E. Bloom, *La Jolla, CA, U.S.A.*
Roscoe O. Brady, *Bethesda, MD, U.S.A.*
Xandra O. Breakefield, *New Haven, CT, U.S.A.*
José A. Campos-Ortega, *Köln, F.R.G.*
Verne S. Caviness Jr., *Boston, MA, U.S.A.*
Yadin Dudai, *Rehovot, Israel*
Jeffrey M. Gilbert, *Belmont, MA, U.S.A.*
William A. Harris, *La Jolla, CA, U.S.A.*
Martin Heisenberg, *Wurzburg, F.R.G.*
Ed Herbert, *Eugene, OR, U.S.A.*
H. Robert Horvitz, *Cambridge, MA, U.S.A.*
Yoshiki Hotta, *Tokyo, Japan*
David Housman, *Cambridge, MA, U.S.A.*
Yuh Nung Jan, *San Francisco, CA, U.S.A.*
Barry B. Kaplan, *Pittsburgh, PA, U.S.A.*
Ching Kung, *Madison, WI, U.S.A.*
Patrick M. MacLeod, *Kingston, Ont., Canada*
Robert Macnab, *New Haven, CT, U.S.A.*
Bruce S. McEwen, *New York, NY, U.S.A.*
Victor A. McKusick, *Baltimore, MD, U.S.A.*
Richard J. Mullen, *Salt Lake City, UT, U.S.A.*
Marshall W. Nirenberg, *Bethesda, MD, U.S.A.*
William L. Nyhan, *La Jolla, CA, U.S.A.*
Gilbert S. Omenn, *Seattle, WA, U.S.A.*
William L. Pak, *West Lafayette, IN, U.S.A.*
John S. Parkinson, *Salt Lake City, UT, U.S.A.*
James L. Roberts, *New York, NY, U.S.A.*
Richard L. Russell, *Pittsburgh, PA, U.S.A.*
Richard L. Sidman, *Boston, MA, U.S.A.*
Constantino Sotelo, *Suresnes, France*
Axel Ullrich, *San Francisco, CA, U.S.A.*
Robert Williamson, *London, U.K.*

1985 – Volume 2
(1 volume in 6 issues)
Subscription price:
US $ 89.75 / Dfl. 242.00
including postage and handling.
ISSN 0167-7063

The Dutch guilder price is definitive, US $ price is subject to exchange rate fluctuations
Prices are excl. B.T.W. for Dutch customers

ELSEVIER

Please send this coupon to
In the U.S.A. & Canada
Journal Information Center
ELSEVIER SCIENCE PUBLISHERS
52 Vanderbilt Avenue, New York, NY 10017, U.S.A.

In all other countries
ELSEVIER SCIENCE PUBLISHERS
P.O. Box 211, 1000 AE Amsterdam
The Netherlands

JOURNAL OF NEUROGENETICS

☐ Please send me a free sample copy
☐ Please send me Instructions to Authors
☐ Please send me a subscription order form

Name:
Address:

FL37A455

INTERNATIONAL JOURNAL OF PSYCHOPHYSIOLOGY

Official Journal of the International Organization of Psychophysiology

Editors:

ALBERT F. AX
15 Hereford St., Boston,
MA 02115, U.S.A.

NATALIA P. BECHTEREVA
Department of Human Neurophysiology,
Institute of Experimental Medicine,
U.S.S.R. Academy of Medical Sciences,
Pavlov's Street, 12,
Leningrad, 197022, U.S.S.R.

JOHN H. GRUZELIER
Laboratory of Neuro-Psychophysiology,
Charing Cross and Westminster Medical School,
24 St. Dunstan's Road,
London W6 8RF, U.K.

Scope and Purpose:
The International Journal of Psychophysiology is the official journal of the International Organization of Psychophysiology, and provides a forum for the publication of high quality original contributions on all aspects of psychophysiology. The journal is interdisciplinary and aims to integrate the neurosciences and psychological sciences. Within this framework, the subjects covered include sensation and perception, learning and memory, evolution and development of behaviour, motivation and emotion, aggression and defence, interhemispheric relations, information processing, sleep, stress, psychopharmacology and psychophysiological disorders.

Types of Papers:
Full-length papers, critical reviews, and theoretical contributions will be published, as well as articles on methodology and instrumentation. Short reports and letters to the editor will be also welcome. Announcements and book reviews will be published at the discretion of the editors.

EDITORIAL BOARD

A. Amsel, *Austin, TX, U.S.A.*
J.L. Andreassi, *Scarsdale, NY, U.S.A.*
G. Berlucchi, *Pisa, Italy*
F. Borgeat, *Montreal, Canada*
J.V. Brady, *Baltimore, MD, U.S.A.*
J. Bureš, *Prague, Czechoslovakia*
J.F. Connolly, *Vancouver, B.C., Canada*
J.M.R. Delgado, *Madrid, Spain*
E.K. Emory, *New York, NY, U.S.A.*
J. Furedy, *Toronto, Canada*
G. Geffen, *Bedford Park, Australia*
Yu.L. Gogolitsin, *Leningrad, U.S.S.R.*
R. Granit, *Stockholm, Sweden*
S. Green, *London, U.K.*
G. Guttmann, *Vienna, Austria*
L. Hartlage, *Augusta, GA, U.S.A.*
M.M. Khananashvili, *Tbilisi, U.S.S.R.*
N. Kopp, *Lyon, France*
D.S. Krantz, *Bethesda, MD, U.S.A.*
D. Lehmann, *Zürich, Switzerland*
G.F. Lelord, *Tours, France*
N. Lesevre, *Paris, France*
D.T. Lykken, *Minneapolis, MN, U.S.A.*
R.B. Malmo, *Montreal, Canada*
I. Maltzman, *Los Angeles, CA, U.S.A.*
C.A. Mangina, *Montreal, Canada*
J. Matsumoto, *Tokushima, Japan*
A. Matthews, *London, UK.*
L. Mecacci, *Rome, Italy*
N. Miller, *New York, NY, U.S.A.*
T.B. Mulholland, *Bedford, MA, U.S.A.*
M. Myslobodsky, *Tel Aviv, Israel*
A. Öhman, *Uppsala, Sweden*
M.T. Orne, *Philadelphia, PA, U.S.A.*
K.H. Pribram, *Stanford, CA, U.S.A.*
T. Radil, *Prague, Czechoslovakia*
A. Rémond, *Paris, France*
D. Siddle, *North Ryde, Australia*
G. Singer, *Melbourne, Australia*
E.N. Sokolov, *Moscow, U.S.S.R.*
J.A. Stern, *St. Louis, MO, U.S.A.*
S. Svebak, *Bergen, Norway*
P. Taylor, *London, U.K.*
D. Tucker, *Eugene, OR, U.S.A.*
D. Vaitl, *Giessen, F.R.G.*
S. Yehuda, *Ramat Gan, Israel*

Publication Schedule
1985: Volume 3 (1 volume in 4 issues).
Subscription Price: US $ 95.25/ Dfl. 257.00 including postage and handling.
ISSN 0167-8760

ELSEVIER

For further information and/or free sample copy please write to

In the U.S.A. and Canada
Journal Information Center
ELSEVIER SCIENCE PUBLISHERS
52 Vanderbilt Ave., New York, NY 10017, U.S.A.

In all other countries
ELSEVIER SCIENCE PUBLISHERS
P.O. Box 211, 1000 AE Amsterdam
The Netherlands

Please send your orders to the Amsterdam address

The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations. Prices are excl. B.T.W. for Dutch customers

EL37A1:30

HEARING RESEARCH

An international journal

Editor-in-Chief

AAGE R. MØLLER, Department of Neurological Surgery, Presbyterian University Hospital,
230 Lothrop Street, Pittsburgh, PA 15213, U.S.A.

The aim of the journal is to provide a forum for papers concerned with basic auditory mechanisms. Emphasis is on experimental studies, but theoretical papers will also be considered.
The editors of the journal are prepared to accept original research papers in the form of full-length papers, short communications and reviews. Papers submitted should deal with auditory neurophysiology, ultrastructure, psychoacoustics and behavioural studies of hearing in animals, and models of auditory functions. Papers on comparative aspects of hearing in animals and man, and on effects of drugs and environmental contaminants on hearing function will also be considered. Clinical papers will not be accepted unless they contribute to the understanding of normal hearing functions.

Editorial Board

L. Aitkin, *Clayton, Australia*
R.C. Bilger, *Champaign, IL, U.S.A.*
R.P. Bobbin, *New Orleans, LA, U.S.A.*
E. de Boer, *Amsterdam, The Netherlands*
J. Brugge, *Madison, WI, U.S.A.*
P. Dallos, *Evanston, IL, U.S.A.*
J.J. Eggermont, *Nijmegen, The Netherlands*
H. Engström, *Uppsala, Sweden*
E.F. Evans, *Keele, U.K.*
A. Flock, *Stockholm, Sweden*
D. Green, *Cambridge, MA, U.S.A.*
J.E. Hind, *Madison, WI, U.S.A.*
B.M. Johnstone, *Nedlands, Australia*
Y. Katsuki, *Okazaka, Japan*
R. Klinke, *Frankfurt/M., F.R.G.*
D.J. Lim, *Columbus, OH, U.S.A.*
M. Merzenich, *San Francisco, CA, U.S.A.*
K. Morest, *Farmington, CT, U.S.A.*
R. Plomp, *Soesterberg/Amsterdam, The Netherlands*
F. de Ribaupierre, *Lausanne, Switzerland*
I. J. Russell, *Brighton, U.K.*
M. Sachs, *Baltimore, MD, U.S.A.*
M.R. Schroeder, *Göttingen, F.R.G.*
E.D. Schubert, *Stanford, CA, U.S.A.*
N. Suga, *St. Louis, MO, U.S.A.*
I. Whitfield, *Birmingham, U.K.*
E. Zwicker, *Munich, F.R.G.*
J. Zwislocki, *Syracuse, NY, U.S.A.*

Publication schedule and subscription information.

1985 - Vols. 17-20 (4 volumes in 12 issues)
Subscription price: US $ 358.00 / Dfl. 968.00 including postage and handling.
ISSN 0378-5955

ELSEVIER

For further information and/or free sample copy please write to:

In the U.S.A. and Canada:
Journal Information Center
ELSEVIER SCIENCE PUBLISHERS
52 Vanderbilt Ave., New York, NY 10017, U.S.A.

In all other countries:
ELSEVIER SCIENCE PUBLISHERS
P.O. Box 211, 1000 AE Amsterdam,
The Netherlands

Please send your orders to the Amsterdam address

The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations. Prices are excl. B.T.W. for Dutch customers

FL37A005

BEHAVIOURAL PROCESSES

incorporating Behaviour Analysis Letters

Editors:
G. Thinès *(Louvain-la-Neuve, Belgium)*
J.E.R. Staddon *(Durham, NC, U.S.A.)*

Behavioural Processes provides rapid publication of complete research papers which are relevant to the understanding of fundamental behavioural processes. The Journal is interdisciplinary and deals with organisms ranging from single-celled bodies right through to primates, including man. The scope of the Journal encompasses: Comparative Ethology, Behavioural Ecology, Theoretical and Quantitative Ethology, Neuroethology, Experimental Analysis and Operant Conditioning. In this way it is hoped to bridge the gap between purely descriptive ethology and experimental laboratory studies.

Associate Editors
J.P. Beaugrand *(Montreal, Canada)*
C.M. Bradshaw *(Manchester, U.K.)*
P.F. Brain *(Swansea, U.K.)*
O. Burešová *(Prague, C.S.S.R.)*
J.D. Delius *(Bochum, F.R.G.)*
E. Fantino *(San Diego, CA, U.S.A.)*
J.R. Krebs *(Oxford, U.K.)*
R. Zayan *(Corroy-le-Grand, Belgium)*

Editorial Board
T. Asano *(Aichi, Japan)*
J. Balthazart *(Liège, Belgium)*
R.J. Blanchard *(Honolulu, Hawaii, U.S.A.)*
R. Campan *(Toulouse, France)*
P. Colgan *(Ontario, Canada)*
M.S. Dawkins *(Oxford, U.K.)*
A. Dickinson *(Cambridge, U.K.)*
R.I.M. Dunbar *(Cambridge, U.K.)*
R. Epstein *(Cambridge, MA, U.S.A.)*
J.-P. Ewert *(Kassel, F.R.G.)*
G.G. Gallup *(Albany, NY, U.S.A.)*
S. Grossberg *(Boston, MA, U.S.A.)*
K.E. Heller *(Copenhagen, Denmark)*
R.J. Herrnstein *(Cambridge, MA, U.S.A.)*
B.A. Heuts *(Amsterdam, The Netherlands)*
A.C. Kamil *(Amherst, MA, U.S.A.)*
P. Killeen *(Tempe, AZ, U.S.A.)*
D.E. Koshland, Jr. *(Berkeley, CA, U.S.A.)*
S.E.G. Lea *(Exeter, U.K.)*
L. Lefebvre *(Montreal, Canada)*
H. Lejeune *(Liège, Belgium)*
C.F. Lowe *(Bangor, U.K.)*
H.R. Pulliam *(Athens, GA, U.S.A.)*
S.J. Sara *(Gif-sur-Yvette, France)*
H. Schneider *(Bonn, F.R.G.)*
W. Timberlake *(Bloomington, IN, U.S.A.)*
F. Toates *(Milton Keynes, U.K.)*
D.M. Wilkie *(Vancouver, Canada)*

Publication Schedule and Subscription Information
1985 – Volumes 10 & 11 (2 volumes in 8 issues)
Institutional Rate: US $ 157.00/ Dfl. 424.00 including postage and handling. Personal Rate: US $ 45.00/ Dfl. 121.50 including postage and handling.
ISSN 0376-6357

ELSEVIER

For further information and/or free sample copy please write to:

In the U.S.A. and Canada:
Journal Information Center
ELSEVIER SCIENCE PUBLISHERS
52 Vanderbilt Ave., New York, NY 10017, U.S.A.

In all other countries:
ELSEVIER SCIENCE PUBLISHERS
P.O. Box 211, 1000 AE Amsterdam,
The Netherlands

Please send your orders to the Amsterdam address

The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations. Prices are excl. B.T.W. for Dutch customers

FL37A486

Illustrations. All illustrations must be submitted in quadruplicate and reach the editors in a **form and condition suitable for reproduction either across a single column (=7.7 cm) or a whole page (=16.4 cm)**. The illustrations should bear the author's name and be numbered in Arabic numbers according to the sequence of their appearance in the text, where they are to be referred to as Fig. 1, Fig. 2 etc. Line-drawings should be in Indian ink on drawing or tracing paper. Lettering should be clear and of adequate size to be legible after reduction. Professional labelling is preferable but, if this is not possible, lettering should be in fine pencil. Photographs, including roentgenograms, electroencephalograms, and electron micrographs should be supplied as **clear black and white prints on glossy paper**, rather than copies which reproduce detail badly, usually larger than the final size of reproduction, but not more than 20 × 25 cm. The degree of reduction will be determined by the publisher, but in general it should be assumed that the same degree of reduction will be applied to all figures in the same paper. Reproduction in colours will have to be approved by the Editors. The extra costs of colour reproduction will be charged to the author(s). Each illustration must have a legend. These should be typed with double spacing on a separate page and begin with the number of the illustration they refer to.

Tables. Tables of numerical data should each be typed (also with double spacing) on a separate page, numbered in sequence in Roman numerals (Table I, II, etc.), provided with a heading, and referred to in the text as Table I, Table II, etc.

Proofs. Authors should keep a carbon copy of their manuscripts as proofs will be sent to them without manuscript. Proofs will usually be drawn on lower-quality paper. Only printer's errors may be corrected; no change in, or additions to, the edited manuscript will be allowed at this stage.

Reprints. A total of 50 reprints of each paper will be provided free of charge to the author(s). Additional copies can be ordered at prices shown on the reprint order form which will be sent to the author with the proofs.

COPYRIGHT © 1985 BY ELSEVIER SCIENCE PUBLISHERS B.V. (BIOMEDICAL DIVISION)

All rights reserved. No part of this publication may by reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Science Publishers B.V. (Biomedical Division), P.O. Box 1527, 1000 BM Amsterdam, The Netherlands.

Submission of a paper to this journal entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Permission to reproduce, in whole or in part, any material published in this Journal must be sought from the publisher and from the author of the article in question.

Submission of a paper to **Brain Research** is understood to imply that it has not previously been published (except in abstract form) and that it is not being considered for publication elsewhere.

If illustrations or other small parts of articles or books already published elsewhere are used in papers submitted to **Brain Research**, the written permission of author and publisher concerned must be included with the manuscript. The original source must be indicated in the legend of the illustration in these cases.

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US $2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Printed in The Netherlands

SUBSCRIPTION AND PUBLICATION DATA

1985, Brain Research will appear weekly and be contained in 35 volumes which comprise:

Brain Research, Vols. 323–348 — 26 volumes of 2 issues per volume.

Developmental Brain Research, Vols. 17–23 (= Brain Research Vols. 349–355) — 7 volumes of 2 issues per volume; and **Brain Research Reviews, Vols. 9 and 10** (= Brain Research Vols. 356 and 357) — 2 volumes of 3 issues per volume.

Developmental Brain Research and Brain Research Reviews may also be ordered separately.

Subscription price: Dfl. 8120.00 (postage and handling costs included) or U.S. $ 3007.50. The guilder price is definitive. The US$ price is subject to exchange rate fluctuations and is only given as a guide. Journals are sent by surface delivery to all countries, except the following countries where SAL air delivery (Surface Airlifted Mail) is ensured: U.S.A., Canada, Japan, Australia, New Zealand, P.R. China, India, Israel, South Africa, Malaysia, Singapore, South Korea, Taiwan, Pakistan, Hong Kong, Brazil. Airmail rates for other countries are available on request.

Subscription orders can only be entered by calendar year (Jan.–Dec.) and should be sent to: Elsevier Science Publishers, Journals Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands. Tel. (20) 5803-911; telex 18582 espa nl, or to your usual subscription agent. Claims for missing issues should be made within 3 months of publication, otherwise they cannot be honoured free of charge.

The Publisher reserves the right to issue additional volumes during the course of the year. Such volumes will be invoiced before publication and delivered after receipt of payment.

In the United States and Canada: for further information concerning this or any other Elsevier Science Publishers journal, contact Elsevier Science Publishers, Journal Information Center, 52 Vanderbilt Avenue, New York, NY 10017. Tel. (212) 370-5520.

WITHDRAWN

COPYRIGHT © 1985 BY ELSEVIER SCIENCE PUBLISHERS B.V.
PRINTED IN THE NETHERLANDS

All rights reserved. No part of this publication may by reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without permission in writing from the publisher.